

Indian Botanic Garden Library
BOTANICAL SURVEY OF INDIA

CLASS NO

BOOK No. ALA-C

ACC. NO. B-8680

A *Walnut*
CURIOUS HERBAL

Containing

FIVE HUNDRED CUTS,
of the most useful Plants,
which are now used in the Practice of
PHYSICK.

Engraved on folio Copper Plates,
after Drawings taken from;

the **LIFE**



By **W. Blane** *Esq.*


To which is added
a short Description of y^e Plants;
and
the uncommon Uses in **PHYSICK**

VOL. I.

LONDON:

Printed for **JOHN NOURSE**, *at the Lamb opposite*
Katherine's in the Strand - 1733





*This UNDERTAKING was honoured with the following Publick
RECOMMENDATION by the Undersigned Gentlemen.*

London, October 1. 1735.

*We whose Names are underscriven, having seen a considerable Number
of DRAWINGS from which the PLATES are to be Engraved,
and likewise some of the COLOUR'D PLANTS, think it a
Justice done, & it is our Satisfaction with them,
and our good Opinion of the Capacity of the Undertaker.*


R. MEAD, MD.	IA. 3) GUGLAS, MD.	JOSEPH MILLER
G. L. TEISSIER, MD.	JAMES SHERARD, MD.	ISAAC KANE.
ALEX ^r STUART, MD.	W. CHESELDEN.	ROB. NICHOLLS.

*Les PERSONNES soussignées ont été
de cet OUVRAGE l'honneur de lui donner leur APPROBATION
de la manière suivante.*

Londres ce 1. Octobre, 1735.

*Nous soussignés, ayant vu un assez grand nombre des DESSINS
sur lesquels on doit graver les PLANCHES, de même que
quelques unes des PLANTES ENLUMINÉES, avons trouvé le
tout si bien MXM' CUTIS: que nous avons conçu une idée avant
agée de la nous avons tantôt de croire
que le PUBLIC recevra cet ouvrage favorablement.*

R. MEAD, MD.	IA. DOUGLAS, MB.	JOSEPH MILLER,
G. L. TEISSIER	JAMES SHERARD, MD.	ISAAC RAND.
ALEX ^r STUART, MD.	W. CHESELDEN.	ROB. NICHOLLS.



To

ISAAC RAND *Apothecary*
and Fellow of the Royal Society

Sir

Your **READINESS** to **ASSIST** and **INSTRUCT**
me in this **UNDERTAKING** (which otherways
would have been very imperfect) is so visible to
every **JUDGE** who must know that I had no
SKILL in **BOTANY** that I am under a Necessity
to declare **THAT IT IS TO YOU I AM OBLIGED**
FOR EVERY COMPLETE PART OF THIS WORK
and therefore I hope you will accept of this small
ACKNOWLEDGMENT which **GRATITUDE**
obliges me to make.

I am with the greatest Respect and Esteem

Sir your much obliged
humble Servant
Elizabeth Blackmell.

Chelsea August 7th 1757.



1 *f-h*TROZ> VCTION?*

The "Undertaker, Veing defiruj to make t/iu^c Jfo?~k ?7iore njeñil to juch aj are notfirniñhed[•] ividi j-ther Jferlralf.if refali/edffor th^{ir} Jak&/to yive a[^] jch^o Dfform of each Plaim/^d eP h&affrcm[^] and Time of Plcⁿvi[^]n[^] with its common uses in Phyl^ogk chiefly extracte^A from jfl?[^]/crfephyPtillery 3^ptanicuñj Oficinale^{*}- nnt/i his ibn/ent; and t/te jr~dina.ry JVam&f erfl/ie Plant in different LanyuaaeJ.

pure i.Diindeli/rn, or Pifta-I/e. Dens Leonis.

1. The Ze-cvveJ of (hut Plant li*. any^o< firirund; die PediAeh or Pipej otv nr/nc/i die F/onvnr grow are- a/nrutJtpc or eight ZncJieJ high; and dit' Fton/erj [^]e/hrn/. The Herat growj about a, Fing&r diick, and eA-yhtInches /any.Jullaf a rvhiU "fatter ylh/6.
- a. It grow* a/rrwdt every 7-idiere mFaJ/onr[^]rcnmdScflon/er(f moftyftonthj in die year.
3. The RacrtJ <%Zeai[^]Jare ufed, a<f wo-Zing, operative, prennrkmg Urine, tc jtrentg then thyyftvrnac/[^] and are much ecit <vf[^]a Sa/ZadinMe Spring.
1. hreeJt,yL<pdKa.,lali>%[^]eit/leor)U,[^] Taraxacum-. J[^]panuh,Diente[^]aeZecm.Itahan.Dente di fane and [^]Pi[^]cut alletv.Frenck.Venj deLycm,errPrffe en licl.ffermarhT/h/ßenlauft[•] [^]Runnichjhp/f.Butihjhp^{rn}, >/,,/

plat? <z. Red, fii/d.or iornPappy. Pap aver ru/mim.

- i. Thuf Plantgrmvtjo l>e% Foot high, theZeaves are a[^]Jfu/bnr-green, & the Flon/vrj Scarlet[•] z.It grin/J in mo ft Corn-fields, andflon/e-rJ in Tune and full.
- 5-The Flcrwenf pfth& P[^]py are ccoltng, incline to/leep, fy much nfeñin inflamattrry Fevery ilffic trial Preparations ft-vrri it areyfiniple Water yJhnep,[^] Conferye ofyFlon/erj fytincture.
4. £reek,MitKcoy gg>'cts.Latin, Papaver, rtdrrum, err attaint, rfiocas. apam/n[^]mapollif, or Pap on lit. jr[^]faliàn.PapaArero falvatz'cho. French, Pavrrt/aun/[^]e,or confantmj. (jerman,Clapper Rafen, or Corn RolenCDutcklicroderi huel.

Plate S. Muelleinrof&g-Taper. ifyrlraJcumorTapfuj Irarlahcd

1. It.gnPfa<to> ivfaFoókifkdw Léaver are alight[^] pillon> green, % die Flowers a pale l/ellorv.
- i.Thii/CaranJorLffig/inraifj and Comm/rnJ.andflfih[^]r uildy-
3. The léaweJ are u/edfvr thigh/, Fain/in l/[^]S/ea/t, and Co/lie-Pa en J;c\outwardly in Fomentation/, and are thought a specific again/trhe Tdej[•]Uiofcoridx/ recommend/ aDeurctiorL of the Roota/goodfbrtfie Tootdi-ach.
- 4<. C/feek, (p^d/-L @r Zatin, yerlrafcum or Tapfu/ Irarlatu/. Jpam/ft, Ijordololro orferlafco. Itrflidn, Talfo l/arltraffo. French, Bouillon- ij&rnuin, Beif/ Bulltcrat. Dutch, Wo lie kruyt [^]

plate 4- {/arden hicumlwr. ficumidf[^]trvur.

1. Thi/ Plant trailt any'C/rmind, tfiz Zea[^]v[^]J[^]arf a[^]l/el/oivgreen. S[^]die Flon[^]erj a pale Mellon/.
- a. ItU raifed/romf Seed yearly; & flower/, [^]freizrJ Fruitforfej/eralMunth/ in the tffummer.
- j.The Seed'u' ufea(for die Aonc, Strangury, heMof[^]lnne, Mtrniny F&i[^]erj and'Plurifi&d[•] DiofcorideJfay/, the Fruit chear/ decayed Syrib; andjyca7nmend/ the Lea-itSl[^]oilei Tiñth^c Wine, and inixednñth flamy ctj a Cuke for the±[ite af a Doa.
4. ijrtekilx V[^] "M- f£?"- 'Zatint CucunuJ fati inij, indgat-L/ fpanuh, factom hrv. Zta Iran, *tocomero- French, Cocornlrret- Cjerman, Cucumena., Z>ufch, Cpncomerfn.



Dandelion

} Flower
 } Root
 } Seed

*Dens Leonis
Tartaricum.*



Red Poppy

Ellie Blackwell delin. sculp. et Pinx.

- 1 Flower
- 2 Fruit
- 3 Seed

Popover

*rubrum
ernacium
rhecat*



Flora


J . r
Mullein
in \

1 Flower
2 Fruit
3 Seed

Verbascum
Thapsus

Flora. Hildesheim. 1810. 1811. 1812. 1813. 1814. 1815. 1816. 1817. 1818. 1819. 1820.

1



1.0 - 4

*

V

Cucumis sativus

Plate 5. Shepherd's Purse. *Bursa Pastoris*

1. The lower Leaves lie flat upon the ground; ** S** | — ** < " > ** Foot high. • at fa Flarver* are White
2. It grows among Rubbish Banks; MdfcU/j.. and flonserj all die Summer.
3. This Plant is esteem'd cooling, restringent, incrassating, &c. Blooa at y. ^{two great Flux of flatulencia} Jlatrdi?wJ^ l^oJi/lrme.
4. frtek. Latin, Bursa Pastoris, or Thlapsi fatuum. Italian, Bursa Pastoris. * French, Sotufe a Pasteur, or Bourse de Berger. German, SeclOcnutt, Secfrt, or ZfhMll, raut.utch, Borse kens cruyt.

Plate 6. Wild T

ina or Potentilla.

1. This Plant creeps j the ground, with w Fibers from the joints, by which it roots the Leaves are a light green covered as it were with a silver Down, and the flowers yellow.
2. It grows in moist barren Ground where Water has stood all the Winter & flowers commonly in May or June.
3. The Leaves are restringent and vulnerary, good to stop all kinds of Fluxes & preternatural Evacuations; to dissolve coagulated Blood, to help those who are bruised by Falls; outwardly it is used as a Cosmetic to take off Freckles, Sun-burn and Morphen and is good in restringent G.
4. Greek. Latin, Arg^ Potentilla, Tanacetum agreste. Italian, Potentilla. French, L. Argentine sauvage, or Tanesie sauvage. German, Genserichs, Gerssich, " Grensing. Dutch, Silvercruyt.

Plate 7. Rue. Ruta.

1. The Leaves are a Willow-green, and the Flowers yellow; di* 7*^ </r<m>-ataut and Foot high.
2. It is planted in Gardens, and flowers in June and July.
3. The Leaves and Seed are used, being esteem'd alexipharmic, good against all infectious and pestilential Diseases, and all kind of Fevers; it eases Disorders of the Head, Nerves, Womb, convulsion and Hysteric Fits, the Collick, onvels, it repells Poison, and cures. ^ 3116 of wnemtv Ovfitures and mad..Dcrsj. It is an Ingredient in the Aqua Brian camp, and die J^uit Therpocalv: The officinal Preparis hand are the simp * " * of the, Leaves, and-an, (Tit try Decoction. Greek, Ριταρον. Latin, Ruta & Ruta hortensia * TM? or. Spaniti, Aruda, Fr* lia? y, Ruta. French, Rut. German, Rauten or Beinraut. Dutch, Ruyt.

Plate 8. Wild Rose or Briar Rose. *Rosli Canznci.*

1. LemMJ. are & darker free Red J en^ e; and die Flenserf are J me
2. mnsj rishzte> Ufe.™ J W* * in Iura & J & ?* are fit to father the latter SrJ * { Z^ vrvryj in sledw, * L* °™ i . n_ j AM Bedequair ann* rykich IO a redti green-sponfi Main/ Uppaniler ^ ^ f T ^ FS ^ S ^ J f a b f f u e a f f e a r h a n k & n f a d j Sxcreffence, maue vy, ...
3. T mers of this Rose are thought vore restringentitan. y farden, Jante lykypmthem as a specific for y Excess of y laca, nemic. The ^ up i ff Ensfir h f s h d, the Heat of Fevers, is pectoral, good for coughs, spitting of Blood & y Scurvy. The Seed is good against y Stone and Gravel. The Bedequair y said to have the same Virtues. The officinal Preparation y the ^ ^ ^ J J J K v S ^ ov. Z atm. mofa Gimna, or Masalvestris.
4. Greek, Κυνδορατον, [Eglantier sauvage. German, Bildersj n, Eglantier. French, Le Rose, or l'Eglantier.



Flowers

Shepherd's Purse
Six Blackwell down, early at Five.

- 1 Flower
- 2 Fruit
- 3 Seed
- 4 Root

Barbarea orthoceras



Wild Parsley
Edic. Blackwell. John sculp. et Pins.

1 Flower
2 Fruit
3 Root

Aegilops
Potsch.



Re
Elizabeth Blackwell sculp. et Pinx.

- 1 Flower
- 2 Fruit
- 3 Seed

Ruta



Wild Rose
 Rhiz. Mackwell Jelin. sculp. et Pinx.

- 1 Flower
- 2 Fruit
- 3 Seed

Rosa Canina

Plate 11. WoodgS'. Sakna Sfa is or Scordon ^

- j. This Plant grows to *l>e (nn> Faothiyl; i&Leaves are yreener andInvaster than the fartgrh' Jape; the* FlonserZf are/eUoTV, tyitk purple Stamina.
- s>. It grows irif&djeJ Mid Irufti, J^lace^, and flowers in July and August.
3. It is esteemed g dad far die u/cna,Rheumatism,SEur^ \$S1>ropsy; prw ~~king~~Urine ^ die Jien/es; it it an eocczitlyt. -wdnerary Plant, preventing Mortification^ <%• fdhgreen/.
4. -fire&L'^Kopdiou. Lati>->, "jhwrdium, jfalma ayre/tris, Sterodonta. SpanuA, Scordw. Italian, Scordk>. French, (Aamaraz.. ferrruxn, BafferJratenijr.or Kno/dtrch/craut.

*Pla/v *o. Jdf/£ Salvia.*

- J. It is planted in gardens; die Leaves are/orne times a hoary green* ^Jomehmes a reddish Purple-die Flowers are a Idui/k Purple; and grows alnrt-jg Inches high.
- >l. It grows left wi 'dry/harf? ground, and//oTvër-j in Jlay and June. ' > • •
- 3.. The Zeaves and Fkm/ers a?y u/ed, as joodfbr a/lj>i/eases of the flead and JforveS; they are also diuretic, and gcrerd for OlftructumS erf "Urine/ and much u/ed • in-allSprts of Fevers, in Tea orPoffetDrinA.
4. ifreek, E\svia<pa/<<\$. latin, Salvia, andSalvia liort&n/is nut;or. Spanish, Sakna and Salvo*. Italian, Salma, French, Sau\lae\$. tferman, Sallfen. Dutch,

Plate 12. 7fl/u/e > Zj/iy. Xiluanilum.

1. The Zilh/ grenvs dwut bur ~~Fr~~o-t ~~hik~~; die ~~F~~onsers are nrhyte, natA yel/cms Apices in die middle.
- J?. Jtispl&n&dinfaraWiJ, andflcm^rSmIm&andluli/.
3. The F/cm^erS andRcrctf are z/l ed chiefly in, eoeterna\Applia/ianj'; diey are/erf tminy " and nno dine, bocrU'to di//alw and ripen hard Tumo-urs and SmrllüifS; and to fo-eal; Irrwcr/thumatwnS. JfoähicrluS recorm&nds the Oil, rmade o-f dieFlc-'verj, à <ryoodfor aH°äzns ofyJoznts 8\$ contracted.Jferves. The officinal Preparationv,j, *OtevntZiltorum.
4. focek,Ke,wov, \tiiiov, Latin, Liltum- allaim, and Zdium allrum flare e^cto. Spanish, Azuc^nz^ and-Lirw Idanco. Fr&ixçh, l^is. Cermctn, Zityen and fjilyery. JhitcA, Lelie.

Plate 12. Stinging Nettle. °Urticat

- j.This Nettie qrorvs to Oe &w Fwthiyh; die Zecvves are af CL lighter If-reen t/tan ' -foRoman JT**U; tks Florvtrj area dull yellmv •
- z. Tluy^ttle yrawSeverywhere in myr^alPUn^arut/lcrn^rjfur/e^verad Jtwrfhs m the Summer.
3. The Heats, Leaves and Seed are u/ed as ccrerliny and re/trmyent; the Juice thought qocrdftr. all-kinds erf inrvard Bleedings, ffaemorrhayiej and Flua < A Tent dipciyi it /tops. the BUediny afdieJVb/e tfr Wotindd "The Rorat is esteemed diuretic, aria*cv Specific for the Jaundice- The Seed u recommended¹ fur fouafis, fhortnefs c"Breach, and Olftrucacms of the Lunys.
4. Lee>k,)lKa>t\$ii oy.^KaXn[tpH' Latin, ICrUca urens', and lirenS nuuevma. Spanish, OrtizM l ^ n , Ortzca. F:-eneh, OrU&:\$erman,£elfhhoder Romi/ch SVEffel. DüÜ'h,

n 1009

v



Wood Sage
 Linn. Black hve H. John. rousp. et Fern.

Flower
 Fruit
 Seed

Sorodonia
 Salvia A

r



Sage
Kluz Blackwell delin. sculp. et Pinx.

- 1 Flower
- 2 Fruit
- 3 Seed

Salvia



White Lilly
 Kliz. Blackwell delin. sculp. et Pinx.

}	1 Flower
	2 Fruit
	3 Seed
	4 Root

Lilium album



Stinging Nettle
Flz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Seed

tiriica.

Plate i5- Safnwie, or feffarmne. fafminiim ar^a/mmum a/lwm.

1. T^N^iS^ffat*forth tong/lender yreen Twic/s., wAickwould lie on j/'Ground ythey ^m>.hot/upperted; the Flowers of the cornxm Ja/mtm ar^e nrtiii.
2. It is plintzdniht us irVfartjens, and flowers fbr/ewerat'Months in the Summer.
3. The Fhn/ers are the only Part u/ed. Schroder commends them as goad to warm i relax fy Tfomfr, to heal ant^Schirrdii dieretn; and to facilitate aWBrith; and also for a unuffMrutEiffiaii/tij of breathing T/ie Oil made lyJnfu/wn of the Fltrrvtrj 1/ ifed in TerfimuJ. J4atthz<rlus thinhr diat t/ie Ointment made cf fa/mine Im tfe Ancient* was not tint ^a/mine nrhuk rue have norv-
- 4 ^reek, latzn, fy/minum or fa/mmiun a/ntm of Ul/iminum, Italian. fel/imino. Frent/i, fa/min^ferman^ei^lrebm. JPutca,

Plate 14. Narrow-leaved Plantain, or Ribwort. *Plantago angustifolia*, or *Quinquenervia*.

- J. It grows tv eight or mm Inched high; die leave/ have five JVerivs which- ncn qtdte thro/ them from die foot; die Flowers are of a light ünber colmir with n/hite Jpicéj
- %o. Itpvfj in Fields andMeadow, and fterwery rrwftfy m Jlazj andlurL, altfw' you rfuiij frnd/ome of it tn slower nw/t Months of die Summer.
- x. It-it cold, drt/ ana In'ndinq; good au Kena' of "fluxes and Haemorrhages" or wminnf cffUlcred, Irkedikfat tfx> J^se, tfeJSx&f/oftie ^ 2 T f P
 ItftvpSiJiZJiunfrn, TM^N/'^f%oririe, ta/eSt&%atijLrM efg, & the Gonorrhoea, &
sip^dildeedt^/ ^ k v the Simple distilled Water
- 4: ijfeelAypLyXousrov M^OT TrlTdvL30. lafm, Mannu/ocanduffifolia 3c1 W W ,
 nerina. Italian, Piantac/we tony a or lancicrla . French, Ptartitazn . German,
 Jpigiger Jfe^ricfv. Dutch,

Plat* is. J? Sof^ Wart, %/pencurru

- j. Th^s Plan*, a/vntf to Ire tow Fovtluah; the leaves when hold yjr, „ • *2 r - 1
 • appear fUU'of small 90fa. die FtoL>v are a ^ ^ ^ t T J ^ ^ J T 1 ^
 JlpI^ £ y ^ m nrluclvlKing * ^ * W / 5 § ^
3. 'Ny<rtiruWarty acantrUed operating, deterfiv^etic, alexipharmic; good in -uly.
 tertuiru and quartzin Agues; de</trai/j Worms, and M^ excellent vulnerary Plant.
 ATincture tf 4Flwvtrj' iriJji^tfWirie ij cornnen^Ud against Melancholy & Madneft.
 Oufiyiirdiy liij of yreat Jerince in BruifejXcmtiifwyv, f wounds, especially in the nervous
 Tar a. The officinal Preparation are/the Simple and <compound Oil.
 yreek, Y^AKOV^ JLatwi, flz/peruum or M/pericum vulgare. Spanish, Corajoncillo.
 Italian, fifi/perico andP&rforatu, or fforirn dijijurvanri. French, Millepetuis or
 Fucherarv, forman, Jlantt ^o^rinvcrauL Dutch.

Plate 16. Fox-(love. *Di talid*.

1. Itqrvrs to h three Foot kiyk; tfa leaves haw a- little Down upon them; yFlmveri are red, fp cited nith white, and grow all on onefide of the Stalks.
 2. Fox6 (love grows firt fadge S andj Carej; nadd flowej jr i T u e a r i d d i l l u .
 3. This' Plant Tij Irut rarely used inwardly, Iving a Strong Fineae, nrorfing hr WiTudence upward* and dorvward/; Tarkinson extolls' aPewctioiv. of it inJle, with, Polwoku Roots, as OSL approved Medicine fbr J FaUwy Acknefs. The tale Poctor ^nl/? commendsy* Ouitmnt made of the Flowers and May SiUter, for /crop hiUons Vlcer/nrhichrunrnuch dreti- ifw them with the Ointmentaidpywinyf tow or three TamainaWweek nndinroverPtirclej
- > The officinal Preparation is, die cUnguentusn ai^uzUu.
- A. f, reelc, latin, Digitalis, or Tjigitalupurpurm. Jpanish. Italian,
 French* la Militate- jerman, Dutch,

f



34

Jasmine
Elix. Blackwell delin. sculp. et Pinx.

} 1 Flower
} 2 Fruit
} 3 Seed


Jasminum



Narrow leaved Plantain
Rabruere
 Eli z. Blackwell delin. sculp. et Pinx.

1 Flower
 2 Fruit
 3 Seed

Plantago angustifolia
Quinquenervia



S^t John's Wort
Eliz. Blackwell delin. sculp. et Pinx

1 Flower
2 Fruit
3 Seed

Hypericum

V

1

f



Fox Glove Digitalis
 Eliz. Blackwell delin. sculp. et Pinx.
 } 1 Flower
 } 2 Fruit
 } 3 Seed

Plate 17. Wormwood. ^46fint/ii7mi vulgare.

1. It grows to be three Foot high; the Stalks are hoary full of a white Pith, & Leaves are a Willow-green above, & a light hoary underneath; die FlowerS are yellon.
2. It grows in Lanes and n/aste Place/, and /fewer/ in, July and ^4i:yust.
3. The Leaves S^Top/ are uled; t/t&y purye Jfe/ancholy Wiimcrur/, prolv&e 'Trine, restore an Ajonetite that is lo/tly DrinAiny. They are ycrad. against the Difor-der/ of y Stomach, vomiting § Surfeit; disyfirenythertdiel^fcea, kdUfirrrns, <\$f are af service in Drop/sley, Jaundice, tertian § quartan, Jyue/. In allp a/rove las&itis infuied in Water, Ale or Wine. Aiataplasm af die green- ZeaA^Z leatvp nth iftbg's Zard nsn4 commended to M^ Rat., IM LVrjftul/e as a govd /j/r^errud Rzrnedya ahaziistjfrvellng af die Tonsils & Quinzy. See Rays cat. PlarUarum. Officinal Preparation/ are, ajimple Ifater; a greater and a lesser compound Jfater; ai/imple anddecompound Ju/urp; an Oil In/ infusion, and decoctio; and Oil vjftallatwn; art Extract; a fact Salt.
4. Greek, ΑΨΙΔΙΟΥ. Latin, *Albinthium* wily are or PonJzciwi. Spani/k, Jffenticyf or Alofncl Italian, *Assenzo* or *Assentia*. French, Jlyune orytlfince. ^ermanfJfermut. iDutch, Mfem.

Plate 18. Yarrow or Mi'foil, yffij/e/vlumiy.

1. The Stalks are m.h. we f*?' a/v^t eiyAtee/t Inches hiyA, arul arejomenshat hairy; die Florverj *' fiprvn'Z' \$^rcm/ ?* *€ Top/ </fdie -BrinsheS in flat VtnUls'.
3. The Zeav&r ^ ^ Jr^f and/orvers uz liufc andlu/y. •fiaemor-r-h *** e^eem*di*, c<r(rUny, dry my, Inndiny, ferviceaMe tn all kind/ of yreatpL^y^ff' /< tff #i^# or wrnithy JBlcrerd, hleediny at the ^hfe, Dt/fen£ery die tcro Jharpn \$^ ^ -die^ ^ f / ^' iwleritflo-o-diny, cook'ny and temperf-^t^ immoderate nrar-rt/ ^ ^ . IC ^jrw-d-m a-ljtmorrifea-, Strangury, Jfea>, af^Urvte; ivAe^applied out-
4. > j/Jf* rfdertnce ayainJt PzptureStftalincheS1/ Ir/eedmy of Fre/h 'ti&mas. > XT£a. Tio&TMs X^iopoW® /teyaš. latin, Mille/oliurn terreftrz vulgare, or imlgare. WT(Lal/r) Jjoam/lv.yPli/lloya/. yerva. Italian, Midefbalw. French, M/tifuedfe. lie/man, garden. L^vetch, Duyfmd-lrl^d:-

Plate 19. Thej/arzkn Sean. Fa/ra major, or ?mor hortensis.

1. The Garden Bean \$^ron/* ^ diree or'ftur Faptjmfi; d^Zeavts areapale green, and the Flowers white, ninth tn vUadSpot/ indMi.
2. It is used in manu at a Colmatic. & that is Pd'.
3. The Zeavts are ripe in Midren. I>w/ corides ta Z/ ficeal made into a cataplasm rescrve/ y Invllm/ in Women/ Bredts n/wh are oedufond In/ die Jfilk • nt ayo reannmend/ it mixt nntfi Tlofel, Time, % l white of an Egg, gooa job purging all nery Pheumfrom if ^el; Amioced ninth Wine a/yndfar fffil' & blood-shot of the Eyes. The Meal given inwardly is esteemed, gooa p. ara Idavdy flux The officinal Preparations are, the Aqua Florum et Siliquarum Fabarum.
4. Greek, Κίαν. Latin, *Faba m* ^ or FaU migor *'«*»/*' Spanish, Xhtra/. Italian, Fava. French, Fave. -ljerman, £tmen. Dutch, Rp-omfe, <rrBrcre-Bremen.

*t*te*o. Jteadon/Trtfinlor Clover fraft. Tn/v/uim vulare

- *'r ^ ^ u ^ ^ t l i X^Fl^er/p,lrple fpo^dn*k idu*, the stalks f Qfrw* TM "w/t Fields and Meadow, and flower/ m Mu/ or lwy>
- Z T ^ 4*2W/ araisafafaditria, Ihndluuf, amafbraUkdfEUixejie, 'ftranavr., Ji-
made uuv atiLaplasm, hulM&Zadithevar'are reckmed grndfrr iutZ^ %P
- are, v\loy. Zadt Trifblvurfi Mare. Spanzsh, 1 men. French, Trwfuedle. fennan, sj/enfilee. ^uich, rtrnrdeKlmueren.

J



Wormwood

Eliz Blackwell delin. sculp. et Pinx.

{ 2 Fruit
 { 3 Seed

Alfumb **HUM**

Hue 18.

* *



i

%

*

f--

Uarrvw

i Flower
•4 Frut

Millefoliun


Eliz. Blackwell deli et Pinx.



The Bean.
Elia. Blackwell delin. sculp et Pinx.

- 1 Flower
- 2 Fruit
- 3 Seed

Tin-it



Purple Trefoil V
 Clover Grass
 Rhz. Blackwell delin. sculp. &c.

1 Flower
 2 Fruit
 3 Seed I

Trifolium Vulgare

Plate 21. *Agrimony. Agrimonia.*

1. This is the
ofow Fcr. and Zif. 9. ^{ra?Yi¹⁰TM^{im}o^dP^Ufc^{orri}*e<"} ^{^alen¹H[^]a^{ncl}*nt(/rezh/itjraw/a/wit}
and Zif. 9. ^{^kan/in(j) f²/eral} ^{nnrtged} "hairy Zeaa's of a pale green colour;
yruori' -r/on/erS.
2. It grows in the borderj of Fifty; and storver/. in June aydInly.
3. Agrimonia, ^{1^sf e^fe^{em}*d} ^{^kan/in(j)} and purifying ftr die Zlo-ad, ftreng thhinà ylivier,
and goom ^{anst f^{ea} e^r} wfa'rfronilhe'tfeaknefj thereof as die Dr<rpfy, Jaundice &c.
AtattA. ^{lo^w recommen} ^{df itmth ndiite[^]Vine^a} a/ an excellent fare for die Strangury nnd
'Unrd ^{lo^w recommen} ^{df itmth ndiite[^]Vine^a} a/ an excellent fare for die Strangury nnd
^{o^o.y¹ ^{a[^]*"}} Tberiiij extorts y^fcmrder ofy dried Letups for die Incontinence of/rme.
is itix
4. Greek, ^{-^ouu x[^]tydy.} Zatin, Aynmonia, or Eupatvnum .\$necorum. Jpánuh, Ayramomá.
Italian, Agrimoriia French, Agremoine. ierman, Adermèng. Jutch, Agremonie.

Plate 22. *O mmo o ilkyra Malva vz/laa7t/.*

1. Malva ^{^onr to k? dirve F&at high;} die fm/h are fame ndiat hairy, A die-Z eavej are
^{a[^]yellonn/A[^]re[^]ri, J/FtorverJ} are a bright reddi<fh Pu?j?le, jtripd nndi a-deep Purple.
2. It yrrpnv comrcnclly by Way-fide*, and flcm/erJ for mostly Ptondij in die Summer.
3. The ^{one} of die five emo-llient fferl'S, being Zoofening, foo-Irnà § Molifyng .ADecaction of
^{m⁵ Iⁿfrveetned'nidi Ji/rup o-ffbtetJ,} % draft A norv ami (hen & /6e Quantity of a Quarter
of a wit. keeps die Bpdy fallible affnragej cholerit flum&urS, allaij /he heat§• fsharpnefj-
of Urine, ^{a[^]f[^] ^{^e} Sfc^r?} \$pljrat*el, a?idpiznxAej ^{C2l7-tne.} Afateplafm made of the Zeavej;
eases the smart of the Place that u fitting by JBeeJ or WaspJ. Where Mar-fh Jtatton*
are not to fa[^]had this may fitpply (fie Place. '-
4. Greek, ^{Ma^{dxn}.} Zatin, Jlalira <f~4falira vufgaris, or ayre//is. Spanish, Afa/vas. Italian,
Malva, or Malva. French, Matt*, ierman, Pappel. Dutch, Kaaffej cruyd.

Plate 23. *f vdenirefj. jVastiirtzum 9CortBnJe.*

1. It
grows to bi?, eiahteen Inches high; the leaves are a bright l'reen, Sf the Fborverj white.
2. J y/anrn iré Gardens yearly, and flowers most Atonthj in the Summer.
3. The ^{o^o} -Lecvves are ^{~m~ch} used as a Sallad, their rvarmth being yocrd to help the eolditefs
^{o^o} T others mioced nith diem. They are estesmea' gocrd for t/U Scurvy, Drop/if, Pa Iff and
^{f^{nt} 9H-} A latâpla/m, of the Zeaves < nith flog's Zar~d curesfeald ffeadf. the Seed helps
^{e^o S^{un}y^{mm}^[^]rvpsij.} and nulling of th[^]e Spleen,- and opens Jlrstruclio-ns in
the Femal'sex, and prevents the' falina offoftheJVair.
4. Greek, ^{Ká^ofajuoy.} Zatin, JYa'tiirtium. Spanish, Jfashir-ho, and Alalpica. Italian,
^{astrutio} and Accrèto- French, freffon de Sardini, and Aa/itore. German, ^{Carten-}
^{crefs.} Dutch, Thmijn-Ker/se.

Plate 24. *el f-Heal Pnine//ior3riin&llci.*

1. It ^{U^of P¹} dntgrvivs fir'tv a foot high, the Zeaivs are d dark Ijretn, and die Flcm[^]ers Purple-
2. It ^{^^o771*} ^{^m} -N'tadcmf and pasture ffr~cntnds, flcmsenny aU the latter Atcmths
^{o^o} T the Summer.
3. It ^{zy u[^]} ed fbj- allInflammatiowarið[^]llcer-⁴ in die Tongue, Janf and Thrcrat, either the
^{J^{me}LT^agrxm9} Decoction, as also fbr innmrd 3leedingj [^] mafa'na, of Bloody -Water,
4. ^{yr[^]ek} "Evnaredp,oy. Latin, Prunellao? *Pinella inilgaris. Jpanifhtl Agramonia,. Italian,
^{o^o} Umda nunore, French, Agremöwe'. German, Bruhelien, fyAdermenae. Jutch, I!ruyneljLe.

•M. ff.


c



Agrimony
 Th. Blackwell delin. sculp. et Pinx.

1 F&rf&r r-
 i. Frttur
 3 Fruit cut!
 4 Shed.

Agrimonia
 Eupatorium gracerosum



Mallow

- 1 Flower
- 2 Fruit
- 3 Seed

Malva

Offic. Blackwell delin. sculp. et Pinx.



Orefo
 Garden Orefo
 No. 34u4 well delin. sculp. et Pine.

1 Flower
 2 Fruit
 3 Seed

Nasturtium
JViurittm hortense



Self Heal

Like Blackwell delin. sculp. At, Pine.

} 1 Flower {
1 Cup
3 Jet-it }

Prunella
Ji runt-Mn

Plate 2:

demenum.

i*This Shru/> gnmrf to die diicAne//cf e7aht or ten Jr^A^/ in xrcumferencesffioctin? out /<m?yTender Stal/h, ndiich tnnft afoirt £i*ry thnf they meet nntn; (heZeave, are a MuTsa yreen, anJ die Ftorye'rjr a pale red- ndiich arefitsceded /</ £er,u>^ c?fa deeper Tied.

• -Ijarow zn moft&die*, and/?*n*r* die greatest partrffAe Summer. yTh* leaves are/am^me/ pvtrinto faryan/mS fbrjore TARvats. Seme remmevd'a lie-- toctim of 'dem fir a fattA «*dtAe l>tyfrt; ^dto op*n <>Mntch*nsafyliv*r%Spben. TAe Od, r€ade 4™fok»'rfrfW' U *fw'''*<1*«*&»? tnmrntn?. cjaod fbr the framp '§?oriw#lfns tfiiMrvt*. JladMusrrremm<p& fa frprtW*r fate* of voodinfa Ointment/that are ic/ed for Tftmndfrn die toad, and 7/forS mdif ley*.

4. Greek, Νεοκλδμενον. Latin, M A Peryclemenum. Spanish, Madreulva. Italian, Vincibosco. French, Vincibosse. (-irman, Beiolda*J)utr. yten ? immezet ruyd. jelddaMik

Ttate zs, Zarkj Spur. De/phinium, or fmfoiit/a regafo.

i. Itgr-on* to fa a Vardfyk the,leaturt are a darA tjreen, and die Flower* corn*

9. Ttu Jcmm every l/earinfarden,, and flow? rt mafi part<rf tAe Summer-

3- Tku v estetm/di vulnerary ?(artt> of ^alty Wature.Ma*Awlu,fayj it' cure, tie Zheum* and Inflatnmatwr* ****?*™ff™ff™Vt f?*' with sn^ztJftne it renun^d tfo/Aarpnefi of Wine. It Mennfe c/ofe* up p ejh Wounds, and heal* 7Mers.

4. Gre Italian, ConLlida reaU. French. Pie d'Jllmtette {jemuin, alis. Spanish, Rittersporea. Dutch, Riddersporen

Plate j. Balm Melifa.

1. This Tfant frtm* to I* dtreeFrot high; fa Stalk arefyuare, die LeawJ a light yello?v tfrten, and fa FlmvrJ white •

2. ItgrJ« anfy in fardel fore, and florvtrt mlidy and JuyuSt

3. The ndiob ffeU i,ured,ardefoem*dcordUcephu,u,ood/br2if^rs of the Head andM heart die Mart, cureJ iti Palpitation, prevents Famtmf.Melancholy, Hypochondriac and Sfr/*nc JDiforderj; refit, Putrefaction, andN of 'r* <U/ervice in malignant and con^ ^ i/ ^ imper dou r r applied it helpj die Jhrytny. *f B JandJaSpJ. Tkeo/jfcinAlPrep^ ara the Simple Water.

4. SeiJf, ^Lwov. Zann, Mehffa, orMelif/ophy/lyp JhanAp, Torongdorffierva Garera. Ita|en. Meliffa. Ff Meliffe b irade. German. Meliffen Mutterkraut. Dutch. Confily de greyn.

Ft ate * *. Mdge -Mufturd. fiiyfimum -

1. It grows to At too Fmtfugh, fa Leave* art awllejv \$reen %oy flower* a pale Yellonr.

2. Hedge -Mdg ard rrvnrt commonly Inj Way-fides, and on 3'unfa', and flans-en most part of the Summer.

3. This Plant td hot, dry'.p/jen/Jf• atte?niate*; try U* warming Zuaiity, it de/oivt* thick ami slimu Rimotirj in t^ungJ, help* a timer hand jhartneff.ofBreadi.Ttu much recormn - en&d ajairiJtarifwlnthial fibarfneff, to "recover y Torre. RweriJ• praiji a Decoction of it in Wine, ay a aood remedy fr r ll follic The offi an dt Preparation y, the Jyrupuj. de En/fimo.

4. Gree & fig votp. ov. ZatihEnjifimum. Spanish, Tinckaon. French, felar or Tortelie. Italia n, EryfimoorInon> fferman, fledenck^Tfdder-Scuff-Dutch, Steen-Raket.

? 0



**

Honey Suckle
 Wood Sind
 Elix. Blackwell delin. cadp. et Pinx.

- 1 Flower
- 2 Fruit
- 3 Seed

Periclymenum
 ta.pti.fetiM.rn. ^tfdUt

7



Lark Spur

Ediz Blackwood delin. sculp. et. Pinx.

- 1 Flower
- 2 Fruit
- 3 Seed

Consolida regaij r
Delphittur



Balm

W. L. Blackwell delin. sculp. et Pinx.

- 1 Flower with its Cup
- 2 Flower separate
- 3 Cup
- 4 Seed

Melisophyllum



Hedge Mustard
 Eliz. Blackwell delin sculp. et Pinx.

- 1 Flower
- 2 Pod
- 3 Middle Membrane
- 4 Seed

TSryatmttm y .^^

Plate 29. TfTiite Mu-fiard. Jihapi- album.

1. ^Tnt Stalks grvns to le tnn> Tap tr hut til and are Agin/; the Leazrej are- a hfih
\$reen, and'the F/orver* a l/ncfht yettorv.
- *¹L?rim* nm^ !*- dtyZan&arid the £ dyes of Fields, and' flonger* in lull/.
3. ¹ff (F^w&es an App^{pp}itite, ffrenathens the S*lymach and kelp J&yesttcm.
-¹<7/ford² recommends the "Juicé Imixeddnt A Water and d²mey as Jova¹ to
jciple the TArpat, n>ith, and hel'o Jfomen nrhc are (rtmlded n*th she Mothers
a ^tpMti^{frn} dfigiyj and the Juice id ^qdf for die Ze^tkargi^{g/h} lay^{vg} it on the
J^{eau}, j f^{aved} place glyn/J red.,-% ^dv% ^{ur}ie uttá^{ja}m/ laid*on y ^Sep egfej
foe Sciatica. The Jeedhl^recommendi aj good in Tfrnfter* to <fofien y Seals' of the Wead.
4. ^{re}eK, X'n'nm, 2'rtgpy.- Zatin, finapi d/lrurt vralterum. Spanish, Mpftaxa bianco,
tel² Jenape or Jenauro falvaticé. Frenclt. Senew IrLxru. German, /}elder Seiiff.
Dutch, MtM^{frd}Zaat.

Plate 30. JbnrT/u/ite. Scncfnis adper:

1. ^Ityrnrv almiittnv TfartrhidA, die leaves"are a irratitSreen; and tAe Flowers
* pale ij-ellanr. "
- *¹rj!TM¹ Wir-Thi/bfe grmvj cp-mmtmli/ m JBan ks, and flower* m^ffai/ andTune.
3. ^fff^{he} J are: of t/ie same Jfofarf nith tfofe of the Dandetj/on, "teiry vpentfive
and diuretic, and aovd'for jhe Ijra-isel and jtoppae of Urine. Jtatthwlus fat/s the
R^h^d LeatseS n^enyounq are much ttседin Italif in Sallads;^ recommends
the A¹ff^e Jklm in Wine as good for an J^fthma; \$ die difternpers of die Far-
vyien foiledndi Oil, yálen recommendsy Zeais&d/o A? chemlfrr an vfjfkndiveBreath.
4. ^zeek'Xoy^os, ^ovxos. latin, Sonchus a/per. Spanish, S'errat/a or J*err-alha.
Itah. a.n, Soncho, Cuerlrita. French, Latterv. f, e-rman, Bilder ftafentul or fiaufdift & l.
Dul.

ffote 3i~Crrrn^r-fevt. Ranuncfitf pratenftj repens.

1. ^{Th?} ^Tnt giron^{ASS} to Irt a Foot hwh, t/ieStalks aná(leaves' are somewhat
to y^t He FUn^rs are a ffitting /m'aht 2le/onr.
2. It ⁹ in most Fields, and flowers in tM¹
3. ^rrtnyvfrort is cauftic, and may be iifed to drawl}idtery, wAere fantharides cannat
£/£ hit f/iej rnu/t natli/ on tor? long, for fear of ti/teratiny the Tart.
¹^a^artan/ exfrl the dist'ffed Water from t/i? leat>e4 of the Im/trw/ Sort,
oN¹*^e #ves infused in Brandy, n<f an ejrcel/ent Remedy aqatn/t the Plague.
4. ^off¹ ^{Bar}F¹⁰ o£tvovayQjöv, TTXary^uhosXahn, Ranitnculiu pratenfis-Jpaniuh,
Zer¹U¹ ke/ida. Ita/trin?-J£anonc<no or Pte Coi~lrinJ'. French, fire not fie tfe or JBa/finiz,
German. Hanen JFiif/. Hutch, S-Inthonis Raajje.

Plate 32. H'atenifant. Jfent/ta aquatica or Sj/m/rium.

1. It grows ? k SInches high, s/talks art hairy; %Flon'ers a red Purple and y Leaves
reddish (green.
2. It grows in Ditches and Watery-places, and flowers in June and July.
3. This Mint is rather better than the Mint that grows out Of the
do
- fitse drvpd mto /he JZarSid void to eap their Pain fyhelp Deafntft. Biofcm'dej
recommen'dj the Leave/ I/oilecf in Jfater <y gwdto .{top a Reaching'or Vomiting\
4. Greek Σι¹uifi^toi/. Zatin, Mentha apiatica crr/zfz/ml^riurn- Spani^h^BerroJ or^ris,
Italian, Sj^mlsro. French, i}erman, " Viitch, Roffe water V. t.
No. &



i

White Mustard

Blackwell de&n. sculp et finx-

- 1 Flower
- 2 Fruit
- 3 Seed

Sinapa album



Prickly Sow Thistle
 H. Blackwell delin. sculp. et Pinx.

1 Flower
 2 Cup

Sonchus asper



Crown foot

1 Flower

2 Fruit

Ranunculus

Elm. Blackwell delin. sculp. et Pinx.



Water Mint

1 Flower

2 Cup

3 Seed

Mentha aquatica
Symphonium

^ Xta^Ju^// delin. sculp. et Piss.

Plate 33. *White-Archangel & Dead-Nettle. Lamium album or Urtica martim.*

1. The stalks yrurv to be a Foot^hhiySi[^] Tea^e area- Jari ftrvert and t/ie flowers White.
yItjroTitflryffedyej, and flo7verjtnJprtlandMay.
3. The FloriMrs are accented a Specific ayminJt di* Fluor. allnU, and are^{ent}fy made use, of m a Cortferx[^]or Jfecactionfjr that purpose, nrhich *f Ic be continued for <">yju hme. /ome -recommend diid[^]lant ad of t/reaç use ajainjt die Kin0-Zvil, andaf ferty/xulow SwdUnas. The offuin[^]Preparationx, the tim/erve of die F/onvrj. freek,rakiöf, Latin, Lamium a/Intm. or Urtua, mortua, Spant[^]i.Ortica muerta • ftufcan, Orticafeida, or t/rjica -mortaFrench, drie;German,patdrrieJ/d/Dutckl)<>odJttt/en.

Plate

Solanum lignosum, or Dulca mara

1. This species of Jfykt-Shade had many/any aM-coloured' Branched, diat diml- up upon any fa,y tigrmz[^] near to; dtf Zeav&f are a deep freen. and the Flojverd Turpk.
2. fjirovn in molt tteda&f Sr watery P/aceJ, and ft on* rt m Jfaij and June .
3. The Leawx and Tnru[?]daré life d, and are commended hf jome againtd the Drop/it, Jaundice, and Jdruf'j-Eviñ\ Tarkindonfayd it purges violently enough. Prewrtms in his Mdicina, Paupencm, commend? it ad d iindfy Zvuçuator ofMi/e. DifiJarrideJ crmmdndje BemeJ ad qorrd to take Spotd out of the Skin.
4. Greek, ἄμπελος ἀγρία . Zm, foianum fyn*fum*J)ulca . mara. Spanidh, Italian, *Vite salvatica*. French, Morale.(jerman, Menyerje hekr.Dutch, fjrorte nnnndc

Plate 35 *Bnrad-letmdPlantain. P/antayo larifrtia. or Septinenna.*

1. The JhM, ofdiu Tiantain irons tv fa cifht Inches high; the Flmerf are a [^]hzt[^]h flour. "
2. Kyronv fg, Wav-ftdeJ and Meadow*, and ffon[^]erd mMøy.
3. 'Plantain v arid!dry and Inndtna; tifeftitlin all kindj cfFlttx* and XaerntrrrhqeS, MfptinfA; vomttina of\$M,ldeedtna attfie Jty. the Zxcefd of the fatamemajr *<fcAia./t is hhnne eJUtmtd aw/fr die . jnt[^]untarymah[^]jm[^] andSharpnefj kBie gonorrhea,; ilhtpj. tv stop (Msedtna[~]of JfcmnddIf cm/oiid[^] rif^{tr} Tk^{ps} officinal Preparation -id the Simple diftilled Hater.
4. Greek, ἄρνόφυρον Aatin, Flantao latifriia. orSeptinerina Spanidh, Lhantem or Tamehagem. Italian, Piantayme or fentinerlna. French, Plantain. Cjtrtnan, Megrich. Dutch, We?0bree[^]

Plate 3t. *%oirage. Barrayo, or J3u(/lojfum.*

1. ffffnmv to be is Inched high, die Leaved are a yrafd• freen, and the flower* EurpU -
- *. ^{lc}Srtmdfræaium[^]ad a, Weed infjardend; andrd often foitnd nrrfd near XoiifeJ and upon Wälld; and fLm[^]erd in Tune.
3. The Letive, are eftemed cordial comforting the Mart f<ntvtntin, Famtnefd j Melanchk The "Top/ are much nfeidin Wine Sc farl-Tankarjff-Therj are accounted Alexipharrkic and Joydm mafynant FeverJ. The Flonvrd are one. of the four Cordial Flowerj.rhé crficial Preparation id the Con/en*, of the Slower*.
MatJffioius recommend* t/ie ndoJe Plant diftilled. a* good for y Inflammation* of dp Eyes, rv/zetAer innmrdltj or outwardly applied.
4. Ore, k,Bovy\ ocroy. Latin, Borrayo orBuglofdum. Spanidh, Borraja, Borrajenpd, B. rajeTta{ian, Borraqine. Tr*nch, Bwrrithe.l/*pnan, \$iirretfch. Dutch, Bernaajje.

No. p,



r • AiNjV ^ -

White Archangel
 Scad Zi'eJtle
 Ejin Blackwell det' in. sctdf? At J'tnx-

Flower }
 [s cup
 j ^ Seed

Zainiwiv album
 Urtica nu>rttui



Woody Nightshade
Bitter

Edz. P.

Five.

1 Flower
 U Fruit
 3 Seed

Solanum lignosum
Dulca mara



Plantain

1 Flower
2 Seed Vessel
3 Seed

Plantago
Septinervia

Eliz. Blackwell delin sculp. et Pinx.



Borrago

Borago

Eliz. Blackwell delin. et Pinx.

}	1 Flower	{
	2 Calyx	
	3 Seed	

Plate 37. *White Jtriany*. *Brij'onia allm or Vitu allm.*

1. *This* Jtalks of thi<f Briany clirnr zip to a great ffcyht in fA& Jfedaes; /Ae leaves miict^-refernlrie thcrfe of a Vine; the Flor/er* are a nrhitish green fatcrur.
- 3- Itgrrnrnf m Lanes and fCedges, and ftcM>iznf jn yPLry and June.
- \$. The Rcnrt i</ a Jtrxmcf Purser ofjeorous ntitejy fCumoiuv', TV&IC/i it does IraiA upwards and dmimmrtif, % TS é/teemed ywdfur i/Drrrpfij, Ijottt, Epikpjy, Palfy<% hyfteric DiJordsn, " S² ^ Jyden ham commtndf it teiy muth in cāfa of Madnefj. The Faeou/a is muck vj uie same jVhfyre, /nit something Weaker. The officinal Preparations are the Jquct *Bronia* comp. or the ffyfteric Water, and die Faecuta Sronzae.
4. *(A) fmcKos* \cu/<ti, latin, *Bryonia allnx*, or fibs cr/Int, Spanuh, JVeuzza, <jrjlnorTa. cahan, Bnonm, or Zjccc/^aUratrca. French, firulurxne or *Couherec*. German, *Stictvurk* er Zeiife If turfy. Dutch, Vfrilde Wynyaarde.

Plate 38. *Great White Bindweed* *eed. Convolvulus major albus, or Smilax laevis.*

1. It runs up tv & great height when ithaJ any thing tv tnnst alnrt, die Zzaves are a nnaonr fireen, and the Flowerf rvhite.
- 1- Thij Plant grontf in most 9{edgej, andftonwrja/I the/atfer end of the Summer.
- 3- The Root of the great White Bindweed id /omendiat cathartic. PrevxttiKf in fw Jtediana, •PcLupenim reckons it a #ent/e Fir&ctator of die Btle* Camerarius doulrtf whether thuf he the Jtni/ax laeins of the Incienti.
- 4- \$rtek, ^jLi\^a^ \cta. Latin, fimvolint'luf major allm/, or JmiUx laem*. Spanish, forequmajor. Italian, filucchio maglore. French, lifet or Carnpanetre. German, Binden. Dutch, firwt? Tinde.

Plate 39. *£Lii/erJ or fovferj* f *Spurine*.

1. *This* i^tcreepincj Plant that jron^S annually from the Seed; (Ac Jtalkd., leaves and Seed are *rzni), and the Flon^rJ are white.
2. It grm'S in most ffedgeS, and flarverf firr Jexwral Months in the Summer
- 3- The ruhale Plant is used, % is esteemed moderately cooling Jf drying, qoadtofiveeften y3lovd; It is also accounted inilneranj, \$\$ offennce iny Kings-Eml, fornhich some y^c the J»?r' ?j a great Jécret. It is likennfe diuretic, and helps the Stone and gravel. This is one of those Jterhf nrhich are commonly put into Spring Porrtdje as good for the Scurvy.
4. {JreekAmag'ivmlatin, Jpanne. Jpantsh, Italian, JIparine, or Jpervnella. French, German, K/ela:raut. Dutch, Kleef-Jcrtiyd.

Plate 40. *W/i£at, ^3eardeJ" Jfheat. Thitiatm, ^ Triticurn and fa turn.*

1. The *Wheat* rinthozitArvnd or Beardf is diat ndnch grtmrt moft common in Unyland; some call the, BearzUdWheatDtqdaU Wheat-
- 2- Iti4.forim commonly %i^Jutum and recco&d die luly or-JkujztStfodlonny.
- 3- This, /frxtin is r^ctcmd more rvnir^ifhin^ than any other ^ruin for 3read. A Poultice rnadt of it irozUd iri Milk eo/ed Fains, and ripens Tumours ^ Irhposflhurnatoris Aj)iece °j^read, tuafed and dip'd trt Wine, is govd to stop 'Yornztiruf, In/ applying it to eke J?ma,j>lx. The B-ran is ufed ttt CdtaplaSms, and applted hot in Bags forPainj in the Jmej, Th<f/y was formerly kept ttt the JhopS an EmplaJtrurn de Cntfta Tanu.
4. y^kTTypos. Latin, Triticum or Triticum aristatum. Spanish, Trtgo. Italian, frano or Tormento. Fipa, Fcurmznt. (Jerman, Betjffen. Dutch, Tarrunr.



Bryony

-a&v Blackwell delin sculp. et Pinx.

1 Flower
 2 Fruit & Flower
 3 Fruit Green
 4 Fruit Ripe

Bryonia alba
VitCs alba



Great Bindweed
 Eliz. Blackwell delin. sculp. et Pinx

1 Flower
 2 Fruit
 3 Seed

Convolvulus major albus
Smilax Lewis



Clover
Goose Grafs
 Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
 2 Fruit
 3 Seed

Aparine



Wheat N^o 1
 Bearded Wheat N^o 2
 & X Lackwell delin. sculp. et Pinx.

} 3 Seed }

Triticum
 • Triticum aristatum.

Plate 41. *Verve* arv. Terlj&iicL § *Verbenaca*.

1. Itynm^ to Ir&trw Foot high, die, Stalb arv a-purplish Bronm, the Leaves A-tvi&mr fretn, and the Florwr* p^aU Purple.
 2. T^vY^ l^h ffy/uvayd, near Torvru % Jillages^, fUvriny in, Tufy;
 3. T.nc Ifhale ^terdr M tu^d, Ir&iny acccrwrfted cepAaMt, yovd ayaz?xft>Difea</&/^ arts = l'n\$ p~crm Ccrlid and phlegmatic tizufes. Some- ccmtrnend it tz> open- Olftritcti<>?y of the Fiver and Jple^v, hedp th& Jaundice and fauf. Ou£nra?dli/ itv eiteefnd wtotryry, ^<W fbr; Jare nrateiy znflamed Fyes.
- * Verminacola. French, Tenrazne-Tna^e-- Cerman, Filencraut. Dutch, Yserkruid. Italian, Z&tvn, %orienac& fuping.; Jpani^A, 3erl^na..

Plate 42. *Oh/e2)ai/i/1 the /jreatj)ai/j/. J5elh<f major*


1. Ite jtckij grow, mare t)iarv a, Pout high, th& Zmv&f ar& cc deep yraft y-retn, ^ jfig Flprv&r* nrfute nru/v a, yeJlorv T/yrunv vn* che, middle.
2. t<7"wi 7JV Pasture' /j-rintruLf, ami ftonserzf in Iuna.
3. The Fi^ve?y of chi^ Daz/y art efte£?n:d' haJ/amzc, gcrod firr all Di/brder* of f-f-&reajt- aizd Zimpj, dj úrualiJ, jaortne/s of Breath, PleunJiej, 6mJump- <famf and Wad ting tf the Fief A. They are frequently put nto rtpoz^ms and Decoc^107y fir invvardBrtufes, Wetindo, and Ruptured.
4. Greek, Bv<pea^fiov.Za'tin, Helks jnajar. Spanuh, Bupthhalmo. Italian, fochio> di Bue. French, Oiel de Beufc\$erman..RincU. lluy. Dutch, VrrateradMelleyen.

^mV 43. *Pimpernel* or *Jta/e Pimpernel*. Jtnayaffi/ terreJtriJ mad.

1. It rons to be a Fcnrt luqli, the Zeai^ej are a, arafe ^vreen and the FknverJ fcarlet.
 2. T^r^vif vi lorn Fetid* ffnrrncj in, May and Ixvne-.
 3. T^A^ Flarzx r?Urde<rcuh/ warm & dry nrik & little* ftiptzctiu, and Iry Jom& z account- ed ^it^or>d< iruslr^rary. The fxtice takerv inwardly, (try tt /elf, or mvx'd-ntuh ComfJfifit^) ^TM^ d^v^ oruzmpuan and JExtempers of the ZunjJ- -Itv often, put in Cordial J^* M al&xipharmic, k gova agazrut malignant Diffemperv. dome- Vfgitery* of J^* e have rvcirmmended itxn, CzfeJ of Ziinacz/ and Vitericru<f FeverJ-M&thio'hts o^nr^ endp J f ThCth/hffd h JUb/il h Sid h h p Juice-, for 17 Teath~Cteh;/huffed up the JUb/tril on that Side, rvhere the
 4. does not tie, y
- Fy^re eA.,Ara.yd)Ns. Latin, Anagallt's ma<f. JpanuhMuruyeJ. Italian, Anagallo. rynch' Jliotirxm. German, fat/ch heil. Dutch, 3'a/tardMuzir.

Plate 44. *Parfes* or *Hearts* fvk *Iriarler*. t f a e c e & I h f Thru

1. If yrtm^f a- Fcnrt IWA, the Leav-ej are a dark fyrten, the Flcrnstry/potted nnth a Ufht Purple, a. deep Purple, and yellon*-.
from/ Wild in die Harder* o-fFields, and, u. also planted -in Wardenj,
2. T^T^ aut T^T of fthe Jum
3. T^T^ are esteemed mucilaginous and vulnerary, yovU to take off th& J^* p 48 i Children, andpr^eirerit the. Fit* aridiny frviyv fhe-rn •
4. Ifreest, Ec5~{dx,Qcv *r Latin, daceca. Jpanish, T/e-nra, di tf.Tnnadadof. Italian, Jascea. French, Penfeej.^erman, /jit/enfarlreriBlumlin. ViUch, Peri/eerv.



Verbena

- 1 Flower
- 2 Cap
- 3 Seed

Verbena

Eliz. J&tatkrveM delin. sculp. et Pinx.

0
2



<F ~ *

Ox-Eye Daisy

*Pluc Ztadin,*ett defitt. Jccttp et Pina*


} 1 Flower {
 } 2 Seed {

Bellis major



Pimpernell
Ebz. Blackwell delin. sculp. et Pinx.

}² ifruit { ' *Anagallis terrestris* mas
} ³ Seed



Heart's Ease
Pansies
Elizabeth Blackwell & Linnaeus sculpsit Pinx.

1 Flower
2 Flower top
3 Seed Vessel
4 Seed

~*Viola tricolor*

Plate 45- B-ram/r/e or ^Blackberry J3it/h. RulwJ or Ru/ntt vultfaru.

1. Into Jhrttlr hcu manz/ long creeping Branches; there are cornnonli/ \$ Lewises
 one FoTytftulA in the lonser Parts, % and three art the tipper Parts "next \$ Fruit;
 the Leaves are a deep ^reen; the Florver* a pafe Red, and sometime/White;
 and the Fruit nshen rpe is of a Irlaci Arlmtr
2. It grow/ in nurstfledyes, ^ flowers in Tune \$ lid/; tfe-Frxiiit/ ripe in Jseptemlër-
 The Zea-i*e</ eera accoigzed by Botn# & cits Scora frequently pcedif
 /rjvre ~4>l<rut%os J- ThrvatJ; the unripe Fruit zs i*ery /nndmp and restrinyent, zt/e =
 ftl/br a// kinds of Fluxed Sf B/eedny, for TARu/~hsj & /are ~4fo*a/is. The Juite if
 tfe npe Fruit made into J'yrtip is esteemed'gmd afainst t/ie Stfeat of Urine.
4. /r&eA,,.£a.Tos.Zatin, Riilqij, ^ Hnlrus iruJ^arif. jpanuh.carza. Italian, Row.French,
 Ronce f erman, Brnml/verand tjraklwer. Dutch, Braam- be-zein.

Plate 46. Befony. Betonica, Jr Be tonic & JilitejtrU or vulgaris.

1. It grows to l^e eighteen Tnch&/ high. t/ie>Leave* are a. deep jra/lf fireen, and the
 Flower v a red "Purple.
2. Be forty gromt in ffoodf ^Tktcketo % In/ JCedge-fideJ, <kftarvert in May and Iun£.
 \$ Tc i4 accounted a (food cephalic, kepaticl, Sc vulnerary Plant- The Ancients hid it do
 *muck in edteem that Jntcmzud *MIKM., Phytictan t& Jztyz Mtij 6tefar, nrrzrte a nrhtfe
 Tre&tze an it. Th&Zeaved dried j- mix d nnlh Tokzcco are frequently *mtr/ied
 Ar die ffead-llch, Vertigo, Sf /ore £z/ed. JUxd nritk Jfovd-Jage, <% Ifr mind-Pine, it
 makes a good diet Dnii fhr the tfcnit&r Rheumatifr. The 'frvdh leaved 'Irrui/ed
 ^ fozrdfar arwn. ffcmindf % to draw end Jpanter*: The officinal preparation/ are
 the. conferue of the Flcnvert, and the Emplajtrum de Betonua.
4. yrefk, KiT^v % Yuxo'r^fov. latin, Betontca. Spanish, Bretonui. Italian, Setoneca.
 Frvnk Betaine. ferman, Betonien. Dutch, Betonie.

Plate 47. Marum, or Syrian mafic Thyme \ Jfarum Jyruicum.

- *. Thu Tlant cfrontf to U a Fovthi^h, the leave/ are nnJlon>fireen, %yFlanker/ red.
 - *. Itr yronv iaturatly in Candy and J*yna, and u nurfedup here tn y far den/
 rfjhe Ouricnts; and flover/ in luly. "
- S-Warunz, y accounted tLgtrvd cephalic and nermne Plant, and U much icfedin
 ^phalic Snuff; hit l/ of littlefennce el/e w, PhyJid.
4. freek, Mdogv'n' VOQSPIOV- Latin, Jstartm. Jt/riacwri, or JityomnxL and CreUaz,
 ^M rufren/e. Jparuh, ItcUmn, Mtirv- French,
 -fjermtvn, Dutch,

Plate 48. Brooklime. Anagalis aquatica or Becabungga.

1. -Tynne^ 10 ^ ftxtegri Inches high, the Leave/ are a cfrafs Jgreen, and the Italu a
 reddish ^reen, and the Florvers a fine Blue.
2. This Plant grows in Ri'Hf^ running lhtches, it flankers in luna, Skeepers it* Zeaves all if Jfinter.
3. It is accounted a clovd dealrfruerti* S\$ anti/corlrulic, alnnindin^ nth volatile Tarty] ven/ aavd
 for h Sauri v hinet an Ingredient of "u anhfcorlmtic Jiuce/, S(dietDnhfiJ for that Viftempet
 in J^e deterff: @* ^ iLeanJint?, u/eful in cdtftntctions cfyliidneyj by gravel or/Hrra/Mmoun, as alfo frr-
 the Sime \Dropfif. MatthioiudJays it is good to Imny an/at/ afafft conception, ^prmrkë- theMenfcj.
4. 6reek, A'vaya\).s. Latin, JnagaMi/ aauauca kBë-caliinga. Spanish, Italian,
 French. Berie. tjermamTfafferinmgen and 3ad/mnaem. Dutch, Bekehrn % Bee k-puna en




Black Berry Bush

1 Flower
2 Fruit
3 Seed Vessel

Rubus

Blas. Blackwell delin. sculp. et Pinx.



Blackwell delin. sculp. et Pinx.

1 Flower
2 Cup
3 Seed

Betonica



Marum

- 1 Flower
- 2 Cup
- 3 Seed

~*Marv.ni fe ryncum*

Eliz. Blackwell delin. sculp. et Pinx.



Brook Lime

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Seed Vessel
3 Seed

Anagallis aquatica

Bea tntnga.

Plate 49. Spinage. *Spinachia*.

1. It grows bettoo Foot high, the Leaves « * * f^frun. arul the Hen*, a light yellowish green.
2. It is sown yearly in Gardens, and flowers according to the Months it is sown in.
3. Spinage is more used for Food than Medicine, being a good boild Salad, and much used in the, Jpxzny, afyovd to temper the Heat & making the Body soluble. Senapius an. It is also used in the, Jpxzny, afyovd to temper the Heat & making the Body soluble. Senapius an. It is also used in the, Jpxzny, afyovd to temper the Heat & making the Body soluble. Senapius an.

horten/e- Spanish. Jpnache. 1)U/jpa/t in e.

Italian, spinacke. Fremh, E^^^he f±II!!fil:^^

Plate 50. Wild Teasel. *Dipsacus silvestris* or *Labrum veneris*.

1. This Teasel grows four or five Foot high, the Leaves are a light grass-green, and the Flowers are white, and are found in June and July.
2. The Root, are efusmd cUan/my; the Juice is applied to the Face, to make the Water found in the hollar of the leave* * cmtrmnded ai^Myrtum and a, a Cofmet^c to render the Face white.
3. The Root, are efusmd cUan/my; the Juice is applied to the Face, to make the Water found in the hollar of the leave* * cmtrmnded ai^Myrtum and a, a Cofmet^c to render the Face white.

and a, a Cofmet^c to render the Face white. Italian, Cardo da Panda & Dissaco. French, Cardon. German, diffusil. Dutch, groote wilaekaarten.

Plate 51. Pilenwort or small Celendine. *Chelidonium minus*

1. The Stalks grow to be 6 or 8 Inches high; the Leaves are a dark Green, and the Flowers a fine bright Yellon; the Root resembles the Piles in the Human Body.
2. It grows in Meadows, & moist Pastures, & by Hedges, and flowers in March & April.
3. This Juice is accounted to be good for the Haemorrhoides, Swelling & to stop their bleeding, the Roots being taken inwardly, in an Ointment made of the Leaves & Roots applied outwardly. Some commend it for Jaundice; & curvy, & in the Mmth, ec/trenshen the Gums and preserve it in Eth.
4. Greek, Κελιδό Latin, Chelidonium Italian, Chelidonia minore. German, Pfaffenhodlin. Dutch, Kelynspeen.


Plate 52. Primrose. *Primula veris*.

1. The Stalks or ten Inches high; the Leaves are a grass green, and the Flowers a pale Yellon; and the Roots a reddish Purple. It grows in Meadows, & by Hedges; and flowers in March and April.
2. The Flower, are good against Disorders arising from phlegmatic Humours. The Juice of the Root is used as an Errhine to purge the Head.

Italian, Ficrr* di Pnma. German, Schluffelblumen. Dutch, Grootte Wilde sleutel-blom. French, Primev.



Spinage } 1 Flower { *Spinachia*
 Etc. } 2 Seed {
 well delin. sculp. et Pinx.



Wild Teasel
 Elix. Blau, 1753, ^ 1 / only of Pinx.

1 Flower }
 2 Seed }

Dipsacus filifolius
Labrum Veneris



Pile-wort

Elizabeth Blackwell delin. sculp. et Pinx.

- 1 Flower
- 2 Fruit
- 3 Root.

Chelidonium mium



Primrose

Primula veris

- 1 Flower
- 2 Separata Flower
- 3 Cup
- 4 Seed

Eliz. Willd. Inval. delin. sculp. et Pinx.

Plate 53. Male Satyrion, or Male Fools-Stones. *Satyrion mas.*

1. LniA Örchy, 72rhicJvid tfaafmm^rjtf'dtyrurriothe JtiojM, gronrt to keaF&vt/yah; the
 ^oTtmuA y^tLA, "are aRedSurple.
2. It^ronv in hmdirJ/le^icUrmr > and/lcnverxf in- Jlprzl and V2ai/.
 %£ H<Told ariacotinteda Jtinudiu to Venery, Jtrerwthe-nintj tAe ()' enz&zIPartd; arid
 jT^fcjny Conception; and'fartAsjePurjzo/ejareaJueflTz^redimimc^w^led^MiywM
Satyrion.
 Outwardly t/ieu arc amy/zédinfo'rm ofct &Ua/Ua<srrb, and are eJbe-eTTied a&crdtv dy&olAj-e
 (^zr-dJ-Lifriciirj and Sn/eMirup.
 1ne Offtariall^ref*ara£oh idtAeEfettiariu/riDu^riiTrh.
 Diosco-rtd&f sou*, tna£thel&ro£)-of t/wPlarvt• Iroiladandeat(ry lUerv, maked them keyet
 BcycauditAeKootdof th&7emale Satyrioneatby Women.maked-themtirncewe£irU.
 f • \$ree/c, 'bp^j- TfieonAraMiid. Zartu<>j-orT&Fu)^Vu?/c<rrzdk Latuv, Jah/ruz/nTruut, orYe/daduA
morionis. Jpanu/v, (huoTV deyerrci. Itaka/ifaftiarlo di£ane<. Trench, Corullon defrefred.
 German, JchrruiiXna^mcräzit?ieun/e. Dutch, Khqlet^ hiw-d.

Plate 54. Holy hocks. *Mabva hortensis.*

1. Thu Plank arom tutor jewervFoottug'/i; tkejL, <uwed are aliy/it^reen, andthe
 •3>%iverj ap-ale Red.
- * • Itpr-orvj in g ardent, and/tcTTver-j m- Ju/y ariA^ Jlugwrtx
3. -ffo/ty/urdU arcInzuhofike Jsfaureaftfo camrncn 77la//<rnn, idd. Plate0,0,. hitler mot-
 tyng; t/ey aremo, yu, a faljard&v et//ret/ing, J/&ftfaTadJlJaxa-
 tion of the Uvr
4. Greek, Atj<_i3Ha.£a),*, CamerarziM. Latin, 7YLaJn>-a, hor&n/ij. Jpaawh, 7/laAmd.Italian,
 Mabvq maguiore. French, Waived de jfardin.. C/ernutrt, Emm/en,. DutzA.Hor£en.

PUtv 55. -AfarrJi Vicrl&t. frurla marti/i*

1. Ole StulAj of thu Vude-tcreeff on t/u? Öround.; theL,easise4 are a-darL Jr&en,, ant(-
 thej*lo>iser3 airii/^Pür/de.
- 0" Etgrony nrUduiB'edg.ed, andu aUtiwtedliennjfe.iri(jarderui; andflcrfvety in March;
3. 3hefUmh&K) areoneofthefonrCordialP/-on/efv; a~ &>'teemw(cooling', moi/rut/£paxiure,
 ^cdmAff f/BftdPKngj /e/p?/j (v7jh s andpleureticPains .
 The SifruMü av^en-tó (ln/dren to, onen<md<oolt/ie/> Jo&ej.
 The Leavej are cool-m-q and opening, cmdyr<>yi(entli//i/£ntD filuterv, and Ointments
 ^yZht<imm&tiöfu.
 ZheJeedid recJkon'dao-odfort/ieJfoneand, /travel.
 %fe Offictna IPreparáJwn u tn& Jyrit/uos l&rfarum;
- 4- greek, r<OA<<w, JJiJYcorid^./IatinrVwlamarfia. y/?an/j/x,fart!etta. Ita/tan, Viola.
 F^eru . f tzelte German. Mer en to m. iB/Dfr&Dl°.

Plate 56. White Saxifrage. *Saxifraga alba*

1. White Saxifrage a rows 66?££ectfief?#/#i inre-Cæte^adrawe hi fufu^ (Vreen amla the
 Flowers White, nial. 2/46v Anices.
2. It grows in
3. This Plant ta.Ae<f id<7^IX/?ie/ro?^f</ <?a/?/zo erect" Ptrfa^ u-ecnp' aiuretc, and lithon-
 triptic, good for Le Stone and Gravel, and oppage of rine. 'P
 The Official Preparation: rple Water.
4. Greek Latin, Stzac/rcwa a/6a. . Sñ a si ccr/i Ita/can,
 Erez.rit £e7*rnán,, D<otv4, fteen /reut
 JVR

V



- r

Male Sasyrium
 Ellis Blackwell delin. sculp. et Pinx.

1 Fl. r
 s Fruit
 j fat-it
 4 Root

Jättfäman-mas




Hollyhock


Wm. Blackwell delin. sculp. et Pinx.

1 Flower
2 Fruit
3 Seed

Malva arborea



Viola Martia
 1. Flower
 2. Fruit
 3. Seed Capsule & Seed
Viola Martia
 Blackwell delin sculp et Pinx.



White Saxifrage

Elizabeth Blackwell delin. sculp. ei. Pin.

j Ffanvtr
 4 Fruit
 ij Seed

Saxifraga alba.

Plate 57. *Bears-foot, or Black Hellebore* *Helleboraster*.

1. It grows & IK JLB IrukeJ high; the, jB<rttar?z ZeaAse</ are dark &re&n, and the, upper light Green; tJie Tbrnrerf aw au i'ery light Cj^e&n, tisxctus-ey/ rvi^A, Turplc roicnd the Edge*.
2. It grows on d^ r^-urUa^n, / of J*f2nfee7+ / arid, Auftrui, aEs{ Stirtá; and ts planted 7zrUA, us in QartUruf, &n<L F/vn^erf t'ie latter end of 2>e^&nz^Er, ^ whence it it^ caM&£ t'ie, Chj^frnase jFlenw.
3. *Bears-foot* nraJ eJt&ejrujL try t'iz Anci&nMf goxr<Lfor~ 772e/anch^l^znJ, ftládrie/j; tv purge IrLuA, CJuri&r aruL fzirruriurv arideiny t'ience; (A&y lkenrv/e gaib it in *Leptosies, Shingles*, v.e. iEA, ajvLthe UL& CutumotKf ^l/f&clü)7M-It is also a?7ru?usluud frrr the *Gout; and of late* it /uuf /vert is&n/ mucA made tMe of in, jtu/rlror-rt (7/rfstructum^ of the *catamen*^). Tk& affüinal 7ruMdne. u tE^ TinchL^a, ^Me^nrri,?
4. §reeJ^p SAx ipot, o\$'. fitkas^ 2)w*&7r~id&J- latin., JZt/s^a-rictfL rügrüimt or *Helleboras- tefyi*<f^ Verde ^arnln^e ne?v, a?~JE/U/nr7^v. ita/ia^i/e^trro nerv. *French, Ellebore noire. German, Christwurt. Dutch*

TLxcc 5 <?. JJau^S - fact, or fr<zne! <f JB tll^geranium *Columbinum, or Pes Columbinus*.

2. ^usp Jpedes cf 6raneJ<f. Bill grtnvS ti fr&t /ugA, eke Zeawas at tAs. Bcrtf#7?z. jpread on the Ground, and are a bright Green; die JtaJ£<f are a JteddC<f/z freest, and l'ie Flowers a red Purple.
2. It grows on Bankj and J^UnV^i^f yrvat Tart of tAe Summer.
3. It O-ejte&nteJL a, trulrizrvHf TUnt, t'fesiUL in iriujard Imi^zdf, JBriuJéJ and J&7n<rrr/iaqies, and alt Flutter. It is Tnuck cfy'd up for the Cure of Jliipturej in, C/dldren, given in Powder. It also He, ps the jkrm and jor-ovrrkeJ Urine^.
4. Greek, Γεράνιον. DioJc<j?~id£<f. Latin, #erajiitun Ctflurndrinu/rL, jJparus/t, Pix:o de Cinguenha. Italian, Ser^uu^ó. French, JBe<: de U&ongii^, fer*nzn, *Belfcher* Storchschnabel. Dutch, Duyvevoet.

Plate 59. *Periwinkle, Vinca pervinca, or Clematis Daphnoides*.

1. *Periwinkle* grows a f<ro-t /izyh, the Ze^Asej are a bright shining Green, and the Flowers a blen Pur_p le but sometimes white.
2. It grows in shady 3ojzks>k dry I>itches; 6\$ FLrns&r-J rruftt 77hmt/i<f uv y^e Summer.
3. It is accounted a good zadnertay Plant, 6\$ u often it'ed in Hfoind-T)rinA/, fte JBrixzfej, Contusions, inward Bleeding, Wasting & Jptitiry of JB&<rd; Sc y Szexefi off OtiMrUXVUI^y TluOT *albus*.
4. Greek, Κλήματις δαφνοειδής. J iosegrj e ZtiVinUL. P rv nca. Spanish, *Peruñqua*. Italian, *Provencia*. French, *Lysentrum*. German, *Singruh*. Dutch,

Plate So. Wörrd-V^ncrf. MperzUa o-dortUU; or *Aspergula*.


1. The Stalks grow to be a foot high, & Leaves are a grass Green, & y Flowers white.
2. It 9*?TM* in TtfrorLf "and C<rpdeJ, and Fl#?wnf UV May.
3. Wood-rosf asa r t e d ayao-d Jteptuic', and uLeftUl apainst IrfUmrruUvöruF of die, Liver, Obstructions of the, CallBLtdder, qnd Jazcndixe. Th& ^errrutnJ j?ut it xrUv their Wine as we do Borrage Sr Burnet, u<f a-great forduiland Grnnforter efcthe Spirits. The (GreenJlerl bruised is applied ly u fpiirtin/ FeiLf to lurt TumoT^rJ, Irtflawntaturnj, and fredk Cu&*
4. Greek, Λευδανόδανον a/e, o y, DUrJ^UTridzJ. ZcUirv, A<fpCf^uMt (rdvrata. Spanish, *Ruvia*. Italian, *Robbia salvatica*. French, *Garence*. German, *Bildt Rot*. Dutch



Bears foot
 Eliz. Blackwell delin. sculp. et Fonce.

- 1 Flower
- 2 Pod & Pod open
- 3 Seed

Helleboraster



Doves wet
Crane's Jitlt
 Riz-Black eMjlin- sculp. et Pinx.

} *iFlarver** p
 *fy>)
 } *+ Seed*)

^ *ranium eehuiiruun.*
 * *os columbinus.*



Periwinkle

Elia Blackwell delin. sculp. et Pinz.

1 Flower
 2 the Pod
 3 Pods open
 4 Seed

Vinca Pervinca
Daphnoides



Wood-roof

Herz. Blackwell delin. sculp. et Pinx

} 1 Flower {
 } 2 Seed {

Asperula odorata
Aspergula

Plate 61. *Hyacinth* or *Flare-bells* *Hyacinthus*.

1. The Stalk grows 8 or 9 Inches high the Leaves are a grass Green; the Flowers commonly a deep blue; but sometimes flesh colour and sometimes white
2. It grows in Hedges and Woods, and flowers in April
3. The Roots are used by some, as a Remedy to stop a Flux.
4. Greek, *VaKyoos* Latin, *Hyacinthus*. Spanish, *Maios flores*. Italian, *aciet* or *Jacinte*. German, *Merkenblumen*. Dutch, *Hyacinthe*.

Plate 62. *Spurge Laurel*. *Laureola*.

1. This Shrub grows high; the Leaves are a dark Green; and the Flowers a yellow Green.
2. It grows in Woods and Thickets, and flowers in March and April, and the Fruit is ripe in September.
3. The Leaves and Berries are used by some, as a Remedy for Bilious and serous Humours; but they purge violently and downwards. Some Adventurous Persons give it Dropsies.
4. Greek, $\Delta\alpha\phi\nu\delta\epsilon\iota\delta\epsilon\iota\varsigma$ Latin, *Laureola*. Spanish, *Laureola*. Italian, *Laureola*. French, *Laureole*. German, *Cross Kellershalb*. Dutch, *Laureol*.

Plate 63. *Sanicle* or *Self-Heal*. *JivUcuU* or *Diapentia*.

1. The Stalks grow to a Foot high, the Leaves are a bright grass Green, and the Flowers white.
2. It grows in Woods and Meadows, and flowers in May.
3. This is one of the chief vulnerary Plants, being frequently used in the Preparation of and traumatic Apozems; and is esteemed good for Ruptures, inward Bruises, spitting of Blood, or any Hemorrhage and Wounds that are not cured.
4. Greek, *Zaun*, Jamaica or *Jiapentia*. Spanish, *Italian, Cinquefog*. German, *Sanicel*. Dutch, *Sanicel*.

Plate 64. *Bugle* or *middle hound*. *Bugula*, or *Consolida media*.

1. The Stalks on which the Flowers grow are 9 Inches high. the Leaves are a Reddish Green
2. It grows in Woods and Meadows, and flowers in June
3. Bugle is a noted vulnerary Plant, and is used for all kinds of Bruises, Wounds and Hemorrhages, as Annals of Swediaur, Spitting of Blood, and Hemorrhages from any Part.
4. Greek, *Latin, Bugula*, or *Consolida media*. Spanish, *Italian, Golden Günsel*. Dutch, *French, Bugle*. German, *No. 10.*



Hyacinth or Starre Bells
Linn. * Lockwell delin. sculp. et Pinx.

4 J&ed

L

Hyacinthos.



Spurge Laurel
Rice. Blackwell delin. sculp. et Pinx.

- 1 Flower
- 2 Berry
- 3 Berry open
- 4 Seed

Lauresta

i



Sanicula
Self-heal
 Alex. Blackwell delin. sculp. et Pinx.

1 Flower
 2 Calyx
 3 Seed Toasted
 4 Seed

Sanicula
Diapentia



Bugula
Hb. Blackwell delin. sculp. et Faux.

- 1 Flower
- 2 Seed Vessell
- 3 Seed

Bugula
tenax media

TUte 65. The. Fexnale. Pl&lUJ. J<Le<rriiL faemxrut.

- 1. Tt gr~<rnw, z err 3 fcrat ILIAJII, y Zeaiw cure & graft \$rvi*i, % die JFlaruenf a. fine trvntftrrt. Z T: is a ridded in Gardens, and flLnU£, rnt in, Jlp^ll and Mrrr
- 3. T/vv Plaint geru>raUy Supplzej tñe Place off Mcde JPumy; and, if acçoirrUed qccrd ftrr die Epilepsy, Jpople&y, and a/l Aitidf of Conxruljuins qsid nrxroru OffecUori*, tr*di U*L yauny <\$ &ld. Some rvxjrqrvmrid it in hzJteric Cafes, die tñbfrucUóTM of y W2enJes, and y Retention <>fdie JjuXcAut, The IUot and Seed a^e Auny a/nru^ Culdrenb JVèeks to preven: & fctusiuficrnif irt /rreedntf dieir Teeth*
- 4- \$-reeL, rñ/K utr III?, or Ραιονία Ἰνδεία. Latin, Paeonia faemina. Spanish, Rosa cUL TncrrUe, o-> Rosa albardeira. Italian Peonia. French, Pivoine, 07*. Pynoine. German, Peonien. Dutch,

Plate SS The great Blen-bottle. anus major.

- 1. Jtyr-prfv is IruJies hzaA, IAe XeaAfeS one a deep*Qr^eJi. on t/te Inside, arid a, light (green ^ ^ J3acA/zde/ die TUnvers are a full dxz.
- 2. fr grows in gardens and Fl/m^Tifin, Iune.
- 3. T' reckoned amona the vzi/n&rari/JPLvnMf, tñ^ Juxce feisia cvnvntended aoavnSt Urici/tj and Contusions -nrAzcv umiz of Fall/, t/untgh a. Veix be Irrtrken, and the Tarty jpitBLro-d; a </ also to ^al am/ Cut or green Wound.
- 4. Gree Kúavo s. Latin, C. ānus r^ or Spanish Italian., Für Campese, for^Jfao, %£aJt2farcero. Tr^cA, \$*, ***, *. GrrnMunt. Dutch, Grob ommen.

Plate 6?. Jtay-Wéed, or foetid-Camomile. &UU<L faetida.

- 1. It grows about tLfvatfuáA, th&Z&aAseJ ai*e a, deerK, 6-reen, and thz FLnrerJ wAite nniA. a, yellow Thrum irt tAe rzddU.
- 2. It grows amongst the Corn, and on IBanJu, and waste Places, and l'lj7IS&7"J' fin- s veral Months in the Summer.
- 3. ne ~4*Uhr-utv comtrierul this Plant as gead ayauu'tfaporov and, Siusteric. Tit/ M^ jil****f ftys, Tt rv-as JaméthmS u4ed in J'crop/vu.lous Cafes. Toitrne/VT'l' Jays, That, about I f^*^ ^ ^ UJ& ^m^ T<rme.ntaUon.J for- Pains and Jrw/tinyj cf Jiaem&rrhoqie s.
- 4. free N/* £Jt^ «sid J'v<!'> txfov. ZaUn, CañuLL fo^tida. % ChorruuuneJzcní fiiUuUum. Spanish, iiQMZan, Italian., CamamzMcL. FrencA Gwutvuna. <rr CdmomUie. German, Camillen. Dutch, ste^En Camille.

Plate 66. Treacle Mzi/lzur-cL. Thlaspi.

- 1. This P^tQt jfrvn*/ to be a, ftr<rt kuñh, {Ae. leaves' are, a, ar-a/s green. f tones a^e, nAte.
- It ^T" *- frn-fieUr yt Efse^canxL FLmAerV in ^4Uy. and dry, and 40-meMrhxib diuretic; and is esteemed gro-d fy j>r-oxtrke urine ^ help ^ Eropjy, gaut, Jciática., and, fory-nrard tke Wenfriad £imcitations. The ^ of t^ Plant if tirhat oiuk/ to h> u^eai in tAe TfveJ~UICCl ^ Jrridate, but being fearcU y totv.tutd, 6e SeU of t/ie Jtu/vridate JWufear~d. or Thlaspi vulgatifimum, may A? u/zd as a. ifuX-Cedamurri far it- ^
- 4. Greek, Thla pi. French. Jenesve Jauraye. \$e^naK. j3ejencrait£.j)tucA, B#ere^ rfe.



Female Jurny

Elia. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Seed Vessel

Paeonia faemina

4 -



The Great Blen-bottle
Ediz. Blackwell delin sculp et Pinx.

- 1. Flower
- 2. Flower, separate
- 3. Seed

Cyanus major.

5




May-wood, or Field Camomile
Elix. Blackwell delin. sculp. et Pinx.

1. Flower
2. Fruit
3. Seed

Chamemelum vulgare.

V

rut* 68.



Treacle Mustard.
 Eliz. Blackwell delin sculp. et Pinx.

} 1 Flower
 & Seed Vessels
 \$ J'ttd

Thlaspi

'I.

Plate 6s. Garden Flower de-luce. *ITM nostras hortensis.*

1. It grows to be 18 Inches high; the Leaves < * » a fy * £ ^ ; * fFlo » e * , a - bluish Purple .
2. It grows in Gardens , and Flowers in 7/May .
3. The Juice of the Root is a strong Errrhine ; when snuff'd up the Nostrils, it purges the Head and clears the Braww of t/wojv j & t/hoxi pA l/ksa l/bo t/jipA d/psruLbo t/juon TM accounted good for the Dropsy Jaundice cuU <fyiu < .
This fcnrdcu) wry osteruiv to the/bomuich
4. Gree * / " eis Latin ¹ ris nostras hortensis. 4ipn v, Liri Cardmo. Italian Giglio celeste. French, Flambe. German, Blaw gilgen Bahrart. Dutch, Luca, .

Plate 70. Lillies of the Valley. *Lilium convallium.*


1. It grows to be 8 or 10 Inches high; the Leaves are a grass Green, and the Flowers white .
 2. It grows in the Vallies, but chiefly in Gardens, and flowers in May and June .
 3. Lillies of the Valley are of great service in all Disorders of the Head and Nerves; as Apoplexy, Epilepsy, PaCy, OxmncUiond, IGrtipo They < zre > much, uaed in Err/sisiej and cephalic Snuff. A Large quantity of fikew ar * put in th * Aqua Paeoniae C. and jpvit. L < W * endidae C. and the Aq. Antepilptica .
 4. Greek Latin, *Lilium convallium.* Spanish Italian, L convallio. French, Muguet. German, Reyenblumlin. Dutch, Lelie - van ctesv J)acUetv.
- This Insect was travelling upon the Lilly, but it feeds commonly upon fruit Trees, & is called the Lackey from its variety of Colours.

Plate 71. Sage of i^ertue. *Salvia minor or Virtutis.*

1. The Stut) grow to be 18 Inched high, y^ Leave* are a lujAt Ore & v, and y^ bmsery cu pale Purple.
2. I grows in Gardens and J'outers 971 (11/ and jum
3. I * is esteem'd a good r çUIJ) - uie < ued of the fftad at UJVen/ej, aj yfaJjiJ, CenmifUms &c. The Leww are zuedlin thd, & f. dntep Tlefrüüil dntiparatylLcas. Vi tae Composita . Sjrup Etaec/iadoa . liny. Ttlartutiwri. Cajp-ar Gjirmitelin.
4. Greek, SL(j)^K£o5. Latin, SaMn motor, or SdhlCL WrtiltUf. SpanU/v SaMjtO, or Salva minore. Italiin, Salvia VWlore, . French, German, Zhiteh, Sahe .

Plate yz. Ladies mantle. *Alchimilla.*

1. It grows do be, < z frob hiptv, the L & aw are a, prqfl (jrve > n, and y^ Ho Twry a yettortr, Grten.
2. It grows in fnlbaa narvd Pasture Orvwndd, arwt florveiy in 97ku/ .
3. This Plant is reckonU' a good vz Unerary, kézrig drying Scfrindiriy, izi^aj^ztiriy and consolodatin^, arui^ of greatf/o - ix & to Jtrp iwv - arxl Dleeduiy, tJte WZKZOderail FIZMC of the Wte?n*ta, and the tfluor alfrud. The Leaves apptyed cnotnrardly drv acanmte dyzrmifar lank fla^wvza Br&idts, to Imng them to a gr^zteryirnrM^r aTvdjrnaller Ccmiftzjfi .
4. Greek, LaAn, dkhimiUa . SpaniA, Italian, Stettana. French, Pw de L,yO7l . (jerm < zrv, Si/nnan/-. Dutch, Synnaun; onser JDrouwen wanted.



Garden Flower-de-Luce. } 1. Flower
 Eliz. Blackwell delin. sculp. et Pinx. } 2. Seed Vessel } Iris Nostris hortensis.
 } 3. Seed



Lillies fff the Valley.
 Eliz Blackwell. sculp. et Pinx.

1. Flower
 2. Berry
 Red
 4. the. Lackey

*L*Uitim ££m,i-ailium



Sage of Virtue
Elizabeth Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Seed Pod
- 3. Seed

Salvia minor
Salvia virtutis



Ladies Mantle } 1. Flower { Alchimilla
Elix. Blackwell delin. sculp. et Pinx. } 2. Seed {

Plate 73. The White Rose. *Rosa alba*.

1. This Tree is very tall, 60 feet high, the leaves are, a bright green; and the flowers are a dull green.
2. It is very hardy, and grows in all sorts of soils, but is best in a rich, moist soil.
3. The flowers are, ede & rwd drying, Irindmg aruL aroiwy.
4. The trote? cUoall&dfrzmvthemu niuch wt^dvt Crlb/riii/rid for sore inflamd Eyes is the Distilled Water.
5. The Official Preparation is the Electuarium ex Helleboro.
6. Greek, Ρόδον. Latin, *Rosa alba*. Spanish, *Rosa blanca*. Italian, *Rosa bianca*. French, *Rose*. German, *Rose*. Dutch, *Witte Roos*.

Plate 74. White Hellebore. *Elleborum or Veratrum album*.

1. The stalks grow to be 2 or 3 feet high, the leaves are, a bright green; and the flowers are a dull green.
2. It is very hardy, and grows in all sorts of soils, but is best in a rich, moist soil.
3. The flowers are, ede & rwd drying, Irindmg aruL aroiwy.
4. The trote? cUoall&dfrzmvthemu niuch wt^dvt Crlb/riii/rid for sore inflamd Eyes is the Distilled Water.
5. The Official Preparation is the Electuarium ex Helleboro.
6. Greek, Ελεβορος. Latin, *Elleborum album*. Spanish, *Verde gambie blanco*. Italian, *Elleboro bianco*. French, *Keraire, or Ellebore Hone*. German, *Weißes Nieswurtel*. Dutch, *Witte Nieswortel*.

1. This is a very hardy plant, and grows in all sorts of soils, but is best in a rich, moist soil.
2. The flowers are, ede & rwd drying, Irindmg aruL aroiwy.
3. The trote? cUoall&dfrzmvthemu niuch wt^dvt Crlb/riii/rid for sore inflamd Eyes is the Distilled Water.
4. The Official Preparation is the Electuarium ex Helleboro.
5. Greek, Χαμαίμελον. Latin, *Dictamnus albus*, or *Fraasinella*. Spanish, *Dittamo blanco*. Italian, *Dittamo bianco*. French, *Diptam basturde*. German, *Gemeiner Diptam*. Dutch, *Fraasinella*.

Plate 76. Cross-wort. *Cruciata*

1. It is a very hardy plant, and grows in all sorts of soils, but is best in a rich, moist soil.
2. The flowers are, ede & rwd drying, Irindmg aruL aroiwy.
3. The trote? cUoall&dfrzmvthemu niuch wt^dvt Crlb/riii/rid for sore inflamd Eyes is the Distilled Water.
4. The Official Preparation is the Electuarium ex Helleboro.
5. Greek, Κατακλιβία. Latin, *Crucifera*. Spanish, *Crucifera*. Italian, *Crucifera*. French, *Crucifera*. German, *Crucifera*. Dutch, *Crucifera*.



V

The 11 hUt Rose.

1. Flower }
 2. Bud }

Rosa alba

Blackwell delin. sculp. et Pinx.

C




White Hellebore. } 1 Flower
 Elix. Blackwell delin sculp at Pinx. } 2 Fruit
 } 3 Seed { Elix Jrffrunt, or TknUnan. alb. m.

v




White Dittany or Fraxinella } 1. Flower
 } 2. Fruit
 } 3. Seed } *Dictamnus albus or Fraxinella.*
 Eliz. Blackwell delin. sculp. et Pinx.



Cross-wort
Bliz. Blackwell delin sculp et Pinx.

1 i. Flower
seed }
the Leopard.

Cruciata.



Wood Strawberries } 1 Flower } *Fragaria*
 } 2 Fruit }
Eliz. Blackwell delin. sculp. et Pinx.



The Red Rose
Elix. Blackwell delin. sculp. et Pinx.

1. Flower
2. Bud

Rosa rubra



* J.ddUj*TliLftL>

Elia. Blackwell delin. sculp. et Pinx.

Flower }
 Seed }

Carduus Mariae



Mifot

} 1. Flower
 } i. Fruit

Jfclj//

*Elb I. J3/i. kvell delin. sculp. ** P*

404

Plate 81.

1. -Iif dtaJh yrcms to IK Fhree foot IvyA; the- LCMW are a dark fr&e?i *Flowers*
 $\wedge \wedge \wedge$ $\wedge \wedge \wedge$ fyl P t ^ ^ d
2. -It it wrisa[^] in[^]ardau, andfhv-ew in 1?lay and June, .
3. *Radishes* dr§ eMeem'd ap&ung, attemiaaruf. and *antiscorbutic*
Theyf ~~have~~ Urine, and are good/vri/uJtoTve and firavel.
4. £[^]ee-k, Pa<pav)s. JycUzn* RapJuvnz. fpanuSi, Raw-anxr. Italian, Hafano Frenca
 Rtfirt. fernian ReJUcA,. Dutch, Fe?wmc<7rtel.
- X. This id called by L^l<raar-TThiffet tfryUotolfHL <r%le-kricket: It lives commonly
 u/xrn Hovtd, <zndjeldo7ne comet attr<rcu&tUlyJun if danrn.

Plate 8t. The DamajkRo-[^] Rcrs-a Damcuc&ria

- J. Tkid K/hte Thuih jfranv rvat &o tali <u the white, Inu tatter-tuyn tke R&d- tks
 jkcaArej are- a- Uagt Crafi £rye?v, arul tK& Flojv-ejy* a p[^]zle B[^]ed
 \ It pronv en £arde*v and ftcnv en for je-z-[^]rat TJtonthj w tke *summer*.
- 3- Ttu.~Flo7VW? are of a g[^]entie cath&rUt Jfature , p-urainq cAH[^]nr and *serous*
 Jizanory .
- Th are fiepunnyt pwi <x> Children trvtdMy fen<m<f ,mucc7vitA, J --- *rCathartics*
4. / r ^ : Po<To v. La4[^] >I<^a) a7rui[^] n[^] velpmltoa, Jj-[^]tuk > Rota* ItaJian. Rosa
 Trench, iU*[^]. £cnnari, Ra[^]eiv. Dutch, Prownae Ho CM

Tiau 83. Pease. Pisum

- 1 The staJfa prarv to 1st- four fort h[^]h,ckeLuui[^]i are cuuery kahzCreen, and, the
Blofomes nrftut .
- 2, T/iey are jawen in[^]artknj & Fields; they flxnwer in May, Sc yFnut y run ^ JUIVe
3. Tuue are axtowuU[^]rcl to jnrtueny Tkovd*. Mrrect/aJtlcaHmtictt[^] *either eaten raw or boiled.*
- 4 *Greek, Πισόν.* Latirv, Puwn. JpimiahArvuejas. Italian, *Pisello & Biso*
French, Les Fait", (jerman, Er(ru. Dutch .

PLaxe. 84 . Hedge Nettle . Gallopsis.

- 1 The Jbufoi prarv to fa ttv-o faothiffK; yLeaAW areadark Crcetv, sc[^] ultonwy red
- 2 It [^]raivd w ffodpes, and on, fcanfa, and flarfem in June .
- 3 T/iu Plant y accounted ly some asyo-od, isutnerary, and [^]ervxceaMe for ajl J-OT?* of
[^] i ~~M~~ i, ~~an~~ ~~dup~~ ~~U~~ ~~c~~ ~~e~~ ~~r~~ ~~s~~ .
- It [^]vaarukrettrLrufsra-, tt <yro~d to Mop vvardftleeding, &y mating, of JHa-o-ay'rvaxex-
- 4 [^]re[^]k, pa Vofis. Latin; £ alia/Mid. Jpamth, Ortuca mmertcu . Italian, Ortica marta
 Freruh, Orde . [^]rnAn, DauJrrie[^]tl. D&dch, *Dove Neetelen* .



Garden Radish

1. Flower
 2. Fruit
 3. Seed
 X mole eating

Raphanus hortensis

Bliz. Blackwell delin. sculp. et Pinx.



The JJamajk. Ktnfe
 Elix. Blackwell delin. sculp. et Pinx.

1. Flower
 2. Bud

Rosa Damascena.

Plate 83.



Peas
 Eli. Blackwell delin. sculp. et Pinx.

} 1. Bluffs
 # Tnd | .

Pisum



XL. Blackwell bim. sculp. et Pinx.

} Jt.ed %£*{ epcn, I
 } s. seed

Galiopsis.

Plate e3. Clovt Jidu Floma. CaiyopkytliM rultr:

i- Tfui; Jfoiks and. L eaves ore a light mJJmr firwiajjLtkrfforv-efyafins BA.
%. I/ufart \ cultivated in ficrderut, and flower in JiUu

Nerves

They ar&u^dinF^c^ <^(rfA^ malignant Distempers and in Faintings and Palpitations of the Heart.
Offwml TreparaJtiond are, d Jump and a hnfervecthzh Flowerj.

*Greek Kcteyo <j> u^oy Latin. Caryo-phyUw rufrcr, or tunica vtianxat. Spanish
itaJucn, fcxroforvu French. OalUte. or Qirafloej, ferman, Qrqfiriwn,. Dutch.

Plate 86. TYaterBeto'ny orll^wcfrrt. Scrapfatfanui ayuatLccu.

1- I/w hxu) taraerancL talkr JbaJh. tkcu the. other'Fufnrorb, Imt Ufe irraruA'd and Lgr^e
ves. yr-orwig & n bon#erf(rot Stodh. 'ItuLeaMZ) and fudks oft/warecLDu//er-£r6en, (nit the
Flowers all in BiterRed.

ipfmv by watery Place* and Bitches, an&floyerj in June
situ estezmidL (yradfarthzPahvandJh^eJlin^{\^tn& ^Cxmarrhded arPilej; andu accounted
Iy/nmu dbetex-fin > e and vulnerable, anA^acrda^mryb (Mitch,

4. Creek. Latin, ScrophMMri&aqucxta, Jpjurwh Italian, Scrcfriania
FrtncKJcroiairt. fernum, .Jf^rTn^aut Dutch Speenkruyd.

IClhif Creature mcu fcrwyi by ike Jidt (xfdDttcAw, the middle of June; andjince, it /taj. lived
fanutined In water and fometimedir\Karth. Ittab tfrin and jrnaUworms. x/omtHnkitu a.
J&eciej of the JquiMcu.

Plate87, dredbTICJ-wort. Scrvmulana, MUJOT:

like Jtaih Q-rcrw to ire a Uard high, the Leaved ar-eacjrafi £re&i, and the. Flowers
cv rtdL Puj/yb<

t-ftyxrr&xf in Jisdifej cmvd 'TklcJwtd, and floiv-erf iivjune ,

*ir/il/ Plantfrom (tie JiarvaJture of UdRxxotu accounted ^r&Acephulous Tumors .
or ike Jtirigj E vil in any Part a fine fcixdy., cu aUo far the Pain, and JwelUnyft the
fCannax either-lutLinnrarzity ororutwardLf; U u Lienrise use df or cancerous
} stubborn Iltoerj.

Greek. LcUxn, Jcrofyhidaria 77hyor or rurdoffoetida. Spanish
IiaUan, Jartrfdarvoi. French, ymruU Jaioiaire. famachyge Rachtjchatt. Dutch.

kd
Xlhu Caterpillar id corrufum^to (ruth the Ficpvorts, more than, any other- Plant.

Plate %6. Lettice. Laxtucas.


iTneJtaikyrovtoisetm) or* three /votljwjh; t/u'Lean/tdarealightfiremandtheflvnrtn yellow
%. It w dawn in^ardend, eunArflowe-nf according tzrt/ie ITlontfid it id down in.

3 X etUce u fieneraUi/ <he Principal Ingredient in Jall&ti. keirifj. ^rate/id to the Stomach, aliau-
ing Meat, cfuenchina Thirdt andtm^erf the Jkarp-ixefoof'Jftumcmuxthe Body. itpr-o-vck <::

*Uj^, andencrjuj <fa TTlUk i/CJ/wfo-

Tkv? J&ed id crn^ofihefcrurdndUrcvicL Jeedj

4 freelk. Oe iVaJ. L, atm, Lactuah. Jpanun, Lechu^a. ItaUan, I, atttua. ^renek. L aidxu.
germXtah, Dutch Jalade.



Clove July-Flowers
Elio. Blackwell deliq. sculp. et Pinx.

- 1. Flower
- 2. Flower separate
- 3. Bud

Caryophytus ruber

w-v*



Water Betony or Figwort

{ 1. Flower }
 { 2. Fruit }
 { 3. Seed }
 X a Species of *Squillae*

Scrophularia aquatica

Flor. Blackwell del., Juss. et Tuia: •



f re eif Fignrffrt'

- 1. Flower
- 2. Fruit
- 3. Seed

Scrophularia major

Eliz. Blackwell delin. sculp. et Pinx. X The Figwort caterpillar



Lettice
Eli. Blackwell delin. sculp. et Pinx.

1. Flower	}
2. Flower separate	
3. Seed	

Lactuca

Plate j *'Bear's Bred,* Sr Brank Vrwü diymthw, *Branca Ursina.*

1. The Jlalfo grow to IK too foothzgh, ihe Leavej cue CLjfmwgdarLC/rtai Coiour/, the TfLrrvenare white.
It id JazdtkattluCKiaentj took the^attemof"tharfofw^^rkfrimthe-Lew^uofiku Plant,
2. *Vicia* ~~ite~~ *ere in gardens* it*native Pfacekmf Italy: Spain, andthe Southern, 'Part of France';
Flowers in July.
- ^Bxui Plant u luedmQiftenf aruLBattu forOfotrucboru; and'farthe, Jama and, Qravel.
Tte \$(eHr <Wonfcritdl the Leaves of the Mlelorcuiter, or-Bean-faot, err- JfJioTidyJuun, err *low-parsnep*
wteacLofikufTlarit, to thote that are ignorant.
4. yreek.. AK&Y e o s. l,atxn, OUoatfhw*BrancaHintncv, or-dcanthud dutivud. fñarvuh,, Ilerv-a,gjauanbtanA,
BranyuL ttincu. Italian, &uintho,crJ?ranuiOryina. French,Brannu Orpine.^ermanBtren Clan-. Dutch
X,%y 77lcrth.rvcu, mv-clxicedfnmtlJuCaterjdlJ/^ Plate 7&

Plate 90. *Iljarjhria* Mcmtf. 6IMaea^, B umahrc, *Ibiscus.*

1. ihe Jialkd grtxnrO'l^ou,Uard.hi^h; theLeanmareofa, yeUonnsk arew Colour, thc'FionKry area,
palRA.
2. *It grows in* ak TRanked, and flower*in July.*
3. %is PlanturnxrUjfyina, Jj^edtmaand JoupUpa,ofgr&atiuz inihefranwuru, Crewel, J'tane Meal
of Urine, corrvding JCuntorjv%the Aomachudfute, ~~is~~ K, !fofi n^jkle JJI amations.
OJjum^?ref^jrxio7iJ are, tkeji/ru/ma <k dtth^<i, *Pulv. Dialtheæ & Urquentum Dialtheæ.*
4. (jreek. AXená % EpiorKOS. Latin. QJxhxLea, BurrialMCL, Uruau. fpánukit: *erva Caunamera* or *Mar-*
-mu^ l t l ~~is~~, ITlaJnrwvifluoFrench Cpj^rnaum- fyerman, IlrucA. Dutch, *Fleemswortel.*

Plate 91. *Great Celandine* or *UeUow-korr* Eppy. *Chelidonium nazus*

1. The Stalks grow t^o k afovtlyfh, tfizL<uw-a arecuMuiA^reerv. andth&IloTverjuellonr.
2. *It grows in* ~~the~~ *ie^round* jandRu^nJi,an^uf^ old Walls; it flowers in May and June.
- l. Itu accounted affi&raJwe and clean*my, op&uny Ofa (ruction* tftfuJhfeen ScLiver, &
pestilential Distem. ~~is~~ *Qu&vardty farwreEyu t v dry -up i/uRh^ri,^ t o*
take axmy fp^ch, Tiimj, Tettem, Rvtptirorrnd tescurfy TfreaAindd-owtr
4. ~~See~~ ~~XXX~~ ~~VI~~ ~~IOV~~ /ity*-LLatin OOid^rw#i7?zajud, OrPaj^erC^zulum ~~luteu~~
p ark, Cduiwca, or^erya, dellaj ^(/lundnn^). Italian Ceñdonia, mapawre. Trench
OuMdomt, urZ^chlire .gamut, fckeUcrazoC. Dutch, *fuiitnde Bourne*.

Plate 92. *Goats Rue*. *Galega*, or *Ruta*

- i, *VizJcaUjj* ar&Tir to I/& a, Vard/vufA; the Le<weJ are a, *grass Green,* & *y Flowers a pale Blue*
a, It^roiw uvseveralPlate* of Italy ivtld; Out id planted fiere In Gardens, and flowers
vjyione and July]
3. £<rakfRIL& ide *te&rid cordial, sudorific, ale^npharmj, ~~is~~ *good against pestilential Distem.*
l w .-It/is aUo ofitte, w.mirtt^few-eKf, die, fmallPax and TTleaje-l* . - It kills Worms,
andis pofr-dh? cure th^Bite* ofTeñmmi* Creatures .
4. ^reet. Latin, (/âleya, or-Hutw cafirana,. *Spanish*
Italian, Trench, German,
Dutch,
- No. 23.



Bears BrestA.trr Brana Jirdin

- 1. Flower
- 2. Flower Separate
- 3. Fruit
- 4. Seed

Acanthus, Brasia Ursina

Eliz. Blackwill delin. sculp. et Pinx.

X. Myth of the Leopard.



Marshmallows
 Elix. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Fruit
- 3. Seed


Althaea. Bismalva. Iviscus.



Greatcelandine or Yellow-horn Poppy. } 1. Flower
 } 2. Pod open
 } 3. Seed

Chelidonium majus.

Robt. Blackwell delin. sculp. et Pinx.



Goat's-Rue

J'fz. Blackwell dolin. sculp. et Pinx.

- 1. Flower
- 2. Pod
- 3. Pod open
- 4. Root

Galega or *Ruta capraria*.

Plate p of *reatLentomj, CerdzacriwTh TTU^US, or-jnagnunv.*

*the JtaJh <fimy -(#/& &w orrjioc firat kqk, the J^COAM^ are cuhikt C^een, anA ike

2. *It grows* y
j rvMin Ttah/, Inittd jyUmedkere^vvC^ardent dwiflon/en in Ju/w .

3. TfusRcrotiA cuurvtnted drywf, irwMnf, cyr<r(Lfcrr cdlkindj o/Fkoxd, ^{871, fig} Bleeding
= ^{by its Name} iPtrujth, crrarcLf other Part. - Itu a^ae^iee/ked^d ^{to heal Wounds, take}
= ved b at Pliny Jays frvmthe Caitour ^{a Wound he rec ei} Ourorb, whosured, hirruelf erf
^{by the use of this Plant}

£ yreeL Xc v ra us >w v /icy a. Latin Ihilaziriurri rrwuyiurri- Jpanirk, Ruifxmtic. Italicutv,
(^ *crea mlgidre.A renRkepontia* >- C^rmMv.IUupxmdct. Dutch,,

Plate *Tutsan or Park Leaves. Androsaemum.*

The stalLi ^{y+} aprnr ttr Ire ttiw or tkr & e fcrerbhzyh'. tneLtanse ar & aafzud Qreerke
Flowerj ydlonr, andtneBerned nrhcnrw, & jvLur-jTle.

%It(jr-(nu3 inJiuLau arulTkieketd ancLflant-erj in July.

3. The LtaAj-t6 andTloTvera arexuxeitntedTrauhofstne y/atur&of J^ScrtnjVart, b-emq
WorfrdTYoimdSCerir. wi-eJL ircrtkinnrcunUx/ and cndnrardly -LriTr-encJhvt u calUd
icrutdairt. Clllneal, OTtdfhmv thence Iryvj cm7Tjp <tiy^Iiat)an.

4. \$reeAAv(/?o6a/fioy. Latin- <J7idr&da^mitfnrW^Gre - Oymerton. Spanish
.Italians, 07idra&€^rur . 7re7tolv, Tcmtdain'. German,
Dutch,,

Plate 95 *Thoron Wax. Perfoliata*

7. LiprvTiA) tv U a, ftrrt /u^v, tA* LeMAw are-cLlrtztzgre&v, and the Flowers

2. Icpnmy omany tk& Corn, and flow-em in June ecJuh/ .

3. T/wncp/v Wax id reckonL amoTr^ . t/ic Vulnerary Flanti, and id muCA, udedferr
greeTiwozuuid, Brwua), FbifUured, Contua-wna, AdLLMc&v ancLJe, ^{it is given}
iroFanderor th & W & c & ttwn.

4. ^rcek, LaJzn, Terf(rtiabcL- wig-arid. Jpaniuv
JtaJian, Ferfo-^iaJzu. ^renc/v. C/erman. DuLrcknraJ^dg. Dutc/v

Plate \$6. Swallxmifyortuani & Peitrns. QAdepi^ *Vincetoxicum & Hirundinaria.*

1. The stalks are a/roidasfovtandcuvlia, J/nigA > tk& Lewvai are <xdark ^{is}
Green, and ^{it is given to use.}

2. It grows here in ^ardens, and flowers in June and Jul' .

3. TheFtotrt u edteemeAcL^rtaJb Counterp-ouvn, eiji&aAlkf ayaendt th& irad Eff ^{ects}
of dfHrafuari, aruicrtkerpmAixricriu Merix,
Ltid ajUzr u^ed to cur' & the Jtingd andBUEj of %7iemorLLd Crvahtrej.
FtU /le^itla^ama^Mali^m^ pe^ti/entuil T&verj -nrhixJvit carrvu (fflby Sweat
It id uduLcd <Krf(rr tfafirop&iz. ancL. Jaundice.

4. C)re^M'o-Kvnia^s. Latin. (LKlef^ Spanish, Italian. Vincetofico
French. German, JcknrceJj-eravzirb. Ductfi,

N^o. 24




Great Centaury

Eliz. Blackwell delin. sculp. et Pinx.


- 1. Flower.
- 2. Flower separate.
- 3. Seed.
- X. An Urchin Moth.

Centaurea nigra, or *magnum*.


• V



Tuffan or Park Leaves. } 1. Flower
Eliz. Blackwell delin. sculp. et Pinx. } 2. Fruit
 } 3. Seed } *Androsacm. vn.*



Tharvrt/Wdx. • } 1. Flower {
*Eliz. Blackwell deln. Sridp ct Tin** } 2. Seed { *Perfoliata.*



Swallow-wort, Tame Poison.
 Ediz. Blackwell Libr. sculp. et Pinx.

1. Flower } *Aclepias* t'm *Cftrixuum* *I ftrundinaria*.
 2. Calix }

Plate 97. *Pomgranates*. ifranatcL, TWZOL mcUcu,

- i- Tkuf.id Oslo-ns fFfte./jav-vvi orv V& Brxuvched, a, fenr Trwrruf; Tke Lecuv^f are CL fine ijr-afe <j -e<erv, aftd the Flanker* a, fzna JhirUt.
- z- TorngruruUej anrw w JhaLrv &i Italy and irruoxy other Cruntnej, and^lcmrer irv Jvune. arvd July;"
- 3.TAe faJu^tuv,off. are- the, Ui~ae dcruJrL Flcms&rJ of y nnH Pcmvpr<vr%ate,TvJzLc/L <fyfe*X turt irv itf TnarLne^ of Cr~<Tivtti frtrnv the, other-;These,ad rviUL cut the jw^le Flon/er*. arul the, BaHi are very dryina, % r"^^trwae*vb,a<rad.ferr all wrtx of Fluoc&f, Memort-hcu = -^^,£Ue^f(ina(f. They 'sb^eniatha' the (juumdx fasten Icnrfe Teeth, help the fading doTvn of thzUruU, azut canzeroTAJ Vicerd in the Jivrxth a*U Thro-at.
- 4: ^imekap^ns.Ila^^ *A. Granadas* Italian, Melapurrio, err Porno yraructer. French: *Pomes* de GreruicUj.(rrMyprvuinJ ,(jermcub,£^^ atopfellowm.Dutch *Granaat* JSormi.

Plate 98 *Cos friary* <p~ JUctrarf.Jial/amkii 7my.ar(ofiuf hortnon.

- z- The, Jhdh aionr to Pe more- thcm. a fitrt fvi^A, the Leo^ed are a, ye dnr^een, and the TiturwrJ yeUmr.
- 2- It id plarvtouL irv (jardeixd and Floruerj itv July.
- 3- The Zeav&t are accounted ^o-odto Jtrenpthen, th& Jtomack.,^ eafay Ilead-OJv arifing front the D-UirrdeKf thereof-It eacfwMd rVird and prewruti fow BdcMn^f. outward Lu xL id w^ed irv FomerubaJiond to comfort and Jtretiftlverv tfve LimJ^.
- 4 • freeA., Lcutin.CoJhm horto-rtcrrv-. Sp^utuMv, IixdiarvjMervta, (jVeccv. French f, re h eQmab d, * FanAn.A un .Dutch, *Balsame*.

Plate 99. *Jrrac/i. Jttriplea*:.:

- i. The- Stalhi <p~Q-rv to (re)fovrt /yuytv, the, LeaveJ are asjxde ljree*v, and sometimes j>urp^u/v, and the- Flomwd cv yeervish yzUonr, % Ifgr^rvtf irv tjar-dervd arul> flory-erxf irv Jicne and July-
- j. Tke, XeaA^ed are-frequently (roiled ^ eaterv, hie Coie-rthorrtf, Tvatv /alt Jttecudt o\ xrv JalLuLi, arvd are, e*ft&&m'd covliny, and m^i^rvin^, rendrvrvj the B<rdif JoiuJrL., and goodfor-hot vilixrfe Cor^UtutiOTVf -They oyrel^^^dt/LOtr^£re^lo4(le^ltHer{^ IJV coxrling flitter*.
- 4- Or-eeL.ATfdcpa^iS. LaMris.Mrij>l<WraJMtulwrixxy *pallide virens. spanish. Armoles.* Italian, Ajru^LLc French 'rrpc es German, Ma ten. Duta J e de.

Plate 100. *Wild stinkin* Jrnzc/i. Mnp(ear otida.

- z- Tke, jftadAd of ikuf Tlant j-pread crvthe>{jrmtncL.cinalthe, Leaved are covered, rvith, o^rnjuvby Creeru;the Flowerd are drnall and (/ree^u. Tke, -rvhoie Plcurvt kOd au Jtrmuj. fo~eud fifty frruUL.
- li>gr~o7itf oyvDiinplviUd k Tfafa Placed flcm/rin^ for- jorne, JHorvt-kd irv tkt Jummer- iTI^HerlrU^adi^ba^^, priated to y female Sex, being aperative, deoftruent, usefull in u&en&J)ferderJ,^ i^tepa^ote the xjxelly' JftzrlrirtLjidp OaldJ/eat Purgations, qmieqfa y JbwyidatUmd ofy ffbrdr, taht of /udtenoFiu. It id useuaMju, avven ina, Decoction-T/ier^ if cuJhrtw keptvvy tfttojMf made rvitbrf Juica df. ihid Plcurvt ic Jyaar. jreek. Arqa^pa^is d.ys>i'&.Zatifvjftril2le<<x oJid/L, -jiJAAedrij. Jparvidt^moles. Italian, *Reppice* faAraMco.French,,JrrachedJauxraaed'. CermaruBUd.*Molten. Ditfca,, Bild Melde. No. z 5 r-<r^j



Pomgranates.
 Eliz. Blackwell delin. sculp. et Tincc.

1. Flower }
 2. Bud }

Granata Piiniat, :rala



Costmary or Meccost. } 1. Flower { Balsamita mas or Costus hortorum.
 Elin. Blackwell delin. sculp. et Pinx } 2. Part of $\frac{1}{4}$ Root




Arach.

- 1. Flower
- 2. Seed Vessel
- 3. Seed Vessel open
- 4. Seed

Atriplex

Elizabeth Blackwell delin. sculp. et Pinx.



Wild stinking Orr-ach.
 Eliz. Blackwell del. n.ie*fyt. Pinx.

{ 1. Flower }
 { 2. Seed }

Atriplex obliqua.

Perfica Malus

1. This Tree grows to no great Bigness here, the Leaves are a deep Green, and the Flowers a fine Pink Colour.

*. It is planted in Stradau & flowers in March; the Fruit is ripe in August.

3. ... and are chiefly given to Children to carry
fffermi* Minunv, and to kill Him*. The Fruit is cooling and moistning
of usefull Co Ae ?aL<*, • hu vt ,, jnurefy and. cause Surfiets.

*. frt^k unse**..^*. and POSOXHVO.. La&n., Perfica Malus. Spanish, Pecegor.
Itauan, Pesche & Perfiche. French, Pesches. German, Pfersich. Dutch,

Plate 102. Plowman's Spikenard great Conyza. Baccharis Monspeliensium.

1. The Stalks grow to be Three foot high, the Leaves are a dull Green, and the Flowers Yellow.

. It gran/ on hilly cUlky Tlaax ami flowers in July.

3. This Plant is esteemed for Bruises, Contusions
ptures, and Inwardj Wounds Pom, mfJTM, % Vitfuulq, P Breathing.

4. S*ru. Jpvnvk, JLttaMyiuL. ItJuix, Ccniza or fu&caria.- FrentA, major vul-
-Puces. ^ernum^eUN4twvk. DutcJh, Herbe azix

Plate 103. Flea-bane. Ccnvqsa, & Pulicaria.

1. The Stalks and the Flowers yell<mr. Green,

2. It grows in, rrunst Places, and nrkw JfiUr has stwd all fa Winter,
and fLnv&rs in ^iu^u/t and Jéptemlr&K.

3. This is and Gnats. Pa 'troys Fleas
better than this.

4. Greek, Koviça. μικρά. Latin, Conyza W Pj'icaria. Spanish, A Ugua minore.
Italian, Conyza minore. French, Herb aux Puces. German, Geel Munk.
Dutch,

Plate 104. Ba<fU. I>a<filia)7L or Ocimicnv

*. Ttj?p7?vs aUut nfirst ugh, fa Lewsej ar& a. Lht Green,
and 4 e Flowers white.

2. It is sown in Gardens and flowers in July and August.

3. The Ancients cmx<ejruv fa uuimrd use of this PUnt as hurtfull to the Sight.
Schroder comme ke the Menses.

The Leaves are in the Aq. Vitæ comp. Syriop. Artemisiae. Puhr. Diarrhodon See Casper Commelin p. 56.
4. Greek, βασιλική. Latin, Basilicon & Ocimum. Spanish, Albahaca. Italian Basilico.
French, B Uilic. German, Basilien. Dutch. £<uUCanv.



The Peach Tree

E. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Fruit
- 3. the Stone
- 4. the Kernel

Persica Malus.



Plummaris Spikward great Comysa
Elix. Blackwell delin. sculp. et Pinx.

1. Flower
2. Seed

Baccharis Monspeliensis.

1 9



Flea-bane. } 1. Flower. { *Conysa and Pulicaria.*
Eliz. Blackwell delin. sculp. et Pinx. } 2. Seed



Basil

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Fruit
- 3. Seed

Basilicon or Ocimum.

Plate 105. T/xē ^U?n/mtl Tree. *Amygdalus*.

1. This Thee ^/em/L that of tkt Peach in die Ze^J^nd B It-fir^{omes}; only the
 •ULps&Tne* uvt/Us ar* paler.
 T^{ru} l^{monu} P
 ^l Tre* {<, a ..*W* of Spturt andZaHasy, tffaver*ea^L uif Spring
3. Sweet MturnJs ar? accounted n^{wi}</fury, trut if e*Ue*i frv muJi /z&rd rfD^{og}esting.
 The Oil of die, ^Kivtc if jm>d in fl/fu&onj ef die Zu^, Stvne fra, L>vl Ciriltc.
 It is good b r Women & tahs. freeJy of it Uftnv, di&y Expjptthew JteUiwiy; and of
 great Service to p^ue Chzlctrtn" miacM nritk aw/ ep^{eninc} Syrup. The Sitter arv
 used ur a Cofnvetic, ki, ig cUan/mj and kautifyinfiTh* Oil' drofb into the £a#f u qewdfor
 Deafnes^s frtyuerL put amanaⁿinodiru linanentd. The Officinal PheparaH^ny are the
 Expressed O.U. ^
4. • ^eA^wy, Jakoj. Latin,, Anu/gdalus, -amara % didcvf - latino. : Jpimuk. Jume^dr^ . Italian,
 ^UdL. T^rruk^irrumde^ . Uerman^ManJef'aum. Dutch, Jmdndeil/inrm

Plate 106. <. lla-rytjouLf. *Calendula*.

- 1 • The -L&air&f a^g a light firvrv and the Florwnf 1/eJum/ .
- 2 -It jrxmK) in ijay-cUnj, arul ft&rwrf qrtat p&rt.of^die Jumrrier-.
- 3 T/u Lewsts and Tlorvers are cuounted Cordial, Jtle<xipharnice .gxred in all imd^ of
 Feawrvv; diey promote JIVWU and are freyuentdi/ n^f^ to driv^e out die small Ptf-x an?t
 •/ka<fleS. Some comjne^ul dizm fur- the JaunMce, sore tfnflasruul EyeJ, and 'Jf^arfr .
- 4 iftXcA. Zatih,, ia/e^dz^, Jirnplice flcrr^, -rruic^na. *calcha vulgaris*. Spanish.
 Itatuu, Purr Rarmar^{Reing} jeddem. Dutch, Boudelboom.

Plate 107. N^ht- Shade . *Solanum hortense*.

- 2* &jj-on&^ fe zfbotAiyldie- Leaves are garaJ* Crcen&ndt/u-Florver} White with a Yellow
 Umba irv tAcUddX: .
- 2 It grows by j^h ^ Tlays, andourung -ReccedA.and, IYotvwj i. *de #ust*.
- 3 fsLt-Flonf&rij aruCEavtd are cu/ed, a/rvdeate^n^dcao^li^, ^ooclfer oU^Aiatota oflhflasrvncUioTur arul
 ^Jrye/6jyi4, ?A&Sliingles anxLotker cutuudar Jlrup ttonj ; ad also for Burns and JcaloU.
 Thuutke. SoLuruuriihaL4xruJULh-£putin, iJ^ Unguentum Populeon; but the Herb-folks 4e.HiAe
 ^o^aram^ ^n^xxrx.h%oit^UoA, l^lwJxuofa.con^<3Jry JJoJjJrt; iherefom. ifi4 better to-utetke. S&Lanum
 ^eJ^u^ucAutoLtkada^ihjt^ajT^V^, and agrees better with y other Ingredients .
- f y^ce^ •ZTfox^os xncoaVoj . l^atiJv, JcrCaniorLhoriazae - vtU^are, J/ztxnu/v, Xjer-v-cx mora.
 ^fnJ^lah oro Jier-lr-OsmoreJlcL. French, Trior-eiU. Uerman, Jfirtfla2 de M^{af}ade

Plate 108. WU/L Cuuunlrer duwnu gareJtrur a sininus.

- r JheJtulL oftkia Plant creep OTV th& 6round, / the H> eMsir&d are, aiiht Cre-en, and the
- 9, Jtu*. JoTvri-uiljcurxUfu farer andfawe**insSub/ .
 - 3 Thuj u cbJtr-any (axhtc^rhx., cctrifstny offjer-owmrcukery ^dtunor^ troth, upJirarch and
 downnrardd, -nnthyrtajtIHarLtrujt', jyherwe, itu of^pt-zcLtLUevrvthe3r-crpjy rxrhert
 y-oonreli ca^eno-t cUsCaxfed i vt/o-r-aJrUf ib-ru-LyA donm thjc CcLtamencu, and eo^en. de-
 -Jtrojy 3^e Jo etu<t in, the. flforrUr, %c u ther-efore arUu -fit to b-e cubrvuvutt-ed, Lru Clery
 nuyur sand.
 Greek, ΣΤΚος άνθισ.
 ^o^r%lloj curicur-gijj . Italuirt, Cxroorrt^o 4cdnj-cOico branch, Ccrqxrntf^e saruvag
 German, Bilder Cucumer Dutch, Foels Comcommer.
 No. 27.



The Almond Tree.
 Edw. Blackwell delin. sculp. et Pinx.

- 1. Blossoms
- 2. Fruit
- 3. Stone
- 4. Kernel

Amygdalus



J. Mary scilicet.
*Et * Sim I., et delin. sculp. et Pinx.*

Flower
Flower separate
3. Calix
4. JKU


Calendula.



Night Shade
Rev. Blackwell's Lib. imp. et Prae.

4 inch L

Solanum hortense



Wild Cucumber
 Ehrh. Blackwell delin. rulp. et Pinx.

- 1 Flower
- 2 Fruit
- 3 Fruit open
- 4 Seed

Cucumis agrestis asininus

Plate 109. ftanvort, ar C Uter Okic. (hter-QMcow Jr unalis.

1. The stalks grow to be a foot and an half high, the Leaves, are a Grass Green, & the Flowers purple with a Yellow rim in the Middle.
2. It is planted here in, fy cur~cUnj, Ud ruztiv-& plcua b-eina Greece, Italy, SSKUJ% <UC in August.

D -Bidraej arid Jwd&uffj uv iAe^rouv.

Stomach & Inflammations of

the Eyes.

4. Greek, Αςινγ dr7/^òs. JJCUJA, (hter CUtuiu, Sn^iunäJu or BuIronuurb. Jpxuudh Astaraticon?. ItaJzan, (Lteraticò • French, Petite H'6-j^ar-^mitte-. Cernaro. Item &-aub. DiUcJ%

Plate 110. The Eupatorium c f Avicenna. Eupatorium Avicennae.

1. Lrie < Italkj arznv to betnra or three-jcrot-highs. the T>eanr&} are a Uight^rcUg^ Green, v^ t & pvers purpiufv.
2. It Sows by J Lers and Ditches and sowers in Auzust.
3. Jchrcrder c^mmericU thzs cu cuvery cjrardL I'idnerary Plant, lu&d upwardhj, but ejpt ualJy ovtnnartUy; u u^efuLto correct an Ml 9{alntof3ody, icaire Ccruaki v Catarrtu.
4. Greek, X abun, Eupatorium, Jtvicehruz ovvulpare'. Spanish, tforwu ma. Italian, Eupatorio. French, ~~errhand~~ itegud tCraut. te ^

Plate 111. Wrotist HovsfoiTOJie. J Luajcuairiud aUrud.

1. The. Ital/L) gfc)7irto b& trncF* crat/u&h, tñe Lea/v e*cere, & dark ^re&v, asuLihe Flo:b&y a pule yeWrry. us in Gardens, flowering in July at %Xdugbuft.
3. I/tui J{axlran& id axx#untedsrnUder-tfhari tke, TUack, o7icLiker&foretaferto l;qw-en vward tyb ung emollient dooting &n&dyn&, ^<rv~df(rrfofLzr?^ lions anJ^Befkucturrid <jf-hot Rheum, and u <r[wrvnut utter covjuuj refatiry Ointment*.
4. yreeJc, VbcrKqauof \eC/KOS LLatns^Cyoia/cumud lallnu. Jpanidfi, %lenhx) Hanco. L&ian Iusquamdrianca. Trench, Iiuajiamelrlanc. German, Jfain) U^3 jh/rjd.

Plate 112. Alkanet. Jhxcmi<yeb.

1. The Stalks grvnralrout tmrfrdrtrua^h theZ, e<Mfej are asdan^jreerv, and the Flowers a blue Purple.
2. It grows in gar-dend /ter&, and /larwerv uv June and JiUy.
3. Dioscorides & othe: 6tncuin& cementeruL the Ro<r& at yccrctcufainj-ttke Bite of Vene-mous Creatures being ran in dfeWv6; tyoiOTVardlyagaintd BumA^J^Anthonys Fire; - Parkinson commends the Infusion of the Bark in Petroleum aja<r<rciferr fret k Guts and green Woun.
4. yreek y xga ^rfo a. Z, atin, <JtnduucL. SpanuA Jagem. Italian, Anchufa! Fren -en* Or-clian^Ue. ferman, Ret OcJi/eruunaav. Duteh, JUKanne.



-f&trwert of- ¹/₄ter attic }
 1. Flower } Aster aff'cus of Inguinalis.
 2. Flower separate }
 Eliz Blackwell delin. sculp et -Siv. d J Seed



The Eupatorium avicenna

Elizabeth Black

no:

1. Flower
 2. Flower jepante.
 3. Seed

JEltp/tirrtum jfolCenae.



- «*«• Henbane } *Hyoscyamus albus.*
 Ebor. Blackwell delin. sculp. et Pinx. } *4.*! 1*



Alkanet

} J Flanrfr fptUratdf*

Eliz Blackwell dehn. sculp. et Pinx

usa

Plate 11j. *Kfapeiwrt or. Bnafemrrt. rfaponaria - vulgaris.*

1. I tpro-WV to fo afrtrt and an hcÜf-fugh,-the leazr&f are a grafs Green, W the Flower* CL pale PurpU.
2. It ironⁿ iW^{ery} Pläces near Jitter* and flonvrj far federal ^Months in i'le Jwrruner.
3. It is called Japonaria, or Jopenwrt, tecaule ißt Jiace ntill getfyrtasy Jpötf o~ut of toothy. - Itij est&emed opening and aitenuatirig and JomenrhaY ftdarific • It is Teyor>v>né, naed try Jo-ma ágainst the Zues Vene-rea.- Outrvar-d/i/^applied it help^m, hard Twnevñf and I/hitUmf.
4. ÜreeA. Ann. * LicAnide Japonaria wdgvrif, <rr Lychnis J'apcmaria- dicta. Spanish, Italian, LicAnide ammaria. French,, German, Margenroflin. -Dutca, Seepkruid.

Plate 114. *The Mirdle Tree.*

Ivestris

1. T'ivu u 0, /ue/e Tr&e Jitrcrtina forth* many j tender tznü?/i JB-rarvc/ies, cte Ltavej of n'tizch are n gräfi (jreen, arid the Fl^{wers} JiTite.
2. ft yrcnvy -n/x/d in, Jpäv^v and Italy', flawr'ing in August.
- 3- The £>ewe<f as rvetl cur the Bërrizs are aaxrunud. is/y % binder. odd ftr a Diarrhaea or Dyfentejy, jpitiina of 3*'lovd, /Octarrtunw Ddftiuczorw upon- tAe Breast, the Ftzüfr attno/, the fathry donnv of the I'arnt^r or FundamenC, l>vth, taJxZ inwardly.- OiUrva, rdljJ tkeq are -u<f&ct in Ptnvder^f Sf Jiy-e-cfronj. Prepa-raturnj /ram. if Be. ries a^{re} Jyrupii<f Myrtirwj- ~Pul- DiarnMjycLrifan frigid- OOMx/rmiirn- Una.- ad- ff^{is} enFcrnel. Empl- ad Ruptiiras.
4. '-e'ekftu^iyti. Latin, Jii/rtu<f. */pañ/ti. 4'hirtzi, or JFUy, á, rn. Itaadjv <-Myrtv rrurrtzná. Sc W^h French, ^Ateurte. fermari, J3tlfck/ieiderfreerIwwn. Dutc/i/4iurte JBoxrm.

Plate 115. *Toad-Flax.* LinariCL.-ttitea

indqaru.

- 1- The rJUxUNAgtrnr a, li/de more than, a- foxrt high, the It&av-es are ct- nrilfon^r free^v, and the Fbrnse-rs' V-eMoTV-
2. It ironw amvmoTL an-Bäntu and Ifedaej, and flowers in Inly.
- 3- Tkt nrfpie PlanZ is ufed, Itbigg accëaited diuretic., operutyw Ojftfuficurnofofthe Liu er % fU&^ haldpina htheDDropji/ andjeajndcei, whuJzit carries offfh/ Wiine. The Ointment nuule with Jiogif Lard, and a good 2iuunUU/ of this Ker-Í, u' esteem- ed a cfcrcrcL Remedy of the PÜeJ by anointiri^ die Tart; -at die tune of tUvng it rnae som e, cyf-t y^ of anEgq with it.-The OffiunaiPrepamtuirí y y Ünÿ• Zinarrce .
4. Greek, Oo up) sLatin, Lvnaria- lute-a. wilgaru and O/yru. J'paruJkZiriariUi. Ltadiaii, Linaria. French, Ltrtatre. tjerman, J CarnctruU:. Viitca,

Plate 116. *Tarragon.* I)racunmlu<f hartenfuf.

- i. It gronrj- to te tnro faot high, die Leaves are a h^hweincf dark Green, and the FUmserj a^a yellowisb arlaur .
- 2- It if plarited irv ^ar-deru, and flaivers in IILU and August .
- 3- The L^a/i^es whicdv are • cJiiefl/ tised are accaurUea. i healing and drying, good for thofe who have £<dd tftrmachs', for n'/uc-h, theij are often put into Jadlq2EJf^lerne, you t/i£M e-xp^eM. 'Wind, prvvrie- Urine % tke Jfonfes.
4. greek, latin, DraainxiduJ herterifü'. Jpanisli, Drago-no . Italian. Dragone. FremJv, Tcurgcnv. C&rrn^vn^Dra^runceU' -butch, Drag en .



Sopendwort si hi wort } 2. Seed Vessell } Si 1/••nrur > Vulgarie
 Elic Blackwell delin. jut. •• Pinx. } 3. Seed }




The Myrtle-Tree

Edw. Blackwell delin. sculp. et Fina.


- 1. Flower
- 2. Calyx
- 3. Berry
- 4. Berry open
- 5. Seed

Myrtus-Batica sylvestris.



Toad-Flax. } 1. Flower
 } 2. Fruit
 } 3. Seed } *Linaria. - lutea Vulgaris.*
 Eliz. Blackwell delin. sculp. et Pinx.

V



Tarragon.
 Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Fruit
- 3. Seed

Dracuncium hortensis.

Plate 117. The great Suraocá. Barclannnruir/irr. Zappa maim:

1. The stalks grvnr tu le tnw Fovt Iliq, the leaves are, w kite^hcra-ry underneath, and CL deep jfrá/ freai alnnre, arüL the FLrrvuv are Purple.
- * Itarjnv hy fray-fides andfbn/m-un Iune andru/t/-
3. The jUnrt/ are Jüdcrrizc and ale^cipharmvc,jwcL uv nuiAyncint Fever^{aff. . . .} wed in the dq. Ther-uicaduf. - They are acaowxtedjOTrd ajainJt the, Gout andPažnj ui jj vnt>if. - The Leaves loild xhJHdk, and applied <v a, Cataplajrri art In/ some u/edjirr me <, <une Duftemp&r;^ cU/a ftrr JBurru/ and SnfUmmátumsiand are one of the Inqrdiertf/af fa tlncruenb- Popudneu?ri. - The Comnion People appfy thenv rften tōy Feet & Wrist* in FeyN>v. Tfe fj'eedponrderd undyhsen in white Jfine v/yovd to prxn/o^kz Urine, and help Fits of the J*tane.
4. Greek, Αγκέλιον. Latin Bardana, Perjoriata or Lappa major. JpanAjliBardana. Italian, Lappola maggiore. French, Gloteron or Bardana. Se*^nan, Groj{s Pletten Dutch, Klüfen.

Plate 118. Dead or spotted Arfmart. Perfiairui maculata or maculi fr.

1. It grows to be two j^{oif}: f^hi ^ LeaweJ are a, d^p ^reen. nntk a spot wy^mi ddle in shap e like a, hadf JWovrt. and the F/enmy are a pale Red.
2. I {j?^orW tn-mxp/t Pl/icej In/ Ponds and Ditches and flon^enf in July.
- * The Le&ihej are. etft&tmZLky Jcme of a awUr^JV^a^cr^, g{wd, ^painZhert Turner/ JrfliTnmatuuj, Iinpocfiliwie</ and' arrest Wbundj.
4. y^ekyd\$>OTre'nt^iXajtin, PerfiairuL maculefcL. Jparii/liJlierirapevcequiera Italian, Ptficari 2 matgwrt. Iré rich, Cur^we, German, Jlhmer{en. Dutch, Perlích - rkyd ^

Plate 119. J7iarp Jlrfmärtor JfätzrTepp&r. Hydpp i er.

1. Phis PlanearortAf fr die <*am& lieújntas thé fyrrur, - die Zeavej are liyAter and Wttie Jpyirttlu d&ad <4rfm<irt, and the Flervenf are a. paler Red.
2. It grows in ifo jame PlaceJ a/ the other, and florrenf at (Ae Janu time .
3. The great JFBeyle, in bi</ Boiri of the llfefulnefe o-f ExperimentalE klosophy, recommends the^di/hlid'Water of tkC/ P/antas ayotrd Remedy, afainjt the Stone. It is commended al/o as ye*y clea->uin0, a.ndj(nrd for oidjhild'vm Ulcens.
4. Greekydn/orcfi. ZabAJtt/dropiper, and Ptficcktia maxuUta. Jpanish. Hierva manchas. Italian, Pept aquatico and Perficaria. French, Curnpe Jfeirmarv, Baferpfeffer. Dutch, Perfich-Iriiyd: "

Plate 120. JBuck/harner Jhdnej Crefees. firnnwpus Ruedlit.

1. The krrvvr LeaAses of tliis Plant lie an the tjrmind, and are zn jluipe arvd cvhntr lil, tliegarden frefaej, the Flonvrv^are Volute.
2. Kjrynvly, fl/h/Sidej and flcrveryf gre at Part of the ^Summer.
3. Tnthe We/tfciinrt/ thi^ */ much useitas a Jatfad, irvtA ranr and trended, for Mji^eatljfkfulnyfrjfl/fe iftvne and ffrav^tl; andJtivral {jardneri/ alrcnit London, cu/tiirate it in^dieir Garden/ for du/ Fnd, foinp a- art at diurrftc •
4. Greek. Latin, ibrxmoviiS Riullii, reci£ or repent Rnellu.
Spanish. Italian, French.
German. Dutch.

21

Tr • to



The great Burdock.

Eliz. Blackwell delin. sculp. et Foxe.

1. Flower


2. J&U

etc

Bardana major.
Lappa major.



Dead or spotted Arifmar
 Eliz. Blackwell delin. sculp. c. Pona. } 1. Flower { *Persicaria maculata* or *maculosa*.
 } 2. Seed {



Charp.
 No. 1142. is*, sculp. et Poir.

Water Pepper

1. Flower
 2. Seed.

Hydropiper.



Buckshorn or Swines Crests.
 Edm. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Fruit
- 3. Seed

Coronopus Ruellii.

Plate 121. Cornus. Carnzu - ??ta<f.

1. This ^W ^{pxnvzr} t&t/ie fi%e &f a> Cherry Tree; tAeZeoAse* are a, deep Cre-en, the ^{owers}
2. It grows ^{vigarzlend.} ^{vfbnren'in, 77la^isJtyiril;lruty} ^{Fruit is not ripe ttf, August} or ^{September}
3. The ^S ^{ruit} is esteem'd cooling, drying and binding, Strengthening ^{of} Stomach, stopping all kinds of Fluxes & Loosness; & is good in Fevers, especially if attended with a Diarrhea. The Official Preparation is the Rob-de-Cornis.
4. Greek, Κόρυμβος. Latin, Cornus, and Cornus hortensis mas. Spanish, Cornizelos. Italian, Corniolo. French, Cornier. German, Cornelbaum. Dutch, Cornoelje.

Plate 122. Garden Clary. *Florminum Aortaq'e - Sclarea.*

1. It grows to be two Foot high; the Leaves are a dull Green on the ^J ^{ace}, and horary on the Backside; the Flowers are a light Blue. ^{flowering in June and July.}
2. ^{Ucuy} is esteem'd warming & drying. - Infused in Wine it comforts a cold windy Stomach. Some commend it as a great strengthener of the Reins, helping the Fluor Albus, & invigorating a Cold relax'd Womb. Matthiolus recommends ^{the} Leaves infused in Vinegar: & a little Honey as good for Boils. - The Name ^{JliUA/rrjatyj} ^{£iatt/ie} ^{'Tfomen} in Italy put a single seed into their Eyes when they are tndd/fedml/i a/y ^{bednefakumors}, or Dimness; but Mr. Miller gives this Vertue to the [?]
3. ^{Greek, Ορνιθόχορος.} Latin, ^{Florminum hortense,} and ^{Sclarea} Italian, ^{Sarleggia.} French, ^{Orva,} or ^{Toutebonne.} German, ^{Schartach.} Du&A, ^{Scarten.}

Plate 123. Garden Spurge, or Lathyrus. *Cataputia minor & Lathyrus.*

1. The stalks grow to be three or four Foot high; the Leaves are a bluish Green and the Flowers yellowish.
 2. It grows in arde ^{g m. j'}, ^{waifoejfojweal} ^{TlaraAd} ^{zat/ie} Summer: ^y form ^{ztj&} (fa ^{pkwi} ^{tõ-pu/y^} watery Jitiimon, ^{?2rhic/i} it deed nntfifreat ^{urU/ue} irotfi ^{up} ^{and,} ^{dtnvruvardj,} andid ^{teidoTne} ^{luedfartAu} ^{IrutIn/Fm/ieriu.} *the ^{771UA,} of the stalks ^{y t 3.6 3 / a u n p} ^{m it.}
- Spanish, Tartago. Italian, Cataputia
with Springskruyd Spurge.

Plate 124. JAe/dierdd Staff *Virga Pastoris.*

1. It grows to be four or five Foot high; the Leaves are dfyAttfrvfe ^{£reai}>, and the Flowers Yellowish.
 2. It grows in Marshy Grounds, particularly behind the Bishop of London's House at Fulham.
 3. Matthiolus says this had ^{t/tejme} Vertues as the ^{Te} ^{ils;} & ^{Roots} of this boiled to the Consistence of Beese Wax ^{ivTVtne,} and ^{JLe/ifiincu} ^{Brtvtjen,} ^{y^elu^ro-dfcrKa} ^{^i/kt/a} ^{anb} also in ^{medicament.} - ^{l)wRain} ^{%aterfiM/idwi/j?} ^{^s} ^{mrcrft/teLew} ^{comrrun} ded ty ^{jmne} & ^{covdTx/fas/matibnd} of ^{fyed,} ^{ic} ^{tzrender} ^{t/it} ^{Fatejair?}
- French, *Virge de Pasteur.* German, ^{JhO&l,} ^{in. Virga di Pastore.}



The fornet Tree

Blackwell delin. sculp. • tt Pxn.

- 1. Flower
- 2. Flower separate
- 3. Fruit
- 4. Fruit open
- 5. Kernel

Cornus - maJ'



Garden Clary

cur. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Fruit
- 3. Seed

Nerminum hortense Sclarea.



Go. '1. >: *Jpuracor Lathyrus*


Her. Blackwell delin. sculp. ex Pinx.

- 1. Flower
- 2. Seed before open
- 3. Seed

latifolius minor & Lathyrus.

11/20/2023 10:00:00 AM

* 3



Shepherd's Staff
 Elec. Blacwell delin. sculp. et Pinx.

- 1 Flower
- 2 Flower separate
- 3 Seed

Virga Pastoris.

Plate 12s- The Fuj Trxe. Ficu <f

1. It seldi. [^]grafs [^]Green, [^]aria die Fruit, [^]Fl. [^]rs, [^]high [^]makes [^]Ulitved they are hid in he FiiiU. [^]area £ Bm / [^]agl id /i deaves are a [^]it beareth no visible
- * fo[^]cuCVI[^] [^]Ulitved they are hid in he FiiiU. [^]and A [^]mn; the [^]u rare J > Sp[^]rl [^]*£ Portuaa/; mdtif twu of 3earina if in Jbrvng [^]of the lu [^]***. [^]N^y, dprwftthem in JcaUtn? [^]kxy. [^]r^jt/fo
4. fits a [^]rf[^]TM [^]tree, * & aftwMM t&y dry tfi&n carefrMn ITV lAe Jún.. [^]Tt [^]**** & £ xvtiny andm^ltviny. jcvd/br Gnyhs, j/urrtneft of Brtath. [^]and all Diseases [^]of the [^]raJt; iUf *Lfc > the Jhne and Jjravd, - and thi small Fox and Jtia/iljytrul. [^]they drive [^]oiu [^]J[^]v ar ty they are diftolwna and riveniny, a <w <l fir & n p £ > Jt/wmati < mj ad [^]Smallinas; [^]Dutch, Ulygen.

Plate 12s. The ^Jtu&errt/Tree. ^ <4foru </- nigra v. laaris.

1. This grows to be a tall Tree, me Leaves are a dat-i, Green. the Flcnviewut&minsh, Mid the Berries when ripe * dari Purple.
2. It grows in Gardens. ^ <6[^] FTM*[^] ripe- PI Juyturt: and >septemhr.
3. The Bark of the Root v ^H ^fc warm and dry, ^pcniñ^ etrfnutien/ of du Litter and Spleen. and hetjy/Ite & iunJu*. -The unripe Fruit is Inndzñy and drying, jfovd, in all kinds of Fluxes, and Inflam^ < \$jms of tie Jbuth and Throat. -The rips Fnütuanrfzny, j^od to ally^ the jf eat jffarnmp Fevtnf, and create an flyaetife.
4. p[^]*[^] - Moeca jf ouKtifiiv®. latin, JUmty, ft^iimuf ar-lirr. Spanish, JforaJ de/ J&ral. [^]multan, Jtonp. Fr&ncA, iJtaurier. ferman, Jtaudtwr-lraz [^]Dutch. Moer [^]Jien.

Plate iz?. The Jiale fyp rest Tree. Cuprtffu/ mas.


1. Ifasjrvtif fa lw a tail Tree, Intt u not So muck Inranckd af the Ferna/*; the ZeawJ are [^]rl [^]^/ ^frzè, die Florverj adirtif Veilonr, fc tike CmeJ, wJuc Jiare rovndef thany" Females, l^rvrin
2. + (r) [^]Ke* + *s [^]il/ ^ vi. fotf; . fa Ffonvixf arme ftrrth, the Jiigitvning of Jummer, and \$ times [^]ripe
3. The cone < fare acccanted dryinj and trindtnj, gypd to Stirp Jpittirut of Blov & Dt/arrfi & as, [^]sent*riej[^]tmnwderate Flux vf the ^Menfej, ^nwhmtary C4hciurri-They likeñnfe prevent [^]the Bleeding erf (he fums and fasten hvfe Tfetli. - Outrvardh/ they are tifedm Slip tic [^]Fomentations and Oitapta/mS.
4. Greek. Ku w ^Vtares, latin, Cuprt/JuS ma^ Jpanwh > Cif > rts. Italian, tiprèjjo. French, [^]Cypres. farman, Ciprffeen. Dutch, [^]lypreffe [^]Boom.

Plat* w. Jforfe Tetwue. or Dottlde Tom/nz. fftpoykftunt Bilingua.

- * The JhU£sjrcnr five or Six fncfies htjh the LeavtS are a deep J/retn. de [^]Flowers whitish, and the 3^yJ red.
- * ICyrvnv rvild ^ Italy, and ftatwrj in Time.
- 3- I hi* Fl[^]afu ^ esteemd heatiny and drying, qovd for J)if < rrderJ and Juffocahcm </ of the Worn/r; ?[y]terc Fits, hastening die- JSirth, eocpellyny the After Birth, and prvQuring i. e. f. a. tamè [^]Ua.
4. Greek. Iawoy λωρον. latin, Bislinyua, ftippe-ahrjjiun. Jpáni < fh, LenyiuZ de (avalla. [^]Italian, Bilingua [^]Bonifacia • French Bi/Unyua. firman, Xap/fitri frautr. Dutch,



The Fig Tree } 1. Fruit } Ficus.
Eltz. Blackwell delin. sculp. et Pinx. } 2. Fruit open }



The Mulberry Tree

Eliz. Blackwell delin. vulg. et Paris.

- 1. Cluster of Flowers
- 2. Flower separate
- 3. Fruit
- 4. Seed.

Morus - nigra vulgaris



The Male Cypress Tree } 1. Cone { *Cupressus mas.*
 Eliz. Blackwell delin. sculp. et Pinx. } 2. Seed



Hoarfe Tongue or Double Tongue

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Berry
- 3. Berry separate

Hippoglossum Bilingua.

Plate 130. Guinea Pepper, fopdzcum. Piper indicum.

1. *The fruit is ironed to fa thro Fok high, the Leaves are a deep green, the Flowers are yellow.*
*J\$*TM** *f e r u i t , d *
2. *Some gardens, and flowers in June the fruit is ripe in September.*
£ cmrtmengl a. Decoction of the fruit in Penny-Herbs is good for the Dead weight.
The Shins fate as a fatyte help the Tavit/dc%. A late use of the Juice
ppnrderd and muct nn/A Honey applied to the Tkrvat, it is good for the Zutneye
with HLj&d cu a fauce for any thing that is flatulent and Windy.
3. *Grows in the East Indies, Spanish, Pimenton de India. Ita/uin Pepe*
d'India' French, Poyirre d'Inde. German, Pfendantfck Pfeffer. Dutch

Plate 130. Jmavtft Janr-thude. Sffnckuj lamnj.

1. *It grows about two feet high, the Leaves are a light green, and the*
Flowers are yellow.
2. *It grows on the Banks and Way-fides, and flowers in May and June.*
3. *The Zeotw art muck erf die Jfature of Dandelyon, beçny apperative and dvtritu. good*
for the Jfrawls and Jtvppege of Urine • Some foil the Zeavej in Peçjet-drink it give
it in Fevers. The JUunj Jhovt are rftzn eat ameny)fa/fadf as Lcttict.
4. *It grows in the East Indies, Italian, Cifrata. French,*
Latteron. German, fanddiftt- Dutch,,

Plate 131. Water Galamznt. Cn/amentia aquatiav

- * *It grows to the height of a foot, the Leaves are a dull Green, and the Flowery purple.*
2. *It grows in moist Places in the Winter ha f Jtariabed all the Winter, and fffn r,*
in June and July.
3. *It is hot and Idn/. and is peculiarly appropriated to the female J*ead. it is*
very good for the Qovdl tterinf, prenrriintf the Jtenf&j and Lachui. It rarms /fie
'-&&&&, ana helps die Chcrflic and Jaundice
4. *It grows in the East Indies, the Juice is good for the Jpanzsh, JVeiredc. Italtan,*
It is used for the agiuih'co- French, PcntMiv de Jferman. Ba/sermunk. Dutch, WaUr-
Calkmenth.

Plate 132. frwndftl- JSriytron. Jénecw

1. *The Juice is very good for the Forrt hijrh, the Leaves are a light green and the*
Tb rery y^l on r
2. *It grows on the Walls, and the greatest part of the Jfear.*
3. *Some of the Juice, of this Mrl in Jle as a Vomit, tu ease the Pains in*
the Stomach, evacuate the Chaffer, help the tfaundwe, and defirvi/ Wvrfns \ Outvarda
it is useful in scrophulous Tumours, and Inflammations of the Breast, and ~
adf-
4. *It grows in the East Indies, Spanish, Bon varnotv. Italian, Jirdence-lb. French,*
Jeneson, German, Creuinmrt. Dutch, Kruyskruyd



Guinea Pepper

Piper indicum

Eliz. Borchwell delin. sculp. et Frons.

- 1. Flower
- 2. Fruit
- 3. Fruit open
- 4. Seed



Smooth Sow-thistle

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Flower separate
- 3. Calyx
- 4. Seed

Sonchus laevis.



Water Calamint

Eliz. Blackwell del. J. G. Sculp. et Pinx.

1. Flower separate
 2. Calyx
 3. Seed

Calamintha aquatica



Gründel

• *Elm. Blackwell delin. sculp. et Pinx.*

- 1. Flower separate
- 2. Calix
- 3. Seed

I

Erigeron. Senecio.

Plate. 133.love-Jpp/e. Jmoris Pamum.

1. The stalks c/ronr to h tnr Foot hi#h, tfa Leave* are a tyht yettonn/h Green, and dy Flan^ery yellon^.
2. It is fon^ri-iritfdrdenj.andflanKtvrnMh/, the Fruit freinf ripe. m. Jeptemlv-
3- Love, <A>U otUnrardtu applt/éd v/ esteemed cartuiy and mm/kiiruf. food fir.
Inflammation^ the Jiwx V commended tn hot Zeftiutims of Rheum upon
die Eyes. Inltatythéy wt them nntth Od aruWnejar d* we- do Ciuumfier*.
L, Σ, γυακρόν KHwaTor. Latin, Tcrnum Jrrurri*. Jctinumpemifinim. SP*
Italian, Porno d'Oro. French Pomme/ £ Amount ferman, ifoUapffelt.

Butch.

Plate 134. Jhddci fins or Mr/rJk/tid. Jtamrn *vulgare*.

1. It grows tohaFavt hyk fo&ow are a,fcffr*en.*nd *k F/mvrv white.
2. It yr/mediraaardend^ndflor^et^it/lu^andJuh/.
3. It * much of dijraturt rf Jlarjcrá*/-S*™ commend U fir the tm> arwat Flux of the Catamtma, <z Dnuhm of the Fonrder hing y ^ ^ in reugk Wine
Di/nidM ctnwnwdj * Petition of ty ^ ^ a* wd/brtfcJhtyfy ^{when}
vha* notfot by great a, &*d; and the leaws murt nntth Mm*f ** food
far removing the \$lacknefi rf am/ Btuve.
4. Cred, HdUuKov K, %M*Q*KOs: latin, Jttarum vuhare. SampfuchuJ. Jpamsh,
Ufyoranfi,, 'imUn.Merana genti/i. French, Jtervn* jentrf. German,
ffleferaX. Dutefi,, Mastid: mybende. Tttarutn.

Plan J3s • Jiuckt/lOrn. RhamniU cacfmrtitu*. Jpina cennna.

- This Jlii/h'hao Branched fiiU of tony /tiffT/wrnJ, tit leaves are a ye/lonnsh
>* t'reen, and die\Ftan**tV t/et£crv.',
K It grows in W?v^ Sr&djej;flon»r* m him; and the Serrus are rtp* in. Jep tern for
3. The Juice of the Jerries purye,fert»a vatey, fGimnwandi, esceem'd^d^{for}
the Gouu, Drvpfy. Jaundice.,Scuny,Itch,and a# manner of Fmpturns m the ^{skin}
The UffuuruU Preparation u die Syrupy. e Jptn* (ertwa
^ • fretPd^os ZatmMam^ cathartics, Spin* uri'ina- Spam'h, Jcamtmm^ftahan. •
tyiho merfir.orSpim cendrw.French^ur.ueJpm orXepre^erman,3e.\$dcrrri.J)utd.Myn/>ef*K

*** 13 s. Blact en- Jtinkiry Mrefunmd.JiamiUini my rum. BaMote.

- The Stalks yrtmr tu h tnr Foot hiyh, the lem^ are a dark (freen, and the
Flower* (i trlus Tunple •
•z- Itryfnv ly j^li Wai/J and Mklaej, flownny firr fevtralJfoufit in the Summer.
3. DicfcaridesyW, fa leave* beaten rvith Salt, and appfyed to the W?und, cures the
Bite of a Mad V<ra; and the Iidce, mixt nntth Mmey yytvd 0 cleanse /mil U/cers.
Dorter 3cmr{e commend* it a* cifwyular Hcmedy ayavutMyjleric Ic^othondriacjfleciurn'.
4- frett, BaWv-r}. Latin Marrvdnum nynim or .Batiste- Jpant/h, Marry*, nearv.
Jtaljan, Marrjrlri^ fatardo- French, Marndvn, noir.. tjerman, Jcftwartj Jnd^rn .
Putch, Jenrar-t Indovrzrn.



Love Apple.

Amoris Pomum.

- 1. Flower.
- 2. Ripe Fruit.
- 3. Fruit open.
- 4. Seed.

K. Schumacher delin. sculp. et Pinx.



VNI 7hne er Mr/ jfot&d
 //•Win JcuL'ff-fifox-

over
 calix }
 separate }

Marum vutyere



Buckthorn.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
2. Berry
3. Seed

Rhamnus catharticus.
Spina cervina.



Blaci or StinAwp MrtAmtnd. RfJE ^{separate.} *Jt&m&wm nymm. Ballote.*
Elix.

?t*te , C2jt'riced. Ci/dinuui"or Mak cotanea majora

J- This Yrc* /lldonv growvs šo % as the apple -Free, hainny ufeally CL crooked So dj/, nrith main/ weak Branched• The leaves are like those erf the apple Tire, Init rounder and whitish underneath; the 3(ofsonus ane a whitish Purple, cuid die Fruit a yel/tonr jreen, covered with a Donn .

• pijLpnmanty planted by P<mJs ^ J^at" f^TM^"l ? m _^%| tAe Fru I**"\$* "> **&ih Jéptemler and OctxrUr.

3 The Fruit if accounted arrdial and/tren^thnina to die Jtomach, helpw* Deaestxm, and SURpirM%mitiru?k the Mwyh.-Fhey are also esteewM'aoudfvr all sort* of Finals. The Seedv Ufimt' and mo/li/yiry, tempering the Ocnnwru/ erf MumorS \$/ermceaMe ayain/tfore Mouths, Thrvafr, and a Thrush; for ivfack a-Muatye made of them ts TriptenfiL presenhd Outnrardfy pf is applt/ed to heal'for* cAop'd MppleS.

4 • \$reeJL, Zlp8e,ou?na, latin, G/dmea. or tirtxm^Tnajorti. Jpamsh.Mern/mtfws. TuUuvn, MUE htogn* French, Pomlf d* Corny Jermah, l^roff Zuitten.Dutch, 2uee-J3oom.

Plate 3. *Harts To. ue. yOua Cervina, & Phyllitis.*

1- Tfvu Plant vnmv to I* a Foriuyh; tAe W are a fim ora/s \$nxn, du ^{Seed grows} -in Invad othue lines on the X*clfiJ* of tht lewej.

2 • It arm* inS/uutuJ:*n* and M Stzru BuUMnfS, lwi<! *run aM die J/ear. ^{to Dis-} 3. Ttu muck co^k/ed frr Vtfordtr* of the & ^{TM ^ f ^} ^{itity of Blood} Mvehardfd^rZm, Tumours in, either. -It^u/efuUtrvdie RtcAet*, Sp ^{of y green} .and ike BhvJy Flwc. -A^Zay. recommends the Powder, or 6>Arv* leaves, fir MrtyrU f frnirulsive FUs, and the Palptialum of du -Heart.

freeA & u\ | r/ s latin, liryua krvirut. Jpant/h, Liryua, cennna. ItiUtan, luytuv *urvina. French, lory de &rf. ferman, JurfcAtimfen. Dutch, fart* Teruje.

Ptnce 13 9- Jam*-Co/hid, or The ChaJU, TrK. VTteX, or JfTUX *castus.*

FA, Trie intm* <U^TM<****&&?A/* * * JmaM *%o TW * * *????*// ^{a dark Green} ^{ish Grey.}

- 2. It ^{V i} ^{Nature of Italy, & is p t} ^{TM'} f/onnnyro the later Znl of ^{er.}
- 3 The Leaves Flowers & Seed are sfi»nudn«mun, OndJn, ^; helps the Jjordnesi of the Liver & Spleen, expells Windk; ^{ngd m n j} ^{Crema Formrfyg Aid nw much} ^{used to} allay venereal Heats, & preserve Chastity, but this Age has left that Medicine out of their Dispensatory as uselefs.
- 4 Greek, Άγνος και λύγος. Latin. Vitex. Agnus castus. Salix Ameriana. Spanish. Galliglio casto. Italian Vitice or Agno casto. French, casto. German, Schafsmullet. Dutch, Kuys Boom.

Plate 24.0. Privet or prim Prytf. *Ligustrum.*

- 1. ^{is} a hmr J'hrulr; the Lem/eJ are a. graft tjretJL, the Fl#nv*j nrhiu & ^{uu. gG^ferr-ies Black..}
- 2. It ar^S in, XedgeJ and floors tn. May NInne.yBerr^Mtru? rye ^frru ^{ber.}
- 5. Thl Leaves and F/pn*rJ are auounted cookny dryi?ia % rest,went; and fw-l&ers & Inflammations of t,Thrvat,3leedinj of thtjutns. and Relaaratum of rlu Uvula. Ihofcortdes conimlnds die Floors fuep'l tn.Vuu^r aJ gofd firr the ftead- tick.
- 4- faekKttage: LiUin, Linusirum. Nfmusk, Jlfuul or fCatiena IbUwuJvu ^{trice, Olivella.} "Frttick Troefne or TrtkiMcric-German, Betnhdh o<Ur. Dutch, Mondhou ^{keelkruid.}



Quirces.

Eliz. Blackwell delin. sculp. et Pinx.

j•fruttiopen.\

?r.?hi{<i c&ttmea majar<i



Hart's Tongue.

} *t. Swd.* }

Lingua Cervina.
& *Phyllitis.*

• *Eliz. Blackwell delin. sculp. et Pinx.*



Agnus castus, or The Chaste Tree.

Elze Blackwell delin sculp et Pinx.

- 1. Flower separate
- 2. Calix
- 3. Seed Vessel
- 4. Seed

Vitex, or Agnus castus.



Privet, or prim Print.

• Eliz. Blackwell delin. sculp et Pins.

- 1. Flower.
- 2. Berry.
- 3. Seed.

Ligustrum.

Plate 14.1. The Apple Tree. <Jla/its fati va.

1. The Stalks are great, variety of jtpfjle, tAoj& nrhz'ch are accounted best for Medicine. The Pear main is of Merefordshire. The -Lzaise are a dark yras l'reen. al>we, and heart/ underneath; and the Blossoms are a dark purple.
2. It is planted in garden* and flowers in March.
3. The Juice is accounted cordial, ch^arina die- Spirits arid driving away ~4t&ancAolt/.
4. The Syrup is Pomu; n/Atc/t is an J7njrrt>dientmy Tonfectio Alkermis. Greek, Mn>ca. Latin, Jta/us/athra. Jpanijh, Mans anas, Italian, Me/e, or Pome • French, Pomes for - man, Pep fell. J)iUz/t, J1 ppe n.

Plate


1. The Stalks are great, variety of jtpfjle, tAoj& nrhz'ch are accounted best for Medicine. The Pear main is of Merefordshire. The -Lzaise are a dark yras l'reen. al>we, and heart/ underneath; and the Blossoms are a dark purple.
2. It is planted in garden* and flowers in March.
3. The Juice is accounted cordial, ch^arina die- Spirits arid driving away ~4t&ancAolt/.
4. The Syrup is Pomu; n/Atc/t is an J7njrrt>dientmy Tonfectio Alkermis. Greek, Mn>ca. Latin, Jta/us/athra. Jpanijh, Mans anas, Italian, Me/e, or Pome • French, Pomes for - man, Pep fell. J)iUz/t, J1 ppe n.

Plate 14.3. Male Speedwell. Veronica mad.

1. This is a low creeping Plant; the Leaves are a light green, and the Flowers are purple.
2. It is found in fields and pastures, and flowers in the latter end of Summer.
3. The Juice is accounted a useful medicine in malignant Fevers and Pej-tv. It is used as a Cataplasm they are used for Bruises and Contusions. The Women call the Leaves of this Plant infuaci of the common Scallions.
4. Greek, Jigfc Succifa or M<m/vJ Dialrolz. Spanidh Italian, Mor/o • ^Ma>rlcr. Fr&noh, J/erman, Zeuffelj Abbis. Dutch, wde eBM^

Plate 14.4. Saffron. Irvcud.

1. This is a low creeping Plant; the Leaves are a light green, and the Flowers are purple.
2. It is found in fields and pastures, and flowers in the latter end of Summer.
3. The Juice is accounted a useful medicine in malignant Fevers and Pej-tv. It is used as a Cataplasm they are used for Bruises and Contusions. The Women call the Leaves of this Plant infuaci of the common Scallions.
4. Greek, Jigfc Succifa or M<m/vJ Dialrolz. Spanidh Italian, Mor/o • ^Ma>rlcr. Fr&noh, J/erman, Zeuffelj Abbis. Dutch, wde eBM^




The Apple Tree or Pearmain

- 1. Blossome.
- 2. Fruit.
- 3. Fruit open.
- 4. Seed.

Malus sativa.

Eliz. Blackwell delin. sculp. et Pinx.



. Devil's Bit, a? Smooth Succisa. } 1. Flower. } *Morsus Diaboli*, l' JuCCXpL.
 The. Blain. d'alen. vulg. de Pinc. } 2. Calix. }
 } 3. Seed. }




Male Speedwell.

} 1. Flower.
 } 2. 2nd View.

Veronica mas.

Bl. z-Zlactvetf. de&n. sculp. et Pinx.



Saffron

Eliz. Blackwell delin. sculp. et Pinx.

e. iftnmma.)

treats.

Plate 145. Pomgranat*-jrarum Pumc<i ma/a.

The Pomgranate Tree which bears the same colour as the double; and the Tree it self from the other. The Tree, as well as the other, grows in Spain, Italy, and the warm Countries. The single Flowers are drying and restringent, good for Hemorrhagies & Bleedings both inward and outward. The Fruit is gratefull and strengthening to the Stomach, stops Looseness and the immoderate Flux of the Terms; and is usefull in hot bilious Fevers, and gonorrhoeas.

4. Greek, Ρόια. Latin, Granata. Spanish, Granadas. Italian, Melagrano, or Pomo granato. French, Pomes de Grenades or Mygrains. German, Granatpffelbaum.

Ditfc/%, Granaxrf JB atrnz--

Place 146. Tobacco: Fetunt, Takuaan.

1. It grows to be three **L** high, the Leaves are a grass Green. ale Red
 2. It is sown in the Spring and flowers in July and August.
 The Green Leaves are used in Ointments and Oils, for Wounds, Ulcer, Inflammations.
 3. Tumours, and the King's Evil. The dried Leaves **L** a strong Emetic, & ought to be used with caution. - chew'd or smoak'd it evacuates Phlegm. - A Drop of the Distilled oil taken inwardly, will kill a hollow Tooth or cure the Tooth-ach. The Dust destroy* Fear, Lice, & other Termites.
 4. Greek Latin, Petum, Hyoscyamus Peruinaruuf. Spanish, Petun and Italian, Tabaco. French, Herba de la, Itoine Mere. German, India-nisfca, BunJtrmtar. Jtufrh, Taback.

Plate 147. Jönr-tread. Jirtamta. fi/ctam&n.

1. The Stalks grow to be six or eight Inches high, the Leaves are a grass Green spotted with white above, & purplish underneath, & the Flowers a pale Red.
 2. It is planted here in ardens, flowering in September and October; its Native Places Austria, & Styria.
 3. The Root is ivry fin*»f, and usefull to bring away the Bxrtk and Secundines, and provo is. Some commend the Juice against vertiginous Disorders of y Mod, used in form of an Errkine; it is also good for cutaneous Eruptions.
 4. Artanita, Cyclamen. Sp£<, h PardzPuirco. Icatian, l>an Percöv. Frzndi, cyclamen or Pain Porcin. German, Jihrninlrrvt. Dutch, Darkensbrood.

Plate 148. The greater Spurge or Palma Christi. lataputia major & Ricinus.

Even Foot the Leaves <tr* <L fine grass
 Crezn; the, Fkmsr* are -snuLU arut staminou **7f** ayellow colour.
 The Turne^f are ftd^ -- purge watery Humors; In* they nmft 6,
 Hied milk yreat GuOum- The Oil express'd from the Ji*d* voovda defcny
 Lie in
 4. Greek, Κικί ή κρότων. - in; Ricinus. Jpan, Figueira dell' Inferno. Italian, Misafole. French, Palma Christi. German, Bunderbaum. Dutch, Donderboom.



Pomgranates.

Ex. Blackwell delin. sculp. et Pinx.

1. i. r lever f
!i, Fruit-
JffiSfc V ranata. Pttu ,at mam.




Tobacco.

- 1. Flower.
- 2. Calyx.
- 3. Seed Vessel.
- 4. Seed.

Petion, Tabaccum.

Blath & Jt delin. sculp et Pinx.




Jhy- bread

Nitz. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Seed Vessel.
- 3. Seed.

Artarita, Cyclamen.



The greater-Spurge or Palma Christi
 Elin. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Seed Vessel
- 3. Seed

Lampytia major ^ J&cinuf.

^^-{\^ Jumr-tficrrn'- Jpzwr Alba.

1. Flan, *rmf to ^e '4- pr^jft bnye Tree, the Leaved are a deep graft-freen, the 7, /l ^n Nite-nn'tft redaVh,a}jices inthe Middle, and the Berriēš red.'
2. die FruU TS ripe in Septemfser.
3. The ~~owers & Fruit~~ are ^^ we(jin ^e S'iops, and are accounted dmrētzc, aood for y Jtāe, gravel, & P/eurt/i. The flpta. jVephritica v mads of die F/cm^r^.
4. Greek, Macw, c.s. Ipjiri, Me/piliU, Oxyacant/ins. ypanuh, Jtzamlo. Italian, Azarolo. French, Jfoplcer. German, Damlraum. Dutch, Ucnrrnlro?nn.

Plate 151. Kuja CnzntJ Bill'. ferrmiioTi mcyc/iahtm.


1. The ^taJkj grow to l& a Favt hicik, the Leaver are a liaht graft green and dw yeneroMy planted in far dent, flanmnd, great part of the jJtimmer /ome - JT^ LL w /mind Tfild, in setseral Part/ of jCnyland.
2. w XJ accounted CL indnerary Plant, and w useful tn znward Wounds, Bniwej a p-d ftazmarrAaa-iej, and matt Flux&S.
3. Greek, Jigavio^."Latin, geranium mojchattim. Spanish, Pico de fingne-nluL. Italian, Ge. ann o ferzo- French, Bee de ficonj/ne. German, Jhuncfchfide/.

Plate, ifi. U/der. Sambucus.

1. -Hut & & carnmem ffledcjre, Thee, ^ seldom grunts to ant/ great Ingnē/s. the Leaves #*& a, light Cfrafts tjreerCthe FleyverS ndiite, and the Berriēš a deep purple.
- *- & gr& 7W fheaiientfy m fledges near DiteAes, and flowers in May die Berriēš yfeinc/. npe in September.
2. Hkr^a?^i Leav^^ r^omer^ ^Berried are njed- -The inner Bark is much u/ed frryfe Drzrpjy:- TheL&aivs cnitnrardli/ are gorrcI for Triflwnmcuums, f dntftrnfi Fir&*Jf ch& TU&f; the Flōn/ers are ud'ed for the same, and are" also put mFovwn tatio ns % Cataplasms for all kinds of Swelling, Tumours, ScPains in the ZinU^innfl, the y xpe/l TVind, % lulp the Chōlic. The Bernes art cordial Sr useful in hxtmē Diers on the Trunk of chid Thee annys an Ex-crefsence which, tfuu call fews Fars, l'ing ed 9^f^y/n^na%Infl<mmciawrf the Tonfils, sore Throats and Quinseys.
3. Gree...KT^n Latin, "Jamfaicus. Spanish, Ikvimro. Italian, Sam/auo. French, Suyer. German, Molder-. Dutck, D m& r b m r

Plate 152. Black J/dtr. jthidc nifru.

1. This Tree never at Bigness, i e Leaves are a graft green, the Fl onsert white, and the Berriēš Irfack.
2. ^tgnmv -in rnetjt ^, / Hfods, as Marnpstead and flamfey, andffonwur ^TM^y th& Fruit-fairy ripe in-J*epternber.
3. As. Inner Bart p_{ur}^j J_{grm}}j tfiimcmrt, andis comimended for if Drop fy JcJaundice tutu oiylt a, fa pooled vrUli proper OronuUuts. or- else a Jill cZsAr^a' ctrU Vomiting.- Ireateñ in aJlortar and mwcti nruA Yineoar; it ,, nccowuUqojnl fr cn& itch, the,Parts (ttiry nfafh'd nā'tft die exprefs'd Liqūor.
4. rēL, ~JTjeQap /isXas. Latin, MnuS nigra, and Frangtila. fpantfh totuiH, Frzxnyoia. French, Juno notr. jennan. Ftusaum. Dutch, Pyfront, Sp<rrienhon.




Ifcarv - thorn

Et. B lad rue It dekn. j<n/p. et Pinx.

- 1. Flower.
- 2. Fruit.
- 3. Stone.

Spina alba.



Musk Granej JBtff, la- %*&*;-') ficrxm'un nn>/?/i,t(?tm,
 Ehrh. Blackwell delin. sculp. in Pinx. 1. Flower. 2. Seed.



Elder. } 1. Flower. { Sambucus.
 } 2. Berry. {
 } 3. Seed. }

Eliz. Blackwell delin. sculp. et Pinx.



Black Alder.

Eliz. Blackwell delin. sculp. et Pinx. } 2. Fruit.

Alnus nigra.

Plate 153. The, Tine. Tin's, *limfera*.

- 1- The *Knē* generally differ according to the countries they grow in, both in fruit and in the leaves; this *Knē* is the *Hum pafsae* magens, or *Raifins* of the Sun.
* "Thus *Knē* v a *Jtiuwe* of the countries as Spain, Portugal, Italy and France; 'it flower' in April and the grapes are ripe the latter End of Summer. ^
- 3- Wine, it accounted cordial strengthens the Stomach, helps Digestion, comforts the Body. ^
* s a great Preference against the Flax. - The *Raifins* of the Sun are made in the States of the Branches, when on the Tree almost in vain, by which means they hinder the sap from coming to them in so great a Quantity as it might do either till the first of the Sun, ^ The Effect of the Juice is sufficient to cure
- 4- *Jimera*. Latin, *ritis*, *Yimfera*. Spanish. Italian, *fite Jimera*. French, *Tigne*-German, *emrele*- Dutch,
-

Plate 154- *Thiaddlar Tree. Mes pilus*

- 2- It is a Tree; the Leaves are a green; the Flowers yellow
'n Aite, ana (die Fruit when ripe of a greenish color.
* It is planted in Gardens; the fruit is ripe in June and July.
3- The leaves are used to cure the cough, dryness and inflammation, especially when they are quit and are useful in all kinds of Fluxes. Some commend the seed as good for the stone. They are an ingredient in the *Syrzippiis Mirtinus*.
4- *šrfek*, *M/mr/X* -, *n* {it^K^i- *Zatinfite Jpilus fativa*. Spanish, *Xe Jper*. Italian, *t. hoto* French, *Jejlitr. ferman* ^ *Jifpd*. Dutch,
-

Plate 155. *Kneefurfm or Butt:herd - /rrvdiri. Jirujcus or Buscus.*

- 1- The Stalks are high, the Leaves are a deep green, the Flowers yellow
* ntil a purple in the Middle, and the leaves red.
2- It grows in thickets, particularly on Epping Forest, and flowers for the first time in the Summer.
3- The Juice is used to cure the five Opening Roves, and it is accounted good for the liver and Spleen, the Jaundice and Dropsy. It is a strong Diuretic, provokes the urine, helps the stone, and drives down the Catamenia.
Tin' rnefort commend a Coriserve of the Berries to stop a Gonorrhoea.
4- *freelc*, *Mup* < r *irn* *aypia*. *k0^v/ivpo~/rrt*. *Zatn*, *tjci^mirfine*. Spanish, *Ud fairlm*, and *il/wrlnera*. Italian, *BruSCO* cf *Pongitzrpi*. French, *Brut. ijermaL*, *Brusch* *Ke?iJ'dcrrn*. Dutch,
-

Plate 156. *Pellitory of the Wall. Panetana, Helxine.*

- i. It is a Tree eight inches high, the Leaves are a dark green, and the Flowers
reel leaves they are full of milk, and when after the first of the
* It grows upon the walls, and flowers in May.
3- The rhede Juice is used to cure the stone and cleansing, containing a great
quantity of Salt, which recommends it for the stone, jaundice, stoppage and
of Urine; for which Ends the Juice or Juice is given at the Month, and in
the listers. Some commend it for Onions.
4- *freek*, *c^>^ir/i* *Ji meoJ/xioy*. *Lchtin*, *J&lxme*. Spanish, *pervn del murv*. Italian,
Vetrio^a. French, *Forth ire. ferman*, *Zagund Hacht*- Dutch,



The Vine.

- 1. Flower
- 2. Fruit
- 3. Fruit open.
- 4. Stone.

Vitis, Vinifera.

Flor. Blackwell delin. sculp. et Pinx.



Tht Jtediar Trtt

Eliz. Blackwell delin. sculp. sc Pine.

- 1. Flower.
- 2. Fruit.
- 3. Fruit open.
- 4. Seed.

Mespilus.



♂ ♀

Knätholm & Butcher's-broom. } 1. Flower. } *Bruscus or Ruscus.*
Eliz. Blackwell delin. sculp. et Pinx. } 2. Berry. }



t

Peffitpry pf rht Wall
Edz. Blackwell d & t, snt/p. ft Tmx*

} *1. Flower.* {

Panetiirtj. Helxine.

f

reep an iAe ffrmind Me the Sta/h rfiA&tctmfor; iAe Jty* > "., >
 Trtdi C*-een; and commonly gran/tf aj //zg of a P&mJLin
 ft •Trrurfr-,t,t_{ma}r i> r{ in the Jrarm*fountrteJ. at Italy, Spain, TtrAey III. East & West
 Indies, dndflpn+enf atatrding tz> (he^Wonchd ttit jtmrn in.
 J- iljitiT^iehnf are much effeemd/br t&/>tr rotr/tny and re/hejhittf gpalui/, heina very
 fenric&alfa in^real?fleaf<f. 2\$S Jied'is <me ofthegreater GridSeedf, and /> much of the
 •'fiture ofjtfteten and' /Strum/'? r. agr&etnf nri/k tAern m ff?sir corf ma datrsfir _Kt.;-/.
 4- frteA, Zatin. Anottria. JpanisA., £>yom./>yo- Italian* j//w- > i /', >.
 t o /red^ orman. itJjeM Jhti, A. fa omery.

Plate 158. Wild Iris or Stinking Gladwyn. *Iris silvestris. spatula foetida*


J- It <ircme-J to l>& frFcptkuth; tht Leaver are ayraO £re,>n, andj&e Tlmver* .: duff
 Loititr nitfi purpfe 'Vein/, and the J*&gd Red.
 •>. If grunts in ffedyeJ <wdThicket', />./, fi> nhr/i/ fy fork Mran/J <.J//<- /-,•<<.,-iJ
 ft ting ton, and f/an'en in Tune.
 3. Jhme accaurit the Herat a Specific fin- die Kingi-EvU; andjervphufob
 irorA given innmrd/if and applied outwardly, ft it/aidalto. tp~-provoke '///.>/>,•,
 and ^ (,? uftfitfl w ffy/krit Pjfordef*.
 4-yr<;pk,^vfts. Latin, Jfyri*. Spanish, Itrw Jpad&nal. Itoftan. Spa to/a fehd.t.
 French, fffmcul. ferrTian, 2audl{aif4craut. Jhtteh,

Plate 159. ^RoJemarij. Rasmarmiis.

i. Th&.Jhritbjnm'-/ larger ih&iflandMan >" mcrftGruntrejt; tne leave*are hairy
 underneath"andct dart green d/we, and tftc F/cn^ry apa/e Titiy/,*.
 '-• It groiyf nnld in Spam %p Southern Partj of France,- /W ft l' planted Art
 Garden* flonmncf in April'.
 3- Tt'& accountedgo-od fir affectimf of tht*9&.idc%- J/ervej.It firenythen. •> u, i
 and-Afffr&ry, and'apen-j Ofifstructums trftheZiver % Spleen.-TheJ>i,• •/ Herb
 Imrnt /> paml to fnt.ee ten die Mr. Officinal TreparututnS are, Conserva in.-'
 .JguaKeyinae ffungariae, die Chi/miral'Off and fir'd'J*aft.
 4.'fr%ek,Atpa.va>Tt\$ rtpavtoftartifii.I*atin. JLi/wnjfi/ or Ito-*martnum coronai '
 Spanish, Romero. Italian, R of mart no carmctno. French, Haimarin. fern
 Rofjmar in. Dutch, Rofo maryn.

F/ate tie. FlfIX• Lf7/7/771.

i. The Jthlh arerv to Ire & 7/ard hialt, me Leaved are a yraj/j ^reen.-an.i
 me fftmwrj ///ue •
 z- Iris f(mrn m Fields and flanker* rn lime .
 3. Zin/eed u eJteem'd enwllient, digejting and ripeningt of preat u/k in
 Inflammation/, Tintumrj and' Impftfliumej. Cold dranm Zinteed Oil if #f
 .n,'.71 Sendee m a// Biftemperf cf the Breaft and lunjj-It ,///, < 'helps the
 fallic and Stpne, loth raAen at the Mmtth, and given rn fflyfterj.
 4, freclbAivor. Lihn, linum f&Mntm. Spanijh, Zm#. Ztaffan/liino. French,
 tin <>>'!ftM/tfLein or F/a,:i.'. I*///h. 7Jl/u. •



The fitrat or Wa&r-melon } 1. Flower. }
 } 2. Fruit. } *Citrullus* or *Anguria.*
 } 3. Seed. }

Eliz. Blackwell delin. ffuspft Pin. T.



Wild Iris or Swinking Gladwyn. } 1. Flower.
 Blackwell delin. sculp. et Pinx. } 2. Seed Pod open } *Iris silvestris, Spatula fietida*
 } 3. Seed.

W



\ *

Rosemary.
 Eliz. Blackwell delin. sculp. et Pinck.

- 1. Flower separate
- 2. Calix
- 3. Seed.

Rosmarinus.



Flax.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.

2. Fruit.

3. Seed.

Linum.

jp/ate is/.Red Winter CAern?*. jf/fohnqi err J?fa/ic<?fa///rn.

- 1- 2fr?' Jtal&sgratis tnro Fcvt htc//i, t/ie leave*. ar? a du// c/rsen, t/?? T^on^rf white nritA t/e/fohr.^amina, and the Frr// red.
- 2- They are p/anterf here in far</sr?s, Timrrir?y in Iu// and ^i/youJt, //it> Fnut />pin,y rtp'e in September.
- 3- TheZeavej are^ejtesm'dc<rpJmq; and' tffp Semes a garrdDittWftr, u/pfi// in f/te J^raise/ and% Jhme .-JBcn/pd inMi/6 and/n^eetnednm fvaar //)*>?/, n/n> //?f ffesit rf ?/ine. mairiqf/dtf^di/ Watér, 7/berJ in fffj fc't/neys YindBladder. - The?/ help di? Jaunfir? /;?y opening the P/rfrrir front o/ /he Z*ver arid/a//B/adder, and the Drzrpft/ ly tarn/in a, off the 'Water thro' dielin nan/ 7^aftaaeJ> The offta'na/ Preparation is t/te> Tror/u/ei Meketigi-
- 4-Greek, ^Tp^x ? & a\iKdKa£©r. Latin, fo/ani/m verfirarwm. Jpanyh, Befiqa de Perro - Italian, Jkachengi. French, 3ii4tienfrYid£j. {/érrnan, Jtu/snftrfchenDUtrh, 'Kriefon van /erzee.

Platz is*. Fre^m^Jterain/.J^raijyMU m/& ^faemimi.

1. It gro7?^/ a/mit a Fovthig/i, t/ie Leavej are a graft \$reen, Jf//is irfcm/erS i/e//on>t/i.
2. It fipr&n'-S/réquent/i/ in fiardenJ, nvwtr Ptacej, and Fii//iJti, f/sonrrmy forsevera/ J4antAj in mé We'tir-.
3. T/?? Xeav&j and J*ta//iJ are accounted apperafiz/e and mol/ifi/my, a JDecoct\~n? <I them, piirgej chcdertc and Jerome/ffurnoirrJ, ufed in f/i/j> rj. - ^Wa tt/u c> /it S rpmmendjmJDYcÖ'Ch'on of die J*eed nnth^VarrnrinrcTd'frr t/ie t/e//j?i' Jtiundir? . ?/ie Juice u gcrerdv tnke anmy WirtJ.
- 4-0/i^-j£tyo7çosis O/ivvs.Latin, Merntria/iJ int/garu maS e/fjdmma. Jpanis/i, i, Mercure//afemina. French? ~~iierrantak-jimelle~~. German, ~~Wingelc&out~~ Weibte. Dutch,

fti* 163.The Jhial/er Jpiaye. EJV/a minor Pih/u</a.

1. Th? ftalkj aratv mare than a Fcwt high, the LeaiseJ art a gra/s //reen, and the Honserj yejiannjn.
2. It u planted in {/ardenJ here, b^fi/ontrf fir Jeiwral Months in the Summer.
3. ThijJ>/ant u 0 wò-lent Jtrpny Cathartir ^Ametiç; andu fair/ to he (icnrd fir' the Drupfi/, fait, 2\$ether tflftinate Dismnperj; But mrtfik ifednn'th great iTritt'tcii.
4. \$ree/c, Titiv/*< &os Kvmagi'arids. Latin, £ju/a minor. Jftanijh, Leece hygua. Italian, 2, 'jit/a minore. French, Titht/ma/e- German, ft/pre/>'ene Bolffrmi/ch. Dutch,

Platz 164. Chickweed. Jfine.

1. It yrmvj tv h* fight fncheJ fughi, the ZeawJ arv a light jraffjntjare the FhmserJ ndtite.
2. Itgron'j every nrhere in rrwift Place J, and too often in I\irdenj, f&nring most Jfsnthj in the 9/ear.
3. It if e/teemd roolmj and' mcriftning, gverdfor fñshimman'cmj' tf thie Liver, J*Anthony's Fire, JU'dnefj and PtimpleJ in t/ie race; I'eina a.ppli/edto diefartj affected aJ a Catapbuni, or Cfothj dipt in y Juice .-A Poultice made pfit3c.fCctj'd Lard, helpJ hot Swelling J% Tumour/; the Juice droyst intofEyiJ helpfRednefj^Bbodfhot.
4. ^7-eek, Aycr/'yti. Zatin, Jljine. ffsanid h, Italian. Paparine • French, Jtounm • fenmcln, Boy elf rant. Dutch, jftutir,

No. 41.



Red Winter Cherries.
 162. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Calyx open
- 3. Cherry
- 4. Cherry open
- 5. Seed

Alkekengi or Halicacabum



French Mercury.
Elle. Blackone !/ .Min. sstt/ff- ft Ptnx.

} *Flower.* }

Msratf tiif/l ma/ §• ja emina.



T /, • fmafl&r Spurge. } 7. Fh'ii'et (
 Klix - sculp. et Pinx. } a. Seed Vel. I JSjufn mine?' Fitim.u



Chickweed.

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Calix.
- 3. Seed Pod.
- 4. Seed.

Alvine.

Plate 165 the Barlerri/'jBiifh < .Ber//eru, Pjcj/acantha.

1. <t seldom TfTorm to anif great J3ynefs, the leaves are a fine qraff tfreen, the Florwrj t/ello7ir and dn?3err./es i~ed.
 2. Jn.fom& Part/ tykz/ yroiv nnld, and cft*e cdfo planted in lfard^?ts, flonsriyu/ in Alay; the Hertzes lenw ,Kjp? m J*i-ptem.lrer.
 3. TAE Irmqr Bari of this JSufh is accounted a Specif c for die 'Ifel/cm/ faun dire, either fatten.in an In fa ion or Decoction; being crpming and, attenuating. The JB ernes arf good (vjnoi/ten the Jfouth. and quench Thirst in Jinming.Feverf, being cabling A" re/trwgent. The fon/e rye ifprvue aide agaznJt all kind/ trfLtrcrleneft, Fluxej fyy fazindice-The Seed if fteemd fanwuteraffringent. The officinal Prepctra^ticrn V the fonfen/e of die Fruit.
 4. freeh, 0\$ vA^&Oa.latin, Oxi/acantha- Jpani/h, Italian, frejpino. French, ?iff. ferwnarr, Berfich • JDvtch, Her be riff e -
-

Plate 108 Mountain falimnt. fatarnefitna mantana.

1. Tt ijron'S fr be a Foot hiyh, the Zeaves are a deep freen,& u/ Flon/ers a pale Purple.
 2. Therv are tn^rforts tf this falamwt fmind m Kent m great Plenty;growing by fledge/; indforrmg in June and lull/-
 3. This*uilamint if Iwtter than coynwnjn Mmt, Ireing a ywd J'tomahc, expeling ^Jfind, and Jt&Jping die tferl/ic- ItiS O'f cfreat Jerince to the Female Sejc, in Olftructionf of the "latiimenaW"TING{QA.th'ern"tp a retyidcir fcnrife; this it does, taken innmrldi/,or In/ afrony PecMfatTt givenaj a fdijfter. The officinal Preparation if die Pulo Dracalfimplex.
 4. f/reek, KaXa/u/vda 'oqwt.Latin, tidamen/ha, i^dz/arif, montanct. Spanish, jVveda. Italian, Jlipotella montana.french,Pmilhotfmfaqntj^fermantBertpnjint.flutch, falamenth.
-

riau JP*. The fowwun Ci Lin ant ofthe shops, falatnenfifta officinalid.

- i. Tjfrw lalarimnt U 7nuch hte the former, ardtj dits hjes much upon the tjrcntnd, and the teai/ef arefnatUr the ZeaveJ and Flowers "are alike in iblcnr to the former.
 2. 7t: grows inr/iAe Place/ a/ the former, Iwtflonwrj in 7uh/ and Jiiijuft.
 3. J. Thaf much die Same^ertue/ ad the other, hemp optniny and dealfruent, and vs tfed often for die other, hecaufe it grows in greater Plenty, and die Shop.r are moStli/ J'upplied nnih this.
 4. t/re{&, /(aXa/ziy Oa. Latin, falam^nthā offirinaliS,or Pulegu odore ^Vepeta.Spanish, ^zveda. Italian, falamenta. French, Pou/lw /aff/i.aqs. /Jerman, Bilder pofen. Dutch, J3erg falamenth.
-

p/ate J<6#fj/7uu- ZadieJ-JBed- Straw, fa/hum a/tum /a/cfo/mn.

1. Itgron/S to he tnw Foot hiyh, the LeasV-ej are ci_c/rafs fre&n, and dxe Flankers 70iUe.
2. ltc/roruif onllanh anddri/ barren Placej, flonrriny in Tune andlull/.
- j. This Plantu efteem'd dri/inj and incraftating qood t# stop all kinds of Fluoces and ffaemorrhapws, and cure Wounds. Some commend a Decoction af it for the t/out a net a3nth made afittv refresh y Feet n'h?n tired nith cwertra/kiruſ. In die Jt^orth they ~ufe this Plant inſtead ofRennet in making th<?ir fheefej.
4. Sreek, Tc\ /o v. latin, fa/ntm; Jp/tniJn, loaja Zeche 7/enra. Italian, Gatio. Zrenfh,JPetit4tugiiet. jierrruin, w&ger fraat. Dutch,



The Barfortf Snfi

1 / . Tfow. r

Berberis Oxyacantha.

et Pina.

i hSeea. (



Mountain Calamint. } 1. Flower separate.
 Elix. Blackwell delin. sculp. et Pinx. } 2. Seed Vessel.
 } 3. Seed. Calamintha montana.

1

P


%

.. f

•*C*



The Common Calamint of the Shops } 1. Flower separate.
 £'//z- Efatkrv-etteltrt, /.'tiff*. ft-Pinx. J } Seed Vesicil open. } *Calamintha officinalis.*
 Seed.



White Ladies-Bed-Straw. } 1. Flower. { *Galium album latifolium.*
Miss Blackwell delin. sculp. et Pinx. } 2. Seed. { or *Mellugo alba latifolia.*

Plate 169. (/M^Je, Bod. ^Virga ait re a.

~~The~~ Stalpa yron/ to £{ trw or three Foot high; tie Zeaisej are a lightjfra/s Ifreerv, arid die Flon/ers ci/eLpv.

It grony in Wcrads aih(%dye<S, foivrtnq 'm Iidy.

3. The Z^ai^s and Taps are used, this feeing accounted one erf our fe/t inilnerary && and iff much 11/ed inwardly in traumatic yipozems, and 7fcrjnd Drinks; and oufrvardltj in /htap/a/tnj and Fomentation/. Some recommend' itfbrjpitting of ft food and other y&iernorr/iagiëj, and think it ofyredt Service in the Stvn&.

4. Greek, Zatin, Jirqa aurea anytistifi/ia minus /errata. Spanish, Italiän, fir g a aitrea. French, Za^fc'en/e dorre. per man, HeydniscA Bundn ant.Dutch,

Plate 170. F/ue> \$in or fewid/e Speed? v#M- U/atme or Veronica foemina.

1. This Plant cre<?pj an the fr-piind, and /la/JtnaJ/'hcitmj /talAs alroiit eight Inched long; th& leaves a?^e a rfard freen; arrdt/ie Fkm/ers Purple andyel&ms-j& Itgrony in, lörn1 Fields', ana<ft'aryery ih* latter £nd tf Summer.

2. T/?ij Jj a in/Ineran/ Tlant, /re-ing accounted gaud /or old 7//cer/ and Jprefting cancer-ous Sored, Fluxes, flaerrurr/iavr&/, and Ihflam/nativn/ of the £i/£<f.

3. Greek, E \ or ivt Zatin, Elatine, Spanuh, Jta/i<tn, Elatina. Trench, German, Fhrenpreiff Beilrle.Dutch,

Plate ip. yUat/iernrarter jHamttntmi cMCardiacL. Cardiaca.

1. It grows to fe eighteen Tnc/ieJ high; die Zeavej are a dar£ Ifreen on the Face and light on the JBacl.; and die FlcnverJ a red Purple.

2. It grows in Wkfte Place! and Lan^j, flonring in June.

3. Thu f*la*U, from afuppositioii that it reliei*ej the Difirderj of tlte fCeart, as a PaJjJvtcUwri atxd Snrvoning, taJceJ du Mrm of foridicica.-I)(rctor HcmrleJ ha<f c<*frnrn&nd&d d Decertton tfitjn/eetned nrUh Suaar as a Singular Reinedir ^yhr-tJie cUmv& IUufs', and- for Affectumf of the Spleen and ffijftertc Fits. The Pannier giveñ in Wine to the £uantUy af CL ID rant is commended as a pft&ent Remedy tv e&pediate the Uirth.

4. freeA,UgcicrIOV. latin, Alarm In u?n Cardtaca dictum. Spanish, Marojo. Iftilian, fardiaca. Trench, £npaume> ferman, J&rkqe< sperDutch,

pute iyst) Garden ^Partly- Upturn hartenfe or Petrofe/uuim w/gare.

i- It gron/s to Ire bw F<r<rt high; the Zeaa/ef are a liyht, arnff fireen and die FLoyers rv hue .

2. It is fojyn in gardens', and flcm/erj for^e^ralMcrfidu in u, Summer according/ to die time it i<s faryri.

3. The nrfur/e Plant u opening, attenuating, diuretic, ufefull fur, Olftructions of die liver arid Spletn, helpi the laundice, proiwkej Vrine. and easej the Stone, f*ravel and Strangury. The officinal Preparation is, the Simple Water.

4. If reek, 2EA Ivor Ktiwcuo v. latin, Tetryfelinurn vulgare. Spantih, Terejcil. Italian, Tetrofemsta. French, TerjU He flardin. Iferman, Teterfin. Dutch,




Golden Rod.


Eliz. Blackwell delin. sculp. et Pinx.

1. Flower separate.
2. Calix.
3. Stem.


Virga aurea.



Fluellin or Female Speedwell. } 1. Flower. } *Elatine or Veronica foemina*
Pliz. Bk. kn-stt ./-A,, .. uf, si Pinx. } 2. Seed Vessel }
 } 3. Seed. }



Motherwort or Marrubium call'd Cardiac. } 1. Flower separate. }
 2. Calyx. } Cardiac.
 3. Seed }
 Viz. Macknoll delin. sculp. et Pinx.



Garden Parsley } 1. Flower. } *Apium hortense* or *Petroselinum*
 Eliz. Blackwell delin. sculp. et Pinx. } 2. Seed Vessel. }
 } 3. Seed.

Plate 173. The Common Jert/ice Tree. Sarfau t&rmmaiw

? Tree aran/j py-ettr/ toll, die Zeawe<f are a liaht qraff Ifrwtt, b*i? Flon\tj a
i t'erq pal&yedary and 'the fevrte<f red.
t Itgrarvy in 'Pfovdy and ThicAetj.flon/rim? in ylatf; fait die Frutt u not ripe
nff fafotrer or jffar&nfer'-
S^ThAFruIt % ac&rttaud. refrtr invent and' fa'rtdmf. fwd/vr a/l'kinds fff Fiu >x&f.
either irfJ3faod or \$Cum0rJ; when ripe it promotes 2 >igejtT(m and prevent/fib*
Iber A&ft/ Pa/jaoc of die Fcmi into t/ie Bon&fafjome cemmend it m Fevers
attended ruztfi a Dtarr/ied
4-- \$reek, Vva. jbaiin, fortnu vulparis. Jparujfi, +/or//7& Indian. Sorbo
f t t i co. J:en? ^t/i, Jbrlrejjuvttae. /fe*ma/}, Ffi/i/JB/IDfcWi/dg galster.

Plate 174. The Manu^dService Tree. for fat/wva.

i J. Tku Tree grow/ much to fffif jame Jieitjht OJ die former.*dieLeave* are a hi
yreen, on die Face c\ faintudiat hoary an 3Back, and die fruit a reduk \$n
Jt qron/j wild m JfiffDrdf lure a/idunmnralffotirrmg in dfay, the Fruit
; The Frutt nrAen green u vert/ rcjtrtny&nt, and ufeul fbr all kind} of Flwxej.
TAi.f Fruit if feldorm to It nut ivitfi ttx our ^flarkefa, nrhich o~HtgeJ mano to
make fife of die former Jervice Tree in die Place of thtf.
£ 4. tfree.k~di7a.Latin, Sorlnij leaittima> Spanwh, SarlraJ. Italian, Sorlm. FrenA,
t'onmj. fermast, Sperfnem. T>iitch. Tame Sualfter.

Plate 175. The J3ay Tree. Zau?tt</.

The Bay Tree f&ldont grows fa am/ great Jsigrwff here, die Zean/e<f are a dark
« J" IMJI — ^ &,-paU tudemeatti., i/Flo-rverj are yellowifn, and die Berrie, ~'lack.
It azjff&Lii'iJd tfi Spain* Italy and France, flonmng in May, die Fruit being
l i/.?e in\ Oz-toOw.
l 'l/1, ' Li'ave-f at%od3beriej are accounted lie a ft no, (Iryiny, and emcrttient ymd for
*y \$t&udJtn die Stumach and J3onvl/, lietping i/ /,VI/r, comfoting 1)'Jlead. and Jf^rves.
prwe-txttjig Infection/, provoking 7/rim fcdie yfanfef. ^- expelling y Secundtne/.
Oii^ardly diey are ujed inWarnuny and ftrengtlienuig Fdmentntwrti ^Omtrnenfy.
Officinal Prejjarationj are. die JSlect. de Baccu Zaun; Emp. de B ace if Zaun,
and die Oleum Ucaimntt&rt.
4. ^reek,A dip vn. I^afi*!, Lauruf Utifolui ma/or. JpaniyA, Z<.u<ret. Italian, Zauro
French Laurier. jftrman, Etrrkerlfatirn, ~Dutci/i, Laitrierlrvom.

Plate iyo. farianifor. Cortandrzeni.

t- Itgrantf tv Ire frvv or tfiree Foot luSA, hhe Zeavej <^v a irrutAt Ere&n,
O7id du FeverJ r/ite
i- Itgrun/if n/t/d infome Placed, Imt u commonly foim for th& Senefit of
tihe Jiee-d.flcnvfgng l
, The Seed u fteem'd W ftrengthen the Stomach Jr expell/rmd& ij frequently
ujedtD crrresJirmg pvy Jit dicin&?. Some acottnrityrod'fod Jdie J&nqj JSviJ.
4. ifreedlogKogtOvhh Kopituroy. &Ofofo% iortndatitumajui in/qak?? J H A
Giluutdro. Italian, dort Ondaw. French. lht. w d / r. Dutch. Coriander.




The Common Service Tree.

Eliz. Btacktvffi him. jatjp.tr /' "<->

1. Flower. }
 i-Herry, }
 3. Berry open. }
 4. Seed. }

Sorbus terminalis.



The jfiarwrtL Service

Eliz. Blackwell delin. sculp. et.

Sorbus domestica.




The Bay Tree

Elm. Blackwell delin. sculp. et Pint.

1. y, > n . v r
 2. Fruit. " j
 3. Fruit one
 i, fisi > t r //

L. III y II. I.



Coriander.

1. Flower.
 2. Seed.
 3. Seed.

Wei, i

Cuminum

Eliz. 18., /, t: -// Jstin- ,'. upa et P' "if-

Plate 175- CarcUtl Juaory. Ctdwniwifatiinim or Sen/.

h grōw} p Ū a, °ljard high, die Leave/ are a, graft ijreen- and du> FlorverJ Idue.
ftu planted^m 6drtLrU and flowtrJ amuiwdg inlune and Tulg.

Jlo/t of die Anciēnt/fay diat duS Plant u odd, Inot it/ Bittern*// j/utvJ it bo ise
fuxt; arukt/efteenvd operative, diuretu, oyoēning Olrfrtuttenj of die Lvutr, % helping
dte Jaundice. If alfo provoke Hlruie, OJid cleanfej kj'llruwrij Partj afflimy tfumorf.
The Offānal Preparation i/, <die JyrupuJ de CicJiorw cum MaOarOaro
i]re<>h&^isdy?ia. fi/ispos. Latin, feru, and fntitlnt/ fyh/ejtr'u'. Spanish,
Jlmeronē*. Italian, fu/tarta dvrnjtū*. French, Cū/urret. Iferman, Begweue
Becjnruk. Dutch, fuhoren.

Plate 176- T/u Jfildina or £rai/ Tree. Jtaluj sylvestris.

v. Tliuj Jhe grotv/Jmal/er than the tjarden Apple, die .LeatwJ and B/aJJomeS are
much the Jam* irt Odour.

2. It grvw/ ui %>dgeJ and'f/oiver/ in April and^fay.

j. 9ēiyuice is made <rf die Juice of die Fruit, rvhich is ftiptis and Binding, g<rod for
re</fringe nt, Carglej, Vllcer/ in die Jtouth and Throat, and falling donni ofy'llvula-
Outnrardli/ Ū I/ good for Burn/, Scald/, Infbmmatums. S'Amh^ony>'s Fire and red
irtffarnmed Hye-/.
i fjreek, Jt?ov ύπιον. Latin, Aa/wf fglveJtr'U\ Spani/h, Jlaufana*/
Itizlum, ^Jlele falvnMco.French, PorrieJfai<Araged.^erman, Btld Depfell.
Dutch, cftf/de *Appelen*.

Plate 177- Jfa// -Flotper. Keirv, Cheirv.

J. It gran// tn/o Foot /ugh, die LeaveJ are A llut (freen and die Flower/ yellow •

"2. It grōw/ up'orv old PfaM/ and flower/ uv - March anddprU.

i. Tlie Fkrver/ are cordial arU cep/iadic, Jtrench^n dw Jerve/, helj die .ifwpUxg
andPalfy, ea/e die jreetv-Sichief/. and procure die JUNfeJ. The afftcuuilFrepaja
/middle Odl'u InfuJwn 'of the Florver/, rvhich it warming, comforting and good
jjr Pāsn/ in die Lun//.

4. Creel, A (IK 6to v ar^br. Latin, Leucogum Uiteum vtdgare. Jpanv/h.Tioletaj
Italian, Viola gudU French, KaUts. german. jellr TUGel Beil. Dutch,

Plate 178- Jma/I f/ermatvier. flwnmdriTf, pjs.

1. Ugrow/ alotit eyht TnJu/ lugh, die Leaves are a dttp freen \$j Flower/
a red Purple.


2. Itgrow/ liere UL, Cardenf arui flower/ in Iune. and luku.

3. Thi/ Plant x acamn&J warnv, -opening Ol/frucUanJ of the liver Splwn and
Kuinsg/, helping dv> Jaundus, Uropfy and Stoppage of Urine. Some erg it up
a/ CL Specific for the Ijaut. Tthe-urwatum and Paini in th* Limb/.

4- Creel Xa^caidgvs. Latin, OumaedryJ nurwr. Spanuh Ouurudrwj. Italian,
Calamandr'uuv. FrenrA, ferr<umdres'. femu»i,ljanumderle. Dutch, 3atheng<U'.



Garden Succory } 1. Flower
 Eliz. Blackwell delin. sculp. et Pinx. } 2. Flower separate } *Cichorium jativum* or *Scris*
 } 3. Slice }
 } 4. Seed }



The Wilding or fad' Trve .

it. Blofome

Malus fylir&iln* .

Eliz. Blackwell deli

et Pinx.

^ Fruit.

t



Wall-Flower.

Boiss. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Pod open.
- 3. Seed.

Keiri Chfiri



Small Germander.

Blaz. Blackw. tit Jelut. /cup. </ Fsnv.

- 1. Flower.
- 2. Flower separate.
- 3. Calyx.
- 4. Seed.

Chamaedrys, Trysago!

'PUU ^{ISI}. ' /hit? Jbd tii/i/-f/omr. Lwcojum d//um.

- : It frmx dout two FcrH/ufh.thelewvejare a lahtfreen, and the F/ruvrs
 Sometimes White, and often Hed and If hitr.
 2. It ,s plantèd in Gardens and' ftonvr/ molt Months m the Summer.
 r : VioLvides Amends d,e Fknver's formers \$ fhapJ .tn-y Fundynent•&Inff^n
 matrons of the Matrix, fa/en fays, t/iat Aey Mp.y Infirnuhes ofyZn*, - & Spleen,
 and provoke ihe Terms, and'hasten tfu•Birth-
 4.-6rJk,A<CKo';-er. UnnMucoium aJ/rum etpurpureurne P^{ain} J^{eta} J^{fl}
 Las ioJhuzrMas Italian. Hob. Kama * P^{ut}-tf- f
 rotfy&t. German. RjtSnm und tvei/j Beil

puu» ssi. Red - hchangel. Latnium rul'rum.

- .. Thu -Jrchamjd is much hfj AanAe Ith'tt. du UrveS are a frafs freen. and
 2. t^Z^/Tk,, u and ffe^{ba}.es. / W * 'he greatest part c,
 i. # nJX'chanrtel u accented'as \$reat a Jpen/sick pr [^]nefs of y iatamenua.
 or Allus. Some
[^]nmanduform^{ca}il^{em}cein^{ll}lkuds [^]nlum^{natu} <^{vl}> outwardly applyed.
 + .fre*L ra\o^rs K)ra\co\3to\o^r Latin Lamium p^uu^h etidm " or Galeo^{if}
 ihrpwe.i. SfMnuK.Ortica nvierta hrmpa . Itat.an, Or*,-*fetida Frem h,
 {',-/,, rouae.\enmm. V.xutmOell Duuh.Dtn* Je,-ulen-

Plate 183. Wild Succory. Cichorium jylvestre.

1. The stalks of this don't grow so tall as the Garden, but are more stubbed & twisted.
 the Leaves are a fine grass Green, and the Flowers a fine Blue.
 2. It grows in Lanes and by Hedges, flowering in July and August.
 3. The Vertues of this are much the same as the Garden, See Plate 177.
 4. Greek. Κίχωρίο
 Italian. úchoria
 Dutch. úcliorey.
 Spanish. úchoria de Bosque.
 German. Bild Begiwurk.

Plate 184. MifjeUoe- fi/cMn «- fi/cn/ juercmiu.


1. fTf-eeJ, and JcnuUrmJ grvrVJ tiw or three
 the Flowers y Berries almost
 the foUrif of .ifhujtu, ran/_
 2. Hazel, Ash, Appple, Lime, Willow.
 with here in England.
 which perh. to y Honour that me. mcienu vruus paid this Mifseltoe.
 3. Mifseltoe v accounted 6p^x*Hc and nenine. particularly ujedhd for all MnM Of
 convulsion. IV,N 1, hjjvlcjcf Patsy, ^d rertiaof, fbr nrlxxck Purpcfesfrme csmmend
 the Mifseltoe. than y Others. The Viscus Aucupum, or Bird Lime,
 was formerly made of the Berries of P ant micnctv inEnoLwdxt u made
 Bark of y Holly Tree. Bird Lime is a
 and Swellings. See Sir Mn Q>Ul>atchd Discourse of Mifseltoe.
 4. Greek. Έδος Latin. nfcum. Spanish, 9ifco. Italian, 'hfthw or Pame. French. g^u
 uerman. Boijetleim. Vutch, J>f*«y4t-, *Harentak.



White Stock July fid ner.
Ell Z-BLU in W/MARl jnafi. ftJ": nx.

Flower.
 Pod.
 3. Seed.

Leuc. >/ft/n album.



Red Archangel { t. Flower separate
 Bl« BLuhv*// JsJ/si. *ftdf>.ft ftrtx, z. iv lix. \S- Seed. Lamutm rubrtan.




Wild Succory

Eliz. Black.

y

- 1. Flower.
- 2. Flower separate.
- 3. Calyx.
- 4. Seed.

Cichorium sylvestris



Miseltoc.

*Phz. M, u knvit lhn. sutip it J'ttt**

} 1. Berry.
 } 2. Stone.

Viscum or Ftfau quercinys.

Plate 185. *l*ie.td JcaJ/unu. Scal'ioici vulqarij pratenfy.*

- 7'fo StalAs grow to 1/e tow or three Foot high, the Zeaa/ej we a- grctfs Ifreen, d/u/j/ie. Fkivers purple .
- It grows in, yfl&adoTVf, anJflon/ers m Inn*.
- j- T/ie Leaver are esteemd cordial aUxtpharmic, fudonfie, pectoral, gaod. for Distempers rf the Lunqj, as Coughs, shartnefs of Breath, S(c; as also sore Thro aft and Quinsies. Outn/cirdly, they are sertacealrle in. the Itch, Scaldri/Sores, 7tt<irs anil other cutaneous i>"Kltempery'. They also take Irhzck .and blue JlarU out ofthe Skin.
- t (/reeA., yrcopa. latin, Scfrinofa. Spanish, Itottan., Scalrioia. F^{renc} Scalnetu&. ferman, Jtyio/tenzen Craut. Dutch, Scalnenfe.

?iaui86. *Th^ Scarlet Oak. Jleoc- cacagera.*


- This if a small shrtMy Oak, nth prtckhj. Leaver, art die Tnngs of which grarv little round grains, or rather Jlesfy of Insects <rf a fhinuiq reddish folo-ur,; almut as ln9 aj Peaj, made Iny j f nail Flies, - These JTesfr are gathered while they are, fill of lutle Worms, arul 1/eimy l>eat in a Jtvrtnr, die Sclarlet liqucrr v. *tram d thro" a St&ve, arul m.ix>t nntdt Uj equal'fseight trf Jugar, rvhu:A t<s the Succus KenmJ of die Shvps.
- 2. It aronjj irLthefcnah&rrLPartj of France, Ituly and Turku.
- 3 The Succus ftermes u accounted cordial, moderathj foncting, comfbrtnq S ffeart, cheannf jn* Anuna/Spirit*, and good to prevent Jtifcarryinc?. It also dnueS out the small Pox and Measles. .ss.
- 4- freeA./ (OKKOS fiaptKn. Latin, flex atettleata cocctflandifera. Spani/h trana in- frarw. Italian. \$rana da tuyere. French, Vermilion. German, Scharlachbeer. Dutch, Schar(oaken Befien JBoont.

puteid?. *Tke yimiper Tree, ^unzperiu.*

- 1. This selMms grows to any great Bignejs in England, die leaves are a bluish fretn, the Flon/ers a greenish ^llorv/and die £ ernies Irlack.
- 2. ~~It grows upon hedges, and flowers in May and June; the Berries are green the first Year and rine the second~~
- 3. Thtjfood, Berries and fum are used; the Vfaod u accounted hot, dry and cephalic yoodto Imrn iri times of Te/ale nee % contagious Du tempers. - The Berrus are eJhxn^{rec} vrminauve. diuretic, ypptfng * & .l and use full m ihe Stone, fr^LS, f~e % \$%, Vie* urn* trffc \$umJf<> dto Oe good for Cattarrhs, % jartnu J>e/%ucu% JooVtfJJ£< atUEyesf The Offichnal Preparation u, the VifuWdOU. 7 • JI
- 4- {geek., fox eu3)s. Latin, fumperus vulgar is. Spanish, EneOro. Italian Cinenro French, Jjeneure. fernuin, Becdiotter. Dutch. 7)ember Boom.

Plate Jdd. *The Iny Tree, ffiedera ar Is ore a. ,*

- v This Shrulsclunbs upon any Thmg u groru<f to, die Leaves are a deep C7reen, 6 Flowers <ueuow, and the Merries black.
- ! • %JTM?A ii *led9AJ> ^foryerJ i*L/eptoml*, yZerruJ bevy ripe in January & February.
- ~~Wk. Leurea~~ a(Ca mt*d. 9TMj^ inflammations M ljsuxr, J cats, Jorev & scald Heads.
- Boy!* commend/ a larpeDofe of die fill ripe Berries as a Rerwdy against y Plague.
- t* \$TM yf*d a take spot/ and Freckle out of the Face.
- 4- </>: & >£, Kasbs. Latin, fCederk. Spanish, Eda-, or J? & dera. Italian Zella. or Hedera. F^{renc} ~~german, kanner. Dutch, kumop Boombyl.~~



Wild Scabious.

Flor. Blackwell. Jolin. sculp. et Pinx.

1. Flower.
2. Flower separate.
3. Seed.

Scabiosa sylvestris



Thu Sairlet 0«k.


*I'fitZ **%%'sp''TM''*

Alnus toczgerck

Alnus Blackwell delin. sculp. et Pinx.

J. S. Achorne & Kernell.

1



The Juniper 7/w-

Black wfilJdn .nui, si Fin X.

- 1. Flower.
- 2. Berry.
- 3. Seed.

Juniperus.



The fn? Tree.

Exec. Blackwell del. sculp. et Pinx.

- 1. Flower.
- 2. Berries.
- 3. Berry open.
- 4. Seed.

Hedera arborea

Plate 48. *The Pine Tree, or manunf Pine .Pinuio'PinuJ JaUva-*.

1. This is a large TW, n/itli Jlander, jltarp pointed, dark, {jreeu lea/ved', *i/&J/<T?i' t'akuw, and In-owi ol'long rou/tdpoxrited CorieS.
2. It (frail/, wild in Italy. Out I/p^laivted here- i>v i,arde*%S, flowi ina early in. titiW^ru.ia:
7'lie ^lej^lec or Kernels ar^e of cd'cdjamtc ,iu>it/vliiug J/aUtre, unJL esteemid 'jeedfor CorifuniptionS, Cony fa atid Ho a.rfneft; reJtor<U*ve.and ofJ&rviW after /v/ig IIJneJj. T/tiet/ai/o lie If\$ Strangury. ^Ce^U <%fAasyoneffof II rme.
4. ijreek IT, rv ss iLiUUt, PinuJ- Spasiijlt, Pino • Italian., Puvw- FretyJilPirv- german, T: kerl aumDutch., Pj/n Bconi.

pint* i90. *The nnUPine. Pimis JylveJtrtf.*

- Tluj Pine gron/j near aj Li/laj /Ae former, its Zeairtj are much jhorter and jlenderer, efpeeullif an ihe Bottom, ff t/ieUjyinch?/, the catkinsffy (bnej jmal/er and jharper; GU much of the jantæ CatminJ.
- v- It grows irvjreat Plenty i/i ferman, & flow& cry much a/out f? time nntth the other.
 3. Frotn,dinjTree comes the common Turpentine, which is used in the Ethernery, ffrom f which u dutilfd the oil& Turpentine, and the Spirit, the Dregs that are left at di' Bottom of tlxe Jh/l is the common Ttofvi. M'Dale affirm* framDoctvr Krwq diat (<t) Bitty undy Pitch, id made oft Turpentine from, this Tree. The Curio us may ^Consult M^yiii/ier, the Jpodizairtj's Botanicum offuinxvU • p.34?. where, there, is a l/e)ihfull Acancnt of this Tree •
 - 4- t/reek. 7T/TV*S hxgta.Zatzn.Pinuj morUana. Spanish. Pino de Oojauæ Italian. Pino-fah'adv. French, Pinfauvageferman, Bddfichtenl >aum.Dutch, Iiil<le Pynl/OOin.

put* jji. *Orpuie orLiw-leru/r. CrapiUa,or Fidraria.*

1. The SjzdAs grcm> tv I/& a Foot /uph, die Lea/i/e<fare, a, liyht Irluef/reerv, and "die Flån/e-rj a pale Purple.
2. Itjrjtyfuv ffdged and jhady PLueJ flowing in lane and lull/.
- j. The-Zecw-eJ and Flowerj are accounted co-aling and landing, yoad for the, lloodu Flwx. tempering the \${ecU> and.-Acrimony af thofe. fittmourj which caaje an, Frofvorv of die JZotvtU- Outwardly they ar&used against JBurriJ atid tfcald/. and allkindj erf Inflirrnahond'-
- + • £re&k. T/t^ta id K latin, Teleph turn vutyar^, SpMiih, Italian. Faiw gruff a. French. Reprise or ^oul/aroe dej TiganeJ. yerman. SchmerrvurkelDutch, Smeernvrtel.

Plate: *Flowers in. Matricaria.*

1. The Stalks a row cd&tit truv Fdot hnjb die leave! are a yellow freen, the F/ojvtr} nrhue^ nrU/v a yellow Thrum in, die, JUddU.
- i. Ityrc+ws in,ttedcjej antlLaned, floivring inlune and Inly.
3. This PLirtt is partwitlarlij appropriated to the Female, Jkx. leing of aye at Service in all cold flatulent Z>iford&rS of the 9röml/ arid hij/tertc jfffecti<ms. procuriug die fatrneriui, and &xpetting die. Birth and Secundim/. Jlrouit two Ounces of die Juice, taken an ffour before die Fit, is food fur all kitids of JgueS. It also deSfrayf Wor??/i. prorrerUs Itnnr. and helps the Drtrpsy and Jaundice •
4. 6vee.k.JIàQ6twov.Latin. Partheniun?. Spanish, Italian.Mrincdna
."o rjtmareflii-Frimih.Jfaticain'.fa r m *™. RtUtercmut. AutzJ Jrl r d uA. d




The P^tfi Tree, or manurd Fa

K&Z. 1766. //Ss/m..., itf, > et Pine.

- 1. Larkin.
- 2. Cone.
- 3. Scale.
- 4. Seed of the Kernet.
- 5. Kernet.

Pinus, or Pinus sativa.



The Wild Pine. } *Garten.*
Aurrie
s. Sidle } *of the Kernel.*
Blackwell delin. sculp. } *Pinus sylvestris.*
ft Pun:-1) S. Kti nit

t.



i

Orpine. ... Live-long. } 1. Flower.
 } 2. Seed Vessel.
 } Seed.
Eliz. Blackwell delin. sculp. et Pitvix J 3 } *Crafsula or Fabaria.*

-A »



• Featherfen.

1. Flower.
2. Flower separate
3. Seed.

Matricaria.

Eliz. Blackwell del. & n. sculp. et Pinx.

Plate 193. The Cork, Trve. SnJ/&r.

1. T'uj u u kind of ever jreen OaJL, Us LecvueS cue ttucAer and much US) *indented* dhi/i the ccmmiarv Oa/c, and dw j'c < rriS/matter.
2. Jtgratvs in Spain and Italy, atxddie Saiu/zerrvParts <rf France
 3 The JBflr/c, of ivhich thei/ make, Cork,, is Jefiat'otedfram die 7'ree l/y maltrw along In < iSiori from the J€ead ty die H&at of die Tree-, tirhich diey talce care tv d' uvidi/y R€adier/ f'or die i/mmg tender jBarh u lya/da /v lr& deftroi/ed,, and die Tree/ ki/fd try Rain. tbrLij Jaid' tv tw refrvng-nt atid good f'ur all AMI dj of Ftue&S; J'me ~~to~~neid die JfheJ or- trurnt fork, for (A& sam& Purpofej.
4. *greek. Φελλυ J. -Zatin > Jidrer latiftrumi perpetzto wrens. Jjeasiish, Italian, Sugaro, French* Serman, ~P^toffelho'lk.J)ut <h, KurCA.*

PlateJJJ.4 T/w Bvy ff Ale <jcwndi^ui. LaurtU Meozdndrma.

1. The StzAjareougl&& S/lirh,ejeldotrogrogningtv ant/ great Jfeight; the LeaveJ are a Ught frein, the Floivtrj are (freenijh mcll apurfild %lml/o in the JIUddle-.
2. Jtgronrj in the Jtointnazo-uJ Parts of I tail/, and in Hungary.
- 3- DurfcortdeJ and Qal&n, recommend it to o/Jerz Ol/ftructtonj of thz KidneyJ <\$f die ^orrd, to proirvke 7/rtnesy the JHe-nfeJ; and bo help long ^ hard Lalrottr. Some account it a,good vulnerary Plant, & ufeul to drg up old^tllcerj and Sore <f.
4. ifre&k,Acl <pv£A£%avcFgItD. Latzn, Zauruj ^tleocatidrtna, geniitut- Jparujh, Italian, Lauro jtUjjandrtno. French, Laurier yUeaxindritv. formasi, Dutch,

pute iff. Th& >Jfii//7£A orZt?ntuk- Tree. Z&nti/cuf.

1. JikxfT'regorvj /v CL ccruidr^a/r/e JBignè/s irti& na&i/e J01/; //ie Zeavej are a dark grafs greerv, die Fkrn/e?^ agreent/n^eUow and di£ JBerri&J black.
- 2., Itgwvtj w,tAe Southern Part</ of France arid in Italyv //tit ityie/dj tfa burn jwvtic/vonli/ in £^ ^land of Sew, or Chuof, In the- ytr chip e lag o.
- 3- The £um is eateenvd healing <^ dry trig .ftren/flhrurig tfe Jfo/ntd-<% yfervmu Si/jtejTv, 4- Stomach; it eafeJ cl Ccrugh, jtopJ Jpitzng of.Blatrd 3^ Jtayj <7bmiti*ig. TJklZadieJ in Turkij cherv itto jzrederut the £um <f <Jf TesthSt; procure tv 'Sn/e&tJBreath., - Ou/tvardlg it if used in Plaijterj for die f&adsick % Tjpth-Jlc/i. The ^ffoadi <f accounted drying S^ lindyig•, good for all kind/ of Fluxes.
4. (/reefc^xTi/os. Zatzn, LendscuS iru/gariS- Spanish, jtiata or Arueira. Italian, Lentisco. French, Zentuqu^' ferrnan, Mctstzaclrautn. Dutch, . Itastix- Bdom.

Ftateif6.T/te BaX Tree. Swxuf.

- J- 3CK)C feldvm grorvS tv any great Hignefs here, tie Leases are a deep //lining fireen, the Flon/erS yeMcm/, and di& Fruit a Ironmislv ^reen..
- i. Itgrvivs nn/d in some Para afKent t\$ Surry.aj at JBcvc-hill near Darkzn..
2. Same commend, dw ttuipJ erf the Hfoodfirr die Lues Venereal, instead offuajacum, i/eing much, of the same Jfature. The OitdistzHd/rom die Waad is used frr the TwthJch, a litle Lint or Catton Iwing dipt in tt^putmtv y*'flirtfon/ Taatlt.
- 4- freek.JTulo s. latin, BIKXUJ arlwrefcenJ. Spanish Italian, JBofsa. JPren <A, JTui <f < Ijeirnan, 'Dutch, falml/aom.



The cork Tree.

Ekf., "BUckt" delin. sculp. et Pinx.

- 1. Fruit.
- 2. Cup.
- 3. Acorn.
- 4. Kernel.



•'w/cr




The Bay $\langle \text{Æ} . \text{tL} \text{rtzdria} \rangle$

the Blackne

vine.

} ^{ver.} }
 } *s. Frutt* }

Laurus Alexandrina.



The Mastich or Lentisk Tree - *7^y > *''''''•*

Lentiscus

Edz Blackwell delin scul

J

J't-168 190.



The Box Tree.

- 1. Flower.
- 2. Berry.
- 3. Berry open.
- 4. Seed.

Buxus.

J^ht Bütikl'fffJftlH. Jtufo V f'tnA.

Plate jgf. The true five-fingered tree of the forest. *futuJ /twrtife-rcL vera Crztiaz.*

1. *ThwtJ'firu/r aronrf to Ire m/o or three Factt {ugh, the Leaves are a yrafs Green* the : Ftoivery a pale Red with <i large purple spot irLÿEnd rcaxt die Jéed VêfseL.*
 2. *leg rows mi/Isbzndof i^ndy, \$ oftierplaceJ iny Archipelago fy/limbers in July.*
 3. *Front IJIM- Tree, corned (lie (urn Lalrdanum ofy Shops, rv/iicn some commend as :r,i^l <fi, tLlfo-ofenefj <% Qripej, cazued In/ fhaip J&unourJ. Tfie Fume of it comfortj h& Brain,, ^ Jtopj caturrhmuJ DefluocioiiJ'. Outn/ardly applied, itv accounted*
 4. *>Jtretigtherung to the J*tzmuic+L, a7id jtayJ Vomiting Jee Jtt' fofeph jPli/fer's Jlotamcurn Officinal^ p. \$54 <% *5J.*
- Ljryk, Jct's-@- JrJC/Vapoy,,/o Ki'&rag o y. Lafarv, ivdtu/ Leda?z Creten<f&. 'Jpatuj/h*
Italian, Ufto. French £er?rian,,*
Dutch, Zalidanurrv Bcrorm.
-

Plate 198. The common Fir, or Pitch-tree. *yilneJ ridray or Picea.*

- i. *Tlfu groruj fy le a^larqe^ Tree, the LeaA/eJ are Jtnallflerwkr <% pricldi/ofalm^hr J^afe ^reeh tlotcr, the fat&inJgreenkft.lhg OmeJ a lu/htBronm^y Seéd.Bron/72- . Itgrorvj Tznld in^ermaritJ <%Jé<ytJarid, jendng crutiij fatAind in, the Spring.*
 3. *Th<? Zaa>xheJ and To~p<f are il/ed vn JDtetZ)nn/:d fur the Scurvy, S^are arv Ingredient mtfi<2 JBntnjnrzck Murn. The StrayIrurg Turpen/zne comej from thus Tree, rv/uch id rruXli/yuiy healing ^dean/ing ^ a greatDiuretic, ufefidlinnibii?id/yikerj,a Gonorrhœa. dieFluar alfou%tfe Stom <% gravel, <%Jflection\$, ofy 3?ea<ft^hingj. Tar ll also ate Product jfrhz/Tree, and is atcottn&d a goad pectoral ~4ifidicine, itsefid for fhortnep of \Breath ond OtfruchonJ o'f the Zicngs.*
- GrijfjkjleuKti. Latin, Ptcta. Spanish,Pino ^gro.Italian, Te^Z£.French,Fefse,Ptynet v yânpolt. £erm&n, Hat Zgrtnenlraum. Dutch, iXhtne THoorrv.*
-

p/!^ y,, T/ie O/I^M T?v&. Olea,or Oleajitiz/va.

2. *jfius Tree tfrjivj tu a greatBignejs in itf ?iafi/v* Climate, the Leaves are cvdeep *" £req*~a&OL*g <fkoarif underneath, thz Flowers i/ellorv, <% the Fruit irlacL nrh&n ripe . ± Icgron/S isvffpoÁsx, ftali/ and Tirkij.*
 - j. *The OtbtS rrwderatly healing <% rncrllifÿuTy, rzndrvng die Body lace <% folulrle; it helps Viforders tf \$ Breast \$ Luncjs, <% eases fupin0^ the follic-Itis of great w/e against all corrajiv^ mineral Pcn/o^M, asJlrfenic, Jul/lirinate S\$. It openjyHlraaft/ Pafiagej fy v gaad for y Stone <% (jrael The pu/Ued divided are grateful tv f ftcnnaclh a fidpro-voke an jtpetitè,. The ripe OlviseJ are, a great Partofy Food af the Eajtem fotintries, among the i^retks; &fpectally in Lent.*
 4. *(jreek,Eçifa.latin, Ôlea. Spanish, Olvvo or ATjytirno.Italian, Olwo. TYencfi. Olivier, (jertnan, Dell>au*n. Du/xh. Oltf*
-

Plate 200. The small white-flowered tree. *BeJ/t<ffylv&ftri/ minor.*

- j. *The'StalAs at-on/ al/otif fbut Ituh^s luyh, th& Leaves are a luyht (jreen, the Floir^erj white set alot^t a yelloiv Thrum, S^ Sometimes red round njJEdijpj^ red under/? <> at/?.*
 2. *It gronf t/i Fields Sç JHeadon/\$ floivriruj in ^Harch Jpnil and Jt/ry.*
 3. *This is accounted d' traumatick & viderary Plac, foifefufed, in ll bund V?/nkj;/lif Leaves are efitem'dgoad to dif/ <rlve congeald% coagulated'Blood, help y* Pleurisy and fertpneumonui. Some commend cv Decactiorv given Inhardly anda fa tap la jmafj* ZeawS applied ovunrardly <\$/ extraordinary Remedtts i/i die Kings Einl.*
 4. *Greek, La4uZf l\$eUij nunor. Spanuh, Jtd/iitn, Ju,n- dt /Jnrn*i vera. French jtlarquerdff or Pajyuetff. Gem?<7n.. lla/sln^/len. Dutch,, ifjjjdelh^n*
- No. 50.*



The Sweet u/iu/ of &m.fi/

"V* rtrrpt

2i ^BL-uAn-effJ-*in sculp et Pinx*

caulicola vera Cistus lantifera vera (retica)
J + 1764



1. *Pinus Pa. h. T. f. te* { *J. Dale n. h. a. Leaf S. f. d.* } *Pinus*
Eliz. Blackwell delin. sculp. et Pinx. { *3. Seed.* }



The Olive Tree.
 Flor. Blackwell del. u sculp et Pinx.

J.Fh' l-r
 i. Jftntt- L>fr1.

OUa, at- Ofea fativa.



The small wild Daisy.

Her. Blackwell delin. sculp. et. Press.

- 1. Flower
- 2. Flower separate
- 3. Calyx
- 4. Seed

Bellis sylvestris minor.

Plate 201. The Tamaruid Trve. Tarruirinduj.

1. *Tamarind*: tfa Specimen of tie Tree u tnAenfirt on, mfr
 W the Fruit is taAen, front fa lift cue of Jf? Rand*
 Yry/» *9* mfamst Indies; * Zeavljana fyAt
 en, mg Flowers » * * * WeX™ « * * pumpkin Kins; the Podj a bronnish
 yabn, touiund w* Red; the Prdp of fa Pods ts ue/&rv a* fist & then changes
 - * fa StzmoJ are a reMZk sh^{ing} Brown.
2. TtoKorvS in the TitstIndies, and/hrvers in^jummer.
3. Wwse Taniugnds are gtneralty eat ty famfelve*. rvttthout any other JUdu^{ine}
 amours, & correct.
4. *ek*: pjpvoi'iicEs. Latin, Txmarvuhts. Jfcanish, Italian,
 1 2 Z! ^ G e r m a n , * Dutch, Tamarind*.

Plate 202. The Palm, or Date True. JDactiiuso?~ Fa6?ui.


1. This is a large Tree with a rough Bark on the main Stem, the Leaves grow
 on the Top of the Tree in form of, * * * * of «-?*>»; tha Mover, are white,
 and the Fruit yellow and red.
2. It grows in Bārbarry, Egypt and Syria.
3. The Dates are much used for Food in the Countries where they grow; here
 they are esteem'd drying and binding, usefull for Fluxes, and to smooth the
 Roughness of the Aspera Arteria.
4. Greek, Ποίviz. Latin, Palma. Spanish, Palmera. Italian, Palma. French,
 Palmier. German, Dattelbaum. Dutch, Dadel.

Plate 203. The male Fir, or Silver Fir. Abies mas.

1. This grows to be very large, the Leaves are broad at the Ends & white
 underneath; and the Cones grow erect.
2. This Tree is said to grow wild in some Parts of England; but is found
 in great Plenty in the mountainous Parts of Germany.
3. This is the Tree which ought to be used in the Shops according to the
 Dispensatory but not being so common as the Spruce, that generally
 supplies its Place, the Vertues of both being much the same. See the
 Explanation of Plate 198.
4. Greek, Ἐδαρν. Latin, Abies mas, Conis sursum spectantibus. Spanish, Abeto.
 Italian, Abiet. German, Dannenbaum. Dutch, Denne Boom.

Plate *04, CoT&-fator Foiej-fbot. Ttfjiljyo ai- Farfara.

1. The *Stalk* an n,faA & Honors fran, art ah<u>t/bur Inches fcak. die Zeai*r a
 3 m Gree and^F/ar^r/ZPc^
 f
- * It *rān, S rn mövtnraïery IW and/krverf m February Sr Jtfrc/L
- 3- me Leaves <% F/om>rs are accounted'pec frm/, a^d/vr'Difeases n£J, * r ngs and
 among Tobacco for Coug d Leaves
4. *Br. ior*. Latin, Ung anish, Unka da Asno. Italian, Farfirella
 F Pas de Asne. German, D. unucattich. Dutch, Hoefbladen.




Tfa Tamarind 7J,v

} 1	<i>Pod</i>) •
	<i>Jhmd</i>	
	<i>i</i>	

Tamarindus

Edw. Blackwell delin. sculp. et Pin.



The Palm or Date Tree <>
Elic. Blackwell delin. sc.

? ? Husk with Flower.
Fruit.
Stone.

Dactylus or Palma



The male Fir, or Silver Fir. }
 Ediz. Blackwell delin. sculp. et Pinx. }
 1. taken.
 2. cone.
 3. a single Scale.
 4. Seed.
 5. the pitch of the cone.

Abies mas.



Colts-foot or Polas-foot. } 1. Flower.
Eliz Blackwell delin. sculp. et Bux. } 2. Flower separate } *Tussilago* or *Thalictrum*
 } 3. Seed.

p

*** * PI te * *. The \$6sity- Tree. jfr^{ium}.**

u V^{Vr} > 9^{Kim} >' & &* prvty htye; die leaver are a deep Green, dm *Flowers*
ttm/ifk iiqdikeJBcrrUd red.

>

Ityrtfivj nrddin dielfarm Gnatrutf, and flmwitf in tA<> Spring,
j Fnnn diij Tl-, v y made. aur'Bird'lime. which it ip'orvqrfidattractwt, & fwdto ripen
hard Tumm/£ Jhta&naf; J; // <./ Tn.jreJunt in u Smpatfrwn JDiacMlon maanum.
\$"&* LaJin, jtautASunt. Jpanufu f/n/im, *fy/i.

French, Houx. <temi,m, £aw&/tefn *d*r Jiet/ipalmen. Dutch, Hulst.

Plate 206-. The \MtpcJtanii "JSiw iX# T?re j ark fi rta. ffl^{nteranus}.

TftfBjr-k ofthif Tre? ivfiu A is tyPdrt chief/y wed, v J I'tpnmijh Jjfi odour, t6e
x,... >v a f,/u? £r?e_m, £•fa F/atveryptapfcSucceeded, fa Crefn Berries.

- It yrojev on tfit vtift&SUC &a/t/.

3- TfujHark, u mtv/u to /v met nn'/i in, die /fhap/; it i/ accounted'A /pacific aaatn/
die Jcuny, and a'aood^hinns .4fedtrine, helpfit ft'in Pal/Ud and fanwdfumS;
fame account ttyapdfir BifitiiM oftfeJfomacA and Bwslj.

(free k, . latin, &rtex¹}tfnleranuf;Zaurifrfa ^ffa<fe//<ini\nt untice acri.

Spanuh • laUuvh Frvrtr/i femaⁿ
Dutch,

pia*> 2 of. Wa//e Li vff Twrt. ftepadca nofatis.

j TfuJhrffa jmr v about four &r foe Tnifiej///.>, r/ts Zeawej >/v a. amfi 6
die Flanteryf w&mtziBfa^vmsiinteJ /'he § feme times a red Purple^{reen}

2. It if planted m ijarStys vtd) ttvera in Jfarck •

3 TrurZedwdd ,rre e<r*t-.niejided try lorne foreign J&ahon aj a
i^ns.-iK/ and usefid in Di/iemperj of eke *"
good Val-

4- fyeji, Latin Triyc " / e u j p am. /

Tt<i/t<m, S&rfa Thin tin Fr, > tick. >>< -,*,. ttt,<f uJden Zel>ereraut.
J?u/A £del LevKJ-'(d.


Plate 20a Venetian Jrs/n/^Ths True Ortrintf Or vi us Venetus & Orabiu

1. The Plant marfc'dntntnt Ft nitre. 1. uf the JBrotul-leaved/trfSne/ian Orvbw
•mdfaj ytnerafty a purple- Fismrtr; That markd Sr-14 the. JSrvi/rti of f>i/f?r
VefcJi, ri'AuA- i<fcomrrurnJy uttd th. Me Shop?], tfo fep&nUe. Figure, '/>/, >?/./
(v thzs last, for the Jted. fed and F/onwr af the other are very diJfe*
trit; fife Se&d of the fiw6/'ting triad, the P#d prstti/ krye % du> Flower a
pa/e Purple; /he Jsed ofyodur u rvhiti>, dtt> Fl&werftrhile % d- Pod/malt,

4. rhey yrw in It,//// and f<mu Part/ of Jfywice) fUwring in ////,•

3. The lewder jfOrvhdJ m i:tt nn'th Money id JrtiJ fr thjtti<> dis Lunjj jf T<77/<//t
Th/tam; iindif & Strjny Diuretic, expef/mj die J*t&ne <% {jrai/el,- Outif'ttktn
tiro freyuent/u ittauJeJ I'lloady^cU/me .

4- 'freeJi, OqofSos.Z&tLn, Ervum, ^ OrvlnN4ipinuj latifbhiu. Spanish,
Italian, Ervo ^r.Macho. French, £erman, Dufri/i,



T. u. staty - 7 > v.
 1. *Blackwell delin. vulg. et. Pinx.* }
 2. Berry
 3. Seed
Aquifolium.



*The Magellanic Bay-like Tree,
or Winter's Bark.
Elaeagnus argentea, Linn.*

1. Berries.
2. the Bark dried

Cortex Vineerum.



Common Liverwort.
Elizabeth StaGunnell delin. sculp. et Pinx.

1. Flower.
2. Seed Vessel.
3. Seed.

Hepatica nobilis.



Venetian Orobus. } 1. Venetian Orobus. { Orobus Venetus.
 The true Orobus. } 2. True Orobus. { & Orobus.
 Blackwell delin. sculp. et Pinx. } 3. Flower. 4. Calix. }
 } 5. Pod. 6. Seed. }

JKfet.

Plate 209. The Carer//. Tre&. Carobe or Siligua.

1. Tlii/TrejatgrcriW to ^cwifiderallt> JBvcjrwfs xsvikf ruUwe/Climate, *the Leaves* are t Sik tgrGifirteiv, the Florvtrj red, the Podf cv OrcmrnKffv red, and the J^avh.aledp ep red.
3. Io yrcaniffrinfufja S\$ (reëti & flon/er<ftrv Spring, the Fruit Irezny ripe in *Autumn*.
1- Mat*Jiw/uj *rec<rmmtnd{ die FruvO aj ycradfr the SttrmxjuJv, and (jriüiny afy (jutt, & to provxrke "Urine^ Th& Dewcturjv of t/i& Beans V cuarurvted //y hirv CL great duvfor arv invvt&r&te Grugti, andsthfr Tiftt&L.
4. (fteeJ^KcQõ.ria.Latiru Stlugtia. Spanxjk, Mfafl/aj or GtrroiupeS. Italian* *Caroboli*. French, ùtrvngé. German, F.fcrhatuvLj Broçks Ditfch, Sine Sanj JBlm.

Plate 210. T/iz Tre&ofLifo. Jlr/wr fitaz.

1. It seldorm gix>n>f Co any grea&Btgnëff W/JZrujL&nd; the Leaves rejemlrle? 'mitctvt/wf& erf I' fypre// Tree-, & the Gmej are a luj/tt Bronrrv.
2. It/iicUztw C&rrüUë U Canada.
3. The Zeai/aJ are, accounted; çttæ/tutq and' ajtzrutatinj. Parkvñ/oiv jay/ ttey /mix? done ft^u? Service wfeeAJxá jh& Licnd\$frorriy t/uioks Flegm, úy chensüty t/ienv fa/tuiy uv th.? Jtowiüttq.
4. ý/v<?h, Kïofvs ^Ai'ArTa,. Latvn, LuciaCedr 10/. Spa?ii/h> Italians,
Ctdre Lycvo. F*ren<h', ^ erman, Dth,

Plate 211. T/a/me. T/w/nu<f.


1. Ifr\$rorvj*kïroití' Hqf OsFoot' thg/i; ilie Lea/ire^ are a/da*L Gree*v and, the F&nrtj a, pale, Fuipk.
1. • Itqrcr**' hildirv J*pawv, andflonrerj here^ in* July.
- 3- T/iyrne u/ eJteesw'd/ieatify and aJtzrvuätzrig goad tvfree-t/ie lurigf from injcid Fleyrn and /uJp If^ieejuyi and jliortieej of JBreaflv. It if aljo accounted c&p/uUu and good i*v aJLDi/eafeJ of the jiead &; jt'ervts. T/w <7/fia*uil Prepare don, 14, The dlettnv T/wrrtV; ^di/tzHatiim.
4. freeJi, Ov/zos. Zaizñ, Th&*nunvdurücj. Sparuffv, Tomzlhofalsero. *Italian*, Tirno. French* TUTU^er^vtsSm"R(nnMohe>r2)ue*i<lel. Dutcli, *Thym*.

*Plate *t%. Hue-/edued H^/iititm' Graj. ParanycJua, rtitnseo fir/in.*

1. T/UJ Flant? Jeldome e<xx&ed4 four or fvv&Iruhëj ins heiykt, the -L&a/v&f are a lwLUslv Greetv, and the Flowerj nmxtel.
4. Itqrontf an the TopJ rf^a/ld <% flower/ trvjiarch^ and April.
}M' B<n/le c<rnvrn^ridf thif Plant ad <vSpe^aifu> for the, Kywj Einl.
S'To An ijleJ/atcA, in Ju</I?ffjay x/pori*Acid<r <% jU^ilyf, makes mention (rf a poor (jurl ütJfor'ce/fe'fhire, *flxcte>d nnl/i Jcr<7pAuleu/ Vk^rj- nrho receiweJgrea/ Benefitfrvm U>.
4. *Greek*, JTaqqo yvx*a.£<Mwi> Ruta mura,rm. Jparujlv, ftalisin,
ParonürAi<zFrench, *German, Manverrauten.* *Dutcli,*



The Carob Tree. } 1. Flower. } Carobe, or *Sida*
 2. j.FruU } UirU,!
 3. Stone. }
 Elae. Biaskn't//<M>1. scaly. et Pinx.



The Tree of Life.

Eliz. Blackwell delin. sculp. et. Pinx.

1. carkin }
2. cone }

Arbor Vitae.



Thyme.

Etiz. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Flower separate.
- 3. Leaf.
- 4. Seed.

Thymus.

?! J



Rue-leaved Whitlow Grass.

Edw. Blackwell delin. sculp #J@m.

1. /jive.- r
2. Flower, separate
3. calyx
4. >'TM' |

folio.

Plate 213. The Olive Tree. OLutJylveJ(rij,oi-(JLaJfar.

Oliva 'f&e grvrvj leff i thck\the numurd Vlii*. the Zea,ts&s are ft yr/ifs freen,
 /la Flowers ndiifr ndiaJtytih q?Nurpje uithem, 2c die Fruit//lack tv/iesv ripe.
 Itgrons i/tyrtStrJtyfUy in Tuscān u and/lo>nwS ut dpril.
 Nut&uxlus "re+mimZrids the Jlea/vej 4 dieifood as touting \$ cooling. DwscoricU/fays
 the fi&j exce&Aina cuftrutjent; q*ld acaruntf die Leaves and Fruit ycrerd frr KP*
 tu/L* >rw's Fire andorra n diJeres.
 Greek, *Αγία* Zcitu7^eaJUJr.J'paTii//r. Zeinu/te. fta/itin, t.Unw. *salvatico*.
 French, *Chiver* fauArgae. förnutnJiUtUr <r//raiatv. Dutyfi. 'Milde Olzff'.

Plate 214. Ths- ifmaw& Tree,, *Sabina*.

i- u j'/deine a?*<m/ tn/LVL.Ls;<y.<<nJS& Zawe?tire tipro// £nen., die *Flowers*
 frebrv and-tie JBerriej a, //ht+tijh purple- <•
 M It vptknh?<ihere irv Gardens. <w<l <eld<mii> produces Fruit fir rvriüli /ome
 luityt- dtozco/it it-lrarré*v-
 j. Stunne if <'lawnted A<rt 4\$ dn/, opening, & atfenuating.&eintji a-freatFrovvkerof
 the fatameni4i>. c\$ in/ino yilrortion. <fearp^llmy die JBirdv. It i<fejteemdacrerd to destroy
 Itorms in Children., /ör ndu'lv Purpose ^M' Ray commends die. Juice miact- nniñ
 -Uila, % srveetned*rvzt/hJ)/far, the Jiacc& ^eat into a^6itapl<isrrt rvit/i Jffo-g's Zará,
 cures iTu/drenS Sca/d'y Jleads- tffficinal Preparations are the Ol. Sa/nruw per
 Tnfownefrv ec deccrctionesn, <% die Oleunt J'al. cAym/cum..
 4. Oreeh, fiqadv&attfL, Saltrna. Jpasii/li, 'fivini'. Italian, Sawna. French,
 Sai'inier. German, Je/renl/rturt. Dutch. *Sven /vorn*.

Plate 215. Wall *Populus* of tftc ft// Pp/tnw/furn *Querárwm*

i. Thu Plant jron/j al?ut iK/ht or {enfcnej tu/n, on i/ie. luicA of die JLeMireJ i/rvr
 die Flonstrs' of a reddish irron'nsGr&ur.
 i. It nrorvj on, cdd- Wa// and- Trees, Of id' r/on/erj m jtiuttmtti.
 j. The ficrotf are eJt?es?td opening. S\$ opod ft purae,/'i/h>Je yGtrm/urS. 4 open-Ot'Jtrue.
 lions ofy Znr, fw/p the Jaundice- cfJDröpJy (fproiwle 7/rine Some account them pood for
 die Jcuruu for which they are /recjuent/i/ art Ingredient in jfnh/corvutic Dtet Drink /
 l. Greek. JTo\ vuiód/or. Zatin, Fi/tcu/a. Spanish, Pohpopw. Im/i/irr. P(>lipodio.
 French, Poiypode. Ijerman, Drop/frvur~k. Jfutth, 3oonwaren.

TUU*2I6.Syj/een-Wort, fetfracAM/to'Mk Mpkntttt/uttenich.Sajio/jMit/riit.

-i- It arofvys al/outfour JrulwJ lu\$li> die- leaves are a, dark green orv the upper Side, ^
 Öroyimidh on/the l/uck Side > nduch o occasioned by die Seeds qroririny die re
 2. ICpvws oivOMMlls *duidJity*.
 3. Tu's is one of die ftiv uij/dlan/ Piantj, tuArny itj ^lu/w poiü dw yooU'J'./pścft U luu m
 çur ma die, Jjiteases of die Spleen. tcJu/if away die • StveMwys. asid hindering its too
 yreut Larajie/J, rvhetue it is c<i/ledstitt7i'ajt; itaS/o operij O/girctwnj efdielir.T
 a? id lie l/J/die Taundice. and v </ocrdtD cure th& RicAttfuv{ht/dren<.
 4. Cr-eeks^czj^evoy- latin, ^,4/ple^iunt. Spanish, £ oradilli a., Jta/uin, yispleno. Frenclr
 Ctffiacu/ufertnoJi, Hutch, & *spen drie*.



The Wild Olive Tree. } Fruit. } *Olea sylvestris*, or *Oleaster*.
Eltz. Blashwell delin. sculp. et Pinx.



1 " *The Savine Tree*
Eliz. Blackwell delin. sculp. et. F. Poir.


} 1. Fruit. {
} 2. Seed. {

Sabina.

, r



Mill-fern or Polypody of the Oak. } s. Fruit } *Polypodium Quercinum.*
 Eliz. Blackwell delin. sculp. et Pinx



Spleen Wört. tetraed. Miltwast
Ely. Blackwell John. subp. et Porv.

} 1. Seed. }

Asplenium, tetraed. Scolopende (ft.

Plate 217 - *fCcrnfetnw. titucLi equina.*

- The stalks that bear the Leaves are about 2 Foot high; the Leaves are a bright green & the Flowers brown.
- It grows in Ditches and marshy Grounds, flowering in Marek.
- Its root is accounted restruyvnt drying & binding, good to slop Siesta in Wounds, and all Ha emarrJUfte, in any part of the Body, Catamenia and Fluxus albus, Ulcerations in y Kidneys or Bladder, & v tures.
- Greek, Ἴσχυρις: Latin, E. usetum. Spanish, Goda de Mula. Italian, Goda di Cavallo. French, Queue de Cheval. German, Rosschwanz. Dutch, h Paardestaart.

Plate 218. *Sea Scurvy Grass. Tbckieank Brtimruca manna.*

- It grows to be 8 Inches high, the Leaves are a light Green & the Flowery white.
- This Scurvy Grass grows in great plenty by the Thames Side below Woolwich and flowers in March and April.
- This Plant is frequently used in Scorbatic the Garden Scurvy Grass, but wanting its fine volatile Part,, it seem / not so prevalent; but abounding more in Saline it may be used to good Purpose as a Diuretic.
- Greek, Latin, Cochlearia Britannica. Spanish, Italian, French, Herbe aux Couliers. German, Dutch, Lepelbladen.


Plate 219. *White Maiden Hair. Adiantum album.*

- The Stalks grow about 3 or 4 Inches high, the Leaves, a light Green above, and brown underneath. fenua4h / y rvaJcn Of tie Seed.
- It grows on oidJtoiw, Waile & Buildings.
- This is one of tie five. Capillary Herbs mentioned in the Dispensatory, & has the same virtues with the rest of the Maiden Hairs, being opening & attenuating and good for Distempers of the Lungs and Breast; and is useful in pectoral Decoctions and Diuretic Apozems.
- Greek, Ἀδίατρον * & # * . * * & * & * * muraria, or Salvia Vitae. Spanish, Culantrillo de pozzo bianco. Italian, Capel Venere bianco. French, Capil Venere blanc. German, Frauen Har. Dutch, Steenruyte.

Plate

nigrum.

- This Mau' are a bright Green above, an round Seed.
- It grows in Shady an&f and at (Ae Roetf of 7r. > > kfi ve ti^ ry %/ * ul' rtes are much the same as y common Maiden Hair, being useful for Coughs & all affections of y Lungs and Diseases of y Kidneys; Some commend it as good for the Jaundice.
- Greek, Ἀδίατρον μέλον. Latin, Adiantum nigrum vulgare, or Onopeteris. Spanish, Culantrillo de pozzo negro. Italian, Capel venere. French, Capil venere noir. German, Frauen Har. Dutch, Drouwen Hairkruyd.



Horsetail.

} 1. The Head which
 contains the Seed. }

Cauda equina.

Sir Blackm & Co. London. 1773.



Sea Scurvy-grass

• tt^ Blackwell dehn sculp. et Pinx.

- 1. Flower
- 2. Seed Packet
- 3. Seed.

Cochlearia Britannica inartful.

v



White Maiden Hair.

Elizabeth Blackwell & J. P. sculp. et Fines.

} The Back of
 the Leaf.

Adiantum - all ntm



Black Maiden Hair.

} *The Back of*
the Leaf.

Adiantum

Hta\$ run


the Blu U*£M* «*\$>•*&»*•

Plate 21. *The Ea* India Tamarind. Tamarindus ihdtai One/ita/t/*
 j. This Tree dt'fkrf fr&m dteW&t India **Tamarind** in tkelteaves <% Fruit, <% if lea' **/
 Jo ledfeim **Medicines &an t/u** > otlier fecauje die **Fruit arrUninj** more Pulp.
 4 Jftrervj v> die £k/t Indies and'flowers in tAe **Sprinf.** thu **Specimen** of Ms
 'Tree aid fri-tf- u taken from //> *\\/////..ll %garden,
 j. Tamarind/ arg accounted caotmq and opening, yaod to pu?we *choleric*
 Muncrj. and correct fh« tnlnwJ Went of **tkesJtormacA** and Bon '*i/ *they also*
 art oaad to a//at/ Thirjd promote 7/rwe, **antthetp //?s Jaundice.** •
 it. ^|Y|«, Ojv ftf'rffefs. Zatin, Tavi<irmdi., Jpa>t/.<//. fta/ia?i.
 PVenca, German* Dut</i,

Plate 22. *Butterbur. Petaated'*
 1. The Sta/As yrvw alcut a Spatvhigh, die Ze&vesare A. *bright green above*
 and n'luti/Ji **underneath*** and tin' Fkwers purplish.
 %. Itonon*S vi ^irsht/ **frvundf**, and on Banks ly lU/ver Sides, & **flowers**
 the Begming of \4tar~cn.
 j. The Re&tx are este^tnJ fadjrrifu, and aleriplwrmiecttrira.fbr altKwd, < of
 l'eirrs and **maliffUUC** DvTempers, **preventing** Fnm/w<j and jhortne/s cf'Breath,
 t?rvi'<rfonf7/>i//e >wa' destroying/oimt^'n'ins" Outrrar-dltj tltev are used <// a
 'CiaujlajM for pesnJntial'.fiit'oes and **Plaque Sores.** A ywd %tumt?ty of
 diem it put into die **Oa Theriaaxfa.** \
 4. **CreekBiftw** t*h^a-l^a-tul- Fetus tM' tmijor. Spams A, Tra/um,
 Farfara- **mafftzM'**. French. firman. 'Festil^unw+VutJi,

Plate »13 *Ladies Smack, Cucfowffwer. Czrdamvw.*
 1 The Jhttj.arow aleut a, FootJu<?lh die leaves ore a^rafj^re^/t and die
 rkrn-t.f a'pde purple, and' often. wAtf*. *
 it from/ mJteadorvJ and'onfianAJ,ftawrwy **uvjnarch** and Jpti.
 L **minted bearing** and **nwrmxnf.jvpdfirr** me **Scurvy**, die, J'nme and
Grain • /. Dropjy and faundue.
 4 CretJLSliffvMfip/Or tr/?Or.loan jtajtwtzum,**praMen/e maano** fare.
 Spanish. Berm. Itaunn. (resume minor*. Trench **frefien** de l'Eau. •
 ferman. ifaffer **fref/en.** Dutch, _____ ^^

Plate 22 *Wild Naven. XapuJfyke/in/.*
 1. The *Stalks* aroiv tvi>e a Foot hi <jh, die leave * are a **Jn** *light green.*
 and die Ftcntrj wellorv:
 t. // **fr*n**» **crrvBanh** and** Sty of rtM<l^)^TM''*P«{;
 (WaturtJ; and',l,-,.,/l tr provoJ,J/r,w W' dy T,r, and
the Bites of venomous
Andromachus junior prefers
of hotter Nature.
 4. *Green* **fulvtJfi** u **ipant/fi**,Mailtos
Italian Navone salvatico.
 No. 56.



East India Tamarind) t Ft**** r
 The Blackwood tree only it is not a Leafy branch & Leafy branch
 Taniarinaui enaura



Butterbur. } *fl. r. r.* } *C*
die Blackwell delin. sculp. } *separat.* }
*rFt*m** } *Scit.* } *Pelastol*



Ladies Smock.

Eliz. Blackwell delin. sculp. et Pinx.

J } Flower
 » Mia } Flower separate
 » } Root of it.

Cardamine.



Wild Nave.
Elie Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Calyx
- 3. Pod open
- 4. Seed

Napus sylvestris.

Hedera terrestris

r/tf Sf<ifh .trorv <U>ot/r ?f</>: > IncAe* leni, tke Leaves are a qrafi Green and/die nmrery Oh<>.

itif row f fy JCetfytj and Banty/tervird m tyn/.

3^T/ti/ Plant tf ejfremd a very^ovd Pechnal Itetn* mtuA wed fir Ctmah/, Jhortnt/s gfpreftr md other Jhserdefo <rf foZitnfS.-fornniuA aTed moot <rfthtLe<i>t/kaJ'yruj*ftht Juice U fary beneficial. It tt (/:.:., p/unt (hat-% they make the. (jU/~4U VtritA, /vr//, / ^c&nM/ed attfuc&rhttu. andapprativt, and JOW& to provoke 7fnriz &; c&ans* /y 7/r?/? r/. Shne dutAory arrrunehfLttftreptd ^tinbrandy aj <rf GraeaeJervue aytun/t the folia. The Officinal} rtpa/ tttten ' it tfw Jyrup of'y June.

4. freskt /Garbs x cgffa.7®. £atvt, CkamaeciftuS. Jpani/A, £d&. Italian. J&det a tj. FrquA lierrt dt fa Tfrre. ^ernutn ^6unde/rtltn, JktitA J6mdidraf.

r. The (on/////? or fa///k. Paroly/i/.

j. The Jm/A/ front alrmtt /uz fnc&es Aiy/t, me Zeavts are a fra/t (Zreen ,//-. • ,m<fwAtfufi underneath, and ike F/<rn^er/*yefon^

i h frwvf tn m<u/t tendon'/ and Mar/hel, fforvrinf m April,

j. The Fforvtr/ are accounted atrdial* and itmfvui</to rfi<> nervmu tfiftem, /' tiittn'njr die Epilep/y. ft?////. Apovlexy Jf JPamf infj&adJemefay dte> \nv arwdyne i^aaed'/vprocure s/leep/vr ry/uf/i Pptrpe/e dtey rnr/, l. a of ifom T/i<' leaves are.Sed in rPptrmtnf, jtrenyfteninf Omtmen&, pariئتlariy r/<,< 7//h/uent .ic'ti'itfuw Officinal TreparaJbnJ ,rry The Simple- Wkter. I

rup.artd die'Cm/erist-

M. J*>irm, Primula treris ma/Jr. Spanish, Ito/tan Fieri </,\Primatwa. French. Frmwere \$e» tnanfJchtufiejidumen.l)utch,fk

fMf. Sa/ri'//-Ora//. GrchUarui Batatra .

j. TheJbalsa fra%> to Iteeiahrdr rune ftuAes AtaA, tfi,- Le<w,\> are. a v JA freen und die Flower j rv&tfe.

: // aron+f wild i* ike J^ertA ofMneiandy the JGO-Jtde.fattv wry mtuA a inlarden/, and flnver/uvJjpril.

7Y?/j Plant alrvutub rvuA fute wiatile. farto, anddierefvre f J&rt tnm/ed >•/ the Juice eoctrvff'd. it men prevalent than a-Betodunt, d? rrhttk ?,u, mthejioili n./ and it ace* wn frl a Spttftc fa "tedy ayaxntt deJatr/y and purify in* tke liaise" of die Body from me fad "Effect/ of (hat Put (lea*m<; //is ~J*hn , % >m A.ll.. Pimpfee & fn//Eruptions. fiffu ,,,, l ; , //v. TTis JimpU, wSuer, TheJjpiru, and a um/erve>.

4. (rtei. >. J*ahn, faMtoria Matolm r9*way&ua. kertmnt J in. Fn>rnh, fermam £<yf?/<v,w/> jhttc A, Lepilladen.

its. ^?aJuliirftri<rr (ucAow-putt. .Amw.

T/rs. ihMj mere dr<"> * Foet 4 ^n tyf /" <?/>• ^ Leaves are a deep l • the Ffmver/ pitrn/s and de Frutf a yeMtnyi/h Ked.

i j in J& md dry Ihtztus, and fumrerj m . mry

1^7fi Rcvti di ptivdet ed are aavun&dfvdfrr a fchedy,feSainy^ All,,-, anJ'faZimri/tiu JfaDt.iJun <y //fovif <y \$Jpf*ed *ori,/*,,',/. cemmen&d ibrih.il. Uaehiob

4. Greek, Αγορ. Latin, Arum maculatum, Macula nigra, Spanish, Italian, Guaro French, i; 1, ha'. German, Deutscher Amber, Dutch, Kalfroot

t * i, /



Ground Ivy or Molefoot
The Blackwell John sculp. et Pinx.

} 5. Calix
4. Seed.

Hedera terrestris.

m •




The Cowslip or Pavy (k } 1. Fl. }
the Blackone } 2. Flower separate } *Paralyz V*
 at Paris. } 3. f. lf. }
 } 4. Seed. }



Scurvy Grass.
 Elic. Blackwell delin. sculp. et Pinx.

1. Flower
 2. F&ter separate
 3. Calix
 4. Seed

Cocci/tank Bate va.



Macbr.

The Robin or Luckow-pipe, } *x. Hrt' et.*
 } *a. Berry arate.*
 } *ced.* *Arum.*
Elie. Blackwell delin. sculp. et Pinx.

Plate 229. The (hwinon. -Ittvj.. ifoe vutiarif.
 The Jtath omv akin two fr tftree TmH hyA. the Leaves are, I irfuh/n-^

'^J&.8^tf%*~*%*.*****J/_ _^hgc€/ _

Plate 230. Jorrel- Jcetc^a-

1. The Stalks grow eight or ten Inches high, the Leaves are a grass Green, and the Flowers small and Staminius.
2. It grows in Fields and Meadows, flowering in May.
3. The Leaves are accounted cooling and cordial and very good in Fevers, resisting Putrefaction. The Root is esteem'd serviceable in the Scurvy & in low Fluxes. The Seed is restringent, & is put into Diacordium & other binding Medicines.
4. Greek, Οξαλις. Latin, Oxalis & Acetosa pratensis. Spanish, Azedas. Italian, Acetosa. French, Salicette. German, Sauer Umpffer. Dutch, Veld Suringh.

Plate 231. Turnep. Rapum.

1. The Stalks grow about three Foot high, the Leaves are a grass Green, and the Flowers yellow.
2. It is sown in Fields and Gardens, flowering in April.
3. Turneps are accounted very wholesome and nourishing, but somewhat windy. A Syrup, made with slices of Turnep and brown Sugar Candy baked in an Oven is commended as a good pectoral, and of great Service for Coughs and Consumptions.
4. Greek, Γογγύλιον. Latin, Rapum. Spanish, Nabo. Italian, Rappo. French, Rave. German, Ruben. Dutch, Raapen knollen.

Plate 232. Wall-pepper *Sbmtcrvp. Sedum minimum.

1. The Stalks grow about five Inches high, the Leaves are Green, and the Flowers yellow.
2. It grows on Walls and Roofs, flowering in May.
3. Mr li.m(v oftei u/jJ<< the ^ / I of Herb Women. •<>>'* ' "'2'. ' v in/t Sfw. Thv .)>,*>.,,;• u much „n.li.< * more apt to raise it. ien „„»„„M,, m v„„. "••» commended for the Scurvy, and King's Evil, and the Lungs bathed with it in Fomentations.
4. Greek, Αειδίον. Latin, Sempervivum minimum Spanish, Semperviva Italian, Herba Grajsella. French, Joubarbe le plus petit. German, Rauer Pfeffer. Dutch, Muur Pepper.



The Common Aloe.

It Ffan*
 Of open }
 Seed.

Aloe vulgaris.

F: Block ^-MUfAti copy of Pinx.



Sorrel.

0 /././..««»»

arise }

Acetosa.

Elie Blackwell delin. vulp et Pinx.



Turnep.

King Blackwell delin. rousp. et. Pinx.

- 1. Flower.
- 2. Calyx.
- 3. Ped.
- 4. Seed.

Rapum.

o

t



Wall-pepper or Stonecrop. } 1. Flower { Sea'ittn. minimum
Eliz. Blackwell John. sculp. et Pinx.

Plate 233. *Ufen* Kimo Spear. *Asphodelus vernus luteus* or *Alata Regia*.
 1. The Stalks grow about a Foot high, the Leaves are a grass Green, and the Flowers
 2. It is sown in Gardens, flowering in April and May.
 3. This Plant has much of the nature of Parsley, being aperitive, & alterw. iaiw.
 4. The Juice of the Roots is sometimes used as an Errhine being snuffed up by Nose
 to clear the Head of Flegm and mucous Humors, and by that means to
 relieve the Head Ache.
 Greek. *Asphodelos*. Latin. *Asphodelus luteus*. Spanish. *Gamonites*.
 Italian. *Asphodelo*. French. *Asphodel*. Dutch. *Asphodellwurk*.

I> /teliw 'HflJ £u<flo&. Btytofiuni Sy lues ire.

IX, S*, /4/ l' • «' " " " " Fövt, „, „, //!. At ~Ztiv& " ^ * fyt* „, //f (freer;
 j j* » irf, „, r* H > r4 li liahtBlue

Itwn* hf - " " Ttl %orj tfBarme Inn* «c < nm* J corJM and

1. in hypocondriac and hysteric Disorders.
 2. Greek. *Βούβυλα*. Latin. *Bufolestum sylvestre minus*. Spanish. *Borrajenes*. Italian. *Buglossa saluatica*. French. *Buglose sauvage*. German. *Ochsenzunge*. Dutch. *Buglossa* or *Osse tongen*.

Plate 235. *Red Beet*. D ultra mada.

1. The Stalks grow about a Foot high, the Leaves are a grass Green, and the Flowers
 2. It is planted in Gardens, and flower
 3. Beets are esteem'd good to loosen the Belly, and temperate hot choleric Humors.
 The Juice of the Roots is sometimes used as an Errhine being snuffed up by Nose
 to clear the Head of Flegm and mucous Humors, and by that means to
 relieve the Head Ache.
 Greek. *Τένυλον ἐρυθρον*. Latin. *Beta rubra*. Spanish. *Jjelya*. Italian. *Bietola rossa*. French. *Poiree rouge*. German. *Rot Ruben*. Dutch. *Roode Beete*.

Plate 236. *Chervil*. *Chaerophyllum*.

1. The Stalks grow about a Foot high, the Leaves are a grass Green, and the Flowers
 2. It is sown in Gardens, flowering in April and May.
 3. This Plant has much of the nature of Parsley, being aperitive, & alterw. iaiw.
 4. The Juice of the Roots is sometimes used as an Errhine being snuffed up by Nose
 to clear the Head of Flegm and mucous Humors, and by that means to
 relieve the Head Ache.
 Greek. *Χαιρέφυλλον*. Latin. *Chaerophyllum sativum*. Spanish. *Cerofoglio*. French. *Chervil*. Dutch. *Kervel*.



Yellow Aphodel or King's Spear } 1. Flower
 The Blacked John sculp. et Pine. } 2. Seed vessel
 } 3. Seed. } Aphodelus verus *mini** or
 Nasta Reg.



IKU fiuglofs

Her. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Flower separate.
- 3. Seed.
- 4. Seed.

Buglossum sylvestris



Re. / 8/ft


Re. Blackwell delin. sculp. et. Pinx.

}
 2 Seed / foot.
 } 2 Seed.

Beta rubra, L. 1/2, 1/3, 1/4, 1/5, 1/6, 1/7, 1/8, 1/9, 1/10, 1/11, 1/12, 1/13, 1/14, 1/15, 1/16, 1/17, 1/18, 1/19, 1/20, 1/21, 1/22, 1/23, 1/24, 1/25, 1/26, 1/27, 1/28, 1/29, 1/30, 1/31, 1/32, 1/33, 1/34, 1/35, 1/36, 1/37, 1/38, 1/39, 1/40, 1/41, 1/42, 1/43, 1/44, 1/45, 1/46, 1/47, 1/48, 1/49, 1/50, 1/51, 1/52, 1/53, 1/54, 1/55, 1/56, 1/57, 1/58, 1/59, 1/60, 1/61, 1/62, 1/63, 1/64, 1/65, 1/66, 1/67, 1/68, 1/69, 1/70, 1/71, 1/72, 1/73, 1/74, 1/75, 1/76, 1/77, 1/78, 1/79, 1/80, 1/81, 1/82, 1/83, 1/84, 1/85, 1/86, 1/87, 1/88, 1/89, 1/90, 1/91, 1/92, 1/93, 1/94, 1/95, 1/96, 1/97, 1/98, 1/99, 1/100

I

f



Cheruil.

Chaerophyllum.

- 1. Flower.
- 2. Flower Enlarg'd.
- 3. Seed Vesicle open.
- 4. Seed.

Fig. 1. Chaerophyllum delin. sculp. et Pinx.

Plate *z^*. *FumUvry*. turn ana

i. The JcaJJU grow ofout CKjfk Irufws *Ay/h die* Zewel/ are n It ah r (jrctn
•anddieFlon-er/ Purple-

I /:terW tn FielJ/ and titt'd treuiidj. fLwring in May.

The Plant *j dcantiud & yreJt £leatuer of die UlcVt/fating y<.vJ/pr d//S<<:tf of
(~uta*uew fiutemper/ &> kpreu/ Dborder/. It u miuAdt<wA rviik if^ey tft {/w
Jprttw to putye \$purifey SkvcL^ help jfScuruy, JaunJue <% Jffetbow of Vu Jplt* n
4 GrtJkK&vryoS Latw Tiitnaria vffit^narum ttDioj<;<?ridi<fSpiuwfi,T'akimlJi,i.Jr<di<th

Fumosterno. French. Fumeterre/ jerdankEr R au^ M nich Dutch DuJ vl r s

Plate *ss. The irw nf/uie-Jkp/wdd- *J/phodetuS* wrw, *aifa/*

f The JmJb? arm drntf (&< & ^oot /utfk <&e leaves are- a ty/it frafet/rem and
fa / white m&purpb tetni.

2'ti/ ,2 TUtivt tf Spain Itefy and die Southern Tart/ ofFra^e, and uf planted
fart in fatderv **ffain*4** & 4^{m/} .. T ,t

y PifSCSrub/ reminds die far* <U f ami for eating War/, Inffamma&m/ m *g
\$re<ut or SktdteJ w die Sitn. The 'June af eke RcrUfayj cure/ JcaUy&W/,
and eafa the Faititf &e Te^tk ly pouring jerru of it tntbfamtrary£irn>kr£
fa Ttrth aduJ. & al/j reeommtnd'f fort ft prowie lirtne 4 l>rvy donm du Jknftf
4 CrTjJ, J^od£^ Xaiin, MphoJehiJ all/uj ramo/us mzf.Sparwh, f *amoret.*

Ttaliaru Jn/ird^o • FretuA* J/fr dele ferrrwu JffeMMtwtrt. Duttk

bane or Leopards-bane. Doronicum Romanorum

j The Stalh **ftm** <</<™t **etffaen** Irufa/ **htfh** fait**** are <v Ait **free***, and
the flowers of m.

JtyitniSji^tAe^and^plaMUUkre utfacUnjflmrty xn.Jpril.

r feme ammtnd die Jto>L ajawJt du Fovon efJctrpvns; ttfar; euccunt it a
Poison axdfau u nnJl fatnw ^ ^ , % / ^ ^ . Tlwsj jfw An*
i mirulnMfJrqumcnt, mlM Sid*, may am*u/t IM & *Matthiasus.*

Crte JLatin. J>erwuumr.idu*Jcorpu.Jparwh,

Italian, Doronico. French, Le Doronic. German, emsenwurt Dutch, Doronico.

ta4o** £ *irch*. Be tula.

l This gr<m* to *tQ*^* **a** tall Trte- *At* l**v* *** * **brisk*** *s* **r*f**, *s* *s* *Green.*

•f **.< *% *bray* 'M Oukuu cams out in jbrii

j *Ic* jrewi in Wte&. ana, *this Tree* ^j ^ ^ Sprmy, id a^untz^

fuftwerv preferdtttw" m a , (*Wood next to* **>*vL. r_t** *sport*

lire*****

Borleagu German. No. 60.



Fumitory.

Wh. Blackwell delin. sculp. et Pine.

- 1. Flower
- 2. Flower separate
- 3. Seed vessel open
- 4. Seed

Fumjt M



The true, white Asphodel. } 1. Flower. } *Asp. fwMiu* veryl. albus.*
 Blackwell John. sculp. at Pine. } 2. Seed Pod. }
 } 3. Seed. }



Great Woolf-bane or Leopard-bane.
 The Blackwell dohn. scaly. or Pine.

- 1. Flower
- 2. Flower separat
- 3. Calyx
- 4. Seed

Doronicum Remanens



Birch

Betula pubescens Ehrh. var. *pubescens* Ehrh.

- 1. Bark
- 2. Wood
- 3. Scale of the cone
- 4. Scale with seed

Beech

Plate 141 Stechas, or French Lavender. *Stoechas arabica* & *purpurea*.

1. This Shrub grows about three Foot high. *fa lea*** are a_f' /> i/t. <A 6> <;> nW*
the *ffwtrs * Jeep Purple*.

2 *Ir aim'* naturally in Spain, and the Southern Parts of France, and is planted
dece, flowering in April and May.

V The Flowers are accented cordial & cephalic. Strengthening the genius Nervosum
and are usefull in Apoplexies, Palsies & Convulsions. They are also opening &
attenuating, promoting the Catamenia and resisting Poisons.

4. Greek ΣΤΙΧΑΣ or ΣΤΟΙΧΑΣ. Latin, *Stoechas* *purpurea*. Spanish
Tomani or Cantuello Italian, *Stechade* *frtmk Jt&ha&J*. German. *JnJi* *verraut* Dutch, *Stechas*
or

Plate 142 . Rocket. *Eruca*.

1. The Stalks *U frm* a' ottt (/uetFcothwh, tfi* Ua*# art a, frafi free*, **Uttu*
Flowers with purp in.
sown dens, and flowers in April and "uy.

, Tie L "
Simu
Leave *fuf acnrdf r dit*«* ^f^- OmtmeraritU* thatan < equal Parr of toebe
and Gum

4. Greek ΕΙΣΩΜΟΡ. Latin, *Eruca sativa* *scola*.
French, *Roquette*. German, *Beiß Senff*. Dutch, *Rakette*.

n» *# Sweet Cutty y* *errhis*.

1. *ft* .) >, // grow abut far *** 'M- ^ ***** are a InfJ,, l? \/_,* Green,
at

2. It is sown in Gardens, and flowers in April and May.
3. This Plant is *ten eat as a Sallad, being much of the same Nature as Chervil,*
z /,,, A / ^, { ^ Parts, being good for cold windy Stomachs, opening Obstruc
Spleen, & provoking Urine.

i t' r » , // w *errhis major, & Cicutaria odorata*. Spanish
Italian, *..... sch*. German, *Belcher Gorbel*. Dutch,

nm, 44. Bmim > . fenifte

1. The Stalks grow *rv < l* about six t or
*ttt' f*tr ru'f* *ers a . . .*
Comm:

3. *ed are used, u* *provoke urine & wen*
Obstructio *& Spleen. It* *in*
common Dri *infused* *Urine*
fore they a *•///, /,* *mm Sjilk tmsftü and uJe tfam*


4. *•i* *Latin, Genus* *Italian*
*farm*** *.....*



Stechas, or French Lavender. } 1. Flower.
 } 2. Flower separate.
 } 3. Calyx.
 } 4. Calyx open.
 } 5. Seed.

Stechas arabica or purpurea.

See Blackwell's Latin Vulgar & Pur.



Rocket.

1. Flower
 2. Seed Vessel
 3. Seed Vessel open
 4. Seed

Eruca.

***##/ several lobes, scaly or Pinn >)f'



Sweet Cicely . . . } 1. Flower.
 . . . } 2. Seed Vessel.
 . . . } 3. Seed.

Myrrhis.



Broom } 1. Flower
 } 2. Pod
 } 3. Seed
 } *rVw f&frt*
Genista

Plate 245. **Malt Pummy. /!//v,v/// mas.**

1. *J'ie Stii.* the gro n' aeout /vv A'v\ / /i/</4 ffh' Leat/ej ,//> a darH ara/s tr*<<?i /, tddi/A 'l.///- ittid //}<> rumwa /<'d.
- t If /' /'<llilj / in l,jl,<l' .///.///'///,• // /// ^ifjril andutfay
- J /A<* f/i'o ers Seed & Roots are esteemed cephalic iffwd/vr // 'a' Epilepsy. are also
l/uy /v ,ijfiittJ/ iff (riom fak'in t/i'utur A\>£/ Tftey ,
accounted of •<> / m Ai/t*ru duAf, Qtrftnuuiinu #fi/><-, mn/ej <///< / /is r^c<
of the / Va.i **The Rtret end Seed art hugy** > / PU/ Cktfdru & JI&CAs to
prove >u Grmrubiffiry & i Breeding ^tsi/ 7?sm
- 4 tftssl / ukvarion, or Ilavoria. tmmn fiuumi*f*fo myriouut fpfenJtM que
 IL j' / , : : - / r J&.w delJfafU* ftmiuui Pumia.. FrttuA fVwiiu ,v ///w
German, Peonies /Ihtr< AI is the nun.

Plate 246. **Wood. Isatis.**

1. The Stem /C from <tl*>ut d*Y<" or fo. •'"" ?*** hu/A, iA* Ltav*/ are a willow **en and i'v/ Effowin ytmiov**
2. It grows n/y in l'over of Paris ftru/.in, / /// u iftn<-r,i//tf Jown for the **juv />it/> and know in May**
3. is used **Straitv, md*** strengthen **tt**
Blplings. Some common ./am. **MI Ttqtrduht m P Em yjUttrum *d Jfarmmm**
<fo is **Latuu Uvium. 6 fs*m** is a e* laii/iUi*. **Sp*ni/h** Pastel.
- t /, Greek Ιοάτις. Italian Guado. Fra

Plate 247. **The Walnut. Juglans.**

1. This or, <f, , /, are a large Tree. AS/AH fCu&mt fsMmm
2. It is planted in Walks Parks & Fields and the leaves **cerm** out in April.
3. The Bark is acc v/rArda' **Smeiu timer free*** ymitnd /ntm dertd
malignant Distempers, & e **rends** ***tiff** are one of the **fde FrtnupatIn** ingredients
in the Tree Yam. The Nuts preserved are good to be eat in a Morning to
prevent Infection in tree Quinis of
6s (* / is **fa y** is a very good **ltdkim for fa j'ts,,** <fn4/
- 4 Greek Καύρα Βασιλική. Italian Noce. **far man, #f//< &'•• - ^ ('itf,'ten**

Plate 248. **Black Poplar. Populus nigra.**

- j /<,, is a large Tree. the Leaves a? i /n,; /t/ are grass Green Ae-OM are
yellowish, and the Berries Green.
- j /< grows by Watery Places **andR** is **me** out in, ,&> /! ••
Leaves & Buds
Women in Germany use **v rtutJU far MM*** is **PuM** & ornamental.
- 4 Greek Αΰτιγος. Latin Populus nigra. Spanish Mamo nigro. Italian Popolo negro. French Tremble. German Alpen or Popel Weiden. Dutch



Male-Piony.
 Flor. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Bud closed.
- 3. Seed Pod cut open.
- 4. Seed.

Paeonia mout.



- 1. Flower.
- 2. Seed.
- 3. Seed, whole.
- 4. Seed, dissected open.
- 5. Seed.

Ward.

Isatis.

Blackwell delin. sculp. or Pine.



r>u *S*A*/

* < ff^ . hual delin scilicet ut Pina

- 1. Catkin
- 2. Flower
- 3. Green Nut
- 4. Shell
- 5. Shell
- 6. Seed

T

Int//a/w

liar 243



Black Poplar } 1. Bark
} 2. Fruit
} 3. Seed { *Populus nigra.*

Pl. *Cynoglossum.*

'J rbi.WtMj «row Ptv er tA/t's A'.! A/</A.dts leaves are a blue green, anJ t/i* Fknvtrt red.

\$. It^reipj^ iy f&dpe/ and the Sides of Roads fiowring i/i //,y & June.

j / The Root is a mulled cold, dryuy. % Intuit}><j fff*dfir iiumrAaiit Defluxions

ttpan dts famyj; md a# hud* Cfftmn , < Sfa_f>///<>/rA<r<r&s, f*f*n*rr/U d. Some acc' tmt it a imin&nuy .> . r fawAmbw TUMor*, toAm. inrvw dly.

4. Greek. Κυνογλωσσόν

Dutch. Hof tonge.

Plate 250. *Valerian. Valeriana or Phu.*

i r/e Jh/l' grow drmfh* fof4, *Ae leaves *r* ,t <><v< {,-<>, m%od the Flowers white.

3. The Root is, esteemed alexipharmac. suaverum & (epha&i i every of great Service in malignant Fever 1 A; pejtihnttaf Vvtemptr*. ft afro Asfw die Head & Nerves, provoke > Urine and fatifi 6** dts f/sw. It t< an toft*

4. Greek. γόβρα. Dioscoridis. Spanish. Yerva benedicta. Italian. Valeriana. French. Valerienne. German. Valerian. Dutch. Hof Valeriana

Plate 251. *Solomon's Seal. Polygonatum & Sigillum Solomonis.*

1. The Stalks grow two Foot a willow tree in May.

2. It grows wild. I...III,' «"/ l"vw e/Qt/mit vutnermry ,w.f rtstrmfgett,

3. The Leaves & Root good to stop all hum. Fractur & Punctures especially the Root. de the Root. preserved Cataplasm of y om Contusions.

4. gTM" Hypocybrator. Latin. Pol. Italian. Giacchietto. French. Gen. ulterefermm, Wii/i farr. JkurA. Jakm ons Seyel.

Plate 252. *X t t/rsv Jympn#lun*4 t utm major*

t n-jr+H j.J%om ma&unJed tm6 ary, when it a foj
3 **** /tl III• t.'teernd'f&nt/m ¥¥*mrdJBrmk for, spitting of Blood
*** " 4,nu-(." tku <">' '*<"<"> in r/i. • /I'ff.(. .».»{.' cam

me* d the Roots cease to a cause. fonpA

Official Preparation is the Syruw. de Gout. Superior Polydynamum. Wollf . < } • ,%./% > / , ; \$, ? >>
Consolida maggiore. French. Consolle de Lune. German. Schwarzweurt. Dutch. Smiertwortel.



Heuads - tongue
For Blackwell's Latin vulp. et Pinx.

1. Flower.	4. Calix open.	} <i>Cynoglossum</i> <i>tm.</i>
2. Flower separate.	5. Shell of a Seed.	
3. Calix.	6. Seed.	



Valerian.

1. Flower.
2. Flower separate.

Valeriana or Phu.

Herb. Blat. ... sculp. et Pinx.

v. JWJ

f



J. Leonis / *cal*
u./-fcr *scap. et Pinc.*

1. Flower. } *Polygonatum & Sigillum Solomonis.*
 2. Kesri*
 3. '0*1



6mt/r

Uft

Symphitum tuberosum

Fl. Blackwell's Herb. & Bot. St. Flower separate. Calyx 5. Petal. 5. ver. open.

ANIRUM guae m lwe VcTuium ne Contine

Abm...
Acanthus
Actosa
Adiandu

Cortex Winteranus	206
Crocus	144
Cruciata	76
Cucumis	4
agrestis	108
Cypripus	127
Cyanus	66
Cyclamen	147
Cydonia	137
Cynoglossa	249

Laurus Alexandrina	172
Lentiscus	171
Leucosium	179
luteum	120
L. ustrum	11
Lirioden	70
corvadium	115
Lunaria	138
Lingua Cervina	160
Linum	22

Raphanus	155
Rapum	155
Rhamnus cathartica	155
Rosa alba	155
Damasceana	155
rubra	155
sylvestris	159
Rosmarinus	155
Rubus	155
Ruscus	155
Ruta	155

W5*+...
M...
Typ<Pw...
Migallu erroris mas...
Anchusa...
Jatropha...
Aparine...
Lupulum...
Argentaria...
Arum...
Asclepias...
Asterula

Zf	
J>e/pAmiunt	26
Dens Leonis	1
Dictamnus albus	75
Digitalis	16
Dipsacus	50
JiffveJtotj	124
Doronicum Rymastum	239
Dracunculus	116

M	
Malva	22
arborea	54
Malus	141
sylvestris	178
Marrubium l'atulum	136
Melilotus	154
J*tr*uitum	47
Matricaria	192
Melilotus	80
Melissa	27
Mercurialis	162
Mispilus	154
Millefolium	18
Morus	126
Myrrhis	243
Myrtus	114

S	
Sabina	214
Salvia	10
minor	71
Sambucus	151
Sanicula	63
Saponaria	113
Satyrium	11
Saxifraga alba	11
Scabiosa	187
Scorodonia	11
Scrophularia	11
aquatica	60
Sedum minimum	232
Senecio	132
Siliva dulcis	209
Sina i album	29
lignosum	54
Sinchus	30
laevi	130
Sorbus	174
torrn'naliij	173
Sippina alba	149
Siphocampylus	20
Sisymbrium	221
Suber	193
Succisa	142
Symphytium	252

E	
Elatine	170
Equisetum	217
Eruca	242
Erythraea	28
Erythraea minor*	163
Eupalyrtum	110

N	
Napus	224
N. turcium	23
Wuotzana	146

O	
OUAL	104
Oleaster	199
Orobanch	213
208	208

F	
Faba	11
Ficus	125
Fragaria	77
Fragula	152
Fumaria	237

P	
Paeonia	65
ma	245
Palma Christi	148
Dactylifera	202
Papaver rubrum	226
Paralysis	226
Parietaria	156
Paronychia	212
Perfoliata	95
Periclymenum	225
Persica	101
Persicaria	118
uron	119
Petasites	222
Petroselinum	172
Pitum	146
Pirus	189
sylvestris	190
Pium	83
Plantago	35
angustifolia	14
Polygonatum	251
Polypodium	215
Poma Amoris	133
Populus	248
Primula veri	52
Prunella	24
sylvestris	143
97	97

G	
Galega	92
Galeopsis	84
Gallium	168
Genista	244
Geranium	58
150	150

Q	
Quercus	100
terrestris	245
Quercus	74
57	57
207	207
128	128
122	122
01	01
111	111
15	15

T	
Tamariacus	201
orientalis	241
Tephrosium	191
Thlaspi	68
Thuya	210
Thymus	211
Trifolium	20
Trigonum	30
Typhalago	204

H	
Hedera	100
terrestris	245
Helleborus	74
Helleboraster	57
Hepatica nobilis	207
Hippoglossum	128
Horminum	122
Hyanthus	01
Hyoscyamus	111
Hypericum	15

R	
Rapum	155
Rhamnus cathartica	155
Rosa alba	155
Damasceana	155
rubra	155
sylvestris	159
Rosmarinus	155
Rubus	155
Ruscus	155
Ruta	155

V	
Valeriana	250
Verbascum	3
Verbena	41
Vernonia mas	143
Viola	55
tricolor	44
Vinca peruviana	59
Virga aurea	162
Viscum	64
Vitis	159
Vitis	155
Urtica	14

I	
Illicium	83
Ilex coccigera	86
Iris	69
foetida	158
Isatis	246
Iuglans	247
Juniperus	187

L	
Lactuca	83
Lamium album	83
Lamium album	132
Lampolla	68
Laurus	175

M	
Malva	22
arborea	54
Malus	141
sylvestris	178
Marrubium l'atulum	136
Melilotus	154
J*tr*uitum	47
Matricaria	192
Melilotus	80
Melissa	27
Mercurialis	162
Mispilus	154
Millefolium	18
Morus	126
Myrrhis	243
Myrtus	114

B
Balsamita...
Bardana major...
Beetana...
Bellis...
 major...
Berberis...
Beta rubra...
Betonica...
Betula...
Bryonia...
 36
 37
Buglossum sylvestre...
Bugula...
Bursa Pastoris...
Butyr...

C
Calynenidha...
 aquatica...
 montana...
Celandula...
Capsicum...
Cardamine...
Cardiaca...
Caryophyllus...
Caryophyllus...
Cataculia minor...
Centaurium...
 malus...
Ceterach...
Chamaedry...
Chamaemelum...
Chelidonium...
 minus...
Cherrefolium...
Chorrium...
 sylvestre...
Cirsium Ladansifera...
Citrullus...
Cichlearia...
 Britannica...
Cynophyllus...
Cynosa...
 major...
Coriandrum...
Corymbus...
 Ruellia...



BOOK CARD
Indian Botanic Garden Library
BOTANICAL SURVEY OF INDIA

Call No. *B. A. 5* Acc. No. *B-8680*

Author..... *Blackwell, E.*

Title *(A) curious herbal* *L\$??S&**t-*
ing five hundred cuts, of the most

Name of Borrower/Code No.	Date tw of Issue	of Return



