

Parr. 256

ANNALS

OF THE

ROYAL BOTANIC GARDEN, CALCUTTA.



Vol. XI.

ANNALS

OF THE

ROYAL BOTANIC GARDEN, CALCUTTA.

fol. XI.

ASIATIC PALMS-LEPIDOOGAEYEAE


by

DR. ODOARDO BEGARI.

PART I.

THE SPECIES OF CALAMUS

WITH 238 PLATES.



**CALCUTTA:
BENGAL SECRETARIAT PRESS.**

1908.

ASIATIC PALMS-LEPIDOCABYEAE

by

DR. ODOARDO BECCARI.

PART I.

THE SPECIES OF CAIAMOS

WITH 238 PLATES.

CALCUTTA:
BENGAL SECRETARIAT PRESS.
1908.

**
B1812

INDEX TO PLATES.

PLATE.		PLATE.	
CALAMUS acanliospathus <i>Griff.</i>	.106	CALAMUS fertilis <i>Becc.</i>	.226
— adspersus <i>Bl.</i>	.145	— filiformis <i>Becc.</i>	.42
— akimensis <i>Becc.</i>	.26A	— filipendulus <i>Becc.</i>	.45
— albus <i>Pers.</i>	.199	— flabellatus <i>Becc.</i>	.37
— andamanicus <i>Kurz</i>	.163-4	— Flagellum <i>Griff.</i>	.4 .5
— aquatilis <i>Ridley</i>	.168-9	— Flagellum ka:inensis <i>Becc.</i>	.6
— arborescens <i>Griff.</i>	.7	— floribundus <i>Griff.</i>	.47
— aruensis <i>Itecc.</i>	.209	— floribundus (<i>Griff.</i>) var. depauperatus <i>Becc.</i>	.48
— asperimus <i>Bl.</i>	.186	— forxnosanus <i>Becc.</i>	.172 & 172A
— australis <i>Mart.</i>	.72	— Gamblei <i>Becc.</i>	.123
— axillaris <i>Becc.</i>	.181	— giganteus <i>Becc.</i>	.197
— bacularis <i>Becc.</i>	.107	— Godefroyi <i>Becc.</i>	.9 .6
— barb at us <i>Zipp.</i>	* .87	— gogolensis <i>Becc.</i>	.9 .3
— Barterii <i>Becc.</i>	.20	— genospermus <i>Becc.</i>	.46
— Blancoi <i>Kunth.</i>	.64	— gracilis <i>Roxb.</i>	.124
— Blumei <i>Becc.</i>	.137	— Griffithianus <i>Mart.</i>	.17
— Bousigoni <i>Pierre</i>	.139	— GvLTuba.Ham.	.114-116
— brachystachys <i>Becc.</i>	.222	— Harmandi <i>Pierre.</i>	.229
— Brandisii <i>Becc.</i>	.102	— Hartmanni <i>Becc.</i>	.231
— bubuensis <i>Becc.</i>	.183	— Hcnryanus <i>Becc.</i>	.223
— Burckianus <i>Becc.</i>	.18	— heteracanthus <i>Zipp.</i>	.140
— caesiis <i>Bl.</i>	.189	— heteroideus <i>Bl.</i>	.77
— caryotoides <i>Allen Cunn.</i>	.66	— heteroideus var. pallens (<i>Bl.</i>) <i>Becc.</i>	.78
— castaneus <i>Griff.</i>	.16	— Helferianus <i>Kurz.</i>	.S3
— ciliaris <i>Bl.</i>	.129	— Heudelotti <i>Becc.</i>	.21
— concinnus <i>Mart.</i>	.60	— hispidulus <i>Becc..</i>	.131
— conirostrii <i>Becc.</i>	.220	— Hollungii <i>Becc..</i>	.210
— corrugatus <i>Becc.</i>	.43	— Hookerianus <i>Becc.</i>	.70
— Cumingianus <i>Becc.</i>	.142	— liorrens <i>Bl.</i>	.9 .6
— CuthbertsoDii <i>Becc.</i>	.148	— Hucgelianus <i>Mart.</i>	.122
— deerratu3 <i>Mann</i> & <i>Wendl.</i>	.19	— hypoleucus (<i>Kurz.</i>) <i>Becc.</i>	.119
— Delessertianus <i>Becc..</i>	.101	— inermis <i>T. And.</i>	.195
— delicatus <i>Thu></i>	.82	— insignia <i>Griff..</i>	.162
— ^ densiflorus <i>Becc.</i>	.167	— interruptus <i>Becc..</i>	.49
— Diepenhorstii <i>Miq.</i>	.126	— interruptus var. docillis <i>Becc.</i>	.6 0
— Diepenhorstii (<i>Miq.</i>) var. <i>singaporensis</i> <i>Becc.</i>	.127	— javen>i8 Bl. acicularis <i>Becc.</i>	.4 1
— didymocarpus <i>Warb.</i>	.213	— jav. var. polyphyllus et sublevis <i>Becc.</i>	.40
— digitatus <i>Becc..</i>	.28-29	— jav. tennissimus <i>Becc.</i>	.3 9
— dilaceratus <i>Becc.</i>	.16	— jav. yar. tetrastichus <i>Becc.</i> et var. inter-	
— dimorphacanthus <i>Becc.</i>	.219	— medius <i>Becc.</i>	.38
— dioicus <i>Lour.</i>	.61	— kandariensis <i>Becc.</i>	.144
— discolor <i>Mart.</i>	.228	— khasianus <i>Becc.</i>	.192
— dongnaiensis <i>Pierre.</i>	.8	— Kioianus <i>Becc.</i>	.63
— Doriaei <i>Becc.</i>	.191	— Kunzeanus <i>Becc.</i>	.226
— erectus <i>Roxb.</i>	.1	— latifolius <i>Roxb.</i>	.17 .
— erectus birmanicus <i>Becc.</i>	.3	— latil'olius (<i>Roxb.</i>) var. <i>marmoratus</i> <i>Becc.</i>	.177
— erectus schizospaihus (<i>Griff.</i>) <i>Becc.</i>	.2	— Lauterbachii <i>Becc.</i>	.227
— erioacanthua <i>Becc.</i>	.187	— Leprieurii <i>Becc.</i>	.23-24
— exilis <i>Griff..</i>	.130	— leptospadix <i>Griff..</i>	.14
— Fabrii <i>Becc.</i>	g	— leucotcs <i>Becc.</i>	.120
— falabonis <i>Becc.</i>	.2 .2	— Lobbianus <i>Becc.</i>	.221
— Fe&uus <i>Becc.</i>	1 .6	— lon^iscutus <i>Griff..</i>	.9
— ferrugineus <i>Becc.</i>	.226	— luridus <i>Becc..</i>	^

u

INDEX TO PLATES.

	Pun.		Pun.
CAUHUS Macgregorii Becc.	.230	CALAMUS radiatna Thw.	• SQ
maoroch lamys Becc.	91*92	raduloras Becc.	35
macrophaerion Becc.	201	ralumenaia Warb.	89-90
Maoan Miq..	.196	ramosisBimoa Griff.	109-110
manilleais E. WendL	226	ramnlosus Becc.	206
marginatua Mart.	\ 128	Reinwardtii Mart.	7 6
Martianus Becc.	.151	Rheedii Griff.	»226
mattanensis Bete.	202/1	rhomboides BL	.184
melanacanthua Mart.	125	Ridleyanns Becc.	.168
melanoloma Mart.	214	raYaliaTAu*	66-66
Memllii Becc.	.167	BotaDg Linn.	97
Metzianua Schhcht.	6Z^	rudentum Lour.	.13
» Meyenianua Schauer.	—	ringoaus Becc.	.36
microarpa Becc..	.218	ruridus Becc.	.81
microsphaerion Becc.	.204	Sabemis Becc.	.81
minahaiae Warb.	.147	salicifolia Becc.	.103
mollis Blanco..	.61*62	sarakevensis Becc.	, 133
Moseleyanus Becc.	.171	scabridulus Becc.	# 32
Mod BaUey	7 3	lobiatoacantbai BL	.53
ataua Becc.	.186	Schweinfurthii Becc.	.26
Muelieri H. WendL	.54.55	Sdionam Lour.	166.166
muricatus Becc.	.33	* aerrnlatas Becc.	.75
myiaranhuA Becc.	.95	» aiamenria Becc.	.59
myriantbus Becc.	.11%	simplex Becc.	.193
oambarieDsis Becc.	.193-194	siphonospathui Mart.	.316-216
neglectua Becc..	J2	siphonospatha (Mart.) rar. oligolepia	
neroatospadix Btcc.	.71	(minor) Becc.	.217
nieobariens Becc.	.8 4	apathuJatns Becc.	147%
situdns Mart.	.116	apatbulatna robinitai Becc.	.160
opus BL	.79	spectabilis (BL) rat. sumartranus Becc.	.138
oplinraa Bete.	.188.188A	spinifolius Becc.	178-179
ornatos (BL) Tar. mitis Becc.	.1(4	subinermis R. WendL.	.208
OTBAIns (BL) ?ar. samatranaui Beer.	.153	sympbysipus MwU	.111
oroideni Thw.	.161	tennis Boxb.	.94
Qjleyanus Teysm. \$ Binn.	.2C3	tetradactylui Ranee.	10M04A
pachystachyi Warb.	.212	Thwaiteisii Beec.	1041
pachyatemonus Thw.	.2/	Ibwaeialeanoranaa Becc.	.12
pallidnus Beec.	.500	thyisanolepia Ranee	.224
paluitria Griff.	.173	tomentosus Beec.	.136
palnstra (Griff.) rar. ampliesimus Becc.	.174	tomentosus Tar. Korthalsiaefoliui Becc.	.136
paluatria (Grip.) yar. cobchinchinensis Becc.	.176	(onkineosia Becc.	
papirous Becc.	.4*	trarancorica Bedd.	.100
paapalanthna Becc.	.111	trispermus Becc.	.121
pasp. f eniaolaria Becc.	.111	nnifariw H. WendL.	.J8u
paap. peniDS. (aterilia) Becc.	.113	unifariua (R. WendL.) Tar. pentong Bev.	»J6
perabesbia Beer.	.1%	resilius Becc.	.207
Perrottetii Becc.	.26	Vidianianua Becc.	
pilosellns Becc.	.132	vuainalis (Willd.) T.r. andamanicus Bht	.211
platyapathiu Mart..	.1/	viminalis faaeicolatua Becc.	.88
platyacanthua Warb.	.193	viridiplana Becc.	.67
plicatua BL	.143	Titeosis Warb.	
polydesmii Becc.	.191A	Walkerriifew.	[] . 98
poystachya Becc.	.162	Warburgii k. Schum.	[] . 170
pseudo-tenuis Becc.	.69	zebrinui Becc.	
paeudo-malii Becc.	.68	zeylanicus BHC.	.74
pygmaeus Becc.	.60	zolliogerii Becc.	.16&.160
		tomtit Btcc.	.164-166
			. 84




O. Beccari d&l.

FIG L-9 CALAMUS EKECHJS-PIG 10. C. PLAGELLUM FIG 11-12 C SCIPIOIJUM.



O.Becxan del


G. I C. UKUFAKII: !TONC-P1C.£. CALAMUS ZOLLIN G. 3, C. DiDYMOCARPUS
PIG 4-1i, C. GRFFITHJAWUS
























































1.










































B'ooari, Asiatic Pikr'i - LEP1 DOC A



Vm. - Vitis Vinifera L.





