

A Preliminary Inventory
of
ORCHIDACEAE
in
INDIA



S. K. Jain and A. Mehrotra

BOTANICAL SURVEY OF INDIA
DEPARTMENT OF ENVIRONMENT

**A PRELIMINARY INVENTORY OF
ORCHIDACEAE
IN INDIA**

**A PRELIMINARY INVENTORY
OF
ORCHIDACEAE
IN
INDIA**

by
S. K. Jain and A. Mehrotra

**BOTANICAL SURVEY OF INDIA
Department of Environment
1984**

Cover: Cypripedium himalaicum (Photo: POSSCEF, Howrah).

© 1984

**POSSCEF, BOTANICAL SURVEY OF INDIA
GOVERNMENT OF INDIA**

Publication supported by the U. S. Fish and Wildlife Service, through the Project on Study, Survey and Conservation of Endangered Species of Flora (POSSCEF) being operated in BSI.

Published by Principal Investigator, POSSCEF, and Director, Botanical Survey of India, Howrah-711103 and Printed by R. Kar at Prabartak Printing & Halftone Ltd., 52/3 Bepin Behari Ganguly Street, Calcutta-700012.

A PRELIMINARY INVENTORY OF ORCHIDACEAE IN INDIA

S. K. JAIN AND A. MEHROTRA

Botanical Survey of India, Howrah.

Orchids have attracted worldwide attention due to their usually very ornamental and long-lasting flowers and ease in hybridisation for horticultural purposes.

Orchidaceae is the second largest family of flowering plants in India. The last consolidated account of the family was by Hooker in his Flora of British India (1888-90). The status of the family has considerably changed during the last about 100 years, particularly due to the changed boundaries of the country, changes in taxonomic status and several new species and new records having been described from the country. There is no recent exhaustive and consolidated account or enumeration of species of orchids in India.

The Botanical Survey of India has started publishing the new Flora of India in the form of Fascicles, and revisionary accounts of several families, tribes and genera have already been published. In the case of very large families, it is proposed to prepare enumerations of taxa believed to occur in India and circulate them for inviting suggestions chiefly for any additions or deletions and on nomenclature, distribution, rarity and endemism. It is with this purpose that the present draft inventory of the species of Orchids in India is being published.

After Hooker's work, accounts of orchids of some regions of the country were published, such as on orchids of Sikkim by King and Pantling (1898) and Bruhl (1926), and orchids of north-western Himalayas by Duthie (1906). Recently, Hara (1966, 1971), Tuyama (1975) and Rao and Deori (1980a, b) published on eastern Himalayas, Seidenfaden and Arora (1982) on north-western Himalayas and Abraham and Vatsala (1981) and Joseph (1982) on southern India. Pradhan (1976, 1979), and Bose & Bhattacherjee (1980) published illustrated accounts of orchids. Few genera have received critical

2 A PRELIMINARY INVENTORY OF ORCHIDACEAE IN INDIA

revisionary treatments in India so far. Das and Jain (1980) published the revision of the genus *Coelogyné* for India. The works of Seiden-faden (1968, 1971, 1973 a & b, 1975 a & b, 1976 a & b, 1977 a & b, 1978 a & b, 1979, 1980, 1982 a & b) on the Orchids of Thailand are very relevant to the taxonomy of several Indian genera.

A detailed taxonomic account of the whole family must await the contributions of several workers. The present list is based on an analysis of all major and important published literature and materials available to the authors in the Calcutta herbarium and some other herbaria of the country. The nomenclature has been brought as up-to-date as possible. No original taxonomic work has, however, been attempted in drafting this list and the concepts of earlier authors only are adopted.

The genera and species are arranged alphabetically. Infraspecific taxa are not listed except in the case of *Coelogyné* which was recently revised and a few other cases. After the name of the taxon, the original citation is given. A reference is given to Hooker's work (F.B.I.) directly for the species, or for its basionym or relevant synonym. In the case of taxa added to Indian flora after Hooker's work as new records or new species and varieties, and where reference to Hooker's work naturally cannot be given, the original citation or other recent reference is provided. Several generic names familiar to workers on orchids have been reduced to synonyms ; in order to facilitate consultation of the list, such generic synonyms are listed at their appropriate alphabetical position with a cross-reference to the accepted generic name.

The general distribution of the taxa in India and in the World is indicated as far as possible ; it is based on literature and material available to authors. The distribution in India is intended to indicate broad phytogeographical region, rather than specific areas of occurrence. Species considered endemic on the basis of data available to authors are marked with one asterisk (*). Further, species not seen in field for decades and having no record of collection for a long time are considered as 'perhaps extinct'. These are marked with the dagger sign (†).

As regards the number of taxa of Orchidaceae occurring in India, it may be recalled that Pradhan (1976) estimated *ca.* 125 genera and 800 species, whereas Bose and Bhattacharjee (1980) estimated *ca.* 132 genera and 860 species. The present list includes 144 genera and 925 species.

Out of 925, 284 species are considered endemic to India ; this gives 30.70 percent endemism. The north-eastern India and peninsular India exhibit high endemism.

It can not be claimed that this list is fully exhaustive ; some new record or new name might have escaped attention. The authors would welcome suggestions for additions and criticism on distribution, rarity and nomenclature. Particularly species indicated here as endemic, 'perhaps extinct' or not collected for very long time should attract information on their recent collection or occurrence under cultivation in some garden or conservatory. Such suggestions would be gratefully acknowledged.

The authors are grateful to Shri S. R. Rathore for some data on the genera *Calanthe* and *Cymbidium*. One of us (AM) is thankful to the Government of India for award of a Research Fellowship.

Some important literature consulted for drafting this inventory is listed at end ; it is not necessarily cited in the text.

Abbreviations used :

F. B. I. : Hooker's *Flora of British India*.

ACAMPE Lindl.

Acampe multiflora (Lindl.) Lindl., *Fol. Orch. 1. 1853.*

Saccolabium longifolium (Lindl.) Hook.f., F.B.I. 6 : 62. 1890. p.p.

Distrib. : North eastern India

World Distrib. : South East Asia.

Acampe ochracea (Lindl.) Hochr. in *Bull. New York Bot. Gard.*

6 : 270. 1910.

Saccolabium ochraceum Lindl. ; F.B.I. 6 : 62. 1890.

Distrib. : Tropical Eastern Himalayas, Peninsular, Eastern &

North eastern India.

World Distrib. : India, Burma & Sri Lanka.

Acampe papillosa (Lindl.) Lindl., Fol. Orch. 2: 1853 ; F.B.I. 6: 63.
1890.

Distrib. : Western & Eastern Himalayas, Eastern & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Acampe praemorsa (Roxb.) Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 495. 1932.

Saccolabium praemorsum (Roxb.) Hook. f., F.B.I. 6 : 62. 1890.

Distrib. : Peninsular & Eastern India.

World Distrib. : India, Burma & Sri Lanka.

Acampe rigida (Buch.-Ham. ex Sm.) Hunt in Kew Bull. 24 : 98.
1970.

Saccolabium longifolium (Lindl.) Hook. f., F.B.I. 6 : 62. 1890. p.p.

Distrib. : Tropical Eastern Himalayas, North eastern and Peninsular India.

World Distrib. : Central Himalayas & South East Asia.

ACANTHOPHIPIUM Blume

Acanthophippium bicolor Lindl. in Bot. Reg. t. 1730. 1835 ; F.B.I.
5 : 815. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Acanthophippium striatum Lindl. in Bot. Reg. 45. 1838 ; F.B.I.
5 : 816. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Acanthophippium sylhetense Lindl., Gen. & Sp. Orch. 117. 1833 ;
F.B.I. 5 : 815. 1890.

Distrib. : Eastern Himalayas, Eastern & North eastern India.

World Distrib. : South East Asia.

ACRIOPSIS Reinw. ex Blume

***Acriopsis harai** Tuyama in J. Jap. Bot. 39(5) : 129. 1964.

Distrib. : Eastern Himalayas ; endemic.

Acriopsis indica Wight, Ic. 5(1): t. 1748. 1852; F.B.I. 6: 79. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

ACROCHAENE Wt. & Arn. ex Chiov.

Acrochaene punctata Lindl., Fol. Orch. 1. 1852. ; F.B.I. 5 : 783. 1890.

Distrib. : Tropical Eastern Himalayas.

World Distrib. : India, Bhutan.

AERIDES Lour. (also see **ORNITHOCHILUS** and **PAPILIONANTHE**)

Aerides crispum Lindl., Gen. & Sp. Orch. 239. 1833; F.B.I. 6 : 45. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Burma, Sri Lanka.

***Aerides emericii** Reichb. f. in Gard. Chron. 586. 1882 ; F.B.I. 6 : 47. 1890.

Distrib. : Andaman Islands ; endemic.

Aerides falcata Lindl., Paxt. Fl. Gard. 2 : 142. 1852 ; F.B.I. 6 : 46. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Aerides fieldingii B.S. Williams, Orch. Grow. Man. ed. 2. 39. 1862 ; F.B.I. 6 : 45. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Aerides maculosum** Lindl. in Bot. Reg. t. 58. 1845; F.B.I. 6: 45. 1890.

Distrib. : Peninsular India & Eastern India ; endemic.

Aerides multiflora Roxb., Fl. Ind. 3 : 475. 1832 ; F.B.I. 6 : 44.
1890.

Distrib. : Throughout India (except North West India).

World Distrib. : South East Asia.

Aerides odorata Lour., Fl. Cochinch. 2 : 525. 1790 ; F.B.I. 6 :
47. 1890.

Distrib. : Tropical Himalayas.

World Distrib. : India to Philippines.

Aerides ringens (Lindl.) Fischer in Kew Bull. 284. 1828.

A. radicosum A. Rich. & *A. lineare* Hook. f., F.B.I. 6 : 46. & "47." 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

AGROSTOPHYLLUM Blume

Agrostophyllum brevipes King & Pantl. in Ann. Roy. Bot. Gard.

Calcutta 8 : 156. t. 213. 1898.

Distrib. : Eastern Himalayas.

World Distrib. : India, Bhutan.

Agrostophyllum callosum Reichb. f., Seem. Fl. Vit. 296. 1868 ;
F.B.I. 5 : 824. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Agrostophyllum khasianum Griff. in Calcutta J. nat. Hist. 4 :
378. t. 19. 1844 ; F.B.I. 5 : 824. 1890.

Distrib. : Eastern Himalayas, North eastern India & Andaman islands.

World Distrib. : India, Southern Asia.

***Agrostophyllum myrianthum** King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 155. t. 211. 1898.

Distrib. : Eastern Himalayas ; endemic.

AMITOSTIGMA Schltr.

***Amitostigma puberulum** (King & Pantl.) Schltr., Fedde Reper. Sp. Nov. 4 : 92. 1919.

Orchis puberula King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 304. 1898.

Distrib. : Eastern Himalayas ; endemic.

ANOECTOCHILUS Blume

***Anoectochilus brevilabris** Lindl., Gen. & Sp. Orch. 499. 1840 ; F.B.I. 6 : 95. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

***Anoectochilus clarkei** (Hook. f.) Seidenf. & Smit., Orch. Thailand I : 88. 1959 (excl. Thai pl.).

Odontochilus clarkei Hook. f., F.B.I. 6 : 100. 1890.

Distrib. : Eastern Himalayas ; endemic.

Anoectochilus crispus Lindl. in J. Linn. Soc. 1 : 180. 1857 ; F.B.I. 6 : 99. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas, Burma.

***Anoectochilus elatior** Lindl. in J. Linn. Soc. 1 : 178. 1857 ; F.B.I. 6 : 95. 1890.

Distrib. : Peninsular India ; endemic.

Anoectochilus elwesii (Clarke ex Hook. f.) King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 296. t. 394. 1898.

Odontochilus elwesii Clarke ex Hook. f., F.B.I. 6 : 100. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Anoectochilus grandiflorus Lindl. in J. Linn. Soc. 1 : 179. 1857 ; F.B.I. 6 : 100. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Anoectochilus griffithii** Hook. f., Fl. Brit. India 6 : 96. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

Anoectochilus lanceolatus Lindl., Gen. & Sp. Orch. 499. 1840.

Odontochilus lanceolatus (Lindl.) Bl. ; F.B.I. 6 : 101. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Anoectochilus nicobaricus** Balak. & Chakrab. in Bull. bot. Surv.

India 20 : 80. 1978 (1979).

Distrib. : Nicobar islands ; endemic.

Anoectochilus pomrangianus Seidenf. in Dansk Bot. Ark. 32(2) :

41. 1978.

Zeuxine abbreviata Hook. f., F.B.I. 6 : 109. 1890. p.p.

Distrib. : North eastern India.

World Distrib. : India, Southern Asia.

†***Anoectochilus rotundifolius** (Blatt.) Balak. in J. Bombay nat.

Hist. Soc. 63 : 530. 1960.

Odontochilus rotundifolius Blatt., J. Bombay nat. Hist. Soc. 32 : 521. 1928.

Distrib. : Peninsular India ; endemic.

Anoectochilus roxburghii (Wall.) Lindl. in Royle, Illus. Bot. Himal.

368. 1839. ; Gen. & Sp. Orch. 499. 1840. ; F.B.I. 6 : 95. 1890.

Distrib. : Subtropical Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalaya & South East Asia.

***Anoectochilus sikkimensis** King & Pantl. in J. As. Soc. Bengal

65: 124. 1896.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

†***Anoectochilus tetrapterus** Hook. f., Fl. Brit. India 6: 96. 1890.

Distrib. : North eastern India ; endemic.

ANTHOGONIUM Wall. ex Lindl.

Anthogonium gracile Lindl., Nat. Syst. ed. 2. 341. 1836 ; F.B.I. 5 : 823. 1890.

Distrib. : Temperate Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

AORCHIS Vermeulen

Aorchis roborovskii (Maxim.) Seidenf. in Nord. J. Bot. 2: 9. 1982.

Orchis stracheyi Hook. f., F.B.I. 6 : 128. 1890.

Galearis stracheyi (Hook.f.) Hunt in Kew Bull. 26 : 172. 1971.

Distrib. : Western Himalayas.

World Distrib. : India, Nepal, Bhutan.

Aorchis spathulata (Lindl.) Verméulen, Jahr. Nat. Ver. Wuppe.

25 : 33. 1972.

Orchis spathulata (Lindl.) Reichb. f. ; F.B.I. 6 : 127. 1890.

Galearis spathulata (Lindl.) Hunt in Kew Bull. 26 : 172. 1971.

Distrib. : Western and Eastern Himalayas.

World Distrib. : India, Nepal, Bhutan and Tibet.

APHYLLORCHIS Blume

***Aphyllorchis alpina** King & Pantl. in Ann. Roy. Bot. Gard.

Calcutta 8 : 261. t. 347. 1898.

Distrib. : Eastern Himalayas ; endemic.

†***Aphyllorchis gollani** Duthie in J. As. Soc. Bengal 71 : 42. 1902.

Distrib. : Western Himalayas ; endemic.

Aphyllorchis montana Reichb. f. in Linnaea 41 : 57. 1876 ; F.B.I.

6 : 116. 1890.

A. prainii Hook. f., F.B.I. 6 : 117. 1890.

Distib. : Eastern Himalayas.

World Distrib. : Tropical South East Asia.

Aphyllorchis parviflora King & Pantl. in Ann. Roy. Bot. Gard.

Calcutta 8 : 261. t. 347. 1898.

Distrib. : Eastern Himalayas.

World Distrib. : Sub-tropical & temperate Himalayas and South East Tibet.

***Aphyllorchis vaginata** Hook. f., Fl. Brit. India 6 : 117. 1890.

Distrib. : North eastern India ; endemic.

APOSTASIA Blume

Apostasia nuda R. Br. in Wall. Pl. As. Rar. 1 : 76. t. 85. 1830 ;

F.B.I. 6 : 175. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Apostasia odorata Bl., Bijdr. 423. 1825.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Apostasia wallichii R. Br. in Wall. Pl. As. Rar. 1 : 75. t. 84. 1830 ;

F.B.I. 6 : 175. 1890.

Distrib. : Tropical Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

APPENDICULA Blume

Appendicula cornuta Bl., Bijdr. 302. 1825.

A. bifaria Lindl. ; F.B.I. 6 : 82. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Appendicula koenigii Hook.f., Fl. Brit. India 6 : 84. 1890.

Distrib. : India (without any locality).

World Distrib. : South East Asia.

Appendicula reflexa Bl., Bijdr. 301. 1825.

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

ARACHNANTHE Blume (see ARACHNIS, ARMODORUM)

ARACHNIS Blume

Arachnis cathcartii (Lindl.) J. J. Sm., Nat. Tijd. Nederl. 72 : 75.

1912.

Arachnanthe cathcartii (Lindl.) Benth. ; F.B.I. 6 : 27. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas.

Arachnis clarkei (Reichb. f.) J. J. Sm., Nat. Tijd. Nederl. 72 : 76. 1912.

Arachnanthe clarkei (Reichb. f.) Rolfe. ; F.B.I. 6 : 28. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas.

ARMODORUM Breda

Armodorum labrosum (Lindl. & Paxt.) Schltr., Fedde Reper. 10 : 177. 1911.

Arachnanthe bilinguis Benth. ; F.B.I. 6 : 28. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Southern Asia.

ARUNDINA Blume

Arundina graminifolia (D. Don) Hochr. in Bull. New York Bot. Gard. 6 : 270. 1910.

A. bambusifolia Lindl., Gen. & Sp. Orch. 125. 1830 ; F.B.I. 5 : 857. 1890.

A. chinensis Bl., Bijdr. 502. 1825 ; F.B.I. 5 : 857. 1890.

Distrib. : Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas, South East Asia.

ASCOCENTRUM Schltr. ex Sm.

Ascocentrum ampullaceum (Roxb.) Schltr., Fedde Reper. 1 : 975. 1913.

Saccolabium ampullaceum (Roxb.) Lindl. ; F.B.I. 6 : 64. 1890.

Distrib. : Tropical Eastern Himalayas, North eastern India & Andaman islands.

World Distrib. : Central Himalayas & Southern Asia.

BIERMANNIA King & Pantl.

†***Biermannia bimaculata** (King & Pantl.) King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 200. t. 267. 1898.

Sarcochilus bimaculata King & Pantl. in J. As. Soc. Bengal 44 : 340. 1875.

Distrib. : Eastern Himalayas ; endemic.

BLETIA Ruiz & Pav. (see EULOPHIA)

BRACHYCORYTHIS Lindl.

Brachycorythis acuta (Reichb. f.) Summer. in Kew Bull. 238. 1955.

Distrib. : North eastern India.

World Distrib. : India, Southern Asia.

Brachycorythis galeandra (Reichb. f.) Summer. in Kew Bull. 239. 1955.

Habenaria galeandra (Reichb. f.) Benth.; F.B.I. 6: 163 & 164. 1890. (incl. var. *major* Hook. f.).

Distrib. : Western Himalayas, North eastern and Eastern India.

World Distrib. : Central Himalayas & South East Asia.

Brachycorythis helferi (Reichb. f.) Summer. in Kew Bull. 235. 1955.

Habenaria helferi (Reichb. f.) Hook. f., F.B.I. 6 : 164. 1890.

Distrib. : North eastern India.

World Distrib. : India, Southern Asia.

***Brachycorythis iantha** (Wight) Summer. in Kew Bull. 238. 1955.

Habenaria galeandra Benth. var. *nilagirica* Hook. f., F.B.I. 6 : 164. 1890.

H. iantha (Wt.) Benth. ; F.B.I. 6 : 164. 1890. (quoad syn. tantum excl. descr.).

Distrib. : Peninsular India ; endemic.

Brachycorythis obcordata (Lindl.) Summer. in Kew Bull. 243. 1955.

Habenaria galeandra sensu Hook. f., F.B.I. 6 : 163. 1890.

Distrib. : Western Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

***Brachycorythis splendida** Summer. in Kew Bull. 240. 1955.

Habenaria iantha sensu Hook. f., F.B.I. 6 : 164. 1890. (descr. tantum partim excl. syn.).

Distrib. : Peninsular India ; endemic.

***Brachycorythis wightii** Summer. in Kew Bull. 242. 1955.

Habenaria iantha sensu Hook., f., F.B.I. 6 : 164. 1890. (quoad descr. partim excl. syn.).

Distrib. : Peninsular India, endemic.

BULBOPHYLLUM Thou. (also see SUNIPIA)

† ***Bulbophyllum acutiflorum** A. Rich. in Ann. Sci. nat. Ser. 2.

15 : 18. t. 7. 1841.

Cirrhopetalum acutiflorum (A. Rich.) Hook. f., F.B.I. 5 : 779. 1890.

Distrib. : Peninsular India ; endemic.

Bulbophyllum affine Lindl., Gen. & Sp. Orch. 48. 1830 ; F.B.I.

5 : 756. 1890.

Distrib. : Tropical & subtropical Himalayas.

World Distrib. : South East Asia.

† ***Bulbophyllum albidum** Hook. f., Fl. Brit. India 5 : 757. 1890.

Distrib. : Peninsular India ; endemic.

Bulbophyllum amplifolium (Rolfe) Balak. & Chow. in Bull. bot.

Surv. India 9 : 88. 1967.

Cirrhopetalum amplifolium Rolfe in Not. Roy. Bot. Gard. Edinburgh 8 : 20. t. 10. 1913.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

Bulbophyllum andersonii (Hook. f.) J. J. Sm. in Bull. Jard. Bot.

Buitenz. Ser. 2. 8 : 22. 1912.

Cirrhopetalum andersonii Hook. f., F.B.I. 5 : 777. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

† ***Bulbophyllum aureum** (Hook. f.) J. J. Sm. in Bull. Jard. Bot.

Buitenz. Ser. 2. 8 : 22. 1912.

Cirrhopetalum aureum Hook. f., F.B.I. 5 : 777. 1890.

Distrib. : Peninsular India : endemic.

Bulbophyllum bisetum Lindl., Ann. nat. Hist. 10 : 186. 1842 ;

F.B.I. 5 : 767. 1890. (excl. Syn. *B. carniflorum* Reichb. f.).

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Bulbophyllum blepharistes Reichb.f. in Flora 55 : 278. 1872 ;
F.B.I. 5 : 779. 1890.

Cirrhopetalum longescapum Teijsm. & Binnend. ; F.B.I. 6 : 189. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Bulbophyllum capillipes Par. & Reichb. f. in Trans. Linn. Soc.
30 : 150. t. 32a. 1874 ; F.B.I. 5 : 755. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : Southern Asia.

Bulbophyllum careyanum (Hook.) Spreng., Syst. 3 : 732. 1826 ;
F.B.I. 5 : 760. 1890.

Distrib. : Tropical Himalayas.

World Distrib. : Southern Asia.

Bulbophyllum carniflorum Reichb. f. in Walp. Ann. 6: 253. 1861;
F.B.I. 5 : 767. 1890. p.p.

B. densiflorum Rolfe in Kew Bull. 139. 1892.

Distrib. : Peninsular India, Western & Eastern Himalayas, North
eastern India.

World Distrib. : Central Himalayas & South East Asia.

Bulbophyllum caudatum Lindl., Gen. & Sp. Orch. 56. 1830 ;
F.B.I. 5 : 759. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : Central and Eastern Himalayas.

***Bulbophyllum cauliflorum** Hook. f., Ic. Pl. t. 2036. 1890; Fl.
Brit. India 5 : 758. 1890.

Distrib. : Eastern Himalayas & North eastern India; endemic.

Bulbophyllum clarkeanum King & Pantl. in J. As. Soc. Bengal
64 : 333. 1895.

Distrib. : Eastern Himalayas.

World Distrib. : India, Bhutan.

Bulbophyllum congestum Rolfe in Kew Bull. 131. 1912.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Bulbophyllum cornu-cervi** King & Pantl. J. As. Soc. Bengal 64 : 332. 1895.

Distrib. : Eastern Himalayas ; endemic.

Bulbophyllum crassipes Hook. f., Fl. Brit. India 5 : 760. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Bulbophyllum cylindraceum Lindl., Gen. & Sp. Orch. 53. 1830 ;

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalaya and South East Asia.

Bulbophyllum delitescens Hance in J. Bot. 14 : 44. 1876.

B. manii Reichb. f. ; F.B.I. 5 : 780. 1890.

Cirrhopetalum setiferum Rolfe in Kew Bull. 35. 1895.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Bulbophyllum devangiriensis Balak. in J. Bombay nat. Hist.

Soc. 67 : 66. 1970.

B. uniflorum Griff. (non Hassk. 1844) ; F.B.I. 5 : 755. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Bhutan.

†***Bulbophyllum ebubulum** King & Pantl. in J. As. Soc. Bengal 64 : 334. 1895.

Distrib. : Eastern Himalayas ; endemic.

†***Bulbophyllum elassonotum** Summer. in Bot. Mag. t. 9408.

1935.

Distrib. : North eastern India ; endemic.

Bulbophyllum elatum (Hook. f.) J. J. Sm. in Bull. Jard. Bot.

Buitenz. Ser. 2. 8 : 23. 1912.

Cirrhopetalum elatum Hook. f., F.B.I. 5 : 775. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas, Southern Asia.

***Bulbophyllum elegantulum** (Rolfe) J.J. Sm. in Bull. Jard. Bot. Buitenz. Ser 2 : 8 : 23. 1912.

Cirrhopetalum elegantulum Rolfe in Gard. Chron. Ser. 3. 3 : 552. 1891.

Distrib. : Peninsular India ; endemic.

Bulbophyllum emarginatum (Finet) J. J. Sm. in Bull. Jard. Bot. Buitenz. Ser. 2. 8 : 24. 1912.

B. brachypodium var. *brachypodium* & var. *geei* Rao & Balak. in Bull. bot. Surv. India 10 : 350. 1968.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Bulbophyllum eublepharum Reichb. f. in Walp. Ann. 6 : 252. 1861 ; F.B.I. 5 : 764. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Bhutan.

***Bulbophyllum fimbriatum** (Lindl.) Reichb. f. in Walp. Ann. 6 : 260. 1861.

Cirrhopetalum fimbriatum Lindl. ; F.B.I. 5 : 774. 1890.

Distrib. : Peninsular India ; endemic.

Bulbophyllum fischeri Seidenf. in Dansk Bot. Ark. 29(1) : 202. 1973.

Cirrhopetalum gamblei Hook. f. & *C. thomsonii* Hook. f., F.B.I. 5 : 778. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

***Bulbophyllum fuscopurpureum** Wight, Ic. 5(1): 6. t. 1651. 1852 ; F.B.I. 5 : 760. 1890.

Distrib. : Peninsular India ; endemic.

***Bulbophyllum gamblei** (Hook. f.) Hook. f., Ic. Pl. 3. t. 2039. 1890 ; F.B.I. 6 : 188. 1890.

B. leptanthum var. *gamblei* Hook. f., F.B.I. 5 : 759. 1890.

Distrib. : Eastern Himalayas ; endemic.

Bulbophyllum griffithii (Lindl.) Reichb. f. in Walp. Ann. 6 : 247.

1861 ; F.B.I. 5 : 756. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Bhutan.

Bulbophyllum guttulatum (Hook. f.) Balak. in J. Bombay nat.

Hist. Soc. 67 : 66. 1970.

Cirrhopetalum guttulatum Hook. f., F.B.I. 5 : 776. 1890.

Distrib. : Subtropical Himalayas.

World Distrib. : Himalayan region.

Bulbophyllum gymnopus Hook. f., Ic. Pl. t. 2040. 1890; Fl. Brit.

India 5 : 764. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Southern Asia.

Bulbophyllum helenae (Kze.) J. J. Sm. in Bull. Jard. Bot.

Buitenz. Ser. 2. 8 : 24. 1912.

Cirrhopetalum cornutum Lindl. ; F.B.I. 5 : 774. 1890.

Distrib. : Subtropical Himalayas.

World Distrib. : Southern Asia.

Bulbophyllum hirtum (J. E. Sm.) Lindl., Gen. & Sp. Orch. 51.

1830 ; F.B.I. 5 : 762. 1890.

Distrib. : Subtropical Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas, South East Asia.

Bulbophyllum hookeri (Duthie) J. J. Sm. in Bull. Jard. Bot.

Buitenz. Ser. 2. 8 : 25. 1912.

Cirrhopetalum hookeri Duthie in J. As. Soc. Bengal 71 : 38. 1902.

Distrib. : Western & Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Bulbophyllum hymenanthum Hook. f., Ic. Pl. t. 2046. 1890; Fl.

Brit. India 5 : 767. 1890.

Distrib. : Eastern Himalayas & North eastern India,

World Distrib. : India & Thailand.

***Bulbophyllum kaitiense** (Wight) Reichb. f. in Walp. Ann. 6 : 262. 1861.

Cirrhopetalum nilgherrense Wight ; F.B.I. 5 : 778. 1890.

Distrib. : Peninsular India ; endemic.

Bulbophyllum khasianum Griff., Not. Pl. 3 : 284. 1851 ; F.B.I. 5 : 765. 1890.

B. conchiferum Reichb. f. ; F.B.I. 5 : 766. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

†***Bulbophyllum kingii** Hook. f., Fl. Brit. India 5 : 760. 1890.

Distrib. : Eastern Himalayas ; endemic.

Bulbophyllum leopardinum (Wall.) Lindl., Gen. & Sp. Orch. 48. 1830 ; F.B.I. 5 : 756. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

var. **tuberculatum** Balak. & Chowd. in Bull. bot. Surv. India 9: 90. 1967.

Distrib. : North eastern India.

World Distrib. : India, Bhutan.

Bulbophyllum lepidum (Bl.) J. J. Sm. in Pl. Buitenz. 6 : 471. fig. 361. 1905.

Cirrhopetalum gamosepalum Griff. ; F.B.I. 5 : 774. 1890.

Distrib. : Andaman islands.

World Distrib. : South East Asia.

***Bulbophyllum leptanthum** Hook. f., Fl. Brit. India 5 : 759. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

Bulbophyllum lilacinum Ridl. in J. Linn. Soc. 32 : 276. 1896.

Distrib. : Andaman islands.

World Distrib. : South East Asia.

Bulbophyllum lobbii Lindl. in Bot. Reg. Sub t. 29. 1847 ; F.B.I. 5 : 755. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Bulbophyllum moniliforme Par. & Reichb. f. in Trans. Linn.

Soc. 30 : 151. 1874 ; F.B.I. 5 : 757. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

***Bulbophyllum mysorensis** (Rolfe) J. J. Sm. in Bull. Jard. Bot.

Buitenz. Ser. 2. 8 : 26. 1912.

Cirrhopetalum mysorense Rolfe in Bull. Misc. Inform. 34. 1845.

Distrib. : Peninsular India ; endemic.

***Bulbophyllum nilgherrense** Wight, Ic. 5(1) : 6. t. 1650. 1852 ;

F.B.I. 5 : 761. 1890.

Distrib. : Peninsular India ; endemic.

† ***Bulbophyllum nodosum** (Rolfe) J. J. Sm. in Bull. Jard. Bot.

Buitenz. Ser 2. 8 : 23. 1912.

Cirrhopetalum nodosum Rolfe in Kew Bull. 35. 1895.

Distrib. : Peninsular India ; endemic.

***Bulbophyllum obrienianum** Rolfe in Gard. Chron. 2 : 352. 1892.

Distrib. : Eastern Himalayas ; endemic.

Bulbophyllum odoratissimum (J. E. Sm.) Lindl. Gen. & Sp.

Orch. 55. 1830 ; F.B.I. 5 : 758. 1890.

Distrib. : Subtropical Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Bulbophyllum ornatissimum (Reichb. f.) J. J. Sm. in Bull. Jard.

Bot. Buitenz. Ser. 2. 8 : 26. 1912.

Cirrhopetalum ornatissimum Reichb. f. ; F.B.I. 5 : 773. 1890. p.p.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Burma.

† ***Bulbophyllum parryae** Summer. in The Lakhers 605. 1932.

Distrib. : North eastern India ; endemic.

Bulbophyllum pectinatum Finet in Bull. Soc. bot. Fr. 44 : 268.

Pl. 7. 1897.

B. spectabile Rolfe in Kew Bull. 193. 1898.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Bulbophyllum picturatum (Lodd.) Reichb. f. in Walp. Ann. 6 :

262. 1861 ; F.B.I. 5 : 775. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

†***Bulbophyllum piluliferum** King & Pantl. in Ann. Roy. Bot.

Gard. Calcutta 8 : 76. t. 104. 1898.

Distrib. : Eastern Himalayas ; endemic.

Bulbophyllum polyrhizum Lindl., Gen. & Sp. Orch. 53. 1830 ;

F.B.I. 5 : 767. 1890.

Distrib. : Himalayas.

World Distrib. : Southern Asia.

Bulbophyllum protractum Hook. f., Fl. Brit. India 5 : 759. 1890.

Distrib. : Eastern Himalayas & Andaman islands.

World Distrib. : Southern Asia.

***Bulbophyllum proudlockii** (King & Pantl.) J. J. Sm. in Bull.

Jard. Bot. Buitenz. Ser. 2. 8 : 27. 1912.

Cirrhopetalum proudlockii King & Pantl. in J. As. Soc. Bengal 66 : 588. 1897.

Distrib. : Peninsular India ; endemic.

Bulbophyllum putidum (Teijsm. & Binnend.) J. J. Sm. in Bull.

Jard. Bot Buitenz. Ser. 2. : 27. 1912.

Cirrhopetalum appendiculatum Rolfe in Kew Bull. 148. 1901.

C. ornatissimum Reichb. f.; F.B.I. 5 : 773. 1890 p.p.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

***Bulbophyllum rauii** Arora in Bull. bot. Surv. India 11 : 440.

1969. (1971).

Distrib. : Western Himalayas ; endemic.

Bulbophyllum repens Griff., Not. Pl. 3 : 293. 1851 ; F.B.I. 5 :

765. 1890.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

Bulbophyllum reptans (Lindl.) Lindl., Gen. & Sp. Orch. 51. 1830 ;
F.B.I. 5 : 768. 1890.

Distrib. : Subtropical & temperate Himalayas.

World Distrib. : South East Asia.

Bulbophyllum retusiusculum Reichb. f. in Gard. Chron. 1182.
1869 ; F.B.I. 5 : 776. 1890.

Cirrhopetalum wallichii Lindl. ; F.B.I. 5 : 776. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Bulbophyllum rigidum** King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 69. t. 94. 1898.

Distrib. : Eastern Himalayas ; endemic.

Bulbophyllum rolfei (Kuntze) Seidenf. in Dansk Bot. Ark. 33(3) : 149. 1979.

Cirrhopetalum parvulum Hook. f., F.B.I. 5 : 778. 1890.

C. dyerianum King & Pantl. in J. As. Soc. Bengal 64 : 35. 1895.

Distrib. : Temperate Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas and Southern Asia.

† ***Bulbophyllumrotschildianum** (O' Brien) J. J. Sm. in Bull. Jard. Bot. Buitenz. Ser. 2. 8 : 27. 1912.

Cirrhopetalumrotschildianum O' Brien in Gard Chron. 2 : 608. 1895.

Distrib. : Eastern Himalayas ; endemic.

† ***Bulbophyllum roxburghii** (Lindl.) Reichb. f. in Walp. Ann. 6 : 263. 1861.

Cirrhopetalum roxburghii Lindl. ; F.B.I. 5 : 774. 1890.

Distrib. : Eastern India ; endemic.

Bulbophyllum sarcophyllum (King & Pantl.) J. J. Sm. in Bull. Jard. Bot. Buitenz. Ser 2. 8 : 27. 1912.

Cirrhopetalum sarcophyllum King & Pantl. in J. As. Soc. Bengal 64 : 335. 1895.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Bhutan.

Bulbophyllum scabratum Reichb. f. in Walp. Ann. 6 : 259. 1861 ;
F.B.I. 5 : 775. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Bulbophyllum secundum Hook. f., Fl. Brit. India 5 : 764. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Bulbophyllum sessile (Koen.) J. J. Sm. in Fl. Buitenz. 6 : 448.
fig. 340. 1905.

B. clandestinum Lindl. ; F.B.I. 5 : 753. 1890.

Distrib. : Andaman islands.

World Distrib. : South East Asia.

***Bulbophyllum sikkimense** (King & Pantl.) J. J. Sm. in Bull.
Jard. Bot. Buitenz. Ser. 2. 8 : 28. 1912.

Cirrhopetalum sikkimense King & Pantl. in Ann. Roy. Bot. Gard.
Calcutta 8 : 90. t. 125. 1898.

Distrib. : Eastern Himalayas ; endemic.

Bulbophyllum spathulatum (Rolfe) Seidenf. in Bot. Tidsskr. 65 :
347. 1970.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

Bulbophyllum striatum (Griff.) Reichb. f. in Walp. Ann. 6 : 257.
1861 ; F.B.I. 5 : 755. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Bulbophyllum thomsonii Hook. f., Fl. Brit. India 5 : 764. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Bhutan.

***Bulbophyllum tremulum** Wight, Ic. 6(1) : 20. t. 1749. 1852. ;
F.B.I. 5 : 763. 1890.

Distrib. : Peninsular India ; endemic.

Bulbophyllum tricorne Seidenf. & Smitin., Orch. Thailand. 4.2 : 806. 1965.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

Bulbophyllum triste Reichb. f. in Walp. Ann. 6 : 253. 1861 ; F.B.I. 5 : 768. 1890.

B. micranthum Hook. f. & *B. alopecurus* Reichb. f., F.B.I. 5 : 768. & 770. 1890.

Distrib. : Western & Eastern Himalayas, Central & North eastern India.

World Distrib. : Southern Asia.

Bulbophyllum umbellatum Lindl., Gen. & Sp. Orch. 56. 1830. F.B.I. 5 : 776. 1890.

Distrib. : Subtropical Himalayas.

World Distrib. : South East Asia.

Bulbophyllum viridiflorum (Hook. f.) Schltr., Orch. 4 : 108. 1910.

Cirrhopetalum viridiflorum Hook. f., F.B.I. 5 : 779. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Bulbophyllum wallichii (Lindl.) Reichb. f. in Walp. Ann. 6 : 259. 1861.

Cirrhopetalum refractum sensu Hook. f., F.B.I. 5 : 779. 1890. p.p.

Distrib. : Subtropical Himalayas.

World Distrib. : South East Asia.

Bulbophyllum xylophyllum Par. & Reichb. f. in Trans. Linn. Soc. 30 : 151. 1874 ; F.B.I. 5 : 766. 1890.

B. gracilipes King & Pantl. in J. As. Soc. Bengal 65 : 119. 1896.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Southern Asia.

Bulbophyllum yokosuneense J. J. Sm. in Bull. Jard. Bot. Butienz.

Ser. 2. 8 : 29. 1912.

Cirrhopetalum brevipes Hook. f., F.B.I. 5 : 777. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

BULLEYIA Schltr.

Bulleyia yunnanensis Schltr. in Not. Roy. Bot. Gard. Edinburgh
5 : 108. 1912.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

CALANTHE R. Br.

***Calanthe alismaefolia** Lindl., Fol. Orch. 8. 1854 ; F.B.I. 5 :
849. 1890.

Distrib. : Eastern Himalayas and North eastern India ; endemic.

Calanthe alpina Lindl., Fol. Orch. 4. 1854 ; F.B.I. 5 : 850. 1890.

Distrib. : Western and Eastern Himalayas.

World Distrib. : India, Central Himalayas.

Calanthe angusta Lindl., Fol. Orch. 7. 1854 ; F.B.I. 5 : 849. 1890.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : South East Asia.

Calanthe biloba Lindl., Fol. Orch. 3. 1854 ; F.B.I. 5 : 848. 1890.

(incl. var. *diptera* Hook. f., *obtusata* Par. & Reichb. f. and *treutleri* Hook. f.).

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Calanthe brevicornu Lindl., Gen. & Sp. Orch. 251. 1833 ; F.B.I.

5 : 848. 1890. (incl. var. *wattii* Hook. f.).

Distrib. : Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas and Southern Asia.

Calanthe chloroleuca Lindl., Fol. Orch. 10. 1854 ; F.B.I. 5 : 852.

1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas.

Calanthe densiflora Lindl., Gen. & Sp. Orch. 250. 1833 ; F.B.I.

5 : 855. 1890.

C. clavata Lindl. ; F.B.I. 5 : 854. 1890.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : South East Asia.

Calanthe gracilis Lindl., Gen. & Sp. Orch. 251. 1833 ; F.B.I. 5 :

855. 1890.

C. longipes Hook. f., F.B.I. 6 : 195. 1890.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : South East Asia.

† * **Calanthe herbacea** Lindl., Fol. Orch. 10. 1854 ; F.B.I. 5 : 852.

1890.

Distrib. : Eastern Himalayas ; endemic.

Calanthe mannii Hook. f., Fl. Brit. India 5 : 850. 1890.

Distrib. : Western and Eastern Himalayas, North eastern India.

World Distrib. : India, Central Himalayas.

Calanthe masuca (D. Don) Lindl., Gen. & Sp. Orch. 249. 1833 ;

F.B.I. 5 : 850. 1890.

C. masuca var. *fulgens* (Lindl.) Hook. f. l.c.

Distrib. : Tropical Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas, South East Asia and the Pacific islands.

var. **purpurea** (Lindl.) Rao & Rathore nov. comb.

C. purpurea Lindl. Gen. & Sp. Orch. 249. 1833 ; F.B.I. 5 : 851. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Calanthe pachystalix Hook. f., Fl. Brit. India 5 : 850. 1890.

Distrib. ; Western Himalayas.

World Distrib. : Central Himalayas and South East Asia.

Calanthe plantaginea Lindl., Gen. & Sp. Orch. 250. 1833 ; F.B.I.

5 : 853. 1890.

†† From Mr. S. R. Rathore (Personal communication).

Distrib. : Western Himalayas.

World Distrib. : India, Central Himalayas.

Calanthe puberula Lindl., Gen. & Sp. Orch. 252. 1833 ; F.B.I. 5 : 848. 1890.

Distrib. : Subtropical Western and Eastern Himalayas, North eastern India.

World Distrib. : India, Central Himalayas.

Calanthe tricarinata Lindl., Gen. & Sp. Orch. 252. 1833 ; F.B.I. 5 : 847. 1890.

Distrib. : Western Himalayas.

World Distrib. : Central Himalayas, South East Asia.

Calanthe triplicata (Willemet) Ames in Philipp. J. Sci. 2 : 326. 1907.

C. veratrifolia (Willd.) Ker-Gawl. and *C. odora* Griff. ; F.B.I. 5 : 851 & 853. 1890.

C. elytriglossa Hook. f. & *C. diploxyphion* Hook. f., F.B.I. 5 : 853 & 849. 1890.

World Distrib. : Widespread from India to Japan, Australia and the Pacific islands.

Calanthe trulliformis King & Pantl. in J. As. Soc. Bengal 64 : 337. t. 2. 1895.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas.

†***Calanthe uncata** Lindl., Fol. Orth. 6. 1854 ; F.B.I. 5 : 853. 1890.

Distrib. : Eastern Himalayas ; endemic.

†***Calanthe whiteana** King & Pantl. in J. As. Soc. Bengal 65 : 121. 1896.

Distrib. : Eastern Himalayas ; endemic.

CEPHALANTHERA Rich.

Cephalanthera longifolia (L.) Fritsch in Oest. Bot. Zeitschr. 38 : 81. 1888.

C. ensifolia Rich. ; F.B.I. 6 : 125. 1890.

World Distrib. : Widespread in Europe, Northern Asia, North Africa & temperate Himalayas.

† ****Cephalanthera thomsoni*** Reichb. f. in Linnaea 41 : 54. 1877 ;

F.B.I. 6 : 125. 1890.

Distrib. : Eastern Himalayas ; endemic.

CERATOSTYLIS Blume

Ceratostylis himalaica Hook. f., Fl. Brit. India 5 : 826. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Ceratostylis subulata Bl., Bijdr. 206. 1825.

C. teres Reichb. f. ; F.B.I. 5 : 825. 1890.

Distrib. : Eastern Himalayas, North eastern India & Nicobar islands.

World Distrib. : South East Asia.

CHEIROSTYLIS Blume (also see DIDYMOPLEXIS and MYRMECHIS)

Cheirostylis flabellata Wight, Ic. 5 (I) : 16. 1852 ; F.B.I. 6 : 105.

1890. p.p.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Cheirostylis griffithii Lindl. in J. Linn. Soc. 1 : 188. 1857 ; F.B.I.

6 : 105. 1890.

Distrib. : Western Himalayas & North eastern India.

World Distrib. : Pakistan, Central Himalayas & Southern Asia.

Cheirostylis parviflora Lindl. in Bot. Reg. Misc. 20. 1839 ; F.B.I.

6 : 105. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Cheirostylis pusilla Lindl., Gen. & Sp. Orch. 489. 1840 ; F.B.I.

6 : 105. 1890.

Distrib. : North eastern India.

World Distrib. : India, Thailand.

CHILOSCHISTA Lindl.

Chiloschista lunifera (Reichb. f.) J. J. Sm. ex Holtt. in Kew Bull.

14 : 273. 1960.

Sarcochilus luniferus Hook. f., F.B.I. 6 : 37. 1890.

C. glandulosa Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 488. 1932.

Distrib. : Eastern Himalayas & Peninsular India.

World Distrib. : Central Himalayas & Southern Asia.

Chiloschista pusilla (Koen.) Schltr., Fedde. Reper. 4 : 275. 1919.

Sarcochilus wightii Hook. f., F.B.I. 6 : 37. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Chiloschista usneoides (D. Don) Lindl. in Bot. Reg. 18 :

Sub t. 1522. 1832 ; F.B.I. 6 : 37. 1890.

Distrib. : Tropical Eastern Himalayas.

World Distrib. : India, Central Himalayas.

CHRYSOGLOSSUM Blume (also see DIGLYPHOSA)

†***Chrysoglossum assamicum** Hook. f., Fl. Brit. India 5 : 784.

1890.

Distrib. : North eastern India ; endemic.

Chrysoglossum erraticum Hook. f., Fl. Brit. India 5 : 784. 1890.

Distrib. : Tropical Eastern Himalayas.

World Distrib. : India, Central Himalayas.

Chrysoglossum maculatum (Thw.) Hook. f., Fl. Brit. India 5 : 784. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

CIRRHOPELALUM Lindl. (see BULBOPHYLLUM)

CLEISOCENTRON Bruhl

Cleisocentron trichromum (Reichb. f.) Bruhl, Guide Orch.
Sikkim 137. 1926.

Saccolabium trichromum Reichb. f. ; F.B.I. 6 : 65. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Bhutan.

CLEISOSTOMA Blume (also see **POMATOCALPA**, **ROBIQUETIA** and
TRICHOGLOTTIS)

Cleisostoma appendiculatum (Lindl.) Bentham & Hook. f. ex Jackson, Index Kew. 1 : 555. 1895.

Sarcanthus appendiculatus (Lindl.) Par. ; F.B.I. 6 : 67. 1890.

Distrib. : Eastern India & North eastern India.

World Distrib. : Southern Asia.

Cleisostoma arietinum (Reichb. f.) Garay in Bot. Mus. Leafl. Harv. 23. 4 : 169. 1972.

Sarcanthus arietinus Reichb. f. ; F.B.I. 6 : 70. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Cleisostoma aspersum (Reichb. f.) Garay in Bot. Mus. Leafl. Harv. 23. 4 : 169. 1972.

Sarcanthus aspersus Reichb. f. & *C. bicuspitatum* Hook. f. ; F.B.I. 6 : 70 & 75. 1890.

S. khasiaensis Tang & Wang in Act. Phytotax. Peking I, 1 : 98. 1951.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Burma & Thailand.

Cleisostoma discolor Lindl. in Bot. Reg. 31. Misc. 59. 1845 ; F.B.I. 6 : 75. 1890.

Sarcanthus macrodon Reichb. f. & *Saccolabium rostellatum* Hook. f., F.B.I. 6 : 70 & 59. 1890.

Sarcanthus auriculatus Rolfe in Kew Bull. 9. 1895.

Distrib. : Peninsular India & Eastern Himalayas.

World Distrib. : South East Asia.

Cleisostoma elegans Seidenf. in Dansk Bot. Ark. 29 : 46. 1975.

Sarcanthus williamsonii sensu Reichb. f. (1874) ; F.B.I. 6 : 67. 1890.

Distrib. : Andaman islands.

World Distrib. : South East Asia.

Cleisostoma filiforme (Lindl.) Garay in Bot. Mus. Leafl. Harv.

23. 4 : 171. 1972.

Sarcanthus filiformis Lindl. ; F.B.I. 6 : 66. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia,

Cleisostoma paniculatum (Ker—Gawl.) Garay in Bot. Mus. Leafl.

Harv. 23. 4 : 173. 1972.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Cleisostoma parishii (Hook. f.) Garay in Bot. Mus. Leafl. Harv.

23. 4 : 173. 1972.

Sarcanthus parishii Hook. f., F.B.I. 6 : 69. 1890.

Distrib. : Western Himalayas.

World Distrib. : India, Burma.

Cleisostoma racemiferum (Lindl.) Garay in Bot. Mus. Leafl.

Harv. 23. 4 : 173. 1972.

Sarcanthus pallidus Lindl. & *S. lorifolius* Par. ex. Hook. f., F.B.I. 6: 68 & 69. 1890.

S. affinis Wall. ex Hook. f. in Ann. Roy. Bot. Gard. Calcutta 5 : 53. 1895 in synonymy.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Cleisostoma ramosum Hook. f., Fl. Brit. India. 6 : 72. 1890.

Distrib. : Tropical Eastern Himalayas & Eastern India.

World Distrib. : India, Burma.

Cleisostoma sagittiforme Garay in Bot. Mus. Leafl. Harv. 23. 4:

174. 1972.

Sarcanthus sagittatus King & Pantl. in J. As. Soc. Bengal 66 : 595. 1897.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Cleisostoma simondii (Gagnep.) Seidenf. in Dansk Bot. Ark. 29: 66. 1975.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

Cleisostoma striatum (Reichb. f.) Garay in Bot. Mus. Leafl. Harv. 23. 4 : 175. 1972.

Echinoglossum striatum Reichb. f. & *C. brevipes* Hook. f., F.B.I. 6 : 76 & 73. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Cleisostoma subulatum Bl., Bijdr. 363. 1825.

Sarcanthus secundus Griff. & *S. oxyphyllus* Wall. ex Lindl.; F.B.I. 6: 67 & 70. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Cleisostoma tenuifolium (L.) Garay in Bot. Mus. Leafl. Harv.

23. 4 : 175. 1972.

Sarcanthus peninsularis Dalz. ; F.B.I. 6 : 67. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka & Thailand.

***Cleisostoma tricallosum** Hegde & Rao in Orch. Rev. 54. 1983.

Distrib. : Eastern Himalayas ; endemic.

Cleisostoma uraiense (Hayata) Garay & Sweet, Orch. S. Ryukyu Isl. 156. 1974.

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

Cleisostoma williamsonii (Reichb. f.) Garay in Bot. Mus. Leafl. Harv. 23. 4 : 176. 1972.

Sarcanthus williamsonii Reichb. f. ; F.B.I. 6 : 67. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

COELOGYNE Lindl. (also see NEOGYNA and PEEONE)

†***Coelogyne albo-lutea** Rolfe in Kew Bull. 414. 1908.

Distrib. : Western Himalayas ; endemic.

Coelogyne assamica Lindl. & Reichb. f. in Bert. Allg. Gaert. 25 :

403. 1857 ; F.B.I. 5 : 833. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Coelogyne barbata Griff., Not. Pl. 72. 1848 ; F.B.I. 5 : 839. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Bhutan & Burma.

Coelogyne breviscapa Lindl. Fol. Orch. 4. 1854 ; F.B.I. 5 : 833.

1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Coelogyne corymbosa Lindl., Fol. Orch. 7. 1854 ; F.B.I. 5 : 831,

1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Coelogyne cristata Lindl. in Coll. Bot. Sub t. 33 (Testus). 1821 ;

F.B.I. 5 : 829. 1890.

World Distrib. : Temperate Himalayas & Tibet.

Coelogyne fimbriata Lindl. in Bot. Reg. 11 : t. 868. 1825 ; F.B.I.

5 : 836. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Coelogyne flaccida Lindl., Gen. & Sp. Orch. 39. 1830 ; F.B.I.

5 : 829. 1890.

Distrib. : Subtropical Himalayas.

World Distrib. : South East Asia.

Coelogyne fuliginosa W. J. Hooker in Bot. Mag. 75 : t. 4440. 1849 ;

F.B.I. 5 : 836. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Burma.

Coelogyné fuscescens Lindl., Gen. & Sp. Orch. 41. 1830 ; F.B.I.

5 : 833. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas & Burma.

var. **brunnea** (Lindl.) Lindl., Fol. Orch. 11. 1854.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Coelogyné glandulosa** Lindl., Fol. Orch. 6. 1854 ; F.B.I. 5 :

835. 1890.

Distrib. : Peninsular India ; endemic.

*var. **bournei** Das & Jain in Bull. bot. Surv. India 18: 241. 1976
(1979).

Distrib. : Peninsular India ; endemic.

*var. **sathyanarayanae** Das & Jain, l.c.

Distrib. : Peninsular India ; endemic.

***Coelogyné griffithii** Hook. f., Fl. Brit. India 5 : 838. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

***Coelogyné hitendrae** Das & Jain in Orch. Rev. 86 : 195. 1978.

Distrib. : North eastern India ; endemic.

Coelogyné holochila Hunt & Summer. in Kew Bull. 20 : 52. 1966.

C. elata sensu Hook. f., F.B.I. 5 : 838. 1890.

Distrib. : North eastern India.

World Distrib. : India, Burma.

Coelogyné longipes Lindl., Fol. Orch. 10. 1854; F.B.I. 5: 839. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Coelogyné micrantha Lindl. in Gard. Chron. 173. 1855 ; F.B.I. 5 :

836. 1890 & 6 : 184. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Burma.

***Coelogyne mossiae** Rolfe emend. Das & Jain in Orch. Rev. 86 : 195 199. 1978.

Distrib. : Peninsular India ; endemic.

***Coelogyne nervosa** A. Rich. in Ann. Sci. nat. Ser. 2. 15 : 16. 1841 ; F.B.I. 5 : 835. 1890.

Distrib. : Peninsular India ; endemic.

Coelogyne nitida (Wall. ex Don) Lindl., Gen. & Sp. Orch. 40. 1830. (excl. syn. *Cymbidium nitidum* Roxb.) ; F.B.I. 5 : 837. 1890.
C. ochracea Lindl. ; F.B.I. 5 : 831. 1890.

Distrib. : Temperate Himalayas.

World Distrib. : South East Asia.

Coelogyne occultata Hook. f., Fl. Brit. India 5 : 832. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Bhutan.

Coelogyne odoratissima Lindl., Gen. & Sp. Orch. 41. 1830 ; F.B.I. 5 : 834. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

*var. **angustifolia** (Rich.) Lindl., Fol. Orch. 5. 1854.

Distrib. : Peninsular India ; endemic.

Coelogyne ovalis Lindl. in Bot. Reg. 24 : 91. Misc. 191. 1838 ; F.B.I. 5 : 836. 1890.

Distrib. : Temperate Himalayas.

World Distrib. : Southern Asia.

Coelogyne prolifera Lindl., Gen. & Sp. Orch. 40. 1830 (excl. Hooker's coll. Khasi hills) ; F.B.I. 5 : 838. 1890.

C. flava Wall. ex Lindl. ; F.B.I. 5 : 839. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas & Burma.

Coelogyne punctulata Lindl. in Coll. Bot. sub t. 33 (Textus) 1821 ; F.B.I. 5 : 837. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas & Burma.

*f. **brevifolia** (Lindl.) Das & Jain in *Fasc. Fl. India* 5 : 25. 1980.

Distrib. : North eastern India ; endemic.

Coelogyné raizadæ Jain & Das in *Proc. Ind. Acad. Sci.* 87B : 119. 1978.

C. longipes sensu King & Pantl. in *Ann. Roy. Bot. Gard. Calcutta* 8 : 136. t. 189. 1898.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Bhutan.

Coelogyné rigida Par. & Reichb. f. in *Trans. Linn. Soc.* 30 : 146.

1874 ; F.B.I. 5 : 839. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Coelogyné rossiana Reichb. f. in *Gard. Chron.* 2 : 80. 1884 ;

F.B.I. 5 : 843. 1890. & 6 : 195. 1890.

Distrib. : North eastern India.

World Distrib. : India, Burma.

Coelogyné schultesii Jain & Das in *Proc. Ind. Acad. Sci.* 87B :

119. 1978.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Coelogyné stricta (Don) Schltr., *Fedde Reper. Beih.* 6 : 184. 1919.

C. elata Lindl.; F.B.I. 5 : 838. 1890 (excl. cit. *Bot. Mag.* 83 t. 5001. 1857).

Distrib. : Tropical Himalayas.

World Distrib. : India, Nepal and Burma.

Coelogyné suaveolens (Lindl.) Hook. f., *Fl. Brit. India* 5: 832. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Coelogyné thailandica Seidenf. in *Dansk Bot. Ark.* 28(4) : 46. 1975.

Distrib. : Andaman islands.

World Distrib. : India, Thailand.

† * ***Coelogyn treutleri*** Hook. f., Fl. Brit. India 5 : 837. 1890.

Distrib. : Eastern Himalayas ; endemic.

Coelogyn uniflora Lindl., Gen. & Sp. Orch. 42. 1830 ; F.B.I. 5 : 842. 1890.

Distrib. : Eastern Himalayas, North eastern & Peninsular India.

World Distrib. : India, Central Himalayas & Burma.

Coelogyn viscosa Reichb. f. in Berl. Allg. Gartenz. 24 : 218. 1856 ; F.B.I. 5 : 832. 1890.

C. graminifolia Par. & Reichb. f. ; F.B.I. 5 : 831. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

CORALLORRHIZA Chatel.

Corallorrhiza trifida Chatelain, Speum. Inaug. Corallorrh. 8. 1760.

C. innata Br. ; F.B.I. 5 : 710. 1890.

World Distrib. : Temperate regions of northern hemisphere.

CORYBAS Salisb.

* ***Corybas himalaica*** (King & Pantl.) U. C. Pradhan, Ind. Orch. I : 143. 1976.

Corysanthes himalaica King & Pantl. in J. As. Soc. Bengal 65 : 128. 1896.

Distrib. : Eastern Himalayas ; endemic.

* ***Corybas purpureus*** Joseph & Yoganar. in Ind. For. 93 : 815. 1967.

Distrib. : North eastern India ; endemic.

CORYMBORKIS Thou.

Corymborkis veratrifolia (Reinw.) Bl., Col. Orch. Arch. Ind. 125.

Pl. 42-43. 1859 ; F.B.I. 6 : 91. 1890.

Distrib. : Subtropical Eastern Himalayas, North eastern & Peninsular India, Andaman islands.

World Distrib. : South East Asia.

COTTONIA Wt.

Cottonia peduncularis (Lindl.) Reichb. f., Cat. Orch. Schiller 52. 1857 ; F.B.I. 6 : 26. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

CREMASTRA Lindl.

Cremastra appendiculata (D. Don) Makino in Bot. Mag. Tokyo 18 : 24. 1904.

C. wallichiana Lindl. ; F.B.I. 6 : 16. 1890.

World Distrib. : Temperate Himalayas to Japan.

CRYPTOCHILUS Wall.

Cryptochilus lutea Lindl. in J. Linn. Soc. 3 : 20. 1859 ; F.B.I. 5 : 827. 1890.

Distrib. : Subtropical Western & Eastern Himalayas, North eastern India.

World Distrib. : India, Central Himalayas.

Cryptochilus sanguinea Wall. Tent. Fl. Nepal. 36. t. 26 1826 : F.B.I. 5 : 827. 1890.

Distrib. : Subtropical Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

CRYPTOSTYLIS R. Br.

Cryptostylis arachnites (Bl.) Hassk. in Cat. Bog. 48. 1844 ; F.B.J. 6 : 118. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

CYMBIDIUM Sw.

Cymbidium aloifolium (L.) Sw. in Nov. Act. Soc. Sci. Upsal. 6 :

73. 1799 ; F.B.I. 6 : 10. 1890. p.p.

C. bicolor Hook. f., F.B.I. 6 : 11. 1890.

C. pendulum (Roxb.) Sw. ; King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 188. t. 251. 1898.

Distrib. : Throughout India.

World Distrib. : Central Himalayas & South East Asia.

† * **Cymbidium cochleare** Lindl. in J. Linn. Soc. 3 : 28. 1859.

Cyperorchis cochleare (Lindl.) Benth. ; F.B.I. 6 : 15. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

Cymbidium cyperifolium Lindl., Gen. & Sp. Orch. 163. 1833 ;

F.B.I. 6 : 13. 1890. (excl. *C. haematodes* Lindl.).

Distrib. : Western & Eastern Himalayas, North eastern India.

World Distrib. : South East Asia.

Cymbidium dayanum Reichb. f. in Gard. Chron. 710. 1869.

C. eburneum var. *dayanum* (Reichb. f.) Hook. f., F.B.I. 6 : 12. 1890.

C. simonsianum King & Pantl. in J. As. Soc. Bengal 64 : 338. 1895.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : South East Asia.

Cymbidium devonianum Paxt. in Mag. Bot. 10 : 97. C. icon 1843 ;

F.B.I. 6 : 10. 1890.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : India, Central Himalayas.

Cymbidium eburneum Lindl. in Bot. Reg. 10 : t. 67. 1847 ; F.B.I.

6 : 11. 1890.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : India, Central Himalayas.

Cymbidium elegans Lindl., Gen. & Sp. Orch. 163. 1833.

Cyperorchis elegans Bl. ; F.B.I. 6 : 14. 1890.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : India, Central Himalayas.

Cymbidium ensifolium (L.) Sw. in Nov. Act. Soc. Sci. Upsal.

6 : 77. 1799 ; F.B.I. 6 : 13. 1890.

C. munronianum King & Pantl. in J. As. Soc. Bengal 64 : 338. 1895.

Distrib. : Western & Eastern Himalayas, North eastern and Peninsular India.

World Distrib. : South East Asia.

† ***Cymbidium gammieanum** King & Pantl. in J. As. Soc. Bengal

64 : 339. 1895.

Distrib. : Eastern Himalayas ; endemic.

Cymbidium hookerianum Reichb. f. in Gard. Chron. 1866: 7.

1866.

C. grandiflorum Griff. ; F.B.I. 6 : 12. 1890.

Distrib. : Eastern Himalayas and Eastern India.

World Distrib. : India, Central Himalayas and Tibet.

Cymbidium iridioides D. Don, Prodr. Fl. Nepal 36. 1825 ; F.B.I.

6 : 14. 1890.

C. giganteum Lindl. non Sw. ; F.B.I. 6 : 12. 1890.

Distrib. : Western Himalayas and North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Cymbidium lancifolium Hook., Exot. Fl. 1 : t. 81. 1823 ; F.B.I.

6 : 9. 1890.

Distrib. : Subtropical Eastern Himalayas and North eastern India.

World Distrib. : South East Asia & Far East.

Cymbidium longifolium D. Don, Prodr. Fl. Nepal. 36. 1825 ;

F.B.I. 6 : 13. 1890.

Distrib. : Western and Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Cymbidium lowianum Reichb. f. in Gard. Chron. 11 : 404, t. 56.

1859.

C. giganteum Lindl. var. *lowiana* Reichb. f. ; F.B.I. 6 : 12. 1890.

Distrib. : Western and Eastern Himalayas.

World Distrib. : Southern Asia.

***Cymbidium mackinnonii** Duthie in J. As. Soc. Bengal 71 : 40.
1902.

Distrib. : Western Himalayas ; endemic.

Cymbidium macrorhizon Lindl., Gen. & Sp. Orch. 162. 1833 ;
F.B.I. 6 : 9. 1890.

Distrib. : Western and Eastern Himalayas, North eastern India.

World Distrib. : Southern Asia.

***Cymbidium mastersii** Lindl. in Bot. Reg. 8. n.s. t. 50. 1845.

Cyperorchis mastersii (Lindl.) Benth. ; F.B.I. 6 : 15. 1890.

Distrib. : Eastern Himalayas and North eastern India ; endemic.

Cymbidium pubescens Lindl., in Bot. Reg. 26 : Misc. 27. t. 38.
1841 ; F.B.I. 6 : 11. 1890.

Distrib. : Nicobar islands.

World Distrib. : South East Asia and the Pacific islands.

Cymbidium tigrinum Hook. f., Fl. Brit. India 6 : 9. 1890.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

***Cymbidium whiteae** King & Pantl. in Ann. Roy. Bot. Gard.

Calcutta 8 : 193. t. 258. 1898.

Distrib. : Eastern Himalayas ; endemic.

CYPERORCHIS Blume (see CYPBDIUM)

CYPRIPEDIUM L. (also see PAPHIOPEDILUM)

Cypripedium cordigerum D. Don, Prodr. Fl. Nepal. 37. 1825 ;
F.B.I. 6 : 170. 1890.

World Distrib. : Temperate Himalayas.

Cypripedium elegans Reichb. f. in Flora 560. 1886 ; F.B.I. 6 : 169.
1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas & South East Tibet.

Cypripedium himalaicum Rolfe apud Hemsl. in J. Linn. Soc. 29 : 319. 1892.

Distrib. : Western & Eastern Himalayas.

World Distrib. : Temperate Himalayas & South East Tibet.

Cypripedium macranthon Sw., Act. Holm. 251. 1800 ; F.B.I. 6 : 170. 1890.

C. tibeticum King ex Rolfe in J. Linn. Soc. 29 : 320. 1892.

Distrib. : Alpine Western & Eastern Himalayas.

World Distrib. : From arctic Northern Europe through Central Himalayas to Eastern Asia & Far East.

DACTYLORHIZA Neck. ex Nevski.

Dactylorhiza hatagirea (D. Don) Soo, Nom. Nov. Gen. Dactylo-
rhiza 4. 1962.

Orchis latifolia auct. non L., Hook. f., F.B.I. 6 : 127. 1890.

Distrib. : Western Himalayas & North eastern India.

World Distrib. : Europe to North Africa, Central, West & South
East Asia.

DENDROBIUM Sw. (also see EPIGENEIUM and FLICKINGERIA)

Dendrobium acinaciforme Roxb., Fl. Ind. 3 : 487. 1832 ; F.B.I.
5 : 723. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Eastern Asia.

Dendrobium aduncum Wall. in Bot. Reg. 1842. Misc. 62. t. 15.
1846 ; F.B.I. 5 : 730. 1890.

Distrib. : Tropical Eastern Himalayas, Eastern & North eastern
India.

World Distrib. : India, Bhutan & Burma.

Dendrobium aggregatum Roxb., Fl. Ind. 3 : 477. 1832 ; F.B.I.
5 : 749. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Dendrobium amoenum Wall. ex Lindl., Gen. & Sp. Orch. 78.
1830. (excl. syn.) ; F.B.I. 5 : 738. 1890.
World Distrib. : Tropical Himalayas & Burma.

***Dendrobium anamalayanum** Chandr., Chandrasek. & Nair in
J. Bombay nat. Hist. Soc. 78(3) : 575. 1981.
Distrib. : Peninsular India ; endemic.

Dendrobium anceps Sw. in Act. Vetensk. Acad. Noya. Hindl. 21 :
246. 1800 ; F.B.I. 5 : 724. 1890.
Distrib. : Tropical Eastern Himalayas, North eastern India,
Andaman & Nicobar islands.
World Distrib. : Central Himalayas & Southern Asia.

Dendrobium aphyllum (Roxb.) Fischer in Fl. Madras 3 : 1416.
1928.
D. pierardi Roxb., F.B.I. 5 : 738. 1890.
Distrib. : Tropical Western & Eastern Himalayas, North eastern
and Peninsular India.
World Distrib. : Central Himalayas & South East Asia.

***Dendrobium aqueum** Lindl. in Bot. Reg. Misc. 6. t. 54. 1843 ;
F.B.I. 5 : 739. 1890.
Distrib. : Peninsular India ; endemic.

***Dendrobium barbatulum** Lindl., Gen. & Sp. Orch. 84. 1830 ;
F.B.I. 5 : 719. 1890.
Distrib. : Peninsular India ; endemic.

Dendrobium bensoniae Reichb. f., Bot. Zeit. 25 : 230. 1867 ;
F.B.I. 5 : 739. 1890.
Distrib. : North eastern India.
World Distrib. : South East Asia.

Dendrobium bicameratum Lindl. in Bot. Reg. Misc. 85. 25. 1839 ;
F.B.I. 5 : 729. 1890.
D. bolboflorum Falc. ex Hook. f., l.c. 729. & 6 : 184. 1890.
Distrib. : Western & Eastern Himalayas, Eastern & North eastern
India.
World Distrib. : India, Central Himalayas & Burma.

Dendrobium candidum Lindl. in Bot. Reg. Misc. 54. 1838 ; F.B.I. 5 : 735. 1890.

Distrib. : Tropical Western & Eastern Himalayas, North eastern India.

World Distrib. : India, Central Himalayas & Burma.

Dendrobium cariniferum Reichb. f. in Gard. Chron. 611. 1869 ; F.B.I. 5 : 720. 1890.

Distrib. : North eastern India.

World Distrib. : India, Burma.

***Dendrobium cathcartii** Hook. f., Fl. Brit. India 5: 727. 1890.

Distrib. : Tropical Eastern Himalayas ; endemic.

Dendrobium chrysanthum Lindl., Gen. & Sp. Orch. 80. 1830 ; F.B.I. 5 : 747. 1890.

Distrib. : Western & Eastern Himalayas and North eastern India.

World Distrib. : Tropical Himalayas.

Dendrobium chryseum Rolfe in Gard. Chron. 1 : 233. 1888 ; F.B.I. 5 : 748 & 6 : 187. 1890.

Distrib. : North eastern India.

World Distrib. : India, Bhutan & Bangladesh.

Dendrobium chrysotoxum Lindl. in Bot. Reg. Sub t. 19 & 36. 1847; F.B.I. 5 : 750. 1890.

Distrib. : North eastern India.

World Distrib. : India, Burma.

Dendrobium crepidatum Lindl. & Paxt. in Fl. Gard. 1 : 63. f. 45. 1850-51. ; F.B.I. 5 : 740. 1890.

Distrib. : Tropical Eastern Himalayas, North eastern & Peninsular India.

World Distrib. : India, Central Himalayas.

Dendrobium cretaceum Lindl. in Bot. Reg. 33. t. 62. 1847 ; F.B.I. 5 : 736. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Burma.

Dendrobium crumenatum Sw. in Act. Holm. 246. 1800 ; F.B.I.

5 : 729. 1890.

Distrib. : Andaman & Nicobar islands.

World Distrib. : South East Asia.

Dendrobium crystallinum Reichb. f. in Gard. Chron. 572. 1868 ;

F.B.I. 5 : 739. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : Southern Asia.

Dendrobium cumulatum Lindl. in Gard. Chron. 756. 1855 ;

F.B.I. 5 : 731. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Bhutan & Burma.

Dendrobium denneanum Kerr. in J. Siam. Soc. nat. Hist. Suppl.

9 : 299. 1933.

D. clavatum Wall. ex Lindl. ; F.B.I. 5 : 746. 1890.

Distrib. : Tropical Western & Eastern Himalayas, North eastern India.

World Distrib. : India, Central Himalayas & Burma.

Dendrobium densiflorum Lindl. in Wall. Pl. As. Rar. 1 : 34.

t. 40. 1830 ; F.B.I. 5 : 748. 1890.

World Distrib. : Tropical Himalayas & Southern Asia.

Dendrobium denudans D. Don, Prodr. Fl. Nepal. 34. 1825 ;

F.B.I. 5 : 715. 1890.

World Distrib. : Subtropical to temperate Himalayas.

Dendrobium devonianum Paxt. in Bot. Mag. 7 : 169. 1840.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : Bhutan & Southern Asia.

Dendrobium eriaeiflorum Griff., Not. Pl. 3: 316. 1851 ; F.B.I. 5:

715. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

Dendrobium falconeri Hook. in Bot. Mag. t. 4944. 1856 ; F.B.I.

5 : 742. 1890.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : Bhutan & Southern Asia.

Dendrobium farmeri Paxt. in Bot. Mag. 15 : 241. 1849 ; F.B.I.

5 : 750. 1890.

Distrib. : Tropical Eastern Himalayas & North eastern India.

World Distrib. : India and Burma.

Dendrobium fimbriatum Hook., Exot. Fl. t. 71. 1823 ; F.B.I. 5:

745. 1890.

Distrib. : Subtropical Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

Dendrobium formosum Roxb. ex Lindl. in Wall. Pl. Asiat. Rar.

34. t. 39. 1830 ; F.B.I. 5 : 721. 1890.

Distrib. : Tropical Eastern Himalayas, North eastern India & Andaman islands.

World Distrib. : Central Himalayas & Southern Asia.

Dendrobium gibsonii Lindl. in Paxt. Bot. Mag. 5 : 169. 1838 ;

F.B.I. 5 : 746. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas & Burma.

Dendrobium haemoglossum Thw., Enum. Pl. Zey. 429. 1864 ;

F.B.I. 5 : 727. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

***Dendrobium herbaceum** Lindl. in Bot. Reg. Misc. 69. 1840 ;

F.B.I. 5 : 719. 1890.

Distrib. : Eastern & Peninsular India ; endemic.

Dendrobium heterocarpum Wall. ex Lindl., Gen. & Sp. Orch.

78. 1830 ; F.B.I. 5 : 737. 1890.

Distrib. : Tropical Eastern Himalayas, North eastern & Peninsular India.

World Distrib. : Central Himalayas & South East Asia.

***Dendrobium heyneanum** Lindl., Gen. & Sp. Orch. 90. 1830 ;
F.B.I. 5 : 718. 1890.

Distrib. : Peninsular India ; endemic.

***Dendrobium hookerianum** Lindl. in J. Linn. Soc. 3 : 8. 1859 ;
F.B.I. 5 : 745. 1890.

Distrib. : Tropical Eastern Himalayas & North eastern India ;
endemic.

Dendrobium indragiriense Schltr., Fedde Reper. 9 : 164. 1911.

Distrib. : Andaman islands.

World Distrib. : Southern Asia.

Dendrobium infundibulum Lindl. in J. Linn. Soc. 3 : 16. 1859 ;
F.B.I. 5 : 721. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Dendrobium kentrophylum Hook. f., Fl. Brit. India 5 : 725,
1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Southern Asia.

***Dendrobium lawianum** Lindl. in J. Linn. Soc. 3 : 10. 1859.

D. crepidatum Lindl. var. *avita* Gammie in J. Bombay nat. Hist.
Soc. 17 : 33. 1906.

Distrib. : Peninsular India ; endemic.

Dendrobium lituiflorum Lindl. in Gard. Chron. 372. 1856 ;
F.B.I. 5 : 740. 1890.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : Southern Asia.

Dendrobium longicornu Lindl. in Bot. Reg. 16. t 1315. 1830 ;
F.B.I. 5 : 720. 1890.

Distrib. : Temperate Eastern Himalayas & North eastern India.
World Distrib. : India, Central Himalayas & Burma.

***Dendrobium mabelae** Gammie in J. Bombay nat. Hist. Soc. 16 : 567. 1905.

Distrib. : Peninsular India ; endemic.

Dendrobium macrostachyum Lindl., Gen. & Sp. 78. 1830 ; F.B.I. 5 : 735. 1890.

D. gamblei King & Pantl. in J. As. Soc. Bengal 66 : 584. 1897.

Distrib. : Peninsular & Central India.

World Distrib. : India, Sri Lanka.

***Dendrobium microbulbon** A. Rich. in Ann. Sci. nat. Ser. 2. 150. 19 t. 8 1841 ; F.B.I. 5 : 716. 1890.

Distrib. : Peninsular India ; endemic.

***Dendrobium miserum** Reichb. f. in Gard. Chron. 381. 1869 ; F.B.I. 5 : 717. 1890.

Distrib. : North eastern India ; endemic.

Dendrobium monticola Hunt & Summer. in Taxon 10 : 110. 1961.

D. alpestre Lindl. ; F.B.I. 5 : 715. 1890.

Distrib. : Temperate Western Himalayas.

World Distrib. : India, Central Himalayas.

Dendrobium moschatum (Buch.-Ham.) Sw. in Schltr. Neim. J. Bot. 1 : 943. 1805.

D. calceolaria Carey ex Hook. f. F.B.I. 5 : 744. 1890.

Distrib. : Tropical Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

***Dendrobium nanum** Hook. f., Fl. Brit. India 5 : 717. 1890.

Distrib. : Peninsular India ; endemic.

Dendrobium nathanielis Reichb. f. in Schill. Cat. Orch. ed 3. 26. 1857 ; F.B.I. 5 : 724. 1890.

Distrib. : North eastern India

World Distrib. : Southern Asia.

Dendrobium nobile Lindl., Gen. & Sp. Orch. 79: 1830 ; F.B.I. 5 : 740. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Dendrobium normale** Falc. in Proc. Linn. Soc. 1 : 14. 1839 ; F.B.I. 5 : 748. 1890.

Distrib. : Western Himalayas ; endemic.

Dendrobium nutans Lindl., Gen. & Sp. Orch. 90. 1830 ; F.B.I. 5 : 734. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Dendrobium ochreatum Lindl. in Bot. Reg. t. 1765. 1835 ; F.B.I. 5 : 748. 1890.

Distrib. : North eastern India.

World Distrib. : India, Bangladesh.

***Dendrobium ovatum** (Willd.) Kranz. in Pflanzen. 45 : 711. 1910

D. chlorops Lindl. ; F.B.I. 5 : 719. 1890.

Distrib. : Peninsular India ; endemic.

Dendrobium palpebrae Lindl. in J. Hort. Soc. 5 : 33. 1850; F.B.I. 5 : 750. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Burma.

† ***Dendrobium parciflorum** Reichb. f. ex Lindl. in J. Linn. Soc 3 : 4. 1859 ; F.B.I. 5 : 724. 1890.

Distrib. : North eastern India ; endemic.

Dendrobium parishii Reichb. f. in Bot. Zeit. 21 : 237. 1863 ; F.B.I. 5 : 740. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Dendrobium peguanum Lindl. in J. Linn. Soc. 3 : 19. 1859 ;

F.B.I. 5 : 717. 1890.

D. microbulbon Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 262. f. 7. 1931 (non A. Rich. 1845).

Distrib. : Eastern Himalayas, Western & Peninsular India.

World Distrib. : India, Burma.

Dendrobium pendulum Roxb., Fl. Ind. 3 : 482. 1832 ; F.B.I.

5 : 741. 1890.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

Dendrobium pensile Ridl. in J. Linn. Soc. 32 : 253. 1896.

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

† ***Dendrobium perula** Reichb. f. in Hamb. Garten. 21 : 298.

1865 ; F.B.I. 5 : 732. 1890.

Distrib. : North eastern India ; endemic.

Dendrobium porphyrochilum Lindl. in J. Linn. Soc. 3 : 18. 1859 ;

F.B.I. 5 : 716. 1890.

D. caespitosum King & Pantl. in J. As. Soc. Bengal 64 : 332. 1895.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas & Burma.

Dendrobium primulinum Lindl. in Gard. Chron. 400. 1858 ;

F.B.I. 5 : 735. 1890.

World Distrib. : Tropical Himalayas & Burma.

Dendrobium pulchellum Roxb. in Lindl. Gen. & Sp. Orch. 82.

1830 ; F.B.I. 6 : 186. 1890.

D. dalhousieanum Wall. ex Paxt. ; F.B.I. 5 : 743. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas & Burma.

† ***Dendrobium rhodocentrum** Reichb. f. in Gard. Chron. 426.

1872 ; F.B.I. 5 : 731. 1890.

Distrib. : India (without specific locality) ; endemic.

Dendrobium ruckeri Lindl. in Bot. Reg. Misc. 8. t. 60. 1843 ;
F.B.I. 5 : 733. 1890.
Distrib. : North eastern India.
World Distrib. : South East Asia.

† ***Dendrobium spatella** Reichb. f. in Hamb. Garten. 21 : 298.
1865 ; F.B.I. 5 : 725. 1890.
Distrib. : North eastern India ; endemic.

† ***Dendrobium strongylanthum** Reichb. f. in Gard. Chron. 1 :
462. 1878 ; F.B.I. 5 : 716. 1890.
Distrib. : India (no specific locality) ; endemic.

Dendrobium stuposum Lindl. in Bot. Reg. Misc. 52. 1838 ; F.B.I.
5 : 737. 1890.
Distrib. : Eastern Himalayas & North eastern India.
World Distrib. : India, Burma.

***Dendrobium sulcatum** Lindl. in Bot. Reg. Misc. t. 65. 1838 ;
F.B.I. 5 : 749. 1890.
Distrib. : Eastern Himalayas & North eastern India ; endemic.

† ***Dendrobium tenuicaule** Hook. f., Fl. Brit. India 6 : 184. 1890.
Distrib. : Andaman islands ; endemic

Dendrobium terminale Par. & Reichb. f. in Trans. Linn. Soc.
30 : 149. 1859 ; F.B.I. 5 : 725. 1890.
Distrib. : North eastern India.
World Distrib. : Southern Asia.

Dendrobium transparens Lindl., Gen. & Sp. Orch. 79. 1830 ;
F.B.I. 6 : 738. 1890.
Distrib. : Tropical Western & Eastern Himalayas, North eastern
India.
World Distrib. : India, Central Himalayas & Bangladesh.

Dendrobium wardianum Warner, Sel. Orch. 1. t. 19. 1862; F.B.I.
5 : 742. 1890.
Distrib. : North eastern India.
World Distrib. : India, Burma.

† ***Dendrobium wattii** (Hook.f.) Reichb. f. in Gard. Chron. 2 : 725.
1888 ; F.B.I. 5 : 721. 1890.
Distrib. : North eastern India ; endemic.

***Dendrobium wightii** Hawkes & Heller in Orchidea 24 : 16. 1962.
D. graminifolium Wight ; F.B.I. 5 : 718. 1890.
Distrib. : Peninsular India ; endemic.

***Dendrobium williamsoni** Day & Reichb. f. in Gard. Chron. 78.
1869 ; F.B.I. 5 : 721. 1890.
Distrib. : North eastern India ; endemic.

DIDICIEA King & Pantl.

***Didiciea cunninghamii** King & Pantl. in J. As. Soc. Bengal 65 :
119. 1896.
Distrib. : Western and Eastern Himalayas ; endemic.

DIDYMOPLEXIS Griff.

***Didymoplexis himalaica** Schltr. in Bull. Herb. Boiss. 2 Ser. 4 :
299. 1906.
Distrib. : Eastern Himalayas ; endemic.

Didymoplexis pallens Griff. in Calcutta J. nat. Hist. 4 : 383. t.
17. 1844 ; F.B.I. 6 : 122. 1890.
Cheirostylis kanarensis Blatt. & McCann in J. Bombay nat. Hist.
Soc. 35 : 752. fig. 4. 1932.
Distrib. : Eastern Himalayas, North eastern, Eastern & Peninsular
India.
World Distrib. : South East Asia.

DIGLYPHOSA Blume

***Diglyphosa macrophylla** (King & Pantl.) King. & Pantl. in
Ann. Roy. Bot. Gard. Calcutta 8 : 98. 1898.
Chrysoglossum macrophyllum King & Pantl. in J. As. Soc. Bengal
64 : 335. 1895.
Distrib. : Eastern Himalayas ; endemic.

DIPHYLAX Hook. f.

Diphylax urceolata (Clarke) Hook. f., Ic. Pl. t. 1865. 1889 ; F.B.I.

6 : 165. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Temperate Himalayas & Eastern Asia.

DIPLOCENTRUM Lindl.

***Diplocentrum congestum** Wight, Ic. 5(1) : 10. t. 1682. 1852 ;

F.B.I. 6 : 78. 1890.

Distrib. : Peninsular India & Eastern India ; endemic.

Diplocentrum recurvum Lindl. in Bot. Reg. 18. Sub. t. 1522. 1832 ;

F.B.I. 6 : 78. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

DIPLOMERIS D. Don

Diplomeris hirsuta Lindl., Gen. & Sp. Orch. 330. 1835 ; F.B.I.

6 : 167. 1890.

Distrib. : Tropical Eastern Himalayas.

World Distrib. : India, Central Himalayas.

Diplomeris pulchella D. Don, Prodr. Fl. Nepal 26. 1825 ; F.B.I.

6 : 167. 1890.

Distrib. : North eastern India.

World Distrib. : India, Central Himalayas & Eastern Asia.

DIPLOPRORA Hook. f.

Diploprora championii Hook. f., Fl. Brit. India 6 : 26. 1890.

Distrib. : Peninsular India, Eastern Himalayas & North eastern India.

World Distrib. : India, Sri Lanka & Eastern Asia.

DISPERIS Sw.

Disperis neilgherrensis Wight, Ic. 5(1) : 15. t. 1710. 1852; F.B.I.

6 : 169. 1890.

D. zeylanica Trim. ; F.B.I., 1.c.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

DORITIS Lindl. (see KINGIDIUM)

ECHINOGLOSSUM Reichb. (see CLEISOSTOMA)

EPIGENEIUM Gagnep.

Epigeneium amplum (Lindl.) Summer. in Kew Bull. 260. 1957.

Dendrobium amplum Lindl. ; F.B.I. 5 : 711. 1890.

Distrib. : Tropical Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

Epigeneium fuscescens (Griff.) Summer. in Kew Bull. 262. 1957.

Dendrobium fuscescens Griff. ; F.B.I. 5 : 712. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Epigeneium rotundatum (Lindl.) Summer. in Kew Bull. 264. 1957.

Dendrobium rotundatum (Lindl.) Reichb. f. ; F.B.I. 5 : 712. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas & Eastern China.

EPIPACTIS Zinn

Epipactis helleborine (L.) Crant., Strib. Austr. 467. 1769.

E. latifolia Sw., F.B.I. 6 : 125. 1890.

World Distrib. : Widespread from Europe through North Africa and Northern Asia to temperate Himalayas & Far East.

Epipactis royleana Lindl. in Royle Ill. 368. 1839, Gen. & Sp.

Orch. 461. 1845 ; F.B.I. 6 : 126. 1890.

World Distrib. : Temperate Himalayas, Northern & Eastern Asia, North & Central America.

Epipactis veratrifolia Boiss. in Diagn. Ser. I. 13 : 11. 1853 ; F.B.I.

6 : 126. 1890.

Distrib. : Temperate Western & Eastern Himalayas, Peninsular, India.

World Distrib. : South East Asia.

EPIPOGIUM R. Br.

Epipogium aphyllum Sw. in Summ. Veg. Scand. 32. 1814 ; F.B.I. 6 : 124. 1890.

World Distrib. : Temperate parts of Europe through Himalayas to Japan.

Epipogium roseum (D. Don) Lindl. in J. Linn. Soc. 1 : 177. 1857 ; F.B.I. 6 : 124. 1890.

E. tuberosum Duthie in Ann. Roy. Bot. Gard. Calcutta 9 : 151. 1906.

World Distrib. : Widespread from West tropical Africa through Asia to Australia & New Caledonia.

***Epipogium sessanum** Hegde & Rao in J. Eco. Tax. Bot. 3(2) : 597. 1982.

Distrib. : Eastern Himalayas ; endemic.

ERIA Lindl. (also see PORPAX, TAINIOPSIS and TRICHOTOSIA)

Eria acervata Lindl. in J. Hort. Soc. 6 : 57. 1851 ; F.B.I. 5 : 796. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

†***Eria acutifolia** Lindl. in Bot. Reg. 28. 1842 ; F.B.I. 5 : 800. 1890.

Distrib. : India (no specific locality) ; endemic.

Eria alba Lindl., Gen. & Sp. Orch. 67. 1830 ; F.B.I. 5 : 795. 1890.

World Distrib. : Subtropical Himalayas.

***Eria albiflora** Rolfe in Kew Bull. 79 : 170. 1893.

Distrib. : Peninsular India ; endemic.

Eria amica Reichb. f. in Xen. Orch. 3 : 168. t. 3. f. 6-9. 1870 ; F.B.I. 5 : 800. 1890.

E. andersonii & E. confusa Hook. f., F.B.I. 5 : 795 & 796. 1890.
Distrib. : Western & Eastern Himalayas, North eastern India.
World Distrib. : Central Himalayas & South East Asia.

****Eria andamanica*** Hook f., Fl. Brit. India 5 : 801. 1890.
Distrib. : Andaman islands ; endemic.

Eria bambusifolia Lindl. in J. Linn. Soc. 3 : 61. 1859 ; F.B.I. 5 : 895. 1890.
Distrib. : Tropical Eastern Himalayas, North eastern & Peninsular India.
World Distrib. : South East Asia.

Eria biflora Griff., Not. Pl. 3 : 302. 1851 ; F.B.I. 5 : 800. 1890.
Distrib. : Tropical Eastern Himalayas & North eastern India.
World Distrib. : South East Asia.

Eria bipunctata Lindl. in Bot. Reg. 83 Misc. 179. 1841 ; F.B.I. 5 : 792. 1890.
Distrib. : North eastern India.
World Distrib. : South East Asia.

Eria bractescens Lindl. in Bot. Reg. 18. Misc. 201. 1841 ; F.B.I. 5 : 796. 1890.
Distrib. : Eastern Himalayas, North eastern India & Andaman & Nicobar islands.
World Distrib. : Central Himalayas & South East Asia.

*var. ***kurzii*** Hook. f., l. c. 797. 1890.
Distrib. : Andaman & Nicobar islands, ; endemic.

Eria carinata Lindl. in J. Linn. Soc. 3 : 50. 1859 ; F.B.I. 5 : 808. 1890.
Distrib. : Eastern Himalayas & North eastern India.
World Distrib. : India, Central Himalayas & Thailand.

Eria clausa King & Pantl. in J. As. Soc. Bengal 65 : 721. 1896.
Distrib. : Eastern Himalayas.
World Distrib. : India, Bhutan, Vietnam.

Eria clavicaulis Wall. & Lindl. in Bot. Reg. 20. Misc. 90. 1840 ;
F.B.I. 5 : 799. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Southern Asia.

Eria coronaria (Lindl.) Reichb. f. in Walp. Ann. 6 : 272. 1861.

Trichosma suavis Lindl. ; F.B.I. 5 : 828 & 6 : 193. 1890.

Distrib. : Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas & South East Asia.

† ***Eria crassicaulis** Hook. f., Fl. Brit. India 5 : 805. 1890.

Distrib. : North eastern India ; endemic.

***Eria dalzelli** Lindl. in J. Linn. Soc. 3 : 47. 1859 (nom. et. syn.
tontum non descr.) ; F.B.I. 5 : 789. 1890. p.p.

E. dalzelli var. *fimbriata* Hook. f., F.B.I. 5 : 789. 1890.

Distrib. : Peninsular India ; endemic.

Eria discolor Lindl. in J. Linn. Soc. 3 : 51. 1859.

E. pulchella sensu Hook. f., F.B.I. 5 : 801. 1890. p.p. (excl.
Malayan pl.).

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Eria excavata Lindl., Gen. & Sp. Orch. 67. 1830. p.p. ; F.B.I. 5 :
795. 1890.

World Distrib. : Temperate Himalayas.

***Eria exilis** Hook. f., Fl. Brit. India 5 : 788. 1890.

E. minima Blatt. & McCann. in J. Bombay nat. Hist. Soc. 35 :
274. f. 2. 1931.

Distrib. : Peninsular India ; endemic.

***Eria ferruginea** Lindl. in Bot. Reg. t. 35. 1839 ; F.B.I. 5 : 804.
1890.

Distrib. : Eastern Himalayas and North eastern India ; endemic.

Eria graminifolia Lindl. in J. Linn. Soc. 3 : 54. 1859 ; F.B.I. 5 :
794. 1890.

World Distrib. : Temperate Himalayas.

Eria javanica (Sw.) Bl., Rumphia 2 : 23. 1836.

E. fragrans Reichb. f. ; F.B.I. 5 : 794. 1890.

Distrib. : Tropical Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Eria lacei Summer. in Kew Bull. 308. 1929.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

Eria laniceps Reichb. f. in Ham. Garten. 19 : 10. 1863.

E. elongata Lindl. ; F.B.I. 5 : 801. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Eria microchilos** Lindl. in J. Linn. Soc. 3 : 47. 1859. (*nom. et syn. tantum non descr.*).

E. dalzellii sensu Hook. f., F.B.I. 5 : 789. 1890. p.p.

Distrib. : Peninsular India ; endemic.

Eria muscicola Lindl. in J. Linn. Soc. 3 : 47. 1859 ; F.B.I. 5 : 789. 1890.

Distrib. : Eastern Himalayas, Eastern & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

*var. **brevilinguis** Joseph & Chandra. in Bull. bot. Surv. India 15 : 267. 1973 (1976).

Distrib. : Peninsular India ; endemic.

***Eria mysorensis** Lindl. in J. Linn. Soc. 3 : 54. 1859 ; F.B.I. 5 : 793. 1890.

Distrib. : Peninsular India ; endemic.

***Eria nana** A. Rich. in Ann. Sci. nat. Ser. 2. 15 : 19. 1841 ; F.B.I. 5 : 789. 1890.

Distrib. : Peninsular India ; endemic.

Eria obesa Lindl., Gen. & Sp. Orch. 68. 1830 ; F.B.I. 5 : 793. 1890.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

***Eria occidentalis** Seidenf. in Nord. J. Bot. 2 : 15. 1982.

Distrib. : Western Himalayas ; endemic.

Eria paniculata Lindl. in Wall. Pl. As. Rar. 1 : 32. t. 36. 1830 ; F.B.I. 5 : 789. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Eria paucinea Lindl. in Bot. Reg. 64 Misc. 79. 1842 ; F.B.I. 5 : 804. 1890.

E. calamifolia Hook. f., F.B.I. 6 : 191. 1890.

Distrib. : Tropical Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

***Eria pauciflora** Wight, Ic. 5(1) : 4. t. 1636. 1852 ; F.B.I. 5 : 799. 1890.

Distrib. : Peninsular India ; endemic

***Eria polystachya** A. Rich. in Ann. Sci. nat. Ser. 2. 15 : 20. t. 9. 1841 ; F.B.I. 5 : 792. 1890.

Distrib. : Peninsular India ; endemic.

Eria pubescens (Hook.) Steud., Nomen. bot. ed. 2. 1 : 566. 1840.

E. flava Lindl. ; F.B.I. 5 : 801. 1890.

Distrib. : Tropical Western & Eastern Himalayas, Eastern & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Eria pudica Ridl. in J. Linn. Soc. 32 : 294. 1896.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Eria pumila Lindl., Gen. & Sp. Orch. 68. 1830 ; F.B.I. 5 : 791. 1890.

Distrib. : North eastern India & Eastern Himalayas.

World Distrib. : India, Burma.

Eria pusilla (Griff.) Lindl. in J. Linn. Soc. 3 : 48. 1859 ; F.B.I. 5 : 787. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

***Eria reticosa** Wight, Ic. 5(1) : 4. t. 1637. 1852 ; F.B.I. 5 : 787. 1890.

E. rupestris Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 270. f. 6. 1931.

Distrib. : Peninsular India & Western Himalayas ; endemic.

†***Eria scabrilinguis** Lindl. in J. Linn. Soc. 3 : 51. 1859 ; F.B.I. 5 : 792. 1890.

Distrib. : Eastern Himalayas ; endemic.

Eria spicata (D. Don) Hand.-Mazz. in Symb. Sin. 7 : 1353. 1936.

E. convallariooides Lindl. ; F.B.I. 5 : 791. 1890.

Distrib. : Tropical Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Eria stricta Lindl. in Collect. Bot. t. 41B. 1825 ; F.B.I. 5 : 791. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

Eria tomentosa Hook. f., Fl. Brit. India 5 : 803. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Eria vittata Lindl. in J. Linn. Soc. 3 : 51. 1859 ; F.B.I. 5 : 794. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

ERYTHRODES Blume

Erythrodes blumei (Lindl.) Schltr. in Schum. & Lauterb., Nachtr. 87. 1905.

Physurus blumei Lindl. ; F.B.I. 6 : 94. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

ESMERALDA Reichb. f. (see **ARACHNIS**)

EULOPHIA R. Br. ex Lindl.

Eulophia andamanensis Reichb. f. in Flora 276. 1872 ; F.B.I.

6 : 8. 1890.

Distrib. : Andaman islands.

World Distrib. : South East Asia.

Eulophia bicallosa (D. Don) Hunt & Summer. in Kew Bull. 20 :

60. 1969.

Bletia bicallosa D. Don ; F.B.I. 6 : 196. 1890.

E. bicarinata (Lindl.) Hook. f., l. c. 6 : 6. 1890.

World Distrib. : Widespread from India to Australia.

Eulophia bracteosa Lindl., Gen. & Sp. Orch. 180. 1833 ; F.B.I.

6 : 3. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

***Eulophia candida** (Lindl.) Hook. f., Fl. Brit. India 6 : 6. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

Eulophia cullenii (Wight) Bl., Orch. Arch. Ind. 187. 1858.

E. flava (Lindl.) Hook. f., F.B.I. 6 : 7. 1890.

Distrib. : Tropical Western Himalayas, Eastern & Peninsular India.

World Distrib. : South East Asia.

Eulophia dabia (D. Don) Hochr. in Bull. New York Bot. Gard. 6 :

270. 1910.

E. campestris Wall. ex Lindl. ; F.B.I. 6 : 4. 1890. pp.

Distrib. : Plains of India, Andaman islands.

World Distrib. : West Asia to India, subtropical Himalayas & Burma.

***Eulophia emilianae** Saldanha in Ind. For. 100(9) : 566. 1974.

Distrib. : Peninsular India ; endemic.

Eulophia epidendracea (Retz.) Fischer in Fl. Pres. Madras 3 : 1434. 1928.

E. virens R. Br. ; F.B.I. 6 : 1. 1890.

Distrib. : Peninsular India & Eastern India.

World Distrib. : South East Asia.

Eulophia explanata Lindl., Gen. & Sp. Orch. 180. 1833 ; F.B.I. 6 : 3. 1890.

Distrib. : Subtropical Western Himalayas & Peninsular India.

World Distrib. : India, Central Himalayas.

***Eulophia geniculata** King & Pantl. in J. As. Soc. Bengal 64 : 337. 1895.

Distrib. : Eastern Himalayas ; endemic.

Eulophia graminea Lindl., Gen. & Sp. Orch. 182. 1833 ; F.B.I. 6 : 2. 1890.

E. decipiens Kurz ; F.B.I. 6 : 5. 1890.

World Distrib. : Widespread from India to Philippines.

Eulophia herbacea Lindl., Gen. & Sp. Orch. 182. 1833 ; F.B.I. 6 : 2. 1890.

Distrib. : Throughout India.

World Distrb. : India, Nepal & Thailand.

***Eulophia hirsuta** Joseph & Vajravelu in Bull. bot. Surv. India 17 : 192. 1975 (1978).

Distrib. : Peninsular India ; endemic.

Eulophia hormusji Duthie in Ann. Roy. Bot. Gard. Calcutta 9 : 125. 1906.

Distrib. : Western Himalayas.

World Distrib. : Pakistan, India & Bhutan.

***Eulophia mackinnoni** Duthie in J. As. Soc. Bengal 71: 40. 1902.

Distrib. : Tropical & Subtropical Western Himalayas ; endemic.

Eulophia macrobulbon Par. & Reichb. f. in Trans. Linn. Soc. 30 :

144. 1878 ; F.B.I. 6 : 7. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

****Eulophia macrorhizon*** Hook. f., Fl. Brit. India 6 : 7. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

Eulophia macrostachya Lindl., Gen. & Sp. Orch. 183. 1833 ;

F.B.I. 6 : 4. 1890.

Distrib. : Peninsular India.

World Distrib. : Madagascar through India to New Hebrides & Fiji islands.

****Eulophia mannii*** (Reichb. f.) Hook. f., Fl. Brit. India 6 : 4. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

****Eulophia nicobarica*** Balak. & Nair in Bull. bot. Surv. India 15 :

271. 1973 (1976).

Distrib. : Nicobar islands ; endemic.

Eulophia nuda Lindl., Gen. & Sp. Orch. 180. 1833 ; F.B.I. 6 : 5.

1890.

E. squalida Lindl. ; F.B.I. 6 : 6. 1890.

World Distrib. : Throughout India to Philippines.

****Eulophia obtusa*** (Lindl.) Hook. f., Fl. Brit. India 6 : 3. 1890.

Distrib. : Tropical & subtropical Western Himalayas ; endemic.

****Eulophia ochreata*** Lindl. in J. Linn. Soc. 3 : 24. 1859 ; F.B.I.

6 : 2. 1890.

Distrib. : Peninsular India ; endemic.

****Eulophia ramentacea*** Wight, Ic. 5(1): 8. t. 1666. 1852; F.B.I. 6:

4. 1890.

Distrib. : Peninsular India ; endemic.

Eulophia sanguinea (Lindl.) Hook. f., Fl. Brit. India 6 : 8. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India & Sri Lanka.

***Eulophia santapaui** Panigr. & Kataki in Sci. & Cult. 33 : 124.
1967.

Distrib. : North eastern India ; endemic.

FLICKINGERIA Hawkes

Flickingeria fimbriata (Bl.) Hawkes in Orch. Weekly 2, 46 : 454.

1961. (excl. several syn.).

Dendrobium kunstleri Hook. f., F.B.I. 5 : 714. 1890.

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

Flickingeria fugax (Reichb. f.) Seidenf. in Dansk Bot. Ark. 34(1) : 46. 1980.

Dendrobium fugax Reichb. f. ; F.B.I. 5 : 752. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Southern Asia.

***Flickingeria hesperis** Seidenf. in Nord. J. Bot. 2 : 16. 1982.

Distrib. : Western Himalayas ; endemic.

Flickingeria macraei (Lindl.) Seidenf. in Dansk Bot. Ark. 34(1) : 39. 1980.

Dendrobium macraei Lindl. ; F.B.I. 5 : 714. 1890. (excl. all syn. & non Ceylonese plants).

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

***Flickingeria nodosa** (Dalz.) Seidenf. in Dansk. Bot. Ark. 34(1) :

41. 1980.

Dendrobium macraei sensu Hook. f., F.B.I. 5 : 714. 1890.

(quoad Deccan plants).

Distrib. : Peninsular India ; endemic.

Flickingeria ritaeana (King & Pantl.) Hawkes in Orch. Weekly 2, 46 : 459. 1961.

Dendrobium ritaeanum King & Pantl. in J. As. Soc. Bengal 66: 583. 1897.

Distrib. : North eastern India.

World Distrib. : India, Thailand.

GALEARIS Rafin. (see AORCHIS)

GALEOLA Lour.

Galeola altissima (Bl.) Reichb. f. in Xen. Orch. 2 : 77. 1865 ;
F.B.I. 6 : 89. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Galeola cathcartii Hook f., Fl. Brit. India 6 : 89. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Thailand.

***Galeola falconeri** Hook. f., Fl. Brit. India 6 : 88. 1890.

Distrib. : Subtropical Western & Eastern Himalayas ; endemic.

Galeola javanica (Bl.) Benth. & Hook. f., Gen. Pl. 3: 590. 1883 ;
F.B.I. 6 : 88. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Galeola lindleyana (Reichb. f.) Reichb. f. in Xen. Orch. 2 : 78.
1865 ; F.B.I. 6 : 88. 1890.

Distrib. : Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Galeola nudifolia Lour., Fl. Cochinch. 2 : 520. 1790.

G. hydra Reichb. f. ; F.B.I. 6 : 89. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

GASTROCHILUS D. Don

Gastrochilus acutifolius (Lindl.) Kuntze, Rev. Gen. 2 : 661. 1891.

Saccolabium acutifolium Lindl. ; F.B.I. 6 : 61. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Bhutan.

Gastrochilus affinis (King & Pantl.) Schltr., Fedde Repert. 12 :
314. 1913.

Saccolabium affine King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 228. t. 304. 1898.

Distrib. : Temperate Eastern Himalayas.

World Distrib. : India, Central Himalayas.

Gastrochilus calceolaris (Buch.-Ham. ex Sm.) D. Don, Prodr. Fl. Nepal 32. 1825 ; F.B.I. 6 : 60. 1890.

Saccolabium nilagiricum Hook. f., F.B.I. 6 : 60. 1890.

Distrib. : Tropical Western Himalayas, North eastern India & Peninsular India.

World Distrib. : South East Asia.

Gastrochilus dasypogon (Sm.) Kuntze, Rev. Gen. 2 : 661. 1891.

Saccolabium dasypogon (Sm.) Lindl. ; F.B.I. 6 : 66. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Gastrochilus distichus (Lindl.) Kuntze, Rev. Gen. 2 : 661. 1891.

Saccolabium distichum Lindl. ; F.B.I. 6 : 64. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas.

***Gastrochilus flabelliformis** (Blatt. & McCann) Saldanha, Fl. Hassan Dist. 630. 1976.

Saccolabium flabelliforme Blatt. & McCann in J. Bombay nat. Hist.

Soc. 35 : 722. t. 1. 1931 (1932).

Distrib. : Peninsular India ; endemic.

Gastrochilus inconspicua (Hook. f.) Seidenf. in Dansk Bot. Ark.

27(4) : 94. 1971.

Saccolabium inconspicuum Hook. f., F.B.I. 6 : 56. 1890.

Distrib. : Western & Eastern Himalayas, North eastern India.

World Distrib. : India, Central Himalayas.

Gastrochilus intermedius (Griff. ex Lindl.) Kuntze, Rev. Gen.

2 : 661. 1891.

Saccolabium intermedium Griff. ex Lindl. ; F.B.I. 6 : 61. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Gastrochilus obliquum Lindl., Gen. & Sp. Orch. 223. 1833.

Saccolabium obliquum Lindl. ; F.B.I. 6 : 61. 1890.

Distrib. : North eastern India.

World Distrib. : India, Burma.

Gastrochilus pseudodistichus (King & Pantl.) Seidenf., Orch.

Fl. Camb. Laos & Vietn. 1 : 65. 1975.

Saccolabium pseudodistichum King & Pantl. in J. As. Soc. Bengal 64 : 341. 1895.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

GASTRODIA R. Br.

***Gastrodia dyeriana** King & Pantl. in J. As. Soc. Bengal 64 : 342. 1895.

Distrib. : Eastern Himalayas ; endemic.

†***Gastrodia exilis** Hook. f., Fl. Brit. India 6 : 123. 1890.

Distrib. : North eastern India ; endemic.

Gastrodia orobanchoides Benth. in Gen. Pl. 3 : 617. 1883 ; F.B.I. 6 : 122. 1890.

Distrib. : Temperate Western Himalayas.

World Distrib. : Pakistan and India.

GEODORUM JACKS.

Geodorum densiflorum (Lam.) Schltr., Fedde Repert. Beih. 4 : 259. 1929.

G. purpureum R. Br. ; F.B.I. 6 : 16. 1890.

G. dilatatum R. Br. ; F.B.I. 6 : 17. 1890.

World Distrib. : From India to Australia.

GOODYERA R. Br.

Goodyera biflora (Lindl.) Hook. f., Fl. Brit. India 6 : 114. 1890.

Distrib. : Temperate Western Himalayas.

World Distrib. : India, Central Himalayas & Tibet.

Goodyera foliosa (Lindl.) Benth. ex Clarke in J. Linn. Soc. 25 : 73. 1889 ; F.B.I. 6 : 113. 1890.

World Distrib. : Himalayas & Eastern Asia.

Goodyera fumata Thw., Enum. Pl. Zeyl. 314. 1864 ; F.B.I. 6 : 111. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

Goodyera fusca (Lindl.) Hook. f., Fl. Brit. India 6 : 112. 1890.

World Distrib. : Subalpine Himalayas, Burma & Tibet.

***Goodyera grandis** King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 284. 1898.

Distrib. : Eastern Himalayas ; endemic.

Goodyera hemsleyana King & Pantl. in J. As. Soc. Bengal 65 : 342. 1896.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas.

Goodyera hispida Lindl. in J. Linn. Soc. 1 : 183. 1857 ; F.B.I. 6 : 114. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Southern Asia.

Goodyera macrantha Maxim. in Fl. des. Serres. Ser. 2.7 ; 113. 1867-68.

Distrib. : Eastern Himalayas.

World Distrib. : India and Japan.

***Goodyera prainii** Hook. f., Fl. Brit. India 6 : 112. 1890.

Distrib. : North eastern India ; endemic.

Goodyera procera (Ker-Gawl.) Hook., Exot. Fl. 1.3 : t. 39. 1823 ; F.B.I. 6 : 111. 1890.

Distrib. : Widespread throughout India & South East Asia.

***Goodyera recurva** Lindl. in J. Linn. Soc. 1 : 183. 1857 ; F.B.I. 6 : 112. 1890.

Distrib. : North eastern India ; endemic.

Goodyera repens (L.) Br. Hort. Kew. 2. 5 : 198. 1850 ; F.B.I. 6 : 111. 1890.

Distrib. : Western & Eastern Himalayas.

World Distrib. : Widespread from North America through Europe, Japan to China, Burma and Himalayas.

***Goodyera robusta** Hook. f., Fl. Brit. India 6: 113. 1890.

Distrib. : North eastern India ; endemic.

Goodyera schlechtendaliana Reichb. f. in Linnaea 22 : 861. 1849 ;

G. secundiflora Lindl. ; F.B.I. 6 : 113. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas, South East Asia.

Goodyera viridiflora (Bl.) Bl., Coll. Orch. Arch. Ind. 41. t. 9. 1858.

G. cordata (Lindl.) Nicols. ; F.B.I. 6 : 114. 1890.

Distrib. : Western Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Goodyera vittata Benth. ex Hook. f., Fl. Brit. India. 6 : 113.

1890.

World Distrib. : Subtropical & temperate Himalayas & Tibet.

GYMNADENIA R. Br.

Gymnadenia camischatica (Cham.) Miyabe & Kudo in Fl. Japan

322. 1965.

Distrib. : Western Himalayas.

World Distrib. : India, Far East Asia & America.

Gymnadenia orchidis Lindl., Gen. & Sp. Orch. 278. 1835 ; F.B.I.

6 : 142. 1890.

Orchis habenariooides King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 302. t. 401. 1898.

World Distrib. : Temperate Himalayas.

HABENARIA Willd. (also see BRACHYCORYTHIS, PECTEILIS,
PERISTYLUS and PLATANTHERA)

Habenaria acuifera Wall. ex Lindl., Gen. & Sp. Orch. 325. 1835 ;

F.B.I. 6 : 146. 1890. (excl. syn. *H. linguella* Lindl.).

Distrib. : North eastern India.

World Distrib. : South East Asia.

Habenaria aitchisoni Reichb. f. in Trans. Linn. Soc. Ser. Bot. 3.

113 : 1888 ; F.B.I. 6 : 152. 1890.

World Distrib. : From Afghanistan to temperate Himalayas & Eastern Asia.

var. **josephi** Hook. f., l. c. 6 : 152. 1890.

World Distrib. : Temperate Himalayas.

Habenaria albo-marginata King & Pantl. in Ann. Roy. Bot. Gard.

Calcutta 8: 322. 1898.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas & Tibet.

***Habenaria andamanica** Hook. f., Fl. Brit. India 6 : 134. 1890.

Distrib. : Andaman islands ; endemic.

Habenaria arietina Hook. f., Fl. Brit. India 6 : 138. 1890.

World Distrib. : Temperate Himalayas & Eastern Asia.

***Habenaria barnesii** Summer. apud Fischer in Fl. Pres. Madras

3 : 1887. 1936.

Distrib. : Peninsular India ; endemic.

†***Habenaria caranjensis** Dalz. in Hook., J. Bot. 2 : 262. 1850 ;

F.B.I. 6 : 166. 1890.

Distrib. : Peninsular India ; endemic.

***Habenaria cephalotes** Lindl., Gen. & Sp. Orch. 322. 1835 ;

F.B.I. 6 : 134. 1890.

Distrib. : Peninsular India ; endemic.

Habenaria commelinifolia (Roxb.) Wall. ex Lindl., Gen. & Sp.

Orch. 325. 1835 ; F.B.I. 6 : 143. 1890.

Distrib. : Throughout India.

World Distrib. : South East Asia.

***Habenaria concinna** Hook. f., Fl. Brit. India 6 : 155. 1890.
Distrib. : North eastern India ; endemic.

***Habenaria crassifolia** A. Rich. in Ann. Sci. nat. Ser. 2. 15 : 72. t. 3C. 1841 ; F.B.I. 6 : 151. 1890. (excl. syn. *H. brachyphylla* Reichb. f.).
Distrib. : Peninsular India ; endemic.

Habenaria crinifera Lindl., Gen. & Sp. Orch. 323. 1835 ; F.B.I. 6 : 142. 1890.
Distrib. : Peninsular India.
World Distrib. : India, Sri Lanka & Bhutan.

Habenaria cubitalis Br., Prodr. 312. 1810 ; F.B.I. 6 : 157. 1890.
Distrib. : North eastern India.
World Distrib. : India, Sri Lanka & Burma.

† ***Habenaria cumminsiana** King & Pantl. in J. As. Soc. Bengal 64 : 343. 1895.
Distrib. : Eastern Himalayas ; endemic.

Habenaria dentata (Sw.) Schltr., Fedde Repert. Beih. 4 : 125. 1919. *H. geniculata* D. Don ; F.B.I. 6 : 138. 1890.
World Distrib. : South East Asia.

Habenaria digitata Lindl., Gen. & Sp. Orch. 307. 1835 ; F.B.I. 6 : 134. 1890.
Distrib. : Throughout India.
World Distrib. : India, Pakistan & Burma.

*var. **travancorica** (Hook. f.) Fischer in Fl. Pres. Madras 3: 1469. 1928. *H. travancorica* Hook. f., F.B.I. 6 : 135. 1890.
Distrib. : Peninsular India ; endemic.

Habenaria diphylloides Dalz. in Hook., J. Bot. 2: 262. 1850 ; F.B.I. 6 : 151. 1890. (excl. *Liparis diphyllos* Nimmo).
Distrib. : Throughout India.
World Distrib. : South East Asia.

Habenaria edgeworthii Hook. f. ex Collett, Fl. Siml. 504. fig. 166. 1902.

H. latilabris Hook. f., F.B.I. 6 : 153. 1890. p.p.

Distrib. : Western Himalayas.

World Distrib. : Pakistan and India.

***Habenaria elliptica** Wight Ic. 5(1) : 13. t. 1706. 1852 ; F.B.I. 6 : 147. 1890.

Distrib. : Peninsular India ; endemic.

***Habenaria elwesii** Hook. f. in Bot. Mag. t. 7478. 1896.

Distrib. : Peninsular India ; endemic.

Habenaria furcifera Lindl., Gen. & Sp. Orch. 319. 1835 ; F.B.I. 6 : 149. 1890.

Distrib. : Throughout India.

World Distrib. : West Asia & South East Asia.

***Habenaria gibsonii** Hook. f., Fl. Brit. India 6 : 135. 1890.

Distrib. : Peninsular India ; endemic.

*var. **foetida** Blatt. & McCann in J. Bombay nat. Hist. Soc. 36 : 16. 1932.

Distrib. : Peninsular India ; endemic.

*var. **foliosa** (A. Rich.) Santapau & Kapadia in J. Bombay nat. Hist. Soc. 56 : 194. 1959.

H. digitata var. *foliosa* Hook. f., l.c.

H. spencei Blatt. & McCann, l. c. 17. t. 3. 1932.

Distrib. : Peninsular India ; endemic.

Habenaria griffithii Hook. f., Fl. Brit. India 6 : 197. 1890.

H. (Dithrix) decipiens Hook. f., l.c. 165. 1890.

Distrib. : Western Himalayas.

World Distrib. : West Asia and India.

***Habenaria grandifloriformis** Blatt. & McCann in J. Bombay nat.

Hist. Soc. 36 : 17. 1932.

H. grandifloriformis var. *aequiloba* Blatt. & McCann, l.c. 18: 1932.

H. grandiflora Lindl. ; F.B.I. 6 : 136. 1890.

Distrib. : Peninsular India ; endemic.

****Habenaria graveolens*** Duthie, Fl. Upper Gang. Pl. 2 : 299. 1920.

Distrib. : Western Himalayas ; endemic.

****Habenaria heyneana*** Lindl., Gen. & Sp. Orch. 320. 1835 ; F.B.I.

6 : 148. 1890.

H. subpubens A. Rich. ; F.B.I. 6 : 148. 1890.

H. cerea Blatt. & McCann in J. Bombay nat. Hist. Soc. 36 : 21. t.

6. 1932. and var. *polyantha* Blatt. & McCann, l.c. 22. 1932.

Distrib. : Peninsular India ; endemic.

****Habenaria hollandiana*** Santapau, Fl. Purandh. 126. 1958.

Distrib. : Peninsular, Central & Eastern India ; endemic.

Habenaria intermedia Don, Prodr. Fl. Nepal 24. 1825 ; F.B.I.

6 : 138. 1890.

World Distrib. : Temperate South East Asia.

Habenaria khasiana Hook. f., Fl. Brit. India 6 : 151. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

****Habenaria longicorniculata*** Grah., Cat. Bombay Pl. 202. 1839 ;

F.B.I. 6 : 141. 1890.

H. longecalcarata var. *viridis* Blatt. & McCann in J. Bombay nat. Hist. Soc. 36 : 20. 1932.

Distrib. : Peninsular India & Eastern India ; endemic.

****Habenaria longicornu*** Lindl., Gen. & Sp. Orch. 322. 1836 ; F.B.I.

6 : 139. 1890.

Distrib. : Peninsular India ; endemic.

Habenaria longifolia Ham. ex Lindl., Gen. & Sp. Orch. 324. 1835 ;

F.B.I. 6 : 141. 1890.

World Distrib. : Subtropical & temperate Himalayas.

Habenaria macrostachya Lindl., Gen. & Sp. Orch. 307. 1835 ;

F.B.I. 6 : 134. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Habenaria malintana (Blanco) Merrill in Bur. Sci. Publ. Manilla 12 : 112. 1918.

H. peloroides Par. & Reichb. f. ; F.B.I. 6 : 166. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Habenaria malleifera Hook.f., Fl. Brit. India 6 : 143. 1890.

H. furfuracea Hook. f., I.c. 144. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Eastern Asia.

Habenaria marginata Coleb. in Hook., Eoxt. Fl. 2, 17. t. 136. 1824; F.B.I. 6 : 150. 1890.

H. fusifera Hook. f., I.c. 6 : 147. 1890.

H. flavescens Hook. f., I.c. 6 : 150. 1890.

Distrib. : Throughout India.

World Distrib. : South East Asia.

***Habenaria multicaudata** Sedgw. in Rec. bot. Surv. India 6 : 352. 1919.

Distrib. : Peninsular India ; endemic.

***Habenaria nematocaulon** Hook. f., Fl. Brit. India 6 : 154. 1890.

Distrib. : Temperate Eastern Himalayas ; endemic.

***Habenaria ovalifolia** Wight, Ic. 5(1) : 13. t. 1708. 1852 ; F.B.I.

6 : 149. 1890.

? *H. modesta* Dalz. ; F.B.I. 6 : 166. 1890.

H. hallbergii Blatt. & McCann in J. Bombay nat. Hist. Soc. 36 : 24. 1932.

Distrib. : Peninsular India ; endemic.

† ***Habenaria pachycaulon** Hook. f., Fl. Brit. India 6 : 154. 1890.

Distrib. : Eastern Himalayas ; endemic.

***Habenaria panchganiensis** Santapau & Kapadia in J. Bombay nat. Hist. Soc. 54 : 478. 1957.

H. variabilis Blatt. & McCann, l.c. 36 : 19 tt. 4-5. 1932. (non Ridley 1886).

Distrib. : Peninsular India ; endemic.

***Habenaria panigrahiana** S. Misra in Blumea 27 : 213. 1981.

Distrib. : Eastern India ; endemic.

*var. **parviloba** S. Misra, l.c.

Distrib. : Eastern India ; endemic.

Habenaria pectinata Don, Prodr. Fl. Nepal 24. 1825 ; F.B.I. 6 : 137. 1890.

World Distrib. : Temperate Himalayas.

*var. **gigantea** U.C. Pradhan, Ind. Orch. II : 683. 1979.

Distrib. : North eastern India ; endemic.

*var. **khasiensis** U.C. Pradhan, l. c. 684, 1979..

Distrib. : North eastern India ; endemic.

***Habenaria perrottetiana** Rich. in Ann. Sci. nat. Ser. 2. 15 : 74.

t. 48. 1841 ; F.B.I. 6 : 164. 1890.

Distrib. : Peninsular India ; endemic.

Habenaria plantaginea Lindl., Gen. & Sp. Orch. 323. 1835 ; F.B.I. 6 : 141. 1890.

World Distrib. : Throughout India, subtropical Himalayas, Burma & Sri Lanka.

***Habenaria polyodon** Hook. f. Fl. Brit. India 6 : 139. 1890.

Distrib. : Peninsular India ; endemic.

Habenaria polytricha (Hook.f.) U.C. Pradhan, Ind. Orch. 1 : 68. 1976.

H. stenopetala var. *polytricha* Hook. f. in Ann. Roy. Bot. Gard. Calcutta 5 : 64. t. 96. 1895.

Distrib. : Eastern Himalayas.

World Distrib. : India, Eastern Asia.

Habenaria pubescens Lindl., Gen. & Sp. Orch. 322. 1835 ; F.B.I.

6 : 144. 1890.

World Distrib. : Subtropical Himalayas.

† ***Habenaria pseudophrys** King & Pantl. in J. As. Soc. Bengal

65 : 133. 1896.

Distrib. : Eastern Himalayas ; endemic.

***Habenaria ramayyana** S. T. Rama. Chary & J.J. Wood in Kew

Bull. 36(2) : 235. 1981.

Distrib. : Eastern India ; endemic.

***Habenaria rariflora** Rich. in Ann. Sci. nat. Ser. 2. 15 : 70 t. 20.

1841 ; F.B.I. 6 : 136. 1890.

H. rariflora var. *latifolia* Blatt. & McCann in J. Bombay nat. Hist. Soc. 36 : 17. 1932.

Distrib. : Peninsular India ; endemic.

Habenaria reflexa Bl., Bijdr. 403. 1825.

H. murtoni Hook.f., F.B.I. 6 : 144. 1890.

H. malleifera King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 313. t. 411. 1898. (non Hook. f.).

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

Habenaria reniformis (D. Don) Hook. f., Fl. Brit. India 6 : 152.

1890.

Distrib. : North eastern India.

World Distrib. : India, Central Himalayas & Eastern Asia.

***Habenaria richardiana** Wight, Ic. 5(1) : 14. t. 1713. 1852 ; F.B.I.

6 : 139. 1890.

Distrib. : Peninsular India ; endemic.

***Habenaria roxburghii** Nicolson in Fl. Hassan Dist. 834. 1976.

H. platyphylla (Willd.) Spreng. ; F.B.I. 6 : 140. 1890.

Distrib. : Central & Peninsular India ; endemic.

Habenaria stenantha Hook. f., Fl. Brit. India 6 : 153. 1890.

World Distrib. : Temperate Himalayas & Eastern Asia.

Habenaria stenopetala Lindl., Gen. & Sp. Orch. 319. 1835; F.B.I.

6 : 134. 1890.

World Distrib. : Widespread from India to Philippines.

***Habenaria suaveolens** Dalz. in Kew J. Bot. 2 : 263. 1850 ; F.B.I.

6 : 140. 1890.

Distrib. : Peninsular India ; endemic.

***Habenaria trifurcata** Hook.f., Fl. Brit. India 6 : 148. 1890.

Distrib. : North eastern India ; endemic.

Habenaria virens (Lindl.) Abeywick. in Ceylon J. Sci. Biol. Sci.

2(2) : 151. 1959.

H. barbata Wight ; F.B.I. 6 : 133. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Habenaria viridiflora (Rottl. ex Sw.) R. Br., Prodr. Fl. N. Holl.

312. 1810 ; F.B.I. 6 : 150. 1890.

H. viridiflora var. *dalzellii* Hook.f., l. c. 6 : 150. 1890.

Distrib. : Peninsular India & Eastern India.

World Distrib. : South East Asia.

HEMIPILIA Lindl.

Hemipilia cordifolia Lindl., Gen. & Sp. Orch. 296. 1833 ; F.B.I.

6 : 167. 1890.

Distrib. : Temperate Western Himalayas.

World Distrib. : India, Central Himalayas.

HERMINIUM Guett.

***Herminium angustilabre** King & Pantl. in J. As. Soc. Bengal

65 : 131. 1896.

Distrib. : Eastern Himalayas ; endemic.

Herminium duthiei Hook. f., Fl. Brit. India 6 : 130. 1890.

Distrib. : Western Himalayas.

World Distrib. : Pakistan, India & Central Himalayas.

***Herminium gracile** King & Pantl. in J. As. Soc. Bengal 65 : 131. 1896.

Distrib. : Eastern Himalayas ; endemic.

***Herminium jeffreyanum** King & Pantl. in J. As. Soc. Bengal 65 : 130. 1896.

Distrib. : Western & Eastern Himalayas ; endemic.

Herminium josephii Reichb. f. in Flora 276. 1872 ; F.B.I. 6 : 129. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas & Tibet.

***Herminium kalimpongensis** U. C. Pradhan, Ind. Orch. II. 680. 1979.

Distrib. : Eastern Himalayas ; endemic.

Herminium lanceum (Thunb. ex Sw.) Vuijk in Blumea 11(1) : 228. 1961.

H. angustifolium (Lindl.) Benth. ex Hook. f., F.B.I. 6 : 129. 1890.

Distrib. : Temperate Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas, South East Asia & Far East.

***Herminium longilobatum** Hegde & Rao in Hima. Pl. J. 1(2) : 47. 1982.

Distrib. : Eastern Himalayas ; endemic.

Herminium mackinonii Duthie in J. As. Soc. Bengal 71 : 44. 1902.

World Distrib. : Temperate Himalayas.

Herminium macrophyllum (D. Don) Dandy in J. Bot. 70 : 328. 1932.

H. congestum Lindl. ; F.B.I. 6 : 130. 1890.

World Distrib. : Alpine Himalayas, Northern & Eastern Asia, Europe.

Herminium monophyllum (D. Don) Hunt & Summer. in Kew Bull. 20 : 51. 1969.

H. gramineum Lindl. ; F.B.I. 6 : 131. 1890.

Distrib. : Western Himalayas.

World Distrib. : India, Central Himalayas.

Herminium monorchis Br. ex Lindl., Gen. & Sp. Orch. 305. 1835 ; F.B.I. 6 : 128. 1890.

World Distrib. : Widespread from Europe through Central & West Asia, alpine Himalayas to South East Asia & Far East.

Herminium orbiculare Hook. f., Fl. Brit. India 6 : 130. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Eastern Asia.

Herminium pungioniforme Lindl. ex Hook. f., Fl. Brit. India 6 : 130. 1890.

World Distrib. : Alpine Himalayas & South East Tibet.

Herminium quinquelobum King & Pantl. in J. As. Soc. Bengal 65 : 130. 1896.

World Distrib. : Subalpine & alpine Himalayas.

HERPYSMA Lindl.

Herpysma longicaulis Lindl., Gen. & Sp. Orch. 506. 1840 ; F.B.I. 6 : 98. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

HETAERIA Blume

†***Hetaeria anomala** Lindl. in J. Linn. Soc. 1 : 185. 1857 ; F.B.I. 6 : 116. 1890.

Distrib. : North eastern India ; endemic.

Hetaeria obliqua Bl. in Coll. Orch. Arch. Ind. 104. t. 34. 1858.

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

Hetaeria oblongifolia (Bl.) Bl. in Coll. Orch. Arch. Ind. 102. t. 32. 1858.

H. helferi Hook. f., F.B.I. 6 : 115. 1890.

Distrib. : Andaman & Nicobar islands.

World Distrib. : South East Asia.

***Hetaeria ovalifolia** Benth. in Gen. Pl. 3 : 604. 1883 ; F.B.I. 6 : 115. 1890.

Distrib. : Peninsular India ; endemic.

Hetaeria rubens (Lindl.) Benth. ex Hook. f., Fl. Brit. India 6 : 115. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Southern Asia.

IONE Lindl. (see SUNPIA)

IPSEA Lindl. (see SPATHOGLOTTIS)

KALIMPONGIA U. C. Pradhan

***Kalimpongia narajitii** U. C. Pradhan in Orch. Dig. 41(5) : 171. f. 1977.

Distrib. : North eastern India ; endemic.

KINGIDIUM P. F. Hunt

Kingidium decumbens (Griff.) Hunt in Kew Bull. 24 : 97. 1970.

Dortis wightii (Reichb. f.) Hook. f., F.B.I. 6 : 32. 1890.

Distrib. : Peninsular India & Eastern Himalayas.

World Distrib. : South East Asia.

Kingidium taenialis (Lindl.) Hunt in Kew Bull. 24 : 68. 1970.

Dortis taenialis (Lindl.) Hook. f., F.B.I. 6 : 31. 1890.

World Distrib. : Subtropical Himalayas & Eastern Asia.

LIPARIS Rich. (also see MALAXIS)

***Liparis acuminata** Hook. f., Fl. Brit. India 5 : 698. 1890.

Distrib. : North eastern India ; endemic.

***Liparis assamica** King & Pantl. in Ann. Roy. Bot. Gard. Calcutta
8 : 36 t. 50. 1898.

Distrib. : North eastern India ; endemic.

Liparis atropurpurea Lindl., Gen. & Sp. Orch. 28. 1830 ; F.B.I.
5 : 698. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

***Liparis beddomei** Ridl. in J. Linn. Soc. 22. 268. 1886 ; F.B.I.
5 : 695. 1890.

Distrib. : Peninsular India ; endemic.

***Liparis biloba** Wight, Ic. 5(1) : 4. t. 1633. 1852 ; F.B.I. 5 : 699.
1890.

Distrib. : Peninsular India ; endemic.

Liparis bistriata Par. & Reichb. f. in Trans. Linn. Soc. 30 : 155.
1874 ; F.B.I. 5 : 702. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

*var. **robusta** Hook. f., Fl. Brit. India 5 : 702. 1890.

Distrib. : North eastern India ; endemic.

Liparis bituberculata (Hook.) Lindl. in Bot. Reg. sub t. 882. 1824 ;
F.B.I. 5 : 696. 1890.

Distrib. : Western & Eastern Himalayas, North eastern India.

World Distrib. : India, Central Himalayas.

Liparis bootanensis Griff., Itin. Not. 98. 1848 (descr.) & Not.
Pl. 3 : 278. 1851 (name) ; F.B.I. 5 : 700. 1890.

L. lancifolia Hook.f. and *L. pachypus* Par. & Reichb. f. ; F.B.I. 5 :
700. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas, South East Asia.

Liparis caespitosa (Thou.) Lindl. in Bot. Reg. 11. subt. 882. 1825.

L. pusilla Ridl., *L. duthiei* Hook. f. & *L. obscura* Hook. f., F.B.I.
5 : 701. 1890.

L. prainii Hook f., l.c. 5 : 700. 1890.

Distrib. : Western & Eastern Himalayas, North eastern India.

World Distrib. : India, Central Himalayas, Africa to Pacific.

Liparis campylostalix Reichb. f. in Linnaea 41 : 45. 1877 ; F.B.I. 5 : 694. 1890.

Distrib. : India (Locality unknown).

World Distrib. : India, Eastern Asia.

Liparis cathcartii Hook. f., Ic. Pl. t. 1808. 1889 ; F.B.I. 5 : 694. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas.

Liparis cordifolia Hook. f., Ic. Pl. t. 1811. 1889 ; F.B.I. 5 : 692. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

***Liparis deflexa** Hook. f., Fl. Brit. India 5 : 697. 1890.

L. flavoviridis Blatt. & McCann in J. Bombay nat. Hist. Soc. 32 : 260. fig. 6. 1931.

Distrib. : Peninsular India, Western & Eastern Himalayas ; endemic.

Liparis delicatula Hook. f., Ic. Pl. t. 1889. 1889 ; F.B.I. 5 : 705. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Liparis distans Clarke in J. Linn. Soc. 25 : 71. t. 29. 1889 ; F.B.I. 5 : 704. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Liparis downii Ridl. in J. Str. Br. Roy. As. Soc. 49 : 27. 1907.

Distrib. : Peninsular India.

World Distrib. : South East Asia.

Liparis elliptica Wight, Ic. 5 : t. 1753. 1852.

L. viridiflora auct non Lindl. p. p., Thw. Enum. Pl. Zeyl. 295. 1864 ; F.B.I. 5 : 704. 1890.

Distrib. : Peninsular India, Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

† ***Liparis gamblei** Hook. f., Ic. Pl. t. 1812. 1889 ; F.B.I. 5: 693. 1890.

Distrib. : Eastern Himalayas ; endemic.

Liparis glossula Reichb. f. in Linnaea 41 : 44. 1877 ; F.B.I. 5 : 693. 1890.

Distrib. : Western & Eastern Himalayas.

World Distrib. : India, Central Himalayas & Eastern Asia.

Liparis khasiana (Hook. f.) Tang & Wang in Act. Phytotax. Sin. 1 : 1. 1951.

Distrib. : North eastern India.

World Distrib. : India, Eastern Asia.

Liparis luteola Lindl., Gen. & Sp. Orch. 32. 1830 ; F.B.I. 5 : 704. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

***Liparis macrocarpa** Hook. f., Fl. Brit. India 5 : 696. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

Liparis mannii Reichb. f., in Flora 55 : 275. 1872; F.B.I. 5 : 701. 1890.

L. tenuifolia Hook. f., Ic. Pl. t. 2013. 1890 ; F.B.I. 6: 182. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Liparis nervosa (Thunb.) Lindl., Gen. & Sp. Orch. 26. 1830.

World Distrib. : Widespread in Old World & New World.

Liparis paradoxa (Lindl.) Reichb. f. in Walp. Ann. 6: 218. 1861 ; F.B.I. 5 : 697. 1890.

L. parishii (Hook.f.) Hook.f., Ic. Pl. t. 182. 1890.

Distrib. : Peninsular India & North eastern India.

World Distrib. : Temperate Himalayas, South East Asia.

Liparis perpusilla Hook. f., Ic. Pl. t. 1856 B. 1889 ; F.B.I. 5 : 706. 1890.

L. togashii Tuyama ex Hara, Fl. E. Himal. 441. 1966.

World Distrib. : Temperate & subtemperate Himalayas.

Liparis petiolata (D. Don) Hunt & Summer. in Kew Bull. 20 : 52. 1966.

L. nepalensis Lindl. & *L. pulchella* Hook. f., F.B.I. 5 : 693. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Liparis plantaginea Lindl., Gen. & Sp. Orch. 29. 1830 ; F.B.I. 5 : 702. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Liparis platyphylla** Ridl. in J. Linn. Soc. 22 : 264. 1886 ; F.B.I. 5 : 695. 1890.

Distrib. : Peninsular India ; endemic.

Liparis platyrachis Hook. f., Ic. Pl. t. 1890. 1889 ; F.B.I. 5 : 706. 1890.

World Distrib. : Temperate Himalayas & Eastern Asia.

Liparis pygmaea King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 34. 1898.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas & Eastern Asia.

Liparis resupinata Ridl. in J. Linn. Soc. 22 : 290. 1886 ; F.B.I. 5 : 705. 1890.

L. ridleyi Hook. f., Ic. Pl. t. 1887. 1889 ; F.B.I. 5 : 705. 1890.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : Temperate Himalayas & Eastern Asia.

Liparis rostrata Reichb. f. in Linnaea 41 : 44. 1877 ; F.B.I. 5 : 694. 1890.

L. diodon Reichb. f. ; F.B.I. 5 : 693. 1890.

Distrib. : Western Himalayas.

World Distrib. : India, Central Himalayas.

***Liparis rupestris** Griff., Not. Pl. 3: 276. 1851; F.B.I. 5: 692. 1890.

Distrib. : North eastern India; endemic.

Liparis stricklandiana Reichb. f. in Gard. Chon. 1 : 232. 1880 ; F.B.I. 5 : 707. 1890.

L. griffithii Ridl. ; F.B.I. 5 : 700. 1890.

L. dolabella Hook. f., I.c. 6 : 183. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Liparis torta** Hook. f., Ic. Pl. t. 2014. 1890 ; F.B.I. 6 : 182. 1890.

Distrib. : North eastern India ; endemic.

***Liparis vestita** Reichb. f. in Flora 55 : 274. 1872 ; F.B.I. 5 : 703. 1890.

Distrib. : North eastern India ; endemic.

Liparis viridiflora (Bl.) Lindl., Gen. & Sp. Orch. 31 : 1830 p.p. ; F.B.I. 5 : 704. 1890.

L. longipes Lindl. ; F.B.I. 5 : 703. 1890.

? *L. stachyurus* Reichb. f. ; F.B.I. 5 : 707. 1890.

Distrib. : Peninsular India & North eastern India.

World Distrib. : Temperate Himalayas, South East Asia.

Liparis walkeriae Graham in Bot. Mag. t. 3770. 1839 ; F.B.I. 5 : 698. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Liparis wightiana Thw., Enum. Pl. Zeyl. 295. 1864. ; F.B.I. 5 : 695. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

LISTERA R. Br. (also see NEOTTIA)

***Listera alternifolia** King & Pantl. in J. As. Soc. Bengal 65 : 126.

1896.

Distrib. : Eastern Himalayas ; endemic.

***Listera brevicaulis** King & Pantl. in J. As. Soc. Benagl 65 : 126.

1896.

Distrib. : Eastern Himalayas ; endemic.

***Listera dentata** King & Pantl. in Ann. Roy. Bot. Gard. Calcutta

8 : 257. 1898.

Distrib. : Eastern Himalayas ; endemic.

***Listera divaricata** Panigrahi & P. Taylor in Kew Bull. 20 : 559.

1975.

Distrib. : Eastern Himalayas ; endemic.

***Listera longicaulis** King & Pantl. in J. As. Soc. Bengal 65 : 126.

1896.

Distrib. : Eastern Himalayas ; endemic.

***Listera micrantha** Lindl. in J. Linn. Soc. 1 : 176. 1857 ; F.B.I.

6 : 104. 1890.

Distrib. : Eastern Himalayas ; endemic.

Listera ovata (L.) R. Br. in Hort. Kew 5 : 201. 1813 ; F.B.I. 6 :

104. 1890.

Distrib. : Western Himalayas.

World Distrib. : India, Central Asia & Europe.

Listera pinetorum Lindl. in J. Linn. Soc. 1 : 175. 1857 ; F.B.I.

6 : 104. 1890.

L. mucronata Panigrahi & J. J. Wood in Kew Bull. 29 : 731. f. 1. 1974.

World Distrib. : Himalayas & Tibet.

Listera tenuis Lindl. in J. Linn. Soc. 1 : 176. 1857 ; F.B.I. 6 :

104. 1890.

Distrib. : Subalpine Eastern Himalayas.

World Distrib. : India, Central Himalayas & Tibet.

LOXOMA Garay

***Loxoma maculata** (Dalz.) Garay in J. Arn. Arb. 53(3) : 202. 1972,

Saccolabium maculatum (Dalz.) Hook. f., F.B.I. 6 : 64. 1890.

Distrib. : Peninsular India ; endemic.

***Loxoma straminea** (Saldanha) U.C. Pradhan, Ind. Orch. II : 522. 1979.

Smithsonia straminea Saldanha in J. Bombay nat. Hist. Soc. 71(1) : 73. 1974.

Distrib. : Peninsular India ; endemic.

Loxoma viridiflora (Dalz.) U.C. Pradhan, Ind. Orch. II : 522. 1979.

Saccolabium viridiflorum Lindl. ; F.B.I. 6 : 63. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

LUISIA Gaud.

***Luisia abrahami** Vatsala, Intr. Orch. S. India 489. 1981.

Distrib. : Peninsular India ; endiemic.

Luisia amesiana Rolfe in Kew Bull. 172. 1893.

Distrib. : Andaman islands.

World Distrib. : India, Burma.

Luisia birchea (A. Rich.) Bl. in Mus. Bot. Lugd. Bat. I : 64. 1849.

L. tenuifolia A. Rich. ; F.B.I. 6 : 24. 1890.

and var. *evangelinae* (Blatt. & McCann) Santapau & Kapadia in J. Bombay nat. Hist. Soc. 59 : 829. 1962.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Luisia brachystachys (Lindl.) Bl. in Rumph. 4 : 50. 1848 ; F.B.I.

6 : 23. 1890.

L. indivisa King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 201. 1898.

Distrib. : Tropical Western & Eastern Himalayas & Eastern India.

World Distrib. : India, Bangladesh, Burma and Thailand.

Luisia filiformis Hook. f., Fl. Brit. India 6 : 23. 1890.

L. grovesii Hook. f., l.c. 25. 1890.

Distrib. : Eastern Himalayas, Eastern & North eastern India.

World Distrib. : South East Asia.

***Luisia macrantha** Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 492. t. 10. 1932.

Distrib. : Peninsular India ; endemic.

Luisia macrotis Reichb. f. in Gard. Chron. 1110. 1869 ; F.B.I. 6 : 24. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

†***Luisia micrantha** Hook.f., Fl. Brit. India 6 : 23. 1890.

Distrib. : North eastern India ; endemic.

***Luisia pulniana** Vatsala, Intr. Orch. S. India 487. 1981.

Distrib. : Peninsular India ; endemic.

Luisia trichorhiza (Hook.) Bl. in Mus. Bot. 1 : 63. 1849 ; F.B.I. 6 : 23. 1890.

World Distrib. : Tropical Himalayas & Southern Asia.

†***Luisia volucris** Lindl., Fol. Orch. 1 : 1853 ; F.B.I. 6 : 25. 1890.

Distrib. : North eastern India ; endemic.

Luisia zeylanica Lindl., Fol. Orch. 3. 1853.

L. teretifolia auct. non Gaud.; Hook. f., F.B.I. 6 : 22. 1890. p.p.

World Distrib. : Widespread from India to Philippines.

MALAXIS Soland. ex Sw.

Malaxis acuminata D. Don., Prodr. Fl. Nepal 29. 1825 ; F.B.I. 5 : 686. 1888.

Microstylis biloba Lindl. and *Microstylis wallichii* var. *omphalooides* Par. ex Ridl. ; F.B.I. 5 : 686. 1888.

World Distrib. : Widespread from India to Philippines.

***Malaxis andamanica** (King & Pantl.) Balak. & Vasud. in Bull. bot. Surv. India 21 : 177. 1979.

Microstylis andamanica King & Pantl. in J. As. Soc. Bengal 66 : 582. 1897.

Microstylis wallichii sensu Hook. f., F.B.I. 5 : 686. 1888. (quoad Andaman specimens).

Microstylis biaurita sensu Hook. f., l.c. 687. 1890. (quoad Andaman specimens).

Distrib. : Andaman islands ; endemic.

***Malaxis aphylla** (King & Pantl.) Tang & Wang in Act. Phytotax. Sin. 1 : 1. 1951.

Microstylis aphylla King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 18. 1898.

Distrib. : Eastern Himalayas ; endemic.

Malaxis biaurita (Lindl.) Kuntze, Rev. Gen. Pl. 2 : 673. 1891.

Microstylis biaurita Lindl. ; F.B.I. 5 : 687. 1890. (excl. Andaman specimens).

Distrib. : North eastern India.

World Distrib. : South East Asia.

Malaxis calophylla (Reichb. f.) Kuntze, Rev. Gen. Pl. 2 : 673. 1891.

Microstylis scottii Hook f., F.B.I. 5 : 687. 1890.

Microstylis wallichii var. *brachycheila* Hook. f., l.c. 686. 1888..

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

***Malaxis crenulata** (Ridl.) Kuntze, Rev. Gen. Pl. 2 : 673. 1891.

Microstylis crenulata Ridl. ; F.B.I. 5 : 691. 1890.

Distrib. : Peninsular India ; endemic.

Malaxis cylindrostachya (Lindl.) Kuntze, Rev. Gen. Pl. 2 : 673. 1891.

Microstylis cylindrostachya Reichb. f. ; F.B.I. 5 : 689. 1890.
World Distrib. : Temperate Himalayas & Eastern Asia.

Malaxis densiflora (Rich.) Kuntze, Rev. Gen. Pl. 2 : 673. 1891.
Microstylis versicolor Wight & *Microstylis luteola* Wight ; F.B.I. 5 : 691. 1890.
Distrib. : Peninsular India.
World Distrib. : India, Sir Lanka.

***Malaxis intermedia** (Rich.) Seidenf. in Bot. Tidskr. 73(2) : 99. 1978.
Liparis intermedia Rich. ; F.B.I. 5 : 690. 1890.
Microstylis stocksii Hook. f., F.B.I. 5 : 691. 1890.
Distrib. : Peninsular India ; endemic.

***Malaxis josephiana** (Reichb. f.) Kuntze, Rev. Gen. Pl. 2 : 673. 1891.
Microstylis josephiana Reichb. f. ; F.B.I. 5 : 687. 1890.
Distrib. : Tropical Eastern Himalayas ; endemic.

Malaxis khasiana (Hook. f.) Kuntze, Rev. Gen. Pl. 2 : 673. 1891.
Microstylis khasiana Hook. f., F.B.I. 5 : 686. 1888.
Distrib. : Eastern Himalayas & North eastern India.
World Distrib. : India, Central Himalayas, Eastern Asia.

Malaxis latifolia J. E. Sm. in Rees. Cyclop. 22. 1812 ; F.B.I. 5 : 689. 1890.
Distrib. : Widespread from India to Australia.

Malaxis mackinnonii (Duthie) Ames, Orch. 6 : 289. 1920.
Microstylis mackinnonii Duthie in J. As. Soc. Bengal 71 : 37. 1902.
Microstylis cardonii Prain, Bengal Pl. 1004. 1903.
Distrib. : Almost throughout India.
World Distrib. : India, Eastern Asia.

***Malaxis maximowicziana** (King & Pantl.) Tang & Wang in Act. Phytotax. Sin. 1 : 1. 1951.
Microstylis maximowicziana King & Pantl. in J. As. Soc. Bengal 64 : 329. 1895.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

Malaxis mucifera (Lindl.) Kuntze, Rev. Gen. Pl. 2 : 673. 1891.

Microstylis mucifera (Lindl.) Ridl. ; F.B.I. 5 : 689. 1890.

World Distrib. : From Afghanistan to Temperate Himalayas and South East Tibet.

Malaxis purpurea (Lindl.) Kuntze, Rev. Gen. Pl. 2 : 763. 1891.

Microstylis purpurea Lindl. ; F.B.I. 5 : 687. 1890.

Microstylis wallichii var. *biloba* King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 16. t. 19. 1898. (non *Microstylis biloba* Lindl.).

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

Malaxis rheedii Sw. in Kyl. vet. nya. Hanoll. 21 : 235. 1800 ; F.B.I. 5 : 688. 1890.

Microstylis rheedii Wight ; F.B.I. 5 : 690. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

†***Malaxis saprophyta** (King & Pantl.) Tang & Wang in Act. Phytotax Sin. 1 : 1. 1951.

Microstylis saprophyta King & Pantl. in J. As. Soc. Bengal 65 : 118. 1896.

Distrib. : Eastern Himalayas ; endemic.

MALLEOLA J.J.Sm. & Schltr.

***Malleola andamanica** Balak. & Bhargava in Proc. Ind. Acad. Sci. 88B : 317. 1979.

Distrib. : Andaman islands ; endemic.

Malleola gracilis (Lindl.) Schltr., Fedde Repert. 1 : 981. 1913.

Saccolabium gracile Lindl. ; F.B.I. 6 : 57. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Malleola rosea (Lindl.) Schltr., Fedde Repert. 1 : 981. 1913.

Saccolabium roseum Lindl. ; F.B.I. 6 : 58. 1890.

S. rostellatum Hook. f., l.c. 6 : 59. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

MICROPERA Lindl.

****Micropera mannii*** (Hook.f.) Tang & Wang in Act. Phytotax. Sin

1(1) : 94. 1951.

Sarcochilus mannii Hook. f., F.B.I. 6 : 36. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

Micropera obtusa (Lindl.) Tang & Wang in Act. Phytotax. Sin.

1(1) : 94. 1951.

Sarcochilus obtusus (Lindl.) Benth. ex Hook. f., F.B.I. 6 : 36. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : Southern Asia.

Micropera rostratum (Roxb.) Balak. in J. Bombay nat. Hist. Soc.

67(1) : 66. 1970.

Sarcochilus purpureus (Lindl.) Benth. ex Hook f., F.B.I. 6 : 36. 1890.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

MICROSTYLIS (Nutt.) Eaton (see MALAXIS)

MONOMERIA Lindl.

Monomeria barbata Lindl., Gen. & Sp. Orch. 61. 1830 ; F.B.I.

5 : 781. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas & Burma.

MYRMECHIS Blume

Myrmechis pumila (Hook. f.) Tang & Wang in Act. Phytotax.

Sin. 1(1) : 69. 1951.

Odontochilus pumilus Hook.f., F.B.I. 6 : 99. 1890.

Cheirostylis franchetiana King & Pantl. in J. As. Soc. Bengal 64 : 341. 1895.

Distrib. : Eastern Himalayas.

World Distrib. : Central Himalayas & South East Asia.

NEOGYNA Reichb. f.

Neogyna gardneriana (Lindl.) Reichb. f. ex Pfitz. in Engler Pflan. fam. 2, 6 : 126. f. 127a. 1888.

Coelogyne gardneriana Lindl. ; F.B.I. 5 : 828. 1890.

Distrib. : Subtropical Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

NEOTTIA Guett.

Neottia listeroides Lindl., Gen. & Sp. Orch. 458. 1840 ; F.B.I. 6 : 103. 1890.

Listera lindleyana King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 258. 1898.

World Distrib. : Temperate Himalayas, Burma & South East Tibet.

NEPHELAPHYLLUM Blume

***Nephelaphyllum cordifolium** Lindl. in J. Linn. Soc. 3 : 23. 1859 ; F.B.I. 5 : 818. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

***Nephelaphyllum nudum** Hook. f., Fl. Brit. India 6 : 192. 1890.

Distrib. : Eastern Himalayas ; endemic.

NERVILIA Comm. ex Gaud.

Nervilia aragoana Gaud. in Freycinet, Voy. Bot. 422. t. 35. 1829.

Pogonia flabelliformis Lindl. ; F.B.I. 6 : 121. 1890.

? *P. carinata* Lind. & ? *P. scottii* Reichb. f. ; F.B.I. 6 : 121. & 120. 1890.

Distrib. : Throughout India (except Northwest India).

World Distrib. : South East Asia.

Nervilia gammieana (Hook. f.) Schltr. in Engler, Bot. Jahrb. 45 : 404. 1911.

Pogonia gammieana Hook. f., F.B.I. 6 : 120. 1890.

World Distrib. : Tropical Himalayas.

***Nervilia hispida** Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 728. 1932.

Distrib. : Peninsular India ; endemic.

† ***Nervilia hookeriana** (King & Pantl.) Schltr. in Engler, Bot. Jahrb. 45 : 403. 1911.

Pogonia hookeriana King & Pantl. in J. As. Soc. Bengal 65 : 129. 1896.

Distrib. : Eastern Himalayas ; endemic.

Nervilia infundibulifolia Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 725. t. 3. 1932.

N. hallbergii Blatt. & McCann, l.c. 726. 1932.

Distrib. : Peninsular India.

World Distrib. : Southern Asia.

Nervilia juliana (Roxb.) Schltr. in Engler, Bot. Jahrb. 45 : 402. 1911.

Pogonia juliana (Roxb.) Lindl. ; F.B.I. 6 : 119. 1890.

Distrib. : Peninsular, Eastern & North eastern India.

World Distrib. : Southern Asia.

***Nervilia mackinnonii** (Duthie) Schltr. in Engler, Bot. Jahrb. 45 : 402. 1911.

Pogonia mackinnonii Duthie in J. As. Soc. Bengal 71 : 43. 1902.

Distrib. : Western Himalayas ; endemic.

Nervilia macroglossa (Hook. f.) Schltr. in Engler, Bot. Jahrb. 45 : 403. 1911.

Pogonia macroglossa Hook. f., F.B.I. 6 : 120. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

Nervilia plicata (Andr.) Schltr. in Engler, Bot. Jahrb. 45 : 403. 1911.

Pogonia biflora Wight & *P. plicata* (Roxb.) Lindl. ; F.B.I. 6 : 119. 1890.

N. discolor (Bl.) Schltr., l.c.

Distrib. : Throughout India (except Northwest India).

World Distrib. : South East Asia.

Nervilia prainiana (King & Pantl.) Seidenf. in Dansk Bot. Ark. 32(2) : 149. 1978.

Pogonia prainiana King & Pantl. in J. As. Soc. Bengal 65 : 129. 1896.

N. monantha Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 724. 1932.

Distrib. : Eastern Himalayas, North eastern & Peninsular India.

World Distrib. : Southern Asia.

Nervilia punctata (Bl.) Makino in Bot. Mag. Tokyo 16 : 199. 1902
nomen tantum.

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

OBERONIA Lindl.

Oberonia acaulis Griff., Not. Pl. 3 : 275. 1851 ; F.B.I. 5 : 679. 1888.

World Distrib. : Subtropical Himalayas, South East Asia.

***Oberonia anamalayana** Joseph in J. Bombay nat. Hist. Soc. 42 : 222. 1964.

Distrib. : Peninsular India ; endemic.

***Oberonia angustifolia** Lindl., Fol. Orch. 5. 1859 ; F.B.I. 5 : 684. 1888.

Distrib. : Eastern Himalayas and North eastern India ; endemic.

Oberonia anthropophora Lindl., Gen. & Sp. Orch. 16 : 1830 ; F.B.I. 5 : 684. 1888.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

***Oberonia auriculata** King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 13. 1898.

Distrib. : Eastern Himalayas ; endemic.

***Oberonia bellii** Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 256. f. 1. 1931.

Distrib. : Peninsular India ; endemic.

Oberonia bicornis Lindl., Gen. & Sp. Orch. 16. 1830 ; F.B.I. 5 : 682. 1888.

O. umbonata Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 259. 1931.

Distrib. : Peninsular India & North eastern India.

World Distrib. : India, Sri Lanka.

***Oberonia brachyphylla** Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 257. t. 2. 1931.

Distrib. : Peninsular India ; endemic.

Oberonia brachystachya Lindl., Sert. Orch. Sub. t. 8. 1838; F.B.I. 5 : 677. 1888.

O. demissa Lindl. ; F.B.I. 5 : 680. 1888.

Distrib. : Tropical Eastern Himalayas.

World Distrib. : South East Asia.

***Oberonia brunoniania** Wight, Ic. 5(1) : 3. t. 1622. 1852 ; F.B.I. 5 : 681. 1888.

Distrib. : Peninsular India ; endemic.

Oberonia caulescens Lindl., Fol. Orch. 15. 1830 ; F.B.I. 5 : 682. 1888.

O. longilabris King & Pantl. in J. As. Soc. Bengal 64 : 330. 1895.

World Distrib. : Tropical & subtropical Himalayas, Eastern Asia.

Oberonia clarkei Hook. f., Ic. Pl. t. 1779. 1888 ; F.B.I. 5 : 676. 1888.

Distrib. : North eastern India.

World Distrib. : India, Yunan.

Oberonia emarginata King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 6. 1898.

O. micrantha King & Pantl., l.c. 8 : 6. 1898.

Distrib. : Tropical Eastern Himalayas & North eastern India.
World Distrib. : South East Asia.

Oberonia ensiformis (J. E. Sm.) Lindl., Fol. Orch. 21. 1859 ;
 F.B.I. 5 : 679. 1888.

Distrib. : Almost throughout India (except hotter parts).
World Distrib. : Tropics of South East Asia.

Oberonia falcata King & Pantl. in J. As. Soc. Bengal 64 : 329.
 1895.

Distrib. : Eastern Himalayas & North eastern India.
World Distrib. : Tropics & subtropics of South East Asia.

Oberonia falconeri Hook. f., Ic. Pl. t. 1780. 1888; Fl. Brit. India.
 5 : 678. 1888.

Distrib. : Almost throughout India.
World Distrib. : Tropical South East Asia.

Oberonia gammiei King & Pantl. in J. As. Soc. Bengal 66 : 578.
 1897.

Distrib. : Peninsular India & Eastern India.
World Distrib. : South East Asia.

Oberonia griffithiana Lindl., Sert. Orch. t. 8B. 1838 ; F.B.I. 5 :
 676. 1888.

Distrib. : Western Himalayas.
World Distrib. : South East Asia.

Oberonia iridifolia (Roxb.) Lindl., Gen. & Sp. Orch. 15. 1830.
 p.p. (excl. syn. *Malaxis ensiformis*) ; F.B.I. 5 : 675. 1888.

World Distrib. : Widespread from India to Pacific.

Oberonia jenkinsiana Griff. ex Lindl., Fol. Orch. 20. 1859 ; F.B.I.
 5 : 676. 1888.

Distrib. : Eastern Himalayas & North eastern India.
World Distrib. : India, Eastern Asia.

***Oberonia josephi** Saldanha in Ind. For. 100 : 569. t. 2. 1974.
Distrib. : Peninsular India ; endemic.

***Oberonia lobulata** King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 4. 1898.

Distrib. : Eastern Himalayas ; endemic.

Oberonia longibracteata Lindl., Gen. & Sp. Orch. 15. 1830 ; F.B.I. 5 : 678. 1888.

Distrib. : Peninsular India.

World Distrib. : South East Asia.

***Oberonia mannii** Hook. f., Fl. Brit. India 6 : 180. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

Oberonia maxima Par. ex Hook. f., Fl. Brit. India 5 : 677. 1888.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Oberonia myosurus Lindl., Gen. & Sp. Orch. 16. 1830. (p. p. excl. syn. & loc. Society Isl.) ; F.B.I. 5 : 685. 1888.

Distrib. : Western Himalayas.

World Distrib. : India, Central Himalayas & Eastern Asia.

Oberonia obcordata Lindl., Fol. Orch. 43. 1859 ; F.B.I. 5 : 684. 1888.

O. treutleri Hook f., F.B.I. 5 : 683. 1888.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas, South East Asia,

***Oberonia orbicularis** Hook. f., Fl. Brit. India 5 : 677. 1888.

Distrib. : Eastern Himalayas ; endemic.

Oberonia pachyphylla King & Pantl. in Ann. Roy. Bot. Gard.

Calcutta 8 : 5. t. 4. 1898.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

Oberonia pachyrachis Reichb. f. ex Hook. f., Fl. Brit. India 5 : 681. 1888.

World Distrib. : Tropical Himalayas, Eastern Asia.

***Oberonia platycaulon** Wight, Ic. 5(1) : 3. t. 1623. 1852 ; F.B.I. 5 : 682. 1888.

Distrib. : Peninsular India ; endemic.

Oberonia prainiana King & Pantl. in J. As. Soc. Bengal 64 : 331. 1895.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

***Oberonia proudlockii** King & Pantl. in J. As. Soc. Bengal 66 : 580. 1897.

O. sedgwickii Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 287. 1931.

Distrib. : Peninsular India ; endemic.

Oberonia pyrulifera Lindl., Fol. Orch. 15 : 1859 ; F.B.I. 5 : 678. 1888.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Eastern Asia.

Oberonia recurva Lindl., Fol. Orch. 5. 1852 ; F.B.I. 5 : 680. 1888.

O. croftiana King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 7. 1898.

O. parvula King & Pantl. in J. As. Soc. Bengal 64 : 330. 1895.

var. *lingmalensis* (Blatt. & McCann) Santapau & Kapadia in J. Bombay nat. Hist. Soc. 57 : 259. 1960.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka, Bhutan and Thailand.

Oberonia rufilabris Lindl., Sert. Orch. t. 8A. 1838 ; F.B.I. 5 : 686. 1888.

World Distrib. : Tropical South East Asia.

***Oberonia santapaui** Kapadia in J. Bombay nat. Hist. Soc. 57 : 265. 1960.

O. lindleyana Wight ; F.B.I. 5 : 681. 1888.

Distrib. : Peninsular India ; endemic.

***Oberonia sebastiana** Shetty & Vivek. in Bull. bot. Surv. India 17 : 157. 1975. (1978).
Distrib. : Peninsular India ; endemic.

***Oberonia seidenfadeniana** Joseph & Vajravelu in Bull. bot. Surv. India 13 : 344. 1971.
Distrib. : Peninsular India ; endemic.

***Oberonia sulcata** Joseph & Chowd. in J. Bombay nat. Hist. Soc. 63 : 54. 1966.
Distrib. : Eastern Himalayas ; endemic.

Oberonia tenuis Lindl., Fol. Orch. 3 : 1859 ; F.B.I. 5 : 682. 1888.
Distrib. : Peninsular India.
World Distrib. : India, Sri Lanka.

Oberonia verticillata Wight, Ic. 5(1) : 3. t. 1626. 1852; F.B.I. 5 : 677. 1888.
O. verticillata var. *longibracteata* Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 255. 1931.
O. spiralis Blatt. & McCann, l.c. 256. 1931. (non Griff. 1851, nec. Lindl. 1852).
Distrib. : Peninsular India.
World Distrib. : India, Sri Lanka.

Oberonia wightiana Lindl. in Bot. Reg. Misc. 9. 1839 ; F.B.I. 5 : 683 1888.
Distrib. : Peninsular India.
World Distrib. : India & Sri Lanka.

Oberonia zeylanica Hook. f., Ic. Pl. 18. t. 1782. 1888 ; F.B.I. 5 : 680. 1888.
Distrib. : Peninsular India.
World Distrib. : India, Sri Lanka.

ODONTOCHILUS Blume (see **ANOECTOCHILUS** and **MYRMECHIS**)

ORCHIS L. (also see **AORCHIS**, **AMITOSTIGMA**, **DACTYLORHIZA**,
GYMNAEDEНИA and **PONERORCHIS**)

***Orchis graggeriana** Soo in J. Bot. Cond. 66 : 15. 1928.

Distrib. : Western Himalayas ; endemic.

OREORCHIS Lindl.

Oreorchis foliosa (Lindl.) Lindl. in J. Linn. Soc. 3 : 27. 1859 ; F.B.I. 5 : 709. 1890.

World Distrib. : Temperate Himalayas & South East Asia.

† ***Oreorchis indica** (Lindl.) Hook. f., Fl. Brit. India 5 : 709. 1890.

Distrib. : Western Himalayas ; endemic.

Oreorchis micrantha Lindl. in J. Linn. Soc. 3 : 27. 1859 ; F.B.I. 5 : 709. 1890.

World Distrib. : Temperate Himalayas & Eastern Asia.

***Oreorchis rolfei** Duthie in J. As. Soc. Bengal 71 : 38. 1902.

Distrib. : Western Himalayas ; endemic.

ORNITHOCHILUS (Lindl.) Benth.

Ornithochilus difformis (Wall.) Schltr., Orch. Sino-Japan. 4 : 277. 1919.

Aerides difforme Wall. ; F.B.I. 6 : 76. 1890.

World Distrib. : Tropical Himalayas & South East Asia.

OTOCILUS Lindl.

Otochilus alba Lindl., Gen. & Sp. Orch. 35. 1830 ; F.B.I. 5 : 843. 1890.

World Distrib. : Temperate Himalayas & Eastern Asia.

Otochilus fusca Lindl., Gen. & Sp. Orch. 35. 1830 ; F.B.I. 5 : 844. 1890.

World Distrib. : Subtropical & temperate Himalayas, South East Asia.

Otochilus lanciliabius Seidenf. in Bot. Tidissk. 71 : 13. 1976.

World Distrib. : Subtropical & temperate Himalayas, South East Asia.

Otochilus porrecta Lindl., Gen. & Sp. Orch. 36. 1830 ; F.B.I. 5 : 844. 1890.

World Distrib. : Subtropical & temperate Himalayas, South East Asia.

PACHYSTOMA Blume

Pachystoma senile (Lindl.) Reichb. f., Bonplandia 3 : 250. 1858 ; F.B.I. 5 : 812. 1890.

Distrib. : Throughout India (except Northwest India).

World Distrib. : South East Asia.

PANISEA (Lindl.) Lindl.

Panisea demissa (D. Don) Pfitz. in Engler, Pfanz. Fam. 4. 50. 2.B 32 : 141. t. 49. 1907.

P. parviflora (Lindl.) Lindl. ; F.B.I. 6 : 783. 1890.

Distrib. : Subtropical Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Panisea tricallosa Rolfe in Kew Bull. 148. 1901.

Distrib. : Eastern Himalayas and North eastern India.

World Distrib. : Southern Asia.

PANTLINGIA Prain

***Pantlingia paradoxa** Prain in J. As. Soc. Bengal 65 : 107. 1896.

Distrib. : Eastern Himalayas & North eastern India; endemic.

***Pantlingia serrata** Deori in Bull. bot. Surv. India 20 : 175. 1978. (1979).

Distrib. : North eastern India ; endemic.

⁺⁺PAPHIOPEDILUM Pfitz.

***Paphiopedilum druryi** (Bedd.) Stein in Orchideenbuch 466.
1892.

Cypripedium druryi Bedd. ; F.B.I. 6 : 172. 1890.
Distrib. : Peninsular India ; endemic.

Paphiopedilum fairieanum (Bl.) Stein in Orchideenbuch 467.
1892.

Cypripedium fairieanum Bl.; F.B.I. 6 : 173. 1890.
Distrib. : Eastern Himalayas.
World Distrib. : India, Bhutan.

Paphiopedilum hirsutissimum (Lindl. ex Hook.) Stein in Orchideenbuch 470. 1892.

Cypripedium hirsutissimum Lindl ex. Hook. ; F.B.I. 6 : 171. 1890.
Distrib. : North eastern India.
World Distrib. : India, Thailand & Vietnam.

Paphiopedilum insigne (Wall. ex Lindl.) Pfitz. in Engler, Bot. Jahrb. 19 : 41. 1894.

Cypripedium insigne Wall. ex Lindl. ; F.B.I. 6 : 172. 1890.
Distrib. : Eastern Himalayas & North eastern India.
World Distrib. : India, Central Himalayas.

***Paphiopedilum spicerianum** (Reichb. f.) Pfitz. in Engler, Bot. Jahrb. 19 : 41. 1894.

Cypripedium spicerianum Reichb. f. ; F.B.I. 6 : 172. 1890.
Distrib. : North eastern India ; endemic.

***Paphiopedilum venustum** (Wall. ex Sims.) Pfitz. in Engler, Bot. Jahrb. 19 : 41. 1894.

Cypripedium venustum Wall. ex Sims. ; F. B. I. 6 : 173. 1890.
Distrib. : Tropical Eastern Himalayas & North eastern India ; endemic.

⁺⁺**Paphiodedilum charlesworthii** (Rolfe) Pfitz. Morph. Stud. Orch. 40. 1886 (Burma and Mizoram) and **Paph. wardii** Summer. in Gard. Chren. Ser. 3. 92: 446. 1932 (Arunachal Pradesh) have been reported by Pradhan (1976).

*var. **rubrum** U. C. Pradhan, Ind. Orch. II. 675. 1979.

Distrib. : North eastern India ; endemic.

*var. **teestaensis** U. C. Pradhan, l.c.

Distrib. : Eastern Himalayas ; endemic.

Paphiopedilum villosum (Lindl.) Stein in Orchideenbuch. 490.

1892.

Cypripedium villosum Lindl. ; F.B.I. 6 : 171. 1890.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

PAPILIONANTHE Schltr.

***Papilionanthe subulata** (Koen.) Garay in Bot. Mus. Leafl. Harv.

23(10) : 369. 1974.

Aerides cylindricum Lindl. ; F.B.I. 6 : 4 1890.

Distrib. : Peninsular India ; endemic.

Papilionanthe teres (Roxb.) Schltr. in Orchis 9 : 78. 1915.

Vanda teres (Roxb.) Lindl. ; F.B.I. 6 : 49. 1890.

Distrib. : Eastern Himalayas, North eastern India and Andaman & Nicobar islands.

World Distrib. : Central Himalayas & Southern Asia.

Papilionanthe uniflora (Lindl.) Garay in Bot. Mus. Leafl. Harv.

23(10) : 370. 1974.

Aerides longicornu Hook. f., F.B.I. 6 : 4 1890.

Distrib. : North eastern India.

World Distrib. : India, Central Himalayas.

Papilionanthe vandarum (Reichb. f.) Garay in Bot. Mus. Leafl.

Harv. 23(10) : 370. 1974.

Aerides vandarum Reichb. f. ; F.B.I. 6 : 4 1890.

Distrib. : Eastern Himalayas & North esatern India.

World Distrib. : India, Central Himalayas.

PECTEILIS Rafin.

***Pecteilis gigantea** (J.E.Sm.) Rafin., Fl. Tell. 2 : 38. 1836.

Habenaria susannae sensu Hook. f., F.B.I. 6 : 137. 1890. p.p.

Distrib. : Western Himalayas & Peninsular India ; endemic.

Pecteilis henryii Schltr., Fedde Repert. Beih. 4 : 45. 1919.

Distrib. North eastern India.

World Distrib. : South East Asia.

Pecteilis susannae (L.) Rafin., Fl. Tell. 2 : 38. 1836.

Habenaria susannae (L.) Br. ; F.B.I. 6 : 13. 1890. p.p.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Pecteilis triflora (D. Don) Tang & Wang in Act. Phytotax. Sin.

I : 62. 1951.

Habenaria triflora D. Don ; F.B.I. 6 : 142. 1890.

Distrib. : Western Himalayas.

World Distrib. : India, Central Himalayas & Eastern Asia.

PELATANTHERIA Ridl.

Pelatantheria insectifera (Reichb. f.) Ridl. in J. Linn. Soc. 32 : 37. 1896.

Sarcanthus insectifer Reichb. f. ; F.B.I. 6 : 68. 1890.

Distrib. : Western Himalayas, Eastern & North eastern India.

World Distrib. : Southern Asia.

PENNILABIUM J. J. Sm.

***Pennilabium proboscideum** Rao & Joseph in Bull. bot. Surv.

India 10 : 23. 1968.

Distrib. : North eastern India ; endemic.

PERISTYLUS Blume

Peristylus affinis (D. Don) Seidenf. in Dansk Bot. Ark. 31(3) : 48. 1977.

Habenaria affinis D. Don ; F.B.I. 6 : 166. 1890.

H. goodyeroides auct p. p. Hook. f., F.B.I. 161 : 1890.

Distrib. : Subtropical Western Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

Peristylus aristatus Lindl., Gen. & Sp. Orch. 300. 1835; F.B.I. 6 : 158. 1890.

Distrib. : Peninsular & North eastern India.

World Distrib. : India, Sri Lanka & Nepal.

***Peristylus brachyphyllus** Rich. in Ann. Sci. nat. Ser 2. 15 : 70. t. 2. 1841 ; F.B.I. 6 : 159. 1890.

Distrib. : Peninsular India ; endemic.

Peristylus constrictus Lindl., Gen. & Sp. Orch. 300. 1835.

Habenaria constricta (Lindl.) Hook. f., F.B.I. 6 : 161. 1890.

Distrib. : Eastern Himalayas, North eastern, Eastern & Central India.

World Distrib. : Central Himalayas & South East Asia.

Peristylus densus (Lindl.) Santapau & Kapadia in J. Bombay nat. Hist. Soc. 57 : 128. 1960.

Habenaria stenostachya (Lindl. ex Benth.) Benth. ; F.B.I. 6 : 156. 1890.

H. neglecta King & Pantl. in J. As. Soc. Bengal 66 : 603. 1897.

P. xanthochlorus Blatt. & McCann in J. Bombay nat. Hist. Soc. 35 : 753. 1932.

Distrib. : Peninsular & North eastern India.

World Distrib. : South East Asia.

Peristylus elisabethae (Duthie) Gupta, Fl. Nainital 351. 1968.

Habenaria elisabethae Duthie in J. As. Soc. Bengal 71 : 44. 1902.

Distrib. : Temperate Western Himalayas.

World Distrib. : India, Central Himalayas & Tibet.

Peristylus fallax Lindl., Gen. & Sp. Orch. 298. 1835 ; F.B.I. 6 : 129. 1890.

World Distrib. : Temperate Himalayas.

Peristylus goodyeroides (D. Don) Lindl., Gen. & Sp. Orch. 229. 1835.

Habenaria goodyeroides D. Don ; F.B.I. 6 : 161. 1890. (excl. *H. grandis*).

World Distrib. : Widespread from India (except Northwest India) to New Guinea.

Peristylus gracilis Bl., Bijdr. 40. 1825.

Habenaria aristata Hook. f., F.B.I. 6: 158. 1890. (quoad Khasi plants).

Distrib. : North eastern India.

World Distrib. : South East Asia.

Peristylus hamiltonianus Lindl., Gen. & Sp. Oich. 299. 1835.

Habenaria hamiltoniana (Lindl.) Hook. f., F.B.I. 6 : 160. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Peristylus lacertiferus (Lindl.) J. J. Sm. in Bull. Butienz. Ser. 3. 9 : 23. 1927.

Habenaria lacertifera (Lindl.) Benth. ; F.B.I. 6 : 163. 1890. (excl. var. *robusta*).

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Peristylus lancifolius** A. Rich. in Ann. Sci. nat. Ser. 2. 15 : 69 t. 2C. 1841.

Habenaria robustior Hook. f., F.B.I. 6 : 160. 1890. p.p. (excl. syn.).

Distrib. : Peninsular India ; endemic.

***Peristylus lawii** Wight, Ic. 5(1) : 12. t. 1695. 1852 ; F.B.I. 6 : 162. 1890.

Distrib. : Northern, Central, Southern & Eastern India ; endemic.

Peristylus manni (Reichb. f.) Mukerjee in Not. Bot. Gard. Edinburgh 21(3) : 153. 1953.

Habenaria gracillima Hook. f., F.B.I. 6 : 163. 1890.

Distrib. : Central India, Eastern Himalayas, North eastern India & Andaman Islands.

World Distrib. : Southern Asia.

Peristylus parishii Reichb. f. in Trans. Linn. Soc. 30 : 139. 1874; F.B.I. 6: 161. 1890.

Distrib. : Central India, Eastern Himalayas, North eastern India & Andaman islands.

World Distrib. : Southern Asia.

Peristylus prainii (Hook. f.) Krzl., Orch. Gen. & Sp. 51 1901.

Habenaria prainii Hook. f., F.B.I. 6 : 159. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Southern Asia.

Peristylus richardianus Wight, Ic. 5(1) t. 1697.: 1852; F.B.I. 6: 156. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Nepal.

Peristylus secundus (Lindl.) Rathakrishnan in Ind. For. 98 : 31. 1972. (excl. Some Synonyms).

Habenaria robustior sensu Hook. f., F.B.I. 6 : 160. 1890. p.p.

Distrib. : Peninsular India.

World Distrib. : India, ? Ryu Kyu islands.

Peristylus spiralis Rich. in Ann. Sci. nat. Ser. 2. 15: 69. t. 2B. 1841 ; F.B.I. 6 : 159. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

***Peristylus stocksii** (Hook. f.) Krzl., Gen. & Sp. Orch. 1 : 513. 1898.

Habenaria stocksii Hook. f., F.B.I. 6 : 158. 1890.

Distrib. : Peninsular India ; endemic.

Peristylus tipuliferus (Par. & Reichb. f.) Mukerjee in Not. Bot. Gard. Edinburgh 21 : 158. 1953.

Habenaria tipulifera Par. & Reichb. f., & *H. brandisii* Hook. f. ; F.B.I. 6 : 157. & 162. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Southern Asia.

PHAIUS Lour. (also see THUNIA)

Phaius flavus (Bl.) Lindl., Gen. & Sp. Orch. 128. 1831.

P. maculatus Lindl. ; F.B.I. 5 : 817. 1890.

Distrib. : Tropical Eastern Himalayas & North eastern India.

World Distrib. : South East and Eastern Asia.

Phaius luridus Thw., Enum. Pl. Zeyl. 300. 1864 ; F.B.I. 5 : 817.

1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Phaius mishmensis Reichb. f., Bonplandia 5 : 43. 1857 ; F.B.I.

5 : 817. 1890.

Distrib. : Tropical Eastern Himalayas.

World Distrib. : Southern Asia.

Phaius nanus Hook. f., Fl. Brit. India 6 : 192. 1890.

Distrib. : Eastern India.

World Distrib. : India, Bhutan.

Phaius tankervilliae (L'Herit.) Bl. in Mus. Bot. Lygd. 2 : 177.

1856.

P. wallichii Lindl. ; F.B.I. 5 : 816. 1890.

World Distrib. : Widespread from India to Australia.

Phaius woodfordii (Hook.) Merrill in J. Arn. Arb. 24 : 211. 1848.

Bletia woodfordii Hook. ; F.B.I. 5 : 817. 1890 P.P.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas & Thailand.

PHALAENOPSIS Blume

Phalaenopsis mannii Reichb. f. in Gard. Chron. 902. 1871 ; F.B.I.

6 : 30. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Phalaenopsis mastersii King & Pantl. in J. As. Soc. Bengal 66 :

591. 1897.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

***Phalaenopsis mysorensis** Saldanha in Ind. For. 100 : 571. t. 3.

1974.

Distrib. : Peninsular India ; endemic.

Phalaenopsis parishii Reichb. f. in Gard. Chron. 410. 1865 ; F.B.I.

6 : 31. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

***Phalaenopsis speciosa** Reichb. f. in Gard. Chron. n. s. 15: 562.

1881 ; F.B.I. 6 : 30. 1890.

Distrib. : Andaman islands ; endemic.

var. **tetraspis** (Reichb. f.) Sweet. in Arn. Orch. Soc. Bull. 37: 1092.

1968.

P. tetraspis Reichb.f. ; F.B.I. 6: 30. 1890.

Distrib. : Andaman & Nicobar islands.

World Distrib. : South East Asia.

PHOLIDOTA Lindl.

Pholidota auriculata Lindl., Gen. & Sp. Orch. 38. 1830 ; F.B.I. 5:

844. 1890.

World Distrib. : Subtropical Himalayas, South East Asia.

***Pholidota calceata** Reichb. f. in Walp. Ann. 6 : 238. 1861 ; F.B.I.

5 : 846. 1890.

Distrib. : North eastern India ; endemic.

Pholidota convallariae Hook.f., Fl. Brit. India 5 : 846. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

*var. **breviscapa** Deori & Joseph in Bull. bot. Surv. India 20 : 159.

1978. (1979).

Distrib. : Eastern Himalayas ; endemic.

Pholidota griffithii Hook. f., Ic. Pl. t. 1881. 1889 ; F.B.I. 5 : 845. 1890.

World Distrib. : Tropical & subtropical Himalayas & South East Asia.

Pholidota imbricata (Roxb.) Lindl. in Hook., Fl. Exot. 2. t. 138. 1825 ; F.B.I. 5 : 845. 1890.

World Distrib. : India to Pacific.

var. **sessilis** Hook. f., Fl. Brit. India 5 : 84 1890.

Distrib. : North eastern India.

World Distrib. : India, Bhutan.

Pholidota obovata Hook.f., Fl. Brit. India 5 : 845. 1890.

Distrib. : North eastern India.

World Distrib. : India, Bhutan.

Pholidota protracta Hook.f., Ic. Pl. t. 1877. 1889 ; F.B.I. 5 : 845. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

Pholidota recurva Lindl., Gen. & Sp. Orch. 37. 1830 ; F.B.I. 5 : 844. 1890.

World Distrib. : Subtropical Himalayas.

Pholidota rubra Lindl., Gen. & Sp. Orch. 37. 1830 ; F.B.I. 5 : 84 1890.

World Distrib. : Subtropical Himalayas & South East Asia.

PHREATIA Lindl.

Phreatia elegans Lindl., Gen. & Sp. Orch. 63. 1830 ; F.B.I. 5 : 810. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Phreatia secunda (Bl.) Lindl., Gen. & Sp. Orch. 64. 1830.

P. minutiflora Lindl. ; F.B.I. 5 : 817. 1890.

Distrib. : Andaman islands.

World Distrib. : South East Asia.

PHYSURUS Rich. (also see ERYTHERODES)

† ***Physurus hirsutus** (Griff.) Lindl. in J. Linn. Soc. 1 : 180. 1857 ;
F.B.I. 6 : 94. 1890.

Distrib. : North eastern India ; endemic.

PLATANTHERA Rich.

Platanthera arcuata Lindl., Gen. & Sp. Orch. 289. 1835 ; F.B.I.
6 : 155. 1890.

World Distrib. : Temperate Himalayas & Tibet.

Platanthera bakeriana (King & Pantl.) Krzl., Gen. & Sp. Orch.
1 : 632. 1898.

Habenaria bakeriana King & Pantl. in J. As. Soc. Bengal 65 : 132.
1896.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas & Eastern Asia.

Platanthera biermanniana (King & Pantl.) Krzl., Gen. & Sp.
Orch. 1 : 362. 1898.

Habenaria biermanniana King & Pantl. in J. As. Soc. Bengal 64 :
343. 1895.

World Distrib. : Temperate Himalayas.

Platanthera clavigera Lindl., Gen. & Sp. Orch. 289. 1835 ; F.B.I.
6 : 153. 1890.

World Distrib. : Temperate Himalayas.

***Platanthera dyeriana** (King & Pantl.) U. C. Pradhan, Ind.
Orch. II : 682. 1979.

Habenaria dyeriana King & Pantl. in J. As. Soc. Bengal 65 : 133.
1896.

Distrib. : Eastern Himalayas ; endemic.

Platanthera exelliana Soo in Ann. Hist. nat. Mus. Natl. Hung. 26 :
359. 1929.

Habenaria oligantha Hook. f., F.B.I. 6 : 15 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas & South East Tibet.

Platanthera juncea (King & Pantl.) Krzl., Gen. & Sp. Orch. 942. 1901.

Habenaria juncea King & Pantl. in J. As. Soc. Bengal 65: 132. 1896.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas.

Platanthera latilabris Lindl., Gen. & Sp. Orch. 289. 1835 ; F.B.I. 6 : 153. 1890.

World Distrib. : Temperate Himalayas, Pakistan & Tibet.

Platanthera leptocaulon (Hook.f.) Soo in Ann. Hist. nat. Mus. Natl. Hung. 26 : 360. 1929.

Habenaria leptocaulon Hook. f., F.B.I. 6 : 154. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas & South East Tibet.

Platanthera sikkimensis (Hook.f.) Krzl., Gen. & Sp. Orch. 1 : 621. 1898.

Habenaria sikkimensis Hook. f., F.B.I. 6 : 155. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Central Himalayas.

PLEIONE D. Don

Pleione grandiflora Rolfe in Orch. Rev. 11 : 291. 1903.

Distrib. : Western Himalayas.

World Distrib. : India, Central Asia.

Pleione hookeriana (Lindl.) T. Moore in Wilhams, Orch. Grow. Mand. ed. 6 : 548. 1885.

Coelogyné hookeriana Lindl. ; F.B.I. 5 : 842. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas & South East Tibet.

Pleione humilis (Sm.) Don, Prodr. Fl. Nepal 37. 1825.

Celegyne humilis (Sm.) Lindl. ; F.B.I. 5 : 840. 1890.

Distrib. : Tropical Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas, South East Asia.

Pleione maculata (Lindl.) Lindl. & Paxt. in Flower Gard. 2 : 5. t. 39. I. 1851 ; F.B.I. 5 : 841. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

Pleione praecox (Sm.) Don, Prodr. Fl. Nepal 37. 1825 ; F.B.I. 5 : 840. 1890.

Distrib. : Temperate Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas & South East Asia.

PLOCOGLOTTIS Blume

Plocoglottis javanica Bl., Bijdr. 380. 1825 ; F.B.I. 6 : 22. 1890..

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

PODOCHILUS Blume

Podochilus cultratus Lindl., Gen. & Sp. Orch. 234. 1833 ; F.B.I. 6 : 80. 1890.

Distrib. : Tropical Eastern Himalayas & North esatern India.

World Distrib. : Central Himalayas, Southern Asia.

***Podochilus khasianus** Hook. f., Fl. Brit. India 6 : 81. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

Podochilus malabaricus Wight, Ic. 5: t. 1748. fig. 2. 1852; F.B.I. 6 : 80. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Podochilus microphyllus Lindl., Gen. & Sp. Orch. 234. 1835 ; F.B.I. 6 : 81. 1890.

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

POGONIA Juss. (see NERVILIA)

POLYSTACHYA Hook.

Polystachya flavescens (Bl.) J. J. Sm., Fl. Buitenz. 6 : 284. f. 218. 1905.

P. purpurea Wight ; F.B.I. 6 : 2 1890.

Distrib. : Peninsular India, Andaman & Nicobar islands.

World Distrib. : South East Asia.

POMATOCALPA Breda, Kuhl & v. Hass.

***Pomatocalpa andamanicum** (Hook.f.) J.J. Sm. in Nat. Tijd. Ned. Ind. 72 : 103. 1912.

Cleisostoma andamanicum Hook. f., F.B.I. 6 : 71. 1890.

Distrib. : Andaman islands ; endemic.

***Pomatocalpa armigerum** (King & Pantl.) Tang & Wang in Act. Phytotax. Sin. 1(1) : 98. 1951.

Cleisostoma armigera King & Pantl. in J. As. Soc. Bengal 65 : 123. 1896.

Distrib. : Eastern Himalayas ; endemic.

Pomatocalpa bambusarum (King & Pantl.) Garay in Bot. Mus. Leafl. Harv. 23(4) : 190. 1972.

Cleisostoma bambusarum King & Pantl. in Ann. Roy. Bot. Gaid. Calcutta 8 : 233. 1898.

Distrib. : Eastern Himalayas.

World Distrib. : India, Bhutan.

***Pomatocalpa mannii** (Reichb. f.) J.J. Sm. in Nat. Tijd. Ned. Ind. 72 : 105. 1912.

Cleisostoma mannii Reichb. f. ; F.B.I. 6 : 74. 1890.

Distrib. : Eastern Himalayas, North eastern India & Peninsular India ; endemic.

Pomatocalpa wendlandorum (Reichb. f.) J.J. Sm. in Nat. Tijd. Ned. Ind. 72 : 108. 1912.

Cleisostoma wendlandorum Reichb. f. ; F.B.I. 6 : 74. 1890.

Distrib. : Eastern Himalayas, North eastern India & Andaman islands.

World Distrib. : India, Burma.

PONERORCHIS Reichb. f.

Ponerorchis chusua (D. Don) Soo in *Acta Bot. Acad. Sci. Hung.*

12 : 302. 1966.

Orchis chusua D. Don ; F.B.I. 6 : 127. 1890.

Distrib. : Alpine Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas & South East Asia.

PORPAX Lindl.

Porpax elwesii (Reichb.f.) Rolfe in *Orch. Rev.* 16 : 8. 1908.

Eria meriax sensu Hook.f., F.B.I. 5 : 786. 1890. (quoad Sikkim Plant).

Distrib. : Eastern Himalayas & Andaman islands.

World Distrib. : South East Asia.

Porpax fibuliformis (King & Pantl.) King & Pantl. in *Ann. Roy. Bot. Gard. Calcutta* 8 : 114. t. 159. 1898.

Eria fibuliformis King & Pantl. in *J. As. Soc. Bengal* 64 : 336. 1895.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Propax gigantea Deori in *Bull. bot. Surv. India* 17: 174. 1975.(1978).

Distrib. : North eastern India.

World Distrib. : Southern Asia.

***Propax jerdoniana** (Wight) Rolfe in *Orch. Rev.* 16 : 8. 1908.

E. lichenora Lindl. ; F.B.I. 5 : 787. 1890.

Distrib. : Peninsular India ; endemic.

***Propax reticulata** Lindl. in *Bot. Reg.* 31. *Misc.* 6 1845.

E. reticulata (Lindl.) Reichb. f. ; F.B.I. 5 : 78 1890.

Distrib. : Peninsular India ; endemic.

PROTEROCERAS Joseph & Vajravelu

***Proteroceras holttumii** Joseph & Vajravelu in J. Ind. bot. Soc.
53: 189. 1974.

Distrib. : Peninsular India ; endemic.

PTEROERAS v. Hass. ex Hassk.

Pteroceras alatum (Holtt.) Holtt. in Kew Bull. 14 : 269. 1960.

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

Pteroceras appendiculatum (Bl.) Holtt. in Kew Bull. 14 : 269.
1960.

Sarcochilus hirtulus Hook. f., F.B.I. 6 : 39. 1890.

Distrib. : Andaman islands.

World Distrib. : South East Asia.

Pteroceras berkeleyii (Reichb. f.) Holtt. in Kew Bull. 14 : 269.
1960.

Sarcochilus berkeleyii Reichb. f. ; F.B.I. 6 : 37. 1890.

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

***Pteroceras muriculatum** (Reichb.f.) Hunt in Kew Bull. 24(1) :
69. 1970.

Sarcochilus muriculatus Reichb. f. ; F.B.I. 6 : 3 1890.

Distrib. : Andaman islands ; endemic.

Pteroceras suaveolens (Roxb.) Holtt. in Kew Bull. 14 : 270. 1960.

Sarcochilus suaveolens (Roxb.) Hook.f., F.B.I. 6 : 33. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

RENANTHERA Lour.

Renanthera imschootiana Rolfe in Kew Bull. 200. 1891.

Distrib. : North eastern India.

World Distrib. : South East Asia.

RHYNCHOSTYLIS Blume (also see SCHOENORCHIS)

Rhynchostylis retusa (L.) Bl., Bijdr. 7 : 266. t. 49. 1825 ; F.B.I. 6 : 32. 1890.

World Distrib. : Widespread from India (except Northwest India) to Philippines.

RISLEYA King & Pantl.

***Risleya atropurpurea** King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 247. 1898.

Distrib. : Eastern Himalayas ; endemic.

ROBIQUETIA Gaud.

Robiquetia spathulata (Bl.) J.J. Sm. in Nat. Tijd. Ned. Ind. 72 : 114. 1912.

Cleisostoma spicatum Lindl. ; F.B.I. 6 : 72. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

Robiquetia succisa (Lindl.) Seidenf. & Garay in Bot. Tidssk: 67 : 119. 1972.

Saccolabium buccosum Reichb. f. ; F.B.I. 6 : 58. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

SACCOLABIOPSIS J. J. Sm.

Saccolabiopsis pusilla (Lindl.) Seidenf. & Graray in Bot. Tidssk. 67 : 11. 1972.

Saccolabium pumilio Reichb. f. ; F.B.I. 6 : 56. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : South East Asia.

SACCOLABIUM Blume (also see ACAMPE, ASCOCENTRUM,
CLEISOCENTRON, GASTROCHILUS, LOXOMA, MALLEOLA,
ROBIQUETIA, SACCOLABIOPSIS, SCHOENORCHIS,
SMITINANDIA and UNCIFERA)

Saccolabium congestum Hook.f., Fl. Brit. India 6 : 63. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Saccolabium curvifolium Lindl., Gen. & Sp. Orch. 222. 1833 ;
F.B.I. 6 : 65. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

SARCANTHUS Lindl. (see **CLEISOSTOMA**, **PELATANTHERIA** and
STEREOCHILUS)

SARCOCHILUS R. Br. (see **BIERMANNIA**, **CHILOSCHISTA**,

MICROPERA, **PTEROCERAS**, **TAENIOPHYLLUM**
and **THRIXSPERMUM**)

SATYRIUM Sw.

Satyrium nepalense D. Don, Prodr. Fl. Nepal 26. 1825 ; F.B.I.
6 : 168. 1890.

Distrib. : Temperate Western & Eastern Himalayas, North eastern
& Peninsular India.

World Distrib. : Pakistan, Central Himalayas & South East Asia.

SCHOENORCHIS Blume

Schoenorchis filiformis (Wight) Schltr. Fedde Repert. 1 : 986.
1913.

Saccolabium filiforme (Wight) Lindl. ; F.B.I. 6 : 5 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Schoenorchis gemmata (Lindl.) Sm. in Nat. Tijd. Ned. Ind.
72 : 100. 1912.

Saccolabium gemmatum Lindl. ; F.B.I. 6 : 56. 1890.

Distrib. : Subtropical Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

***Schoenorchis jerdoniana** (Wight) Garay in Bot. Mus. Leafl.
Harv. 23(4) : 202. 1972.

Saccolabium jerdonianum (Wight) Reichb. f. ; F.B.I. 6 : 59. 1890.
Distrib. : Peninsular India ; endemic.

***Schoenorchis latifolia** (Fischer) Saldanha in J. Bombay nat. Hist. Soc. 70 : 415. 1974.
Rhynchosystylis latifolia Fischer in Kew Bull. 358. 1927.
Distrib. : Peninsular India ; endemic.

***Schoenorchis manipurensis** U.C. Pradhan, Ind. Orch. II. 719. 1979.
Distrib. : North eastern India ; endemic.

SIRHOOKERA O. Ktze.

Sirhookera lanceolata (Wight) Kuntze, Rev. Gen. Pl. 861. 1891.
Josephia lanceolata Wight ; F.B.I. 5 : 823. 1890.
Distrib. : Paninsular India.
World Distrib. : India, Sri Lanka.

***Sirhookera latifolia** (Wight) Kuntze, Rev. Gen. Pl. 681. 1891.
Josephia latifolia Wight ; F.B.I. 5 : 823. 1890.
Distrib. : Peninsular India ; endemic.

SMITHSONIA C. J. Saldanha (see LOXOMA)

SMITINANDIA Holtt.

Smitinandia micrantha (Lindl.) Holttum in Gard. Bull. Singapore 25 : 106. 1969.
Saccolabium micranthum Lindl. ; F.B.I. 6 : 59. 1890.
Distrib. : Western & Eastern Himalayas, North eastern India.
World Distrib. : Central Himalayas & South East Asia.

SPATHOGLOTTIS Blume

Spathoglottis ixiooides (Don) Lindl., Gen. & Sp. Orch. 120. 1831 ; F.B.I. 5 : 814. 1890.
Distrib. : Eastern Himalayas.
World Distrib. : India, Central Himalayas.

† ***Spathoglottis malabarica** (Reichb.f.) U. C. Pradhan, Ind. Orch.

II : 702. 1979.

Ipsea malabarica (Reichb.f.) Hook.f., F.B.I. 5 : 812. 1890.

Distrib. : Peninsular India ; endemic.

Spathoglottis plicata Bl., Bijdr. 401. t. 46. 1825 ; F.B.I. 5 : 813.

1890.

Distrib. : Andaman & Nicobar islands.

World Distrib. : South East Asia.

Spathoglottis pubescens Lindl., Gen. & Sp. Orch. 120. 1831 ;

F.B.I. 5 : 814. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

*var. **parviflora** (Reichb.f.) Hook. f., F.B.I. 5 : 814. 1890.

Distrib. : North eastern India ; endemic.

SPIRANTHES Rich.

Spiranthes autumnalis Rich. in Mem. Mus. Par. 4 : 59. 1818 ;

F.B.I. 6 : 103. 1890.

Distrib. : Western Himalayas.

World Distrib. : India, Northern Asia & Europe.

Spiranthes sinensis (Pers.) Ames, Orch. 2 : 53. 1908.

S. australis Lindl. ; F.B.I. 6 : 102. 1890.

Distrib. : Throughout India.

World Distrib. : Widespread from Asia to Japan & Southeast to Australia, New Zealand & Tasmania.

*var. **wightiana** Lindl., Gen. & Sp. Orch. 465. 1840; F.B.I.; l.c.

Distrib. : Peninsular India ; endemic.

STEREOCHILUS Lindl.

Stereochilus hirtus Lindl. in J. Linn. Soc. 3 : 58. 1859.

Sarcanthus hirtus (Lindl.) Benth. ; F.B.I. 6 : 35. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Southern Asia.

***Stereochilus wattii** King & Pantl. in J. As. Soc. Bengal 66 : 595.

1897.

Distrib. : North eastern India ; endemic.

SUNIPIA Buch.-Ham. ex. Lindl.

Sunipia andersonii (King & Pantl.) Hunt in Kew Bull. 26 : 183.

1971.

Ione andersonii King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 159. t. 217. 1898.

Distrib. : Eastern Himalayas.

World Distrib. : India, Bhutan.

Sunipia bicolor Lindl., Gen. & Sp. Orch. 179. 1833.

Bulbophyllum bicolor (Lindl.) Hook.f., F.B.I. 5 : 770. 1890.

World Distrib. : Temperate Himalayas.

Sunipia candida (Lindl.) Hunt in Kew Bull. 26 : 183. 1971.

Bulbophyllum candidum (Lindl.) Hook.f., F.B.I. 5 : 770. 1890.

Distrib. : North eastern India.

World Distrib. : India, Bhutan.

Sunipia cirrhata (Lindl.) Hunt in Kew Bull. 26 : 184. 1971.

Bulbophyllum cirrhatum (Lindl.) Hook.f., F.B.I. 5 : 769. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Bhutan.

† ***Sunipia fusco-purpurea** (Lindl.) Hunt in Kew Bull. 26 : 184. 1971.

Bulbophyllum mishmeense Hook.f., F.B.I. 5 : 769. 1890.

Distrib. : Eastern Himalayas ; endemic.

***Sunipia intermedia** (King & Pantl.) Hunt in Kew Bull. 26 : 184. 1971.

Ione intermedia King & Pantl. in J. As. Soc. Bengal 65 : 120. 1896.

Distrib. : Eastern Himalayas ; endemic.

***Sunipia jainii** Hynniewta & Malhotra in J. Ind. bot. Soc. 57 : 31. 1978.

Distrib. : North eastern India ; endemic.

Sunipia paleacea (Lindl.) Hunt in Kew Bull. 26 : 184. 1971.

Bulbophyllum paleaceum (Lindl.) Hook.f., F.B.I. 5 : 769. 1890.

World Distrib. : Temperate Himalayas.

Sunipia racemosa (Smith) Tang & Wang in Act. Phytotax. Sin.

1(1) : 90. 1951.

S. scariosa Lindl. ; F.B.I. 5 : 772. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

***Sunipia virens** (Lindl.) Hunt in Kew Bull. 26 : 185. 1971.

Bulbophyllum virens (Lindl.) Hook.f., F.B.I. 5 : 770. 1890.

Distrib. : Eastern Himalayas ; endemic.

TAENIOPHYLLUM Blume

***Taeniophyllum andamanicum** Balak. & Bhargava in Bull. bot.

Surv. India 20 : 154. 1978. (1979).

Distrib. : Andaman islands ; endemic.

***Taeniophyllum crepidiforme** (King & Pantl.) King & Pantl.

in Ann. Roy. Bot. Gard. Calcutta 8 : 245. 1898.

Sarcochilus crepidiformis King & Pantl. in J. As. Soc. Bengal 64 :

340. 1895.

Distrib. : Eastern Himalayas ; endemic.

***Taeniophyllum khasianum** Joseph & Yog. in J. Ind. bot. Soc.

46(1) : 190. 1967.

Distrib. : North eastern India ; endemic.

***Taeniophyllum retro-spiculatum** (King & Pantl.) King & Pantl.

in Ann. Roy. Bot. Gard. Calcutta 8 : 24 1898.

Sarcochilus retro-spiculatus King & Pantl. in J. As. Soc. Bengal

64 : 340. 1895.

Distrib. : Eastern Himalayas ; endemic.

***Taeniophyllum scaberulum** Hook.f., Fl. Brit. India 6 : 701. 1890.

Distrib. : Peninsular India ; endemic.

TAINIA Blume

Tainia bicornis (Lindl.) Reichb.f., Bonplandia 5 : 54. 1857.

T. bicornis (Lindl.) Benth. ex Hook.f., F.B.I. 5 : 820. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

***Tainia hastata** (Lindl.) Hook. f., Fl. Brit. India 5 : 821. 1890.

Distrib. : Eastern Himalayas & North eastern India ; endemic.

***Tainia hookeriana** King & Pantl. in J. As. Soc. Bengal 64 : 336. 1895.

Distrib. : Eastern Himalayas ; endemic.

† ***Tainia khasiana** Hook.f., Fl. Brit. India 5 : 821. 1890.

Distrib. : North eastern India ; endemic.

Tainia latifolia Benth. ex Hook.f., Fl. Brit. India 5 : 820. 1890.

Distrib. : Tropical Eastern Himalayas & North eastern India.

World Distrib. : India, Bangladesh & Burma.

Tainia minor Hook.f., Fl. Brit. India 5 : 821. 1890.

Distrib. : Eastern Himalayas.

World Distrib. : India, Bhutan.

Tainia viridifusca Benth. in Gen. Pl. 3 : 515. 1883 ; F.B.I. 5 : 820. 1890.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

TAINIOPSIS Schltr.

Tainiopsis barbata (Lindl.) Schltr. in Orchis. 9 : 10. 1915.

Eria barbata (Lindl.) Reichb.f.; F.B.I. 5 : 803. 1890.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

THELASIS Blume

***Thelasis bifolia** Hook.f., Fl. Brit. India 6 : 86. 1890.

Distrib. : North eastern India ; endemic.

***Thelasis khasiana** Hook.f., Fl. Brit. India 6 : 87. 1890.

Distrib. : North eastern India ; endemic.

Thelasis longifolia Hook.f., Fl. Brit. India 6 : 87. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Bhutan.

Thelasis pygmaea (Griff.) Lindl. in J. Linn. Soc. 3 : 63. 1859 p.p.; F.B.I. 6 : 86. 1890.

Distrib. : Eastern Himalayas & Nicobar islands.

World Distrib. : Central Himalayas & Southern Asia.

THRIXSPERMUM Lour.

Thrixspermum arachnitis (Bl.) Reichb.f. in Xen. Orch. 2 : 121. 1865.

Sarcochilus arachnitis Reichb.f.; F.B.I. 6 : 41. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Thrixspermum hystrix Reichb.f. in Trans. Linn. Soc. 30 : 145. 1874 ; F.B.I. 6 : 38. 1890.

Distrib. : North eastern India & Andaman & Nicobar islands.

World Distrib. : South East Asia.

***Thrixspermum muscaeflorum** Rao & Joseph in Bull. bot. Surv. India 11 : 204. 1969.

Distrib. : North eastern India ; endemic.

*var. **nilagiricum** Joseph & Vajravelu in Ind. For. 107 : 648. fig. 1-5. 1981.

Distrib. : Peninsular India ; endemic.

***Thrixspermum pygmaeum** (King & Pantl.) Holttum in Kew Bull. 14 : 275. 1960.

Sarcochilus pygmaceus King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 207. t. 277. 1898.

Distrib. : Subtropical Eastern Himalayas; endemic.

THUNIA Reichb.f.

Thunia alba (Lindl.) Reichb.f. in Bot. Zeit. 10 : 764. 1852.

Phaius albus Lindl. ; F.B.I. 5 : 818. 1890. p.p.

Distrib. : Tropical Western & Eastern Himalayas, North eastern India & Andaman islands.

World Distrib. : Central Himalayas & South East Asia.

Thunia venosa Rolfe in Orch. Rev. 13 : 206. 1905.

Phaius albus sensu Hook. f., F.B.I. 5 : 818. 1890. p.p.

Distrib. : Tropical Western & Eastern Himalayas, Eastern & Peninsular India, Andaman islands.

World Distrib. : India, Burma.

TIPULARIA Nutt.

Tipularia josephi Reichb. f. ex Lindl. in J. Linn. Soc. 1 : 174.

1857 ; F.B.I. 5 : 708. 1890.

World Distrib. : Temperate Himalayas & South East Tibet.

TRIAS Lindl.

Trias oblonga Lindl., Gen. & Sp. Orch. 60. 1830 ; F.B.I. 5 : 780. 1890.

Distrib. : Eastern & North eastern India.

World Distrib. : Southern Asia.

***Trias pusilla** Joseph & Deka in J. Ind. bot. Soc. 31 : 378. fig. 1-6. 1972.

Distrib. : North eastern India ; endemic.

***Trias stocksii** Benth. ex Hook. f., Fl. Brit. India 5 : 781. 1890.

Distrib. : Peninsular India ; endemic.

TRICHOGLOTTIS Blume

Trichoglottis cirrhifera Teysm. & Binn. in Nat. Tijd. Ned. Ind. 493. 1853.

Distrib. : Nicobar islands.

World Distrib. : South East Asia.

†***Trichoglottis quadricornuta** Kurz in J. As. Soc. Bengal 45 :
156. t. 13. 1876 ; F.B.I. 6 : 43. 1890.
Distrib. : Nicobar islands ; endemic.

Trichoglottis orchidea (Koenig) Garay in Bot. Mus. Leafl. Harv.
23 (4): 209. 1972.
Epidendrum orchideum Koenig ; F.B.I. 6 : 198. 1890.
Distrib. : Peninsular India & Nicobar islands.
World Distrib. : South East Asia.

Trichoglottis tenera (Lindl.) Schltr. in Bull. Herb. Boiss. Ser. 2. 6 :
471. 1906.
Cleisostoma tenarum (Lindl.) Hook. f., F.B.I. 6 : 73. 1890.
Distrib. : Peninsular India
World Distrib. : India, Sri Lanka.

TRICHOSMA Lindl. (see ERIA)

TRICHOTOSIA Blume

Trichotosia dasypylla (Par. & Reichb. f.) Krzl. in Pfanzen. 50 :
138. 1911.
Eria dasypylla Par. & Reichb. f. ; F.B.I. 5 : 808. 1890.
Distrib. : Eastern Himalayas & North eastern India.
World Distrib. : Central Himalayas & South East Asia.

Trichotosia pulvinata (Lindl.) Krzl. in Pfanzen. 50 : 138. 1911.
Eria pulvinata Lindl. & *E. rufinula* (Lindl.) Reichb. f. ; F.B.I. 5 :
807. 1890.
Distrib. : Tropical Eastern Himalayas & North eastern India.
World Distrib. : South East Asia.

TROPIDIA Lindl.

Tropidia angulosa (Lindl.) Bl. in Coll. Orch. Arch. Ind. 122: 1858 ;
F.B.I. 6 : 92. 1890.
T. bellii Blatt. & McCann. in J. Bombay nat. Hist. Soc. 35 : 736.
1932.

Distrib. : Eastern Himalayas, North eastern & Peninsular India.
World Distrib. : South East Asia.

Tropidia curculigoides Lindl., Gen. & Sp. Orch. 497. 1840 ;
 F.B.I. 6 : 93. 1890.

Distrib. : Eastern Himalayas & North eastern India.
World Distrib. : South East Asia.

UNCIFERA Lindl.

Uncifera acuminata Lindl. in J. Linn. Soc. 3 : 40. 1859 ; F.B.I.
 6 : 65. 1890.

Distrib. : Eastern Himalayas & North eastern India.
World Distrib. : India, Central Himalayas.

***Uncifera lancifolia** (King & Pantl.) Schltr. in Orch. 583. 1914.
Saccolabium lancifolium King & Pantl. in J. As. Soc. Bengal 65 :
 122. 1896.
Distrib. : Eastern Himalayas ; endemic.

Uncifera obtusifolia Lindl. in J. Linn. Soc. 3 : 40. 1859 ; F.B.I.
 6 : 65. 1890.

Distrib. : Eastern Himalayas & North eastern India.
World Distrib. : India, Central Himalayas.

VANDA R. Br. (also see PAPILIONANTHE)

Vanda alpina Lindl., Fol. Orch. 10. 1853 ; F.B.I. 6 : 43. 1890.

Distrib. : Subtropical Western & Eastern Himalayas & North eastern
 India.
World Distrib. : India, Central Himalayas.

Vanda bicolor Griff., Not. Pl. 3 : 354. 1851 ; F.B.I. 6 : 52. 1890.

Distrib. : Tropical Eastern Himalayas & North eastern India.
World Distrib. : India, Bhutan.

Vanda coerulea Griff. ex Lindl. in Bot. Reg. t. 30. 1847 ; F.B.I.
 6 : 51. 1890.

Distrib. : Eastern Himalayas & North esatern India.
World Distrib. : India, Burma & Thailand.

Vanda cristata Lindl., Gen. & Sp. Orch. 216. 1853 ; F.B.I. 6 : 53.
1890.

Distrib. : Tropical Western & Eastern Himalayas, North eastern India.

World Distrib. : India, Central Himalayas, Bangladesh & Tibet.

***Vanda pumila** Hook. f., Fl. Brit. India 6 : 53. 1890.

Distrib. : Subtropical Eastern Himalayas ; endemic.

Vanda spathulata (L.) Spreng, Syst. Veg. 3 : 719. 1826 ; F.B.I. 6 : 50. 1890.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

Vanda stangeana Reichb.f. in Bot. Zeit. 14 : 351. 1858 ; F.B.I. 6 : 54. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia.

Vanda tessellata (Roxb.) Hook. ex G. Don in Lond. Hort. Brit. 372. 1830.

V. roxburghii R. Br. ; F.B.I. 6 : 52. 1890.

Distrib. : Throughout India.

World Distrib. : Southern Asia.

Vanda testacea (Lindl.) Reichb.f. in Gard. Chron. 2 : 166. 1877.

V. parviflora Lindl. ; F.B.I. 6 : 50. 1890.

Distrib. : Throughtout India (except Northwest India).

World Distrib. : India, Nepal, Burma & Sri Lanka.

***Vanda wightii** Reichb. f. in Walp. Ann. 6 : 932. 1861 ; F.B.I. 6 : 54. 1890.

Distrib. : Peninsular India ; endemic.

VANDOPSIS Pfitz.

Vandopsis undulata (Lindl.) J.J. Sm. in Nat. Tijd. Ned. Ind. 72 : 77. 1912.

Stauropsis undulatus Benth. ex Hook. f., F.B.I. 6 : 27. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : India, Central Himalayas.

VANILLA Mill.

***Vanilla andamanica** Rolfe in Kew Bull. 337. 1918.

Distrib. : Andaman & Nicobar islands ; endemic.

Vanilla pilifera Holttum in Gard. Bull. Singapore 13 (2) : 251. 1951.

Distrib. : North eastern India.

World Distrib. : Southern Asia.

Vanilla walkeriae Wight, Ic. 3(3) : 12. t. 932. 1845; F.B.I. 6 : 90. 1899.

Distrib. : Peninsular India.

World Distrib. : India, Sri Lanka.

***Vanilla wightiana** Lindl., Gen. & Sp. Orch. 436. 1840 ; F.B.I. 6 : 90. 1890.

Distrib. : Peninsular India ; endemic.

VRYDAGZYNEA Blume

Vrydagzynea albida (Bl.) Bl. in Coll. Arch. Ind. 75. t. 19. fig. 2.

1-7. 1858 ; F.B.I. 6 : 97. 1890.

V. viridiflora Hook.f., I.c. 6 : 96. 1890.

Distrib. : North eastern India & Nicobar islands.

World Distrib. : South East Asia.

YOANIA Maxim.

Yoania japonica Maxim. in Bull. Acad. St. Petersb. 18: 68. 1873; F.B.I. 6 : 123. 1890.

Distrib. : North eastern India.

World Distrib. : South East Asia & Far East.

***Yoania prainii** King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 175. 1898.

Distrib. : Eastern Himalayas ; endemic.

ZEXINE Lindl. (also see ANOECTOCHILUS)

Zexine affinis (Lindl.) Benth. ex Hook.f., Fl. Brit. India 6 : 108. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : South East Asia.

Zeuxine flava (Wall. ex Lindl.) Benth. ex Hook.f., Fl. Brit. India 6 : 108. 1890.

Distrib. : Western & Eastern Himalayas, North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

Zeuxine glandulosa King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 288. t. 384. 1898.

Distrib. : Eastern Himalayas.

World Distrib. : India, Bhutan & Thailand.

Zeuxine goodyeroides Lindl., Gen. & Sp. Orch. 486. 1890 ; F.B.I. 6 : 107. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & Southern Asia.

Zeuxine longilabris (Lindl.) Benth. ex Hook.f., Fl. Brit. India 6 : 107. 1890.

Distrib. : North eastern & Peninsular India.

World Distrib. : Central Himalayas & South East Asia.

Zeuxine nervosa (Wall. ex Lindl.) Benth. ex Clarke in J. Linn. Soc. 25 : 73. 1889 ; F.B.I. 6 : 108. 1890.

Distrib. : Eastern Himalayas & North eastern India.

World Distrib. : Central Himalayas & South East Asia.

***Zeuxine pulchra** King & Pantl. in J. As. Soc. Bengal 65 : 127. 1896.

Distrib. : Eastern Himalayas ; endemic.

***Zeuxine reflexa** King & Pantl. in Ann. Roy. Bot. Gard. Calcutta 8 : 291. 1898.

Distrerib. : Eastern Himalayas ; endemic.

Zeuxine strateumatica (L.) Schltr. in Engler, Bot. Jahrb. 45: 394. 1911.

Z. sulcata (Roxb.) Lindl. ; F.B.I. 6 : 106. 1890.

World Distrib. : Widespread from Afghanistan to New Guinea.

BIBLIOGRAPHY

- Abraham, Z. and P. Vatsala. 1981. *Introduction to orchids : with illustrations and descriptions of 150 South Indian orchids.* Trivandrum.
- Backer, C. A. and R. C. Bakhuizen Van Den Brink. 1968. *Flora of Java* Vol. 3. Groeningen.
- Bhattacharjee, S. K. 1977. Native Bulbophyllums of India. *Amer. Orch. Soc. Bull.* **46(12)** : 1094-1100.
- Bose, T. K. and S. K. Bhattacharjee. 1980. *Orchids of India.* Calcutta.
- Bruhl, P. 1926. *A Guide to the Orchids of Sikkim.* Calcutta.
- Das, S. and S. K. Jain. 1980. Orchidaceae : Genus—**Coelogyne.** *Fas. Fl. India No. 5* : 1-33.
- De Vogel, F. F. 1969. Monograph of the tribe Apostasieae (Orchidaceae). *Blumea* **17** : 313-350.
- Duthie, J. F. 1906. The Orchids of the North-Western Himalayas. *Ann. Roy. Bot. Gard. Calcutta.* **9** : 32-211. t. 94-151.
- Hara, H. 1966. *The Flora of Eastern Himalaya*, 1st Report. Tokyo.
- . 1971. *Idem.* 2nd Report. Tokyo.
- Hara, H., W. T. Stearn & L. H. J. Williams. 1978. *An Enumeration of the Flowering Plants of Nepal* Vol. 1. London.
- Holttum, R. E. 1957. *Orchids of Melaya.* 2nd Ed. Singapore.
- Hooker, J. D. 1888-1890. Orchidaceae. In *Flora British India* **15** : 667-686 1888 ; **16** : 687-858. 1890 ; **17** : 1-198. 1890. London.
- Jayaweera, D. M. A. 1981. Orchideaceae. In *Flora of Ceylon* Vol. **2** (M.D. Dassanayake and F. R. Fosberg, Eds.) New Delhi.
- Joseph, J. 1982. Orchids of Nilgiris. *Rec. bot. Surv. India* **22** : 1-144.

- King, G. and R. Pantling. 1898. The Orchids of Sikkim Himalaya.
Ann. Roy. Bot. Gard. Calcutta. **8** : 1-342. t. 1-144.
- Pradhan, U. C. 1976. *Indian Orchids : Guide to identification and Culture.* Vol. 1. Calcutta.
- — 1979. *Idem.* Vol. 2. Faridabad.
- Rao, A. S. and N. C. Deori. 1980a. A preliminary census of the Orchids of Kameng Dist., Arunachal Pradesh. *Ind. J. For.* **3(3)** : 255-260.
- — 1980b. *Idem. Ibid* **3(4)** : 328-335.
- Rasmussen, F. N. 1972. The genus **Corymborkis** Thou. *Bot. Tidssk.* **71** : 161-192.
- Renz, J. 1978. Orchidaceae. *Flora Iranica* No. 126. Druck.
- Santapau, H. and Z. Kapadia. 1966. *The Orchids of Bombay.* Delhi.
- Seidenfaden, G. 1968. The genus **Oberonia** in mainland Asia.
Dansk Bot. Ark. **25(2)** : 1-125.
- — 1971. Notes on the genus **Luisia.** *Dansk Bot. Ark.* **27(4)** : 7-101.
- — 1973a. Notes on **Cirrhopetalum** Lindl. *Dansk Bot. Ark.* **29(1)** : 1-260.
- — 1973b. Contribution to the Orchid Flora of Thailand. V.
Bot. Tidssk. **68(1)** : 41-45.
- — 1975a. Orchid genera in Thailand I-III. *Dansk Bot. Ark.* **29(2-4)** : 5-94.
- — 1975b. Contribution to the Orchid Flora of Thailand VI. *Bot. Tidssk.* **70(1)** : 64-197.
- — 1976a. Orchid genera in Thailand IV. *Dansk Bot. Ark.* **33(1)** : 7-105.
- — 1976b. Contribution to the Orchid Flora of Thailand VII.
Bot. Tidssk. **71(1-2)** : 1-30.

- 1977a. Contribution to Orchid Flora of Thailand VIII. *Bot. Tidssk.* **72(1)** : 1-14.
- 1977b. Orchid genera in Thailand V. *Dansk Bot. Ark.* **31(3)** : 6-147.
- 1978a. Orchid genera in Thailand VI. **Neottioideae** Lindl. *Dansk Bot. Ark.* **32(2)** : 6-195.
- 1978b. Orchid genera in Thailand VII. **Oberonia** Lindl. and **Malaxis** Sol. ex Sw. *Dansk Bot. Ark.* **33(1)** : 1-94.
- 1979. Orchid genera in Thailand VIII. **Bulbophyllum** Thou. *Dansk Bot. Ark.* **33(3)** : 1-228.
- 1980. *Idem.* IX. **Flickingeria** Hawkes and **Epigeneium** Gangep *Ibid.* **34(1)** : 1-104.
- & C.M. Arora 1982a. An enumeration of the orchids of the North West Himalaya. *Nord. J. Bot.* **2** : 7-27.
- 1982b. Contributions to the Orchid Flora of Thailand X. *Nord. J. Bot.* **2** : 193-218.

Tuyama, T. 1975. Orchidaceae. In *Flora of Eastern Himalaya* (H. Ohashi, Ed.) Tokyo.
