Angiospermic Flora of Neora Valley National Park, West Bengal

Vinay Ranjan, Anant Kumar and Gopal Krishna Central National Herbarium, Botanical Survey of India Howrah

Project Title: Angiospermic Flora of Neora Valley National Park, West Bengal

Executing officials: Vinay Ranjan, Anant Kumar and Gopal Krishna

Date of initiation & completion: April, 2016- March, 2021

Roles & Responsibilities of each of partner(s):

Vinay Ranjan- Project coordinator, field tours, identification of plants, plant description

Anant Kumar and Gopal Krishna - Field tours, collection of plants, identification of plants, GPS reading, tracking map, Photography





- NVNP situated in Darjeeling, WB. It lies between 26°52'3"-27°7'3" N latitude and 88°45'-88°50' E longitude.
- Initially, NVNP was established with 84 sq km, later in 2017 area has been increased to 159.9 sq km.
- The altitude varies from 183m to 3200 m, the highest point in Rechila Danda peak at 3,170m bordering Sikkim.

Location map: Neora Valley National Park

Tour details 2016-2021

Tour Numbe r	Duration 127days	Field Numbers	Total Field Numbers <mark>1831</mark>
1 st	20.09.2016 to 05.10.2016	77001-77400; 75001- 75096	496
2 nd	14.12.2016 to 24.12.2016	75201-75300 75301-75325	125
3 rd	30.03.2017 to 15.04.2017	75001-75200 75401-75461	161
4 th	12.02.2018 to 24.02.2018	75601-75694	94
5 th	27.09.2018 to 09.10.2018	77901-78000 79301-79365	165
6 th	06.12.2018 to 18.12.2018	84501-84600 84601-84655	155
7 th	26.03.2019 to 09.04.2019	83601-83700	164
8 th	24.05.2019 to 06.06.2019	80501-80600 80601-80700 80701-80713	213
9 th	17.09.2019 to 30.09.2019	80714-80800 86101-86183	179
10 th	16.12.2019 to 23.12.2019	86801-86879	79
























Objectives

The objective of present study was to:
explore, identify and document the floristic diversity
of the entire park area including newly added area 75
sq km of NVNP; prepare upgraded angiospermic flora
with colour plant photographs; depict the exact
coordinates location of each plant species


Objective-wise Brief Methodology


Conventional methodology has been adopted for collection and preservation of the specimens.


GPS reading recorded against each and every individual taxa. A final GIS map will be prepared by using ArcGIS software.



GIS Mapping







Waypoints to locate the plant species in NVNP

Achievements including:

Total area covered: Completed field survey of all localities (Ruka, Chichu, East Nar, Mo,

Kolbong, Lava, Reshit, Rhenok, Pankhasari, Ambiok, Westnar, Rechila, Rechila

Chak, Thusum, Sakam situated between 26°52' 3"-27°7'3" N Latitude and

88°45'- 88°50' E Longitude and located within 159 km2 areas of Upper Neora

Range and Lower Neora Range of the National Park.

Number of tours undertaken: Ten field tours undertaken since inception,

Number of species identified: In total, 1560 field numbers identified so far.

Expected no. of taxa: c. 0800

Photographs depicted: c. 3450

Total Field number of collections: 1831

Total taxa identified so far: c. 0700

Deliverables	Summary of Achievements			
Field tours	10 field tours undertaken			
Collection of botanically interesting species	Ceropegia pubescens Wall., Agapetes sikkimensis Airy Shaw, Medinilla himalayana Hook.f. ex Triana, Hibiscus fragrans Roxb., Decaisnea insignis (Griff.) Hook.f. & Thomson; Helwingia himalaica Hook.f. & Thomson ex C.B.Clarke; Rhopalocnemis phalloides Jungh.; Goodyera recurva Lindl.; Odontochilus crispus (Lindl.) Hook.f.; Liparis resupinata Ridl.; Impatiens cathcartii Hook.f.; Gomphostemma mastersii Benth. ex Hook.f.			
New findings Published	Epipogium japonicum Makino - addition to Indian flora Elytranthe psilantha (Hook.f.) Danser - generic record to West Bengal flora Oreorchis patens -addition to the flora of Eastern Indian Himalaya Cardamine circaeoides Hook.f. & Thomson, Codonopsis gracilis Hook.f. & Thomson, Decaisnea insignis (Griff.) Hook. f. & Thomson, Synotis rufinervis (DC.) C. Jeffrey & Y.L. Chen and Synotis vagans (Wall. ex DC.) C. Jeffrey & Y.L. Chen - Goodyera recurve Lindl., Zeuxine gracilis (Breda)Blume- addition to West Bengal flora (7)			
Communicated	A new variety of <i>Ophiorrhiza ochroleuca</i> from Neora Valley National Park, Darjeeling Himalaya, India, and notes on its typification <i>Rheedea</i> A New Species of Zehneria Endl. (Cucurbitaceae) from West Bengal, India based on Morphological and Molecular Evidences Vinay Ranjan, ¹ Anant Kumar, ² Gopal Krishna, ³ and Hanno Schaefer ⁴ We have collaborated with World Cucurbitaceae expert (Hanno Schaefer), After taking permission from NBA, we have sent specimens to him for molecular study			

Publication

- 1. Krishna, G., A. Kumar, Vinay Ranjan & Nisha Goswami (2016): *Rhopalocnemis phalloides* (Balanophoraceae): A root parasite from Neora Valley National Park, West Bengal. *BSI-ENVIS Newslett*. 21 (2): 7.
- 2. Ranjan, Vinay, A. Kumar & G. Krishna (2017). On the distribution of some rare species in Neora Valley National Park, Darjeeling, West Bengal. *Indian J. Forest*. 40(4):333-336.
- 3. Kumar, A., G. Krishna, D. K. Agrawala & Vinay Ranjan (2019). *Oreorchis patens* (Orchidaceae): an addition to the flora of Eastern Indian Himalaya. *Richardiana* 3: 109-116.
- 4. Kumar, A., G. Krishna & Vinay Ranjan (2019). A third species of *Epipogium* (Orchidaceae) added to the Indian flora. *Richardiana* 3: 17-24.
- 5. Ranjan, Vinay, G. Krishna, A. Bhattacharjee & A. Kumar (2020). Addition of two ground orchids in flora of West Bengal (India). *Richardiana* 4:147-156.



Maesa rugosa C.B. Clarke



Engelhardtia spicata Lechen ex Blume



Asystasia macrocarpa Nees



Leycesteria gracilis (Kurz) Airy Shaw













RARE AND CURIOUS PLANTS OF NVNP



Odontochilus crispus



Helwingia himalaica



Goodyera recurva



Rhopalocnemis phalloides

Project 6: Editing of Flora of Bihar Vol. 1 (Ranunculaceae-Mimosaceae)

Dr. Vinay Ranjan, Scientist-E, Dr Kumar Avinash Bharati, Scientist-C and Dr Anand Kumar, Botanist 2020–2021

Previous editing (Dr W. Arisdason, Scientist-D & Dr Subir Bandyopadhyay, Scientist-C (Retd.)

Families	Genera	Species	Varieties	Cultivated taxa	Total Taxa
28	99	203	5	59	267

Present completed editing

Families	Genera	Species	Subspecies	Varieties	Cultivated taxa	Total Taxa
31	138	296	1	16	47	360

Status of complete manuscript

No. of families: 59

No. of genera: 237

No. of species: 499

No. of subspecies: 1

No. of varieties: 21

Cultivated taxa: 106

Editing completed for **627 taxa** (including **106 cultivated taxa**). The complete (Press ready) manuscript will be submitted within 2-3 months.

Project 7: Editing of Flora of Jharkhand Vol. 1 (Ranunculaceae-Mimosaceae)

Dr. Vinay Ranjan, Scientist-E, Dr Kumar Avinash Bharati, Scientist C and Dr Anand Kumar, Botanist 2020–2021

Previous editing (Dr W. Arisdason, Scientist-D & Dr Subir Bandyopadhyay, Scientist-C (Retd.)

Families	Genera	Species	Varieties	Cultivated taxa	Total Taxa
30	101	205	6	59	270

Present completed editing

Families	Genera	Species	Subspecies	Varieties	Cultivated taxa	Total Taxa
31	138	296	1	16	47	360

Status of complete manuscript

No. of families: 61

No. of genera: 239

No. of species: 501

No. of subspecies: 1

No. of varieties: 22

Cultivated taxa: 106

Editing completed for **630 taxa** (including 106 cultivated taxa). The complete (Press ready) manuscript will be submitted

within 2-3 months.



THANKS