

- 1.Khoury CK, Castañeda-Alvarez NP, Achicanoy HA, Sosa CC, Bernau V, Kassa MT, Norton SL, van der Maesen LJJG, Upadhyaya HD, Ramírez-Villegas J, Jarvis A, Struik PC 2015 Crop wild relatives of pigeonpea [Cajanus cajan (L.) Millsp.]: distributions, ex situ conservation status, and potential genetic resources for abiotic stress tolerance Biological Conservation 184 259-270, DOI: <https://doi.org/10.1016/j.biocon.2015.01.032>
- 2.Upadhyaya HD, Reddy KN, Sastry DVSSR, Gowda CLL 2013.The wild genepool of pigeonpea at ICRISAT genebank-status and distribution Indian Journal of Plant Genetic Resources 26 193-201
- 3 Gaur PM, Mallikarjuna N, Knights T, Beebe S, Debouck D, Mejia A, Malhotra RS, Imtiaz M, Sarker A, Tripathi S, Gowda CLL 2009 Gene introgression in grain legumes International Conference on Grain Legumes: Quality Improvement, Value Addition and Trade Indian Society of Pulses Research and Development Indian Institute of Pulses Research
- 4.Sharma S, Upadhyaya HD 2016 Pre-breeding to expand primary genepool through introgression of genes from wild Cajanus species for pigeonpea improvement Legume Perspectives 11 17-20
- 5 Ohri D, Singh S 2002 Karyotypic and genome size variation in Cajanus cajan (L.) Millsp. (pigeonpea) and some wild relatives Genetic Resources and Crop Evolution 49 1-10, DOI:10.1023/A:1013866611410
- 6 Bennett MD, Leitch IJ 2005 Nuclear DNA amounts in angiosperms: progress, problems and prospects Annals of Botany 95 45–90, DOI:10.1093/aob/mci003
- 7.Pundir RPS, Singh RB 1986 Karyotypic analysis of Cajanus, Atylosia, and Rhynchosia species Theoretical and Applied Genetics 72 307-313, DOI: 10.1007/BF00288566
- 8.Tripathi SN, Patil BD 1984 Interspecific cross between Atylosia albicans and Atylosia scarabaeoides Current Science 53 755-757
- 9 Ratnaparkhe MB, Gupta VS, Ven Murthy MR, Ranjekar PK 1995 Genetic fingerprinting of pigeonpea [Cajanus cajan (L.) Millsp.] and its wild relatives using RAPD markers Theoretical and applied genetics 91 893–898, DOI:10.1007/BF00223897
- 10.Agbagwa IO, Patil P, Datta S, Nadarajan N 2015 Comparative efficiency of SRAP, SSR and AFLP-RGA markers in resolving genetic diversity in pigeon pea (Cajanus sp.) Indian Journal of Biotechnology 13 486-495
- 11 Lakshmi M, Senthilkumar P, Parani M, Jithesh MN, Parida AK 2000 PCR-RFLP analysis of chloroplast gene regions in Cajanus (Leguminosae) and allied genera Euphytica 116 243–250, DOI: 10.1023/A:1004030207084

- 12.Datta S, Singh P, Mahfooz S, Patil PG, Chaudhary AK, Agbagwa IO,Nadarajan N 2016 Novel genic microsatellite markers from *Cajanus scarabaeoides* and their comparative efficiency in revealing genetic diversity in pigeonpea Journal of Genetics 93 24-30, DOI: 10.1007/s12041-013-0230-6
- 13.Greilhuber J, Obermayer R 1998 Genome size variation in *Cajanus cajan* (Fabaceae): A reconsideration Plant Systematics and Evolution 212 135-141, DOI:10.1007/BF00985225
- 14.Ohri D, Jha SS, Kumar S 1994 Variability in nuclear DNA content within pigeonpea, *Cajanus cajan* (Fabaceae) Plant Systematics and Evolution 189 211–216, DOI:10.1007/BF00939727
- 15.Dundas IS, Britten EJ, Byth DE, Gordon GH 1987 Meiotic behavior of hybrids of pigeonpea and two Australian native *Atylosia* species Journal of Heredity 78 261-265, DOI: 10.1093/oxfordjournals.jhered.a110379
- 16.Sharma PC, Gupta PK 1982 Karyotypes in some pulse crop Nucleus 25 81 - 85
- 17.Kudapaa H, Bharti AK, Cannon SB, Farmerb AD, Mulaosmanovic B, Kramer R, Bohra A, Weeks NT, Crow JA, Tuteja R, Shah T, Dutta S, Gupta DK, Singh A, Gaikwad K, Sharma TR, May GD, Singh NK Varshney RK 2012 A comprehensive transcriptome assembly of pigeonpea (*Cajanus cajan* L.) using sanger and second-generation sequencing platforms Molecular Plant 5 1020-1028
- 18.Pazhamala L, Saxena RK, Singh VK, Sameerkumar CV, Kumar V, Sinha P, Patel K, Obala J, Kaoneka SR, Tongona P, Shimelis HA, Gangarao NVPR, Odeny D, Rathore A, Dharmaraj PS, Yamini KN, Varshney RK 2015 Genomics-assisted breeding for boosting crop improvement in pigeonpea (*Cajanus cajan*) Frontiers in Plant Science 6 DOI: 10.3389/fpls.2015.00050
- 19 Sahu AR, Mishra RR, Rath SC, Panigrahi J 2015 Construction of interspecific genetic linkage map of pigeonpea using SCoT, RAPD, ISSR markers and simple inherited trait loci Nucleus 58 23–31, DOI:10.1007/s13237-015-0129-0
- 20.Magadum SK, Duggi S, Gangapur D, Verma SK 2013 Role of molecular breeding in genetic improvement of pigeonpea International Journal of Bio-Resource and Stress Management 4 382-388
- 21.Bairiganjan GC, Patnaik SN 1989 Chromosomal evolution in Fabaceae Cytologia 54 51-64
- 22 Kaila T, Chaduvla PK, Saxena S, Bahadur K, Gahukar SJ, Chaudhury A, Sharma TR, Singh NK, Gaikwad K 2016 Chloroplast genome sequence of pigeonpea (*Cajanus cajan* (L.) Millspaugh) and *Cajanus scarabaeoides* (L.) thouars: genome organization and comparison with other legumes Frontiers in Plant Science 7 1847 , <http://doi.org/10.3389/fpls.2016.01847>
- 23.Shibata K 1962 Estudios citologicos de plantas colombianas silvestres y cultivadas (Cytological studies on some wild and cultivated plants of Colombia) Journal of Agricultural Science 8 49–62
- 24.Akinola JO, Pritchard AJ, Whiteman PC 1972 Chromosome number in pigeon pea (*Cajanus cajan* (L.) Millsp.) The Journal of the Australian Institute of Agricultural Science 38 305-306

- 25.Shrivastava MP, Sharma D, Singh L 1973 Karyotype analysis in 15 varieties of *Cajanus cajan* (L.) Millsp and *Antylosia lineata* (W. and A.) Cytologia 38 219-227
- 26.Sinha SSN, Kumar P 1979 Mitotic analysis in thirteen varieties of *Cajanus cajan* (L.) Mill sp. Cytologia 44 571-580
- 27 Ratnaparkhe MB, Gupta VS 2007 Pigeonpea : chapter 8, pulses, sugar and tuber crops 3 133-145
Kole C Genome mapping and molecular breeding in plants Springer-Verlag Berlin Heidelberg Berlin, Heidelberg
- 28.Lavania UC, Lavania S 1982 Chromosome banding patterns in some Indian pulses Annals of Botany 49 235–239
- 29 Mukhopadhyay S 1986 Intergeneric relationship between three genera of leguminosae Indian Botanical Society 65 124-129
- 30.Mannan MA, Kabir G, Shaheen NN, Akhter FN 1991 Meiotic studies in seven pulse crops of Bangladesh Cytologia 56 511–515
- 31.Patel OP, Verma RC 1998 Meiotic behaviour of *Cajanus cajan* @x *Vigna mungo* hybrid Cytologia 63 279–282 The Japan Mendel Society
- 32.Patel OP, Verma RC 1999 Cytomorphology of induced tetraploidy in *Cajanus cajan* and *Vigna unguiculata* Cytologia 64 29-36
- 33 Yadav K, Yadav SK, Yadav A, Pandey VP, Dwivedi UN 2012 Genetic diversity of pigeonpea (*Cajanus cajan* (L.) Millsp.) cultivars and its wild relatives using randomly amplified polymorphic DNA (RAPD) markers American Journal of Plant Sciences 3 322-330, DOI:10.4236/ajps.2012.33038
- 34.Mallikarjuna N, Senapathy S, Jadhav DR, Saxena K, Sharma HC, Upadhyaya HD, Rathore A, Varshney R 2011 Progress in the utilization of *Cajanus platycarpus*(Benth.) maesen in pigeonpea improvement Plant Breeding 130 507–514, DOI: 10.1111/j.1439-0523.2011.01870.x
- 35 Bohra A, Dubey A, Saxena RK, Penmetsa R V, Poornima KN, Kumar N, Farmer AD, Srivani G, Upadhyaya HD, Gothalwal R, Ramesh S, Singh D, Saxena K, Kavi Kishor P B, Singh NK, Town CD, May GD, Cook DR, Varshney RK 2011 Analysis of BAC-end sequences (BESs) and development of BES-SSR markers for genetic mapping and hybrid purity assessment in pigeonpea (*Cajanus* spp.) BMC Plant Biology 11 56, DOI: 10.1186/1471-2229-11-56 BioMed Central Ltd
- 36.Varshney RK, Chen W, Li Y, Bharti AK, Saxena RK, Schlueter JA, Donoghue MTA, Azam S, Fan G, Whaley AM, Farmer AD, Sheridan J, Iwata A, Tuteja R, Penmetsa RV, Wu W, Upadhyaya HD, Yang SP, Shah T, Saxena KB, Michael T, McCombie WR, Yang B, Zhang G, Yang H, Wang J, Spillane C, Cook DR, May GD, Xu X, Jackson SA 2012 Draft genome sequence of pigeonpea (*Cajanus cajan*), an orphan legume crop of resource-poor farmers Nature Biotechnology 30 83–89, DOI:10.1038/nbt.2022

- 37 Kumawat G, Raje RS, Bhutani S, Pal JK, Mithra AS, Gaikwad K, Sharma TR, Singh NK 2012 Molecular mapping of QTLs for plant type and earliness traits in pigeonpea (*Cajanus cajan* L. Millsp.) BMC Genetics 13 84, DOI: 10.1186/1471-2156-13-84 BioMed Central Ltd
- 38.Singh NK, Gupta DK, Jayaswal PK, Mahato AK, Dutta S, Singh S, Bhutani S, Dogra V, Singh BP, Kumawat G, Pal JK 2012 The first draft of the pigeonpea genome sequence Journal of Plant Biochemistry and Biotechnology 21 98-112, DOI: 10.1007/s13562-011-0088-8
- 39 Dutta S, Kumawat G, Singh BP, Gupta DK, Singh S, Dogra V, Gaikwad K, Sharma TR, Raje RS, Bandhopadhyay TK, Datta S, Singh MN, Bashasab F, Kulwal P, Wanjari KB, Varshney RK, Cook DR, Singh NK 2011 Development of genic-SSR markers by deep transcriptome sequencing in pigeonpea [*Cajanus cajan* (L.) Millspaugh] BMC Plant Biology 11 17, DOI: 10.1186/1471-2229-11-17
- 40.Gill LS 1978 Chromosome numbers of angiosperms in Tanzania: II Adansonia 18 19-24
- 41.Gill LS, Husaini SWH 1986 Cytological observations in leguminosae from Southern Nigeria Willdenowia 15 521-27 Botanischer Garten und Botanisches Museum Berlin-Dahlem
- 42.Jahan B, Vahidy AA, Ali SI 1994 Chromosome numbers in some taxa of Fabaceae mostly native to Pakistan Annals of the Missouri Botanical Garden 81 792-799, DOI: 10.2307/2399924 Missouri Botanical Garden Press
- 43.Bhattacharjee SK 1956 Study of autotetraploid *Cajanus Cajan* (Linn.) Millsp. Caryologia 9 149-159, DOI: 10.1080/00087114.1956.10797586
- 44 Bohra A, Saxena RK, Gnanesh BN, Saxena K, Byregowda M, Rathore A, KaviKishor PB, Cook DR, Varshney RK 2012 An intra-specific consensus genetic map of pigeonpea [*Cajanus cajan* (L.) Millspaugh] derived from six mapping populations Theoretical and Applied Genetics 125 1325-1338, DOI:10.1007/s00122-012-1916-5
- 45.Iwata A, Greenland CM, Jackson SA 2013 Cytogenetics of legumes in the phaseoloid clade The Plant Genome 6.DOI:10.3835/plantgenome2013.03.0004 Crop Science Society of America
- 46 Geurts R, de Jong H 2013 Fluorescent in situ hybridization (FISH) on pachytene chromosomes as a tool for genome characterization Legume Genomics: Methods and Protocols 1069 15-24 Methods in Molecular Biology
- 47.Książkiewicz M, Zielezinski A, Wyrwa K, Szczepaniak A, Rychel S, Karłowski W, Wolko B, Naganowska B 2015 Remnants of the legume ancestral genome preserved in gene-rich regions: insights from *Lupinus angustifolius* physical, genetic, and comparative mapping Plant Molecular Biology Reporter 33 84-101, DOI:10.1007/s11105-014-0730-4
- 48.Ganesh BN, Bohra A, Sharma M, Byregowda M, Pande S, Wesley V, Saxena RK, Saxena KB, Kavi Kishor PB, Varshney RK 2011 Genetic mapping and quantitative trait locus analysis of resistance to sterility mosaic disease in pigeonpea [*Cajanus cajan* (L.) Millsp.].Field Crops Research 123 53-61

- 49.Yang SY, Saxena RK, Kulwal PL, Ash GJ, Dubey A, Harper JDI, Upadhyaya HD, Gothwal R, Kilian A, Varshney RK 2011 The first genetic map of pigeon pea based on diversity arrays technology (DArT) markers Journal of Genetics 90 103-109
- 50.Saxena RK, Penmetsa RV, Upadhyaya HD, Kumar A, Carrasquilla-Garcia N, Schlueter JA, Farmer A, Whaley AM, Sarma BK, May GD, Cook DR, Varshney RK 2012 Large-Scale development of cost-effective single-nucleotide polymorphism marker assays for genetic mapping in pigeonpea and comparative mapping in legumes DNA Research 19.449-461, DOI: 10.1093/dnare/dss025
- 51.Reddy LJ, De DN 1983 Cytomorphological studies in *Cajanus cajan* x *Atylosia lineata* Indian Journal of Genetics and Plant Breeding 43 96-103
- 52.Sinha SS, Kumar P 1971 Cytological studies in some varieties of *Cajanus cajan* (Linn.) The Journal Cytology and Genetics 6 18–24
- 53 Yang S, Pang W, Ash G, Harper J, Carling J, Wenzl P, Huttner E, Zong X, Kilian A 2006 Low level of genetic diversity in cultivated pigeonpea compared to its wild relatives is revealed by diversity arrays technology Theoretical and Applied Genetics 113 585-595, DOI:10.1007/s00122-006-0317-z
- 54.Kassa MT, Penmetsa RV, Carrasquilla-Garcia N, Sarma BK, Datta S, Upadhyaya HD, Varshney RK, von Wettberg EJB, Cook DR 2012 Genetic patterns of domestication in pigeonpea (*Cajanus cajan* (L.) Millsp.) and Wild *Cajanus* Relatives PLoS ONE 7 e39563, <https://doi.org/10.1371/journal.pone.0039563>
- 55.Sivaramakrishnan S, Kannan S, Reddy LJ 2002 Diversity in selected wild and cultivated species of pigeonpea using RFLP of mtDNA Euphytica 125.21-28, DOI:10.1023/A:1015759318497
- 56.Odeny DA, Jayashree B, Ferguson M, Hoisington D, Crouch J, Gebhardt C 2007 Development, characterization and utilization of microsatellite markers in pigeonpea Plant Breeding 126 130–136, DOI: 10.1111/j.1439-0523.2007.01324.x
- 57.Sarkar B, Chakravarthy VSK, Varalaxmi Y, Yadav SK, Vanaja M, Maheswari M 2017 Genetic diversity among pigeonpea (*Cajanus cajan* L. Millsp.) genotypes using genic SSRs with putative function for drought tolerance International Journal of Current Microbiology and Applied Sciences 6 1804-1814, DOI: <https://doi.org/10.20546/ijcmas.2017.604.216>
- 58.Malviya N, Yadav D 2010 RAPD analysis among pigeon pea [*Cajanus cajan* (L.) Mill sp.] cultivars for their genetic diversity Genetic Engineering and Biotechnology Journal 1 1-9
- 59.Burns MJ, Edwards KJ, Newbury HJ, Ford-Lloyd BV, Baggott CD 2001 Development of simple sequence repeat (SSR) markers for the assessment of gene flow and genetic diversity in pigeonpea (*Cajanus cajan*) Molecular Ecology Resources 1 283–285, DOI: 10.1046/j.1471-8278.2001.00109.x

- 60.Datta S, Kaashyap M, Kumar S 2010 Amplification of chickpea-specific SSR primers in *Cajanus* species and their validity in diversity analysis Plant Breeding 129 334–340, DOI: 10.1111/j.1439-0523.2009.01678.x.
- 61.Petchiammal KI, Muthiah AR, Jayamani P 2015 Molecular characterization of cultivated and wild *Cajanus* species using simple sequence repeat markers Legume Research 38 742-747, DOI: 10.18805/lr.v38i6.6717
- 62 Songok S, Ferguson M, Muigai AW, Silim S 2010 Genetic diversity in pigeonpea [*Cajanus cajan* (L.) Millsp.] landraces as revealed by simple sequence repeat markers African Journal of Biotechnology 9 3231-3241
- 63.Singh AK, Rai VP, Chand R, Singh RP, Singh MN 2013 Genetic diversity studies and identification of SSR markers associated with Fusarium wilt (*Fusarium udum*) resistance in cultivated pigeonpea (*Cajanus cajan*) Journal of genetics 92 273-280, DOI:10.1007/s12041-013-0266-7
- 64.Dutta S, Mahato AK, Sharma P, Raje RS, Sharma T R, Singh NK 2013 Highly variable ‘Arhar’ simple sequence repeat markers for molecular diversity and phylogenetic studies in pigeonpea [*Cajanus cajan* (L.) Millisp.] Plant Breeding 132 191–196, DOI: 10.1111/pbr.12014
- 65 Yadav K, Yadav SK, Yadav A, Pandey VP, Dwivedi UN 2014 Comparative analysis of genetic diversity among cultivated pigeonpea (*Cajanus cajan* (L) Millsp.) and its wild relatives (*C. albicans* and *C. lineatus*) using randomly amplified polymorphic DNA (RAPD) and inter simple sequence repeat (ISSR) fingerprinting American Journal of Plant Sciences 5 1665
- 66.Saxena RK, von Wettberg E, Upadhyaya HD, Sanchez V, Songok S, Saxena K, Kimurto P, Varshney RK 2014 Genetic diversity and demographic history of *Cajanus* spp. illustrated from genome-wide SNPs PLoS One 9 e88568, DOI: 10.1371/journal.pone.0088568
- 67.Mudaraddi B, Saxena KB 2015 Molecular diversity based heterotic groups in pigeonpea [*Cajanus cajan* (L.) Millsp.] Indian Journal of Genetics and Plant Breeding 75 57-61, DOI: 10.5958/0975-6906.2015.00006.1 The Indian Society of Genetics & Plant Breeding New Delhi
- 68.Mudaraddi B, Saxena KB, Saxena RK, Varshney RK 2013 Molecular diversity among wild relatives of *Cajanus cajan* (L.) Millsp African journal of biotechnology 12 3797-3801
- 69.Rupakula A, Rao DM, Sivaramakrishnan S, Reddy LJ, Bramel P, Upadhyaya H 2008 Efficiency of three DNA markers in revealing genetic variation among wild *Cajanus* species Plant Genetic Resources 7 113–121, DOI:10.1017/S1479262108061479
- 70 Walunjkar B, Parihar A, Chaurasia P, Pachchigar K, Chauhan RM 2013 Genetic analysis of wild and cultivated germplasm of pigeonpea using random amplified polymorphic DNA (RAPD) and simple sequence repeats (SSR) markers African Journal of Biotechnology 12 5823-5832, DOI: 10.5897/AJB11.3157

- 71 Walunjkar BC, Parihar A, Singh NK, Parmar LD 2015 Genetic diversity of wild and cultivated genotypes of pigeonpea through RAPD and SSR markers Journal of environmental biology 36 461
- 72 Ganapathy KN, Gnanesh BN, Gowda MB, Venkatesha SC, Gomashe SS, Channamallikarjuna V 2011 AFLP analysis in pigeonpea (*Cajanus cajan* (L.) Millsp.) revealed close relationship of cultivated genotypes with some of its wild relatives Genetic Resources and Crop Evolution 58 837-847, DOI:10.1007/s10722-010-9621-1
73. Reddy BV, Green JM, Bisen SS 1978 Genetic male sterility in pigeon pea Crop Science 18 362-364
74. Dundas IS, Saxena KB, Byth DE 1981 Microsporogenesis and anther wall development in male-sterile and fertile lines of pigeon pea (*Cajanus cajan* (L.) Millsp.) Euphytica 30 431, DOI:10.1007/BF00034007
- 75 Saxena KB , Wallis ES , Byth DE 1983 A new gene for male sterility in pigeonpea (*Cajanus cajan* (L.). Millsp.) Heredity 51 419–421, DOI:10.1038/hdy.1983.47
76. Katti RY, Giddanavar HS, Naik S, Agadi SN, Hegde RR 1994 Persistence of Callose and Tapetum in the Microsporogenesis of Genic Male Sterile *Cajanus cajan* (L.) Millsp. with Well Formed Endothecium Cytologia 59 65-72
- 77 Wanjari KB, Patil AN, Patel MC, Manjaya JG 2000 Male sterility derived from *Cajanus sericeus* *Cajanus cajan*: Confusion of cytoplasmic male sterility with dominant genic male sterility Euphytica 115 59-64, DOI:10.1023/A:1003974005782
78. Saxena KB, Kumar RV 2001 Genetics of a New male-sterility locus in pigeonpea (*Cajanus cajan*[L.] Millsp.) Journal of Heredity 92 437-439, DOI: 10.1093/jhered/92.5.437
- 79 Kaul ML 2012 Male sterility in higher plants Springer Science & Business Media 10
80. Saxena KB, Sultana R, Mallikarjuna N, Saxena RK, Kumar RV, Sawargaonkar SL, Varshney RK 2010 Male-sterility systems in pigeonpea and their role in enhancing yield Plant Breeding 129 125-134
81. Debata AK, Mukherjee AK, Panda PC 2012 Phylogenetic relationships among pigeon pea (*Cajanus cajan*) and its wild relatives as revealed by RAPD and ISSR markers Plant Science Research 34 79-92
- 82 Van der Maesen LJG 1985 *Cajanus* DC and *Atylosia* W. & A. (Leguminosae): A revision of all taxa closely related to the pigeonpea, with notes on other related genera within the subtribe Cajaninae Wageningen Agricultural University, The Netherlands 85.ISSN 0169-345X;
- 83 Van der Maesen LJG 1990 Pigeonpea: origin, history, evolution, and taxonomy The Pigeonpea 15-46
84. Nadimpalli RG, Jarret RL, Phatak SC, Kochert G 1993 Phylogenetic relationships of the pigeonpea (*Cajanus cajan*) based on nuclear restriction fragment length polymorphisms Genome 36 216-223

- 85 Mallikarjuna N, Saxena K, Lakshmi J, Varshney R, Srikanth S, Jadhav D 2012 Differences between *Cajanus cajan* (L.) Millspaugh and *C. cajanifolius* (Haines) van der Maesen, the progenitor species of pigeonpea Genetic resources and crop evolution 59 411-417, DOI:10.1007/s10722-011-9691-8
- 86.Patil P, Datta S, Singh IP, Das A, Soren KR, Kaashyap M, Choudhary AK, Chaturvedi SK, Nadarajan N 2012 Phylogenetic analysis of pigeonpea (*Cajanus cajan*) genotypes using Panzee retrotransposon based SSAP markers Indian Journal of Agricultural Sciences 82 1016–1021
- 87.Panigrahi J, Patnaik SN, Kole C 2001 Detection of species specific protein markers for *Cajanus cajan* and *C. cajanifolius* The Indian Journal of Genetics and Plant Breeding 61 223-225
- 88 DE DN 1974 Pulses pigeon pea 79 - 88, ISBN 0521098335, 9780521098335 Hutchinson J Evolutionary studies in world crops: diversity and change in the Indian subcontinent CUP Archive
- 89 Rao KN, Pundir RPS, Singh RB 1978 IOPB chromosome number reports LXII Taxon 27.519-535 Love A
- 90.Saxena KB, Kumar RV, Tickle AN, Saxena MK, Gautam VS, Rao SK, Khare DK, Chauhan YS, Saxena RK, Reddy BVS, Sharma D, Reddy LJ, Green JM, Faris DG, Nene YL, Mula M, Sultana R, Srivastava RK, Gowda CLL, Sawargaonkar SL, Varshney RK 2013 ICPH 2671 – the world's first commercial food legume hybrid Plant Breeding 132 479-485, DOI: 10.1111/pbr.12045
- 91.Srivastava K, Tripathi SN 1988 Cytomorphological studies in *Atylosia lineata*, *Atylosia cajanifolia* and their F1 hybrid The Journal of the Indian Botanical Society 67 126–128
- 92 Mohanty M 1989.Cytomorphological analysis of F1 hybrids between *Cajanus cajan* (Linn.) Millsp. and *Atylosia cajanifolia* Haines Cytologia 54 121-128
93. Kumar V, Subramaniam B 1988 Chromosome atlas of flowering plants of the Indian subcontinent volume 1. dicotyledons.Calcutta: Botanical Survey of India 1 464
- 94 Tschechow W, Kartaschowa N 1932.Karyologisch-systematische untersuchung der tribus loteae und phaseoleae unterfam. Papilionatae Cytologia 3 221- 249
- 95.Bir SS, Kumari S 1977 Evolutionary status of Leguminosae from Pachmarhi, central India Nucleus 20 94–98
- 96.Bir SS, Kumari S 1990 Karyomorphological evolution in Papilionaceae The Journal Cytology and Genetics 25 173–219
- 97.Bir SS, Kumari S 1973 IOPB chromosome number reports XLI Taxon 22 459-464
- 98.Shrivastava MP, Sharma D, Singh L 1973 Karyotype analysis in 15 varieties of *Cajanus cajan* (L.) Millsp and *Atylosia lineata* (W. and A.) Cytologia 38 219-227
- 99 Mallikarjuna N, Jadhav D, Reddy P 2006 Introgression of *Cajanus platycarpus* genome into cultivated pigeonpea, *C. cajan* Euphytica 149.161–167, DOI: 10.1007/s10681-005-9063-6

- 100.Mallikarjuna N, Senapathy S, Jadhav DR, Saxena K, Sharma HC, Upadhyaya HD, Rathore A, Varshney R 2011 Progress in the utilization of *Cajanus platycarpus* (Benth.) maesen in pigeonpea improvement Plant Breeding 130 507-514
- 101 Swathi M, Mishra PK, Lokya V, Swaroop V, Mallikarjuna N, Dutta A, Gupta A, Padmasree K 2016 Purification and partial characterization of trypsin-specific proteinase inhibitors from pigeonpea wild relative *Cajanus platycarpus* L. (fabaceae) active against gut proteases of lepidopteran pest *Helicoverpa armigera* Frontiers in Physiology 7 388 , doi.org/10.3389/fphys.2016.00388
- 102.Mallikarjuna N, Sharma HC, Upadhyaya HD 2007 Exploitation of wild relatives of pigeonpea and chickpea for resistance to *Helicoverpa armigera* Jounal of SAT Agricultural Research 3 4, ISSN 0973-3094
- 103.Reddy LJ 1981 Pachytene analyses in *Atylosia scarabaeoides* and *Cajanus cajan*× *A. scarabaeoides* hybrid Cytologia 46 579-589
- 104.Chirumamilla N, Vyas P 2009 Autopolyploidy in *Cajanus cajan* (L) Millsp. and its wild relative *Cajanus sericeus* (Benth. ExBaker): Amenability to Biotechnological Approaches Enrich Environment Multidisciplinary International Research Journal 2 ISSN : 0974-6064
- 105 Reddy LJ 1981 Pachytene analyses in *Atylosia sericea* and *Cajanus cajan*× *A. sericea* hybrid Cytologia 46 567-577
- 106.Panguluri SK, Janaiah K., Govil JN, Kumar PA, Sharma PC 2006 AFLP fingerprinting in pigeonpea (*Cajanus cajan* (L.) Millsp.) and its wild relatives Genetic Resources and Crop Evolution 53 523-531
- 107.Lackey JA 1980 Chromosome numbers in the phaseoleae (Fabaceae: Faboideae) and their relation to taxonomy American Journal of Botany 67 595-602 Botanical Society of America
- 108.Pundir RPS, Singh RB 1985 Biosystematic relationships among *Cajanus*, *Atylosia*, and *Rhynchosia* species and evolution of pigeonpea (*Cajanus cajan* (L.) Millsp.) Theoretical and Applied Genetics 69 531- 534, DOI:10.1007/BF00251099
- 109.Jha SS, Ohri D 1996 Phylogenetic relationships of *Cajanus cajan* (L.) Millsp. (pigeonpea) and its wild relatives based on seed protein profiles Genetic Resources and Crop Evolution 43 275-281, DOI:10.1007/BF00123279
- 110 Parani M, Lakshmi M, Kumar PS, Parida A 2000 Ribosomal DNA variation and phylogenetic relationships among *Cajanus Cajan* (L.) Millsp. and its wild relatives Current Science 78 1235–1238
- 111 Chirumamilla N,Vyas P 2009 Autopolyploidy in *Cajanuscajan* (L) Millsp. and its Wild Relative *Cajanusserriceus* (Benth. ExBaker): Amenability to Biotechnological Approaches. Enrich Environment Multidisciplinary International Research Journal 2.2-3
- 112 Reddy LJ 1981 Pachytene Analyses in *Atylosiasericea* and *Cajanuscajan*× *A. sericea* hybrid. .Cytologia 46.567-577

113 Panguluri SK, Janaiah K, Govil JN, Kumar PA, Sharma PC 2006 AFLP fingerprinting in pigeonpea (*Cajanuscajan* (L.) Millsp.) and its wild relatives. *Genetic resources and crop evolution* 53 523-531

114 Lackey JA 1980 Chromosome numbers in the Phaseoleae (Fabaceae: Faboideae) and their relation to taxonomy *American Journal of Botany* 67 595-602