

**REFERENCES for *Cyanotis* D. Don.****Genus ID : A-078.012**

1. Lalithambika Bai, K.,&Kuriachan, P.I. 1997 Cytological evolution among South Indian *Cyanotis* D. Don (Commelinaceae). Caryologia. 50: 163-174.
2. Kammathy, R. V. & Rao, S. R. 1961. Notes on Indian Commelinaceae. III. Cytological observations, Bull. Bot. Surv. India. 3: 393-394.
3. Kammathy, R.V. & R.S. Rao 1964. Notes on Indian Commelinaceae-IV: Cyto- taxonomic observation. Bull. Bot. Surv. India. 6: 1–6.
4. Raghavan R. S. & Rao S. R. 1961. Cytological observations on the Indian species of Commelinaceae. Curr. Sci. 30: 310-311.
5. SharmaA.K. 1955. Cytology of some of the members of Commelinaceae and its bearing on the interpretation of phylogeny. Genetica. 27: 323-363.
6. Shetty, B.V. &Subramanyam, K. 1962. Cytological studies in Commelinaceae. Nucleus, 5: 39-50.
7. Kammathy, R. V. & Rao, S. R. 1963. Indian species of *Cyanotis* Don. -Some aspects of cytotaxonomy. Proc. 50<sup>th</sup> Indian Sci. Congr., Part 3: 451-452.
8. SundaraRaghavan, R. & Rao, R.S. 1965. Notes on Indian Commelinaceae-VI. Cytological observations. Nucleus. 8: 39-44.
9. Shetty, B.V. &Subramanyam, K. 1961. Cytology of some taxa of Commelinaceae. Proc. 48<sup>th</sup> Indian Sci. Congr., Part. 3: 299.
10. RaoR. S. Kammathy R. V. and RaghavanR. S.1968. Cytotaxonomic studies on Indian Commelinaceae: A review. J. Linn. Soc. (Bot.) 60: 357-380.

11. Lalithambika Bai, K.,&Kuriachan,P. I. 1996. Cytotaxonomy of some members of *Cyanotis* with a note on the taxonomic status of *C. papilionacea* (Commelinaceae). J. Cytol. Genet. 31: 185–193.
12. Bai K. L., Kuriachan P. I. &NinanC. A. 1984. Chromosome Number Reports LXXXII. Taxon 33: 126–134.
13. Kammathy, R. V. & Rao, S. R. 1965. In IOPB Chromosome number reports V. Taxon 14: 191-196.
14. RaoR. S., RaghavanR. S.and Kammathy R. V. 1970. Biosystematic studies on Indian Commelinaceae. The chromosome pattern and evolutionary trends. Bull. Bot. Surv. India 12: 242-254.
15. Bhattacharya B. 1975. Cytological Studies on Some Indian Members of Commelinaceae. Cytologia. 40: 285-299.
16. Bhattacharya G. N. 1975. Chromosomes in *Lagenandra ovata* (L.) Thw. (Araceae). Proc. Indian Sci. Congr. Assoc. 62: 129.
17. Fotedar, J.L. & Roy, S.K. 1969a. Cytotaxonomy of some Indian Commelinaceae. Plant Science 1: 10-19.
18. Mehra, P. N. & Sachdeva S. K. 1976c. Cytological observations on some west Himalayan monocots. IV. Several families. Cytologia. 41: 31-53
19. Nigar,A. & SharmaA. K. 1984. Trends of chromosome evolution in family Commelinaceae. Nucleus. 27: 231–241.
20. Panigrahi, G. & Kammathy, R.V. 1966. Studies in cytology and taxonomy in the genus *Cyanotis* in Eastern India. Proc. 53<sup>rd</sup> Indian Sci. Congr., Part 3: 278-279.
21. Renugadevi, K. & Sampathkumar R. 1986. On the karyomorphological delineations in some taxa of Commelinaceae. J. Cytol. Genet. 21: 115–132.
22. Sarkar, A. K., Chakraverty, M.,DAS, S. K.,Pal,C. R.,&Hazara,D. 1980. In Chromosome number reports LXVII. Taxon. 29: 358–360.
23. SundaraRaghavan, R. & Rao R.S. 1961.Cytological observations on Indian species of Commelinaceae. Curr. Sci. 30: 310-11.

24. Sharma, A. K.& Sharma,A. 1958. Further investigation on cytology of members of Commelinaceae with special reference to the role of polyploidy and the originof ecotypes. J. Genet. 56: 1-22.
25. Lalithambika Bai, K., Kuriachan P. I. &NinanC. A. 1995. Infraspecific karyotype evolution in *Cyanotis villosa*Schult. f. (Commelinaceae) by centric fusion. J. Cyt. Gen. 30: 109–114.
26. Rao P.N. 1970. Meiotic study in *Cyanotisvillosa*Schult f. Nucleus. 13:106-110.
27. Renugadevi, K. &Sampathkumar. R. 1983. In IOPB chromosome number reports LXXIX. Taxon. 32: 320–321.
28. Jones, K.& Jopling, C. 1972. Chromosomes and the classification of the Commelinaceae. Bot. J. Linn. Soc. 65: 129-162.
29. Morton, J. K. 1967. The Commelinaceae of West Africa: a biosystematic survey. Jour. Linn. Soc. Bot. 60: 167-221.
30. Heitz, B. 1968. Commelinacees II. Inf. Ann. Caryosyst. etCytogenet. 2: 26-32.
31. Islam, A.S.&Baten,A. 1952. Cytology of *Cyanotis*.Nature. (London) 169: 457-458.
32. Zheng, J. Y., Gu C. Y. &. Chen. R. Y 1989. Cytotaxonomical studies on Commelinaceae in China I. Chromosome numbers and karyotypes of some Chinese species. Pp. 363--368 in D. Hong (editor), Plant Chromosome Research. 1987.
33. Ayyangar K. R. &Sampathkumar R. 1978. Chiasma basis of delimitation of species in some members of commlinaceae. All India High Level Symposium in Plant Cytogenetics Waltair, 8-9.
34. Sampathkumar, R. &Ayyangar, K. R. 1978. On the Karyomorphological highlights of *Cynotisaxillaris*Schult. f. Proc. of Indian Sci. Cong. 65:109.
35. Malla S B, Bhattacharai S, Gorkhali M, Saiju H & N Kayastha. 1978a. In IOPB chromosome number reports LIX. Taxon 27: 53–61.

36. Malla S B, Bhattacharai S, Gorkhali M, Saiju H & N KAYASTHA. 1978b. In IOPB chromosome number reports LXII. *Taxon* 27: 519–535.
37. Murthy K. L. 1934. Gametogenesis and Embryogeny in some Commelinaceae. *Curr. Sci.* 3: 258-259.
38. Naik, V. N. & Nirgude S. M. 1989. Identity, taxonomic status and nomenclature of *Cyanotis cucullata* (Roth) Kunth (Commelinaceae) and related taxa. *Asian J. Pl. Sci.* 1: 67–76.