

References of *Lupinus* L.**Genus ID : A-140.094**

- 1.Naganowska B, Wolko B, Sliwinska E, Kaczmarek Z .2003.Nuclear DNA content variation and species relationships in the genus *Lupinus* (Fabaceae).Annals of Botany.92.349 - 355.
- 2.Kong F, Rudloff E, Snowdon RJ, Wan YP.2009.Chromosomal distribution of 18S-25S rDNA in four *Lupinus* species visualized by fluorescence in situ hybridization.Russian Journal of Genetics.45.1009 - 1012.
- 3.Ghrabi Gammar Z, Puech S, Zouaghi M, Nabli M .1997.Mediterranean chromosome number reports 7 (827–830).Flora Mediterranea .7. 221 - 225.
- 4.Fernandes A, Queiros M .1978.Contribution a la connaissance cytotaxinomique des Spermatophyta du Portugal. IV. Leguminosee (Suppl. 3).Boletim da Sociedade Broteriana ser.52.79- 164.
- 5.Fernandes A, Santos MF, Queiros M .1977.Contribution a la connaissance cytotaxonomique des Spermatophyta de Portugal. Leguminosae.Boletim da Sociedade Broteriana ser. .51.137 - 186.
- 6.Le Gal MF, Lecocq FM, Hallet JN .1993.Structural and molecular features of storage proteins in legume seeds. Comparative analysis of the nuclear organization of diploid and tetraploid lines of *Lupinus albus*.Giorn. Bot. Ital. .127.264 - 273.
- 7.Koul KK, Nagpal R .2002.Sex incidences of chiasmata variation in respect of position, distribution and frequency in some important legumes and grasses.Caryologia.55.251-261.
- 8.Cina Ann V, Luckett DJ, Harper JDI, Ash GJ, Kilian A, Ellwood SR, Phan HTT, Raman H .2013.Construction of integrated linkage map of a recombinant inbred line population of white lupin (*Lupinus albus* L.).Breeding Science .63.292 - 300.
- 9.Croxford AE, Rogers T, Caligari PDS, Wilkinson MJ .2008.High resolution melt analysis to identify and map sequence tagged site anchor points onto linkage maps: a white lupin (*Lupinus albus*) map as an exemplar.New Phytologist .180.594 - 607.
- 10.Sbabou L, Brhada F, Alami IT,Malouf AF .2010.Genetic diversity of Moroccan *Lupinus* germplasm investigated using ISSR and AFLP markers.International Journal of Agriculture & Biology.12.26 - 32.
- 11.Talhinhias P, Neves-Martins J, Leitao J .2003.AFLP, ISSR and RAPD markers reveal high levels of genetic diversity among *Lupinus* species.Plant Breeding .122.507 - 510.
- 12.Hajdera I, Siwinska D, Hasterok R, Maluszynska J .2003.Molecular cytogenetic analysis of genome structure in *Lupinus angustifolius* and *Lupinus cosentinii*.Theoretical and Applied Genetics .107. 988 - 996.
- 13.Suek K, Bielski WK, Hasterok R, Naganowska B, Wolko B .2016.A first glimpse of wild lupin karyotype variation as revealed by comparative cytogenetic mapping.Frontiers in Plant Science .7.doi: 10.3389/fpls.2016.01152.

- 14.Naganowska B, Zielinska A.2002.Physical mapping of 18S-25S rDNA and 5S rDNA in Lupinus via fluorescent in situ hybridization.Cellular& Molecular Biology Letters.7.665 - 670.
- 15.Kaczmarek A, Naganowska B, Wolko B .2009.Karyotyping of the narrow-leaved lupin (*Lupinus angustifolius* L.) by using FISH, PRINS and computer measurements of chromosomes.Journal of Applied Genetics .50.77 - 82.
- 16.Pastor J, Fernandez I, Diez M .1988.Numeros cromosomicos para la flora Espanola. 528 - 543. Lagascalia .15.124 - 129.
- 17.Pastor J.1979.In Numeros cromosomicos para la flora Espanola 84 - 120. Lagascalia .9.115 - 130 .
- 18.Boersma JG, Pallotta M , Li C, Buirchell BJ, Sivasithamparam K, Yang H .2005.Construction of a genetic linkage map using AFLP and identification of molecular markers linked to domestication genes in narrow-leaved lupin (*Lupinus angustifolius* L.) .Cellular & Molecular Biology Letters .10.331 - 344.
- 19.Nelson MN, Phan HTT, Ellwood SR, Moolhuijzen PM, Hane J, Williams A, O'Lone CE, Fosu - Nyarko J, Scobie M, Jones MGK, Bellgard M, Ksiazkiewicz M, Wolko B, Barker SJ, Oliver RP, Cowling WA .2006.The first gene-based map of *Lupinus angustifolius* L.- location of domestication genes and conserved synteny with *Medicago truncatula*.Theoretical and Applied Genetics .113.225 - 238.
- 20.Yang H, Sweetingham MW, Cowling WA, Smith PMC .2001.DNA fingerprinting based on microsatellite-anchored fragment length polymorphisms, and isolation of sequence-specific PCR markers in lupin (*Lupinus angustifolius* L.).Molecular Breeding.7.203 - 209.
- 21.Naganowska B, Dolezel J, Święcicki WK .2003.Development of molecular cytogenetics and physical mapping of ribosomal RNA genes in *Lupinus*.Biologia Plantarum .46.211 - 215.
- 22.CusmaVelari T, Chiapella LF, Bacchetta G, Kosovel V .1999.Mediterranean chromosome number reports 9 (1071–1072).Flora Mediterranea .9.361 - 364.
- 23.Troll HJ, Yagoda G, Kunze A .1963.Polyplioide *Lupinus luteus*.Zuechter .33.184 - 190.
- 24.Bairiganjan GC, Patnaik SN .1989.Chromosomal evolution in Fabaceae.Cytologia.54.51 - 64.
- 25.Faasen PV, Nadeau P .1976.In IOPB chromosome number reports LI.Taxon .25.155 - 164.
- 26.Dmitrieva SA, Parfenov VI .1985.Kariologicheskaja kharakteristika nekotorykh vidov poleznykh rastenij flory Belorussii.Izvestiia Akademii Nauk Belorusskoi SSR: Seriia Biologicheskikh Nauk .6.3 - 8.
- 27.Semerenko LV .1989.Chromosome numbers in some members of the families Asteraceae, Fabaceae, Orchidaceae and Poaceae from the Berezinsky Biosphere Reservation (Byelorussia) flora.Botanicheskii Zhurnal (Moscow & Leningrad) .74.1671- 1673.
- 28.Pogan E, JankunA Sawicka Z .1990.Further studies in chromosome numbers of Polish angiosperms, part 22.Acta Biologica Cracoviensia Series Botanica .31. 1 - 17.

29.Ainouche AK, Bayer RJ .1999.Phylogenetic relationships in Lupinus(fabaceae:papilionoideae) based on internal transcribed spacer sequences (ITS) of nuclear ribosomal DNA.American Journal of Botany .86.590 - 607.

30.Kass E, Wink M .1997.Molecular phylogeny and phylogeography of Lupinus(Leguminosae) inferred from nucleotide sequences of the *bcl* gene and ITS 1 + 2 regions of rDNA.Plant Systematics and Evolution .208.139 - 167.