REFERENCES for *Schoenoplectus* Pala **Genus ID : A-098.027**

.

1. Sharma, A. K. &Bal, A. K. 1956. A cytological investigation of some members of the family Cyperaceae. Phyton (Buenos Aires) 6: 7–22.

2. Sharma, A. K.& Sarkar, A. K. 1967–1968. Chromosome number reports of plants in Annual Report,Cytogenetics Laboratory, Department of Botany, University of Calcutta. The Research Bulletin 2: 38–48.

3. Sharma, A. K. 1970. Annual report, 1967–1968. Res. Bull. Univ. Calcutta (Cytogenetics Lab.) 2: 1–50.

4. Rath, S. P. & S. N. Patnaik. 1972. Cytotaxinomic studies in Cyperaceae. Proc. 59th Indian Sci. Congr. 3:361.

5. Sanyal, B. & A. Sharma. 1972. Cytological studies in Indian Cyperaceae. I. Tribe Scirpeae. Cytologia37: 13–32.

6. Rath, S. P. &Patnaik, S. N. 1974. Cytological studies in Cyperaceae with special reference to its taxonomy I .Cytologia 39: 341–352.

7. Subramanian, D. 1988. Cytotaxonomical studies in south Indian Cyperaceae I. Species from the plains.Cytologia 53: 67–72.

8. Skottsberg, C. 1955. Chromosome numbers in Hawaiian flowering plants. Ark. Bot. 3: 63–70.

9. Nijalingappa, B. H. M. 1972. In IOPB chromosome number reports. XXXVIII. Taxon 21: 679–684.

10. Belaeva, V. A. &Siplivinsky, V. N. 1975. Chromosome numbers and taxonomy of some species of Baikal flora Bot. Zurn. SSSR. 60: 864–872.

11. Pignotti L., Fiorini G. - 1998. Mediterranean chromosome number reports.. Flora Mediterranea , 8: 214-221

12. Majovsky J. et al., 1976. Index of chromosome numbers of Slovakian flora (Part 5). - Acta Fac. Rerum Nat. Univ. Comen., Bot. 25: 1-18.

13. Skaliska M., Pogan E. et al. 1966. Further studies in chromosome numbers of Polish Angiosperms. Sixth contribution. Acta Biol. Cracov. Ser. Bot. 9, 31-58.

14. Tanaka, N.1937. Chromosome studies in Cyperaceae. I. Cytologia FugiiJub. Vol. 814–821.

15. Tanaka, N.1938. Chromosome studies in Cyperaceae *Scirpuslacustris* L. Cytologia 8: 515–520.

16. Tanaka, N. 1939. Chromosome studies in Cyperaceae. III. The maturation divisions in *Scirpuslacustris*L.with special reference to heteromorphic pairing. Cytologia 9: 533–556.

17. Tanaka, N. 1940. Chromosome studies in Cyperaceae. VI. Pollen development and additional evidence forthe compound chromosome in *Scirpuslacustris* L. Cytologia 10: 348–362.

18. Otzen, D. 1962. Chromosome studies in the genus *Scirpus L.*, section *Schoenoplectus* Benth.et Hook., in the Netherlands. Acta Bot. Neerl. 11: 37–46.

19. Skalinska, M. & E. Pogan. 1966. Further studies in chromosome numbers of Polish angiosperms. VI.Acta Biol. Cracov. Ser. Bot. 9: 31–58.

20. Love, A.&Kjellqvist, E. 1973. Cytotaxonomy of Spanish plants. II. Monocotyledons. Lagascalia 3: 147–182.

21. Mehra, P. N. &Sachdeva, S. K. 1975. Cytology of some west Himalayan Cyperaceae. Cytologia 40: 497–515.

22. Hindakova, M. 1976. In Index of chromosome numbers of Slovakian flora. Part 5. Acta Fac. Rerum Nat. Univ.Comenianae, Bot. 26: 1–18.

23. Love, A.& Love, D. 1981. In IOPB chromosome number reports. LXXIII. Taxon 30: 845–851.

24. Vachova, M. 1976. In Index of chromosome uumbers of Slovakian flora. Part 5. Acta Fac. Rerum Nat. Univ. Comenianae, Bot. 25: 1–18.

25. Stoeva, M. 2000. Mediterranean chromosome number reports 10 (1213--1226). Fl. Medit. 10: 423–430.

26. Pignotti. 2003. Mediterranean chromosome number reports 13 (1366--1367). Fl. Medit. 13: 392–394.

27. Bir, S. S., Cheema, P. &Sidhu, M. K. 1990. SOCGI plant chromosome number reports—IX. J. Cytol. Genet. 25:137–139.

28. Sarkar, A. K., Chakraborty, M.,Saha, N. C. &Das, S. K. 1976. In IOPB chromosome number reports.LIV. Taxon 25: 631–649.

29. Nijalingappa, B. H. M., Nagaraj, N. &Tejavathi,D. H. 1978. In IOPB chromosome number reports. LXII. Taxon 27:519–535.

30. Bir, S. S., Cheema, P. &Sidhu,M. 1991. Cytological observations on *Scirpus*Linn. from north India. Cytologia 56: 645–651.

31. Sharma, B. R. 1962. Cytology of Cyperaceae. Proc. 49th Indian Sci. Congr. 3: 337–338.

32. Pogan E., Jankun A., Sawicka Z. et al. 1989. Further studies in chromosome numbers of Polish Angiosperms. Part XXII. Acta Biol. Cracov. Ser. Bot. 31, 1-17.

33. Morinaga, T. &Fukushima, E. 1931. Chromosome numbers of cultivated plants. III. Bot. Mag. (Tokyo)45: 140–145.

34. Tanaka, N. 1948. The problem of anueploidy (Chromosome studies in Cyperaceae, with special reference tothe problem of anueploidy). Biol. Contr. Japan 4: 1–327.

35. Bir, S. S., Sidhu, M. K. &Kamra, S. 1981. In IOPB chromosome number reports. LXXIII. Taxon 30: 854.

36. Bir, S. S., Cheema, P. &Sidhu. M. K. 1988. SOCGI plant chromosome number reports—VII. J. Cytol.Genet. 23: 219–228.

37. Bir, S. S., Kamra, S.,Sidhu, M. K. &Cheema, P. 1988. Cytomorphological studies on some members ofCyperaceae from north India. J. Cytol. Genet. 23: 14–37.

38. Jankun, A. 1989. Further studies in chromosome numbers of Polish angiosperms, part XXII. Acta Biol. Cracov., Ser. Bot. 31: 1–17.

39. Pogan, E., Jankun, A. &Sawicka, Z.1990. Further studies in chromosome numbers of Polish angiosperms,part 22. Acta Biol. Cracov., Ser. Bot. 31: 1–17.

40. Bir, S. S.,Chatha, G. S. &. Sidhu, M. K. 1992.Intraspecific variation in Cyperaceae from Punjab Plain, India.Willdenowia. 22: 133–142.

41. Bir, S. S., Cheema, P. &Sidhu, M. K. &Kumari, S. 1993. Karyomorphology of members of *Bulbostylis*Kunth and*Scirpus* Linn. from Punjab State, north India. Proc. Indian Natl. Sci. Acad., Part B, Biol. Sci. 59: 147–151.

42. Maeda, T. & Uchino, A. 2004. Stability and variability of chromosome numbers in the genus *Schoenoplectus* (Cyperaceae). I. S. *gemmifer*, S. *mucronatus* var. *mucronatus* and S. *triangulatus*. Cytologia 69(1): 75–83.

43. Bir, S. S., Chatha, G. S. &Sidhu, M. K. 1985.SOCGI plant chromosome number reports—III. J. Cytol.Genet. 20: 207.

44. Bir, S. S., Sidhu, M. K. &Kamra, S. 1986. Karyotypic studies on certain members of Cyperaceae from Punjab,northwest India. Cytologia 51: 95–106.

45. Silvestre, S. 1980. In Numeroscromosomicospara la flora Espanola. 121–182. Lagascalia 9: 249–284.

46. Schuyler, A. E. 1976. Chromosome numbers of some eastern North American species of *Scirpus*. Bartonia 44:27–31.

47. Harriman, N. A. 1981. In IOPB chromosome number reports. LXXI. Taxon 30: 517.

48. Arohonka, T. 1982. Chromosome counts of vascular plants of the island Seili in Nauvo, SW Finland. TurunYliopistonBiologian-LaitoksenJulkaisuja 3: 1–12.

49. Kozhevnikov, A. E., Sokolovskaya, A. P. &Probatova,N. S. 1986. Ecology, distribution andchromosome counts in some Cyperaceae from the Soviet far east. Izv. Sibirsk. Otd. Akad. Nauk S.S.S.R., Ser. Biol. 2: 57–62.

50. Stoeva, M. P. 1987. Chromosome numbers of Bulgarian angiosperms. Fitologija (Sofia) 33: 65–66.

51. Hoshino, T.,Okamura, K., Hong, D. Y., Dai, L.-K., Nakata, M. &Tanaka, R. 1993. Cytological studies ofChinese Cyperaceae (1). Chromosome counts of nine species collected from Jilin, Liaoning and Hebei provinces. J. Jap. Bot. 68: 65–69.

52. Montgomery, L., Khalaf, M., Bailey, J. P. &Gornal,K. J. 1997. Contributions to a cytological catalogueof the British and Irish flora, 5. Watsonia 21: 365–368.

53. Tanaka, N. 1942. Chromosome studies in Cyperaceae. XVI. Chromosome numbers in the genus *Scirpus*.Med. Biol. 2: 91–95.

54. Fang, Y. X. 1992. The chromosome numbers of three species of genus *Scirpus*. J. Shanghai Teachers' Univ., Nat. Sci. Ed. 12, (Suppl.): 49–52.

55. Yanoa O, Ikedaa H, Watson M F, Rajbhandari K R, Ohbaa H. 2010. Cytological Studies on Cyperaceae in the Nepal Himalaya I. Chromosome Counts of 14 Species Collected from the Manaslu Himalaya, Central Nepal. J. Jpn. Bot. 85: 157–165.

56. Yano O. and Hoshino T. 2005. Molecular phylogeny andchromosomal evolution of Japanese *Schoenoplectus*(*Cyperaceae*), based on ITS and ETS 1f sequences.ActaPhytotax. Geobot. **56**: 177–189.