

REFERENCES of *Tradescantia* L.

Genus ID : A-078.008

1. Jones, K. & Kenton,A. 1983. Complex interchange heterozygotes and homozygotes in the Commelinaceae. In P. E. Brandham& M. D. Bennett (editors), Kew Chromosome Conference II. P. 238.
2. Stack, S. M. &Soulliere,D. L. 1984. The relation between synapsis and chiasma formation in Rhoeo spathacea. *Chromosoma* 90: 72–83.
3. Pettenati, M. J. 1987. Giemsa C-banding of Rhoeo (Commelinaceae). *Genetica* 74: 219–224.
4. Lin, Y. J. &Paddock, E. F. 1978. Identification of complexes in a spontaneous triploid *Rhoeospathacea*. *Chromosoma* 67: 97–108.
5. Mertens, T. R. 1974. Meiotic chromosome behavior in Rhoeo spathacea (Sw.) Stern. Proc. Indiana Acad. Sci. 83: 79–82.
6. Nanda, K. &Gupta,S. C. 1977. Development of tapetalperiplasmidium in Rhoeo spathacea. *Phytomorphology* 27: 308–314.
7. Garcia-Velazquez, A. 1995. Cytogenetical studies in Rhoeo spathacea (Commelinaceae) II. Characterization of an acrotrisomic plant. *Cytologia* 60: 319–327.
8. Renugadevi, K. &Sampathkumar,R. 1986. On the karyomorphological delineations in some taxa of Commelinaceae. *J. Cytol. Genet.* 21: 115–132.
9. Alam, N. &Sharma,A. K. 1984. Trends of chromosome evolution in family Commelinaceae. *Nucleus* 27: 231–241.
10. Mahulkar, N. &Chaudhari, U. S. 1990. C-Banded karyotype in prometaphase chromosomes of *Rhoeodiscolor*. *Proc. Indian Sci. Congr. Assoc.* 77(3,VI): 142–143.
11. Lin, Y. J. 1980. Chromosome behaviour in *Rhoeo spathacea* var. *variegata*. *Cytobios* 27(106): 113–128.
12. Jones, K., &Jopling,C. 1972. Chromosomes and the classification of the Commelinaceae. *Bot. J. Linn. Soc.* 65: 129-162.
13. Brown, W.V., and Stack. S.M. 1968. Somatic pairing as a regular preliminary to meiosis. *Bull. Torrey Bot. Club* 95: 369-378.
14. Bennett M.D. 1972. Nuclear DNA content and minimum generation time in herbaceous plants. *Proceedings of the Royal Society of London Series B-Biological Sciences.* 181:109-135.
15. Verma, R. C. and Ahirwar, R.2012. Chromosomal Behavior in *Rhoeo disolor*againstcolchicine treatment. *Cytologia* 77(1): 17–21.
16. Verma, R. C., Vyas, P. and Raina, S. N. 1992. The effect of colchicine on meiosis in the *Rhoeo disolor*stable complextranslocation heterozygote. *Genome* 35: 611–613.
17. Natrajan,A.T. and Natrajan, N. 1972. The heterochromatin of *Rhoeo disolor*. *Hereditas*72:323-330.

18. Verma, R. C. and Khullar, S. 1996. Induction of genetic diversity in *Rhoeo discolor*(Commelinaceae). In: Environment and Biodiversity: In the context of South Asia.: (eds.). Ecological Society, Kathmandu. pp. 281–285.
19. Sax, K. 1931. Chromosome Ring Formation in *Rhoeo discolor*. *Cytologia* 3:36-53.
20. Coleman, L. C. 1941. The relation of chromocenters to the differential segments in *Rhoeo discolor*. *Hereditas*. 28: 742-748.
21. Walters, M. S. and Gerstel, D. U. 1948. A Cytological Investigation of a Tetraploid *Rhoeo discolor*. *American Journal of Botany*. 35: 141-150.
22. Wimber, D. E. 1968. The nuclear cytology of bivalent and ring forming *Rhoeo* and their hybrids. *American Journal of Botany* 55: 572-574.
23. Simmonds, N. W. 1945. Meiosis in triploid *Rhoeo discolor*. *Nature*. 155:731.
24. Flagg, O. R. 1958. A Mutation and an inversion in *Rhoeo discolor*. *The Journal of Heredity*. 49:185-188.
25. Braungart, D.C. 1949. Meiosis in colchicine induced tetraploids of *Rhoeo*. *Jour. Hered.* 40:25-28.
26. Stach, M.S. and Soulliere, D. L. 1984. The relation between synapsis and chiasma formation in *Rhoeospathaceae*. *Chromosoma* 90:72-83.
27. Darlington, C. D. 1929. Chromosome behaviour and structural hybridity in the Tradescantiae. *Journ. Genet.* 20: 207-286.
28. Darlington, C. D. 1937. Chromosome behaviour and structural hybridity in the tradescantiae. II. *35*: 259.
29. Sax, K. 1937. Effect of variations in temperature on nuclear and cell division in *Tradescantia*. *Amer. J. Bot.* 24: 2118.
30. Lin, Y.J., Paddock, E.F. and King, E.L. 1984. Meiotic chromosome configurations in a triploid *Rhoeo*. *Genetica* 63: 113-119.
31. Patankar, S. and Ranjekar, P. K. 1988. Constitutive Heterochromatin during Meiosis and Mitosis in *Allium cepa* and *Rhoeo discolor*. *Cytologia* 53: 275-281.
32. Hieronim, G. 2011. Cytogenetics of the permanent translocation heterozygote *Rhoeo spathacea* var. *variegata* Implications for complex chromosome rearrangements in *Rhoeo*. *Caryologia* 64: 325-334.
33. Verma, S. C. and Ohri, D. 1979. Breakdown of the Classical Meiotic System in *Rhoeo spathacea* (Commelinaceae). *Cytologia* 44: 91-102.
34. Lin, Y. J. and Ivan T. L. 1979. Studies of chromosome distribution in a triploid *Rhoeo*. *Caryologia* 32: 204–213.

35. Desai, S. A. 1965. Cytological study of a triploid *Rhoeo discolors*. *Cytologia* 30: 260-265.
36. Bhaduri,P.N. 1942. Cytological analysis of structural hybridity in *Rhoeo discolor*Hance. *Journal of Genetics* 44: 73-85.
37. Golczyk,H. and Joachimiak, A. 1999. Karyotype structure and interphase chromatin organization in *rheoe spathacea* (sw.) Stearn (commelinaceae)*ActaBiologicaCracoviensis Series Botanica* 41: 143-150.
38. Poddar S., Datta A. K., Dana S. 1998. Cytogenetics of desynaptic mutants in homozygote stock of *Rhoeo spathacea* var. *concolor*. *The Nucleus* 41: 115-119.
39. Garcia-Velazquez A. 1991. Cytogenetical studies in *Rhoeo spathacea* (Commelinaceae).I
A desynaptic and second division restitution mutant. *Genome* 34: 895–899.
40. Garcia-Velazquez A. 1994. A desynaptic mutant in *Rhoeo spathacea* (Commelinaceae).
Caryologia 59: 399-404.
41. Golczyk H. 2011. Cytogenetics of the permanent translocation heterozygote *Rhoeo spathacea* var. *variegata*. Implications for complex chromosome rearrangements in *Rhoeo*. *Caryologia* 64: 325–334.
42. Golczyk H., Hasterok R., Joachimiak A. J. 2005. FISH-aimed karyotyping and characterization of Renner complexes in permanent heterozygote *Rhoeo spathacea*. *Genome* 48: 145–153.
43. Golczyk H. 2011. Breakdown of the balanced lethals in *Rhoeo*. The structure of the alethal Renner complex of the homozygotic stock of *Rhoeo*. *Cytogenet. Genome Res.* 134: 229–233.
44. Golczyk H. 2011. The arrangement of pericentromeres during meiotic prophase I in the permanent translocation heterozygote *Rhoeo spathacea*. *Caryologia* 64: 197–202.

45. Zonneveld, B.J.M., Leitch,I.J. and Bennett, M.D. 2005. First Nuclear DNA Amounts in more than 300 Angiosperms. Annals of Botany 96: 229–244.

46. Golczyk H.2013.Cytogenetics of *Tradescantia spathacea* (syn. *Rhoeo spathacea*). A reviewAnnalesUniversitatisMariaeCurie-Skłodowska Lublin Polonia, (Versita) 68: 40-53.