

- 1.Das AB, Mohanty S, Das P.2001.Cytophotometric estimation of 4C DNA content and karyotype analysis in ten cultivars of *Trigonella foenum-graecum*.Iranian Journal of Botany.9.1 - 9.Tehran, Iran.
- 2.Das AB, Mohanty S, Das P.2002.Cytophotometric estimation of 4C DNA content and karyotype analysis in ten cultivars of *Trigonella foenum-graecum* - II.Iranian Journal of Botany.9.151–159.Tehran, Iran.
- 3.Raghuvanshi SS, Singh AK.1977.Polyploid breeding in *Trigonella foenum-graecum* L.Cytologia.42.5-19.
- 4.Agarwal K, Gupta PK .1983.Cytological Studies in the Genus *Trigonella* Linn. .Cytologia.48.771-779.
- 5.Laxmi V, Gupta MN, Datta SK.1983.Investigations on an induced green seed coat colour mutant of *Trigonella foenum-graecum* L. .Cytologia.48.373–378.
- 6.Laxmi V, Datta SK .1986.Induction and analysis of MMS induced mutant of fenugreek.Science and Culture.52.310–312.
- 7.Ahmad F, Acharya SN, Mir Z, Mir PS.1999.Localization and activity of rRNA genes on fenugreek (*Trigonella foenum-graecum* L.) chromosomes by fluorescent in situ hybridization and silver staining.Theoretical and Applied Genetics .98.179-185.
- 8.Arya ID, Rao SR, Raina SN.1988.Cytomorphological studies of *Trigonella foenum-graecum* autotetraploides in three (C1, C2, C3) generations.Cytologia.53.525–534.
- 9.Bairiganjan GC, Patnaik SN .1989.Chromosomal evolution in fabaceae.Cytologia.54.51–64.
- 10.Kar K , Sen S .1991.A comparative karyological study of root and embryo tissue of a few genera of leguminosae.Cytologia.56.403–408.
- 11.Zandi P, Basu SK, Cetzal-Ix W, Kordrostami M, Chalaras SK, Khatibai LB.2017.Fenugreek (*Trigonella foenum-graecum* L.): an important medicinal and aromatic crop.InTech.207. DOI: 10.5772/66506.Active Ingredients from Aromatic and Medicinal Plants.
- 12.Zandi P, Basu SK, Cetzal-Ix W, Kordrostami M, Chalaras SK, Khatibai LB.2014.Chemical composition and antifungal activity of *Trigonella foenum-graecum* L. varied with plant ploidy level and developmental stage.Arabian Journal of Chemistry.doi.org/10.1016/j.arabjc.2014.03.013.
- 13.Martin E, Akan H, Ekici M, Aytac Z.2011.Karyotype analyses of ten sections of *Trigonella* (fabaceae).Comparative Cytogenetics .5.105–121.
- 14.Raghuvanshi SS, Pant M, Upreti N.1980.Studies on the distribution of B chromosomes in different plant parts of *Trigonella foenum-graecum* L.Caryologia.33.215-225, DOI: 10.1080/00087114.1980.10796833.

15. Raghuvanshi SS, Pande K. 1985. B Chromosome in *Butea Monosperma*, a Tree. *Caryologia*. 38. 161-168.
16. Pant MU, Raghuvanshi SS. 1982. The influence of B chromosomes on chiasma frequency in *Trigonella foenum-graecum* L. *Botanical gazette*. 143. 249-252.
17. Srivastava A, Raghuvanshi SS. 1988. Buffering effect of B-chromosome system of *Trigonella foenum-graecum* against different soil types. *Theoretical and Applied Genetics* . 75. 807–810, doi:10.1007/BF00265609.
18. Raghuvanshi SS, Upreti M . 1977. A new category of B-chromosomes in *Trigonella foenum-graecum* L. *Current Science*. 46. 789–790.
19. Agarwal K, Gupta PK. 1983. Cytological studies in the genus *Trigonella* Linn. . *Cytologia*. 48. 771-779.
20. Lavania UC, Sharma AK. 1980. Giemsa C-banding, somatic association and orientation of interphase chromosomes in *Trigonella foenum-graecum* (L.). *Caryologia*. 33. 17-23.
21. Ladizinsky G, Vosa CG . 1986. Karyotype and C-banding in *Trigonella* section *Foenum-graecum* (fabaceae). *Plant Systematics and Evolution*. 153. 1–5.
22. Dangi RS, Lagu MD, Choudhary LB, Ranjekar PK, Gupta VS. 2004. Assessment of genetic diversity in *Trigonella foenum-graecum* and *Trigonella caerulea* using ISSR and RAPD markers. *BMC Plant Biology*. 4. 13, DOI: 10.1186/1471-2229-4-13.
23. Kakani RK, Singh SK, Pancholy A, Meena RS, Pathak R, Raturi A. 2011. Assessment of genetic diversity in *Trigonella foenum-graecum* based on nuclear ribosomal DNA, internal transcribed spacer and RAPD analysis. *Plant Molecular Biology Reporter*. 29. 315–323, DOI: 10.1007/s11105-010-0233-x.
24. Sundaram S, Purwar S. 2011. Assessment of genetic diversity among fenugreek (*Trigonella foenum-graecum* L.), using RAPD molecular markers. *Journal of Medicinal Plants Research*. 5. 1543-1548.
25. Sindhu A, Tehlan SK, Chaudhury A. 2017. Analysis of genetic diversity among medicinal therapist *Trigonella foenum-graecum* L. genotypes through RAPD and SSR markers. *Acta Physiologiae Plantarum*. 39. 100.
26. Qi RH . 1997. A comparative study on three species of *Trigonella* L. *Grassl. China*. 4. 52-54.
27. Aspell L. 1977. IOPB chromosome number reports LVI. *Taxon*. 26. 257-274.
28. Bhaumik GH . 1976. Cytological investigations on some members of the tribe Trifolieae (family Papilionaceae). *Science and Culture*. 42. 322–324.
29. Kaur D, Kumar P, Singhal VK. 2013. Chromosome counts and cytomixis in two species of *Trigonella* L. *Cytologia*. 78. 235-242.

- 30.Kaur D, Singhal VK.2016.Ethnobotanical uses, chromosome counts and male meiotic studies in selected medicinal herbs from Kinnaur, District of Himachal Pradesh (India).World Journal Of Pharmacy And Pharmaceutical Science.5.912-935, DOI: 10.20959/wjpps20165-6664.
- 31.Kaur D, Singhal VK .2016.Cytomorphological Characterization in 28 species of Papilionaceae from Indian cold deserts.International Journal of Science and Research (IJSR) .5.ISSN: 2319-7064.
- 32.Baquar SR, Askari SA.1970.Chromosome studies in some flowering plants of West Pakistan.Genetica Polonica.11. 341-348.
- 33.Baquar SR, Abid A.1970. Chromosome studies in some flowering plants of West Pakistan II. Genetica Iberica.22. 41-51.
- 34.Kumari S, Saggoo MIS, Kumar S.1989.SOCGI plant chromosome number reports-VIII.Journal of Cytology and Genetics .24.179- 183.Kuwait.
- 35.Malallah G, Al-Dosari M, Murin A.2001.Determination of chromosome numbers in Kuwaiti flora II.THAISZIA-KOSICE-.10. 137-150.
- 36.Kumar M, Parsad M, Arya RK.2013.Grain yield and quality improvement in fenugreek: A review .Forage Res.39.1 - 9.
- 37.Singh A.1973.Studies on the interspecific hybrids of *Trigonella corniculata* L., *T. hamosa* L. and *T. cretica* L. .Genetica.44.264 - 269.
- 38.Bena, G.2001.Molecular phylogeny supports the morphologically based taxonomic transfer of the “medicagoid” *Trigonella* species to the genus *Medicago* L. .Plant Systematics and Evolution.229(3-4).217-236.
- 39.Steele, K.P. and Wojciechowski, M.F.2003.Phylogenetic analyses of tribes Trifolieae and Viciae, based on sequences of the plastid gene *matK* (Papilionoideae: Leguminosae). .Advances in legume systematics.10.355-370.
- 40.Bena, G., Prosperi, J.M., Lejeune, B. and Olivieri, I.1998.Evolution of Annual Species of the Genus *Medicago*: A Molecular Phylogenetic Approach.Molecular Phylogenetics and Evolution.9(3).552-559.