

1. Hizume, M. 1989 . Karyomorphological studies in twelve species in the Taxodiaceae with special reference to cytotaxonomical position of *Sciadopitys verticillata* . Mem. Fac. Educ. Ehime Univ., Ser. 3, Nat. Sci. 9 : 7–32.
2. Hizume, M . 1996 . Localization of 18S ribosomal RNA genes in the meiotic chromosomes of *Cunninghamia lanceolata* and *Cryptomeria japonica*, Taxodiaceae. . Chromosome Inform. Serv . : 22–24.
3. Hizume M, Kondo T, Miyake T . 1989 . Meiosis in pollen mother cells of 15 *Cryptomeria japonica* clones with special emphasis on the behavior of the 6th chromosome pair heteromorphic to chromomycin A3 band. . Japanese Journal of Genetics . 64 : 287–294.
4. Hizume M, Shibata F, Kondo T . 1998 . Fluorescence in situ hybridization of ribosomal RNA gene in *Cryptomeria japonica*, Taxodiaceae . Chromosome Sci . 2 : 99–10.
5. Hizume M, Kondo T, Shibata F, Ishizuka R. . 2001 . Flow cytometric determination of genome size in the Taxodiaceae, Cupressaceae sensu stricto and Sciadopityaceae . Cytologia . 66 : 307-311.
6. Kado T, Yoshimaru H, Tsumura Y, Tachida H . 2003 . DNA Variation in a Conifer, *Cryptomeria japonica* (Cupressaceae sensu lato) . Genetics . 164 : 1547–1559 .
7. Khoshoo TN . 1961 . Chromosome numbers in gymnosperms . Silvae Genetica . 10 : 1-9.
8. Kondo, T. & M. Hizume. . 1982 . Banding of the chromosomes of *Cryptomeria japonica* D. Don . Don. J. Jap. Forest. Soc. . 64 : 356–358.
9. Kondo, T., M. Hizume & R. Kubota. . 1985 . Variation of fluorescent chromosome bands of *Cryptomeria japonica* . J. Jap. Forest. Soc. . 67 : 184–189.
10. Matsumoto K . 1933 . Uber die chromosomenzahl von *Cryptomeria japonica* D. Don and *Taiwania cryptomerioides* Hayata . Bot. Zool . 1 : 1751-1756.
11. Mehra, P. N. . 1988 . Indian Conifers, Gnetophytes and Phylogeny of Gymnosperms . Panjab University .
12. Mehra PN, Khoshoo TN . 1956 . Cytology of conifers I . Journal of Genetics . 54 : 165-185.
13. Sax K, Sax HJ . 1933 . Chromosome number and morphology in the conifers . Journal of Arnold Arboretum . 14 : 356-357.

14. Schlarbaum SE, Tsuchiya T, Johnson LC . 1984 . The somatic chromosomes of *Cryptomeria japonica* with special reference to the marker chromosomes . *Silvae Genetica* . 33 : 5-Apr.
15. Toda Y. . 1982 . On the karyotype of *Cryptomeria japonica* (L. f.) D. Don (XV) *Cryptomeria japonica* D. Don in Kyushu (5). . *Bull. Japan. Forest. Soc* . 93 : 213–214.
16. Toda Y, Fujimoto Y. . 1983 . Cytogenetical study of Taxodiaceae (I). *Bull. Kyushu Branch Japan. Forest. Soc.* 36 : 89–90.
17. Toda Y. . 1989 . Intraspecific variation of the karyotype in *Cryptomeria japonica* D. Don. Pp. 85--86 in D. Hong (editor), . *Plant Chromosome Research* . : 85--86 .
18. Tsumura Y, Tomaru N . 1999 . Genetic diversity of *Cryptomeria japonica* using co-dominant DNA markers based on sequenced-tagged sites . *Theoretical and Applied Genetics* . 98 : 396-404.
19. Tsumura Y, Uchiyama K, Moriguchi Y, Kimura MK, Ueno S, Ujino-Ihara T . 2014 . Genetic Differentiation and Evolutionary Adaptation in *Cryptomeria japonica* . G3 (Bethesda) . 4 : 2389–2402.
20. Uchiyama K, Ujino-Ihara T, Ueno S, Taguchi Y, Futamura N . 2012 . Single nucleotide polymorphisms in *Cryptomeria japonica*: their discovery and validation for genome mapping and diversity studies. . *Tree Genetics and Genomes* . 8 : 1213–1222.
21. Uchiyama K, Miyamoto N, Takahashi M, Watanabe A, Tsumura Y, . 2014 . Population genetic structure and the effect of historical human activity on the genetic variability of *Cryptomeria japonica* core collection in Japan . *Tree Genetics and Genomes* . 10 : 1257–1270.
22. Tani N, Takahashi T, Iwata H, Mukai Y, Ujino-Ihara T, Matsumoto A, Yoshimura K, Yoshimaru H, Murai M, Nagasaka K, Tsumura Y . 2003 . A consensus linkage map for Sugi (*Cryptomeria japonica*) from two pedigrees, based on microsatellites and Expressed Sequence Tags. . *Genetics* . 165 : 1551–1568.
23. Moriguchi Y, Ujino-Ihara T, Futamura N, Saito M, Ueno S, Matsumoto A, Tani N, Taira H, Shinohara K, Tsumura Y . 2012 . The construction of a high-density linkage map for identifying SNP markers that are tightly linked to a nuclear-recessive major gene for male sterility in *Cryptomeria japonica* D. Don. *BMC Genomics* . 19 : 95.
24. Zonneveld BJM . 2012 . Conifer genome sizes of 172 species, covering 64 out of the 67 genera, range from 8 to 72 picogram . *Nordic Journal of Botany* . 30 : 490-502.
25. Hizume M, Kaneko K, Miyake T . 2014 . A method for preparation of meiotic chromosomes of conifers and its applications . *Chromosome Botany* . 9 : 83-88.



