

1. Choudhry, A. S. 1984 . Karyomorphological and cytological studies in Ephedra . J. Sci. Hiroshima Univ., Ser. B, . 19 : 57–109.
2. Choudhry S, Tanaka R . 1981 . Diploid form of Ephedra intermedia var. Tibetica . Chromosome Information Service . 31 : 3-4.
3. Ghafoor S, Shah MM , Ahmad H, Swati ZA, Shah SH, Pervez A, Farooq U . 2007 . Molecular characterization of Ephedra species found in Pakistan . Genetics and Molecular Research . 6 : 1123-1130.
4. Kakiuchi N, Inoue K, Kurita Y, Ohkubo K, Tsuda Y, Mikage M . 2007 . Survey of Ephedra resources in the Northern Areas of Pakistan and their genetic diversity . Journal of Natural Medicines . 61 : 357-365.
5. Kakiuchi N, Mikage M, Ickert-Bond S, Maier-Stolte M, Freitag H . 2011 . A molecular phylogenetic study of the Ephedra distachya / E. sinicacomplex . Eurasia Willdenowia . 41 : 203-215.
6. Kawatani T, Fujita S, Ohno T, Kuboki N, Hoshizaki K . 1959 . On the alkaloidal content of ephedras cultivated at Kasukabe . J. Pharmaceutical Soc. Jap. 79 : 392-393.
7. Khoshoo TN . 1961 . Chromosome numbers in gymnosperms . SilvaeGenetica . 10 : 1-39.
8. Kitan I Y, Zhu S, Batkhoo J, Sanchir C, Komatsu K . 2011 . Genetic Diversity of Ephedra Plants in Mongolia Inferred from Internal Transcribed Spacer Sequence of Nuclear Ribosomal DNA . Biol. Pharm. Bull . 34 : 717—726.
9. Kozhamzharova LS , Sarsenbaev KN, Bekbayeva LK , S.Misni LK, Tuymebayeva BE . 2013 . Genetic Signs of Interspecific Polymorphism of Ephedra L. Species in Kazakhstan Flora . World Applied Sciences Journal . 21 : 428-432.
10. Leitch I, Hanson L, Winfield M, Parker J, Bennett MD . 2001 . Nuclear DNA C-values complete familial representation in gymnosperms . Annals of Botany . 88 : 843-849.
11. Meena B, Tiwari V, Niraj Singh N, Mahar KS, Sharma YK, Rana TS . 2016 . Estimation of genetic variability and population structure in Ephedra gerardianaWall. exStapf (Ephedraceae): An endangered and endemic high altitude medicinal plant . Agri Gene . 1 : 116-125.
12. Mehra PN . 1946 . A study of the karyotype and the occurrence of diploid male gametophyte in some species of the genus Ephedra . Proceedings of National Academy of Sciences India . 16 : 259- 291.
13. Mehra . 1988 . Indian Conifers, Gnetophytes and Phylogeny of Gymnosperms . Panjab University Chandigarh . .

14. Mehra, P. N. & S. C. Khitha . 1981 . Karyotype and mechanism of sex determination in *Ephedra foliata* Boiss. a dioecious Gymnosperm . *Cytologia* . 46 : 173–181.
15. Ohri D, Khoshoo TN . 1986 . Genome size in gymnosperms . *Plant Evolution and Systematics* . 153 : 119-132.
16. Sharma P, Uniyal PL, Tripathi SB, Negi MS, Schwegendiek A . 2015 . AFLP based analysis of genetic diversity within Section *Pseudobaccatae* and *Alatae* of the genus *Ephedra* in Western Himalaya . *Journal of Innovative Biology* . 2 : 245-249.
17. Wu H, Ma Z, Wang M-M, Ai-Li Qin A-L, Ran J-H, Wang X-Q . 2016 . A high frequency of allopolyploid speciation in the gymnospermous genus *Ephedra* and its possible association with some biological and ecological features . *Molecular Ecology* . 25 : 192-210.
18. Mehra PN . 1934 . Artificial culture of the male gametophyte of *Ephedra foliata* Boiss and *Ephedra gerardiana* Wall, and a study of number and morphology of their chromosomes . *Current Science* . 3 : 11-14.

