

REFERENCE:

HISTORLÆ NATURALIS CLASSICA

EDIDERUNT

J. CRAMER ET H. K. SWANN

TOMUS XXXI


ICONES PLANTARUM INDLÆ ORIENTALIS

BY

ROBERT WIGHT

VOLUME 3:

PLATES 1369-2101



REFERENCE.

REPRINT 1963

BY J. CRAMER • WEINHEIM

WHELDON & WESLEY, LTD AND HAFNER PUBLISHING CO.
CODICOTE, HERTS. NEW YORK, N.Y.


HISTORIC NATURALIS CLASSICA

J. CRAMER & H. E. SWAMY

DATE RECEIVED

NO. 215

HERBARIUM INDIANUM



R 215

COPYRIGHT OF THE SERIES
BY J. CRAMER, WEINHEIM


PRINTED IN GERMANY 1963
BY ERWIN LOKAY, REINHEIM

Convolvulaceae

Convolvulaceae

REFERENCE:


1369



Convolv. del.

Sida wolvuloides (R. & C.)


Convolv. del.



Choisy, del.

Breweria racemosa (Choisy)


Choisy, del.



Cuscuta arabica (Fras)

Boissier del.


Thunberg, Lich.



Herbarium, etc.

Thompson, etc.


Cuscuta



Cuscuta chinensis (Lam.)

Carandj, Bot.

Barneby, Bot.



Wardell del.

Ipomoea brachiata (R. W.)

Dunlop, sculp.

Convolvulus


Convolvulus

1375



W.C. C. 6
1868


Convolvulus (Spreng.)



Perana racemosa (Roxb.)

W. & A. G. Rees, del.

W. & A. G. Rees, sculp.




Soricostoma pauciflora (Stocks M.S.S.)

Cordia

Boerhavia

tyS




Cordia alliodora (Willd.)

Cordia

Borrainia

1319



Bourcier, det.

Thompson, det.


Cordia Rothii (Ram & Sch)



Cordia, *fl.*

Cordia fulvosa (R. W.)

Thompson, Calif.




Cordia Borrotholii (D. C.)



Ehretia laevis (Roos)

Carandus, del.

Scopely, del.



Chaetia ovalifolia (R. W.)

Chaetia ovalifolia (R. W.)

Chaetia ovalifolia (R. W.)


Ch.
taiea

Borraginea!

J3M



Chrota wightiana (Wall.)




Chetiva (x) pumeha (R. W.)

Chetice

Braginea


faff



Spurnefolia reticosa (R. W.)

Halimolobos

Eragnis



*Halimolobos, superum (Linn.)
B. Malabaricum (Roth)*




Heliotropium coromandelianum (Rohr)

R 215

Heliotropium

Boraginaceae

4389



Heliotropium scaberrimum (Rohb.)

6992

Naucleopsis


hyemalis

1894




Helictropium macrodonum (Retz.)

1894



Aschtopia (*Bonagina*)


W. G. & C.




Anemba hispidissima (D.C.)



Echinospermum calastinum (R. & N.)




Smrt&ad&Uim<'fa'rahum (Wall)



Datura fastuosa (Mill. Nux)

Drumh. & Scud.




Solanum denticulatum (Blume)



Solanum wibacifolium (Linn.)

Garland, det.

Shreve, det.



Solanum sp. majus (Nast)

zfidttea.


Solanaceae

1600



Solanum foetidum (Nes)

Wiegand, Lill



Solanum Jacquinii (Willd.)




Solanum pubescens (Willd.)



Lycium Indicum (R. W.)



Verbasca virgatum (Wickson)




Celsia coromandelina (Vahl.)

Glabra

Sophulariaceae


1407



Marum succulentum (Dym.)

Griseb.


Griseb.



Carindes, del.

Drummond, sculp.

Simodia viscosa (Roxb.)



Simnophila hypericifolia (Benth.)

Harms del.

Harms del.



Acanoma sesamoides (Benth.)

Gratiola


Sophularia



Bynaya peronicifolia (Astragalus)



Bonmaria rubrofolia (Spring)




Buchnera hispida (Hamilt.)




W. Lindley del.

W. Lindley del.

Thysanotus lanchooides (Benth.)




Rhamphiarpa longiflora (Benth.)




Carroll, del.

Carroll, sculp.


Campylanthus ramosissimus



Mirargeria Nightii




Pedicularis Perrotetii (Benth.)



Pedicularis zeylanica (Benth.)

W. Wood


W. Wood




Wunderlin del.

Crystanthe lutea (Link.)

Wunderlin del.




Orobanchae tubulosa (R. W.)
Phelipaea culea (Drof. Stock)




Seemüller, del.

Seemüller, del.

Alginatea pedunculata (Walt.)




Oligopholis tubulosa (R. W.)



Christisonia subacuta W.J. ? (Bentham)

Severin del.

Severin del.




Campbellia aurantiaca (R.W.)

Dr. W. H. S. G. & Co.

Dr. W. H. S. G. & Co.




Campbellia cythoides (R. W.)




Christisonia calcarata (R. & W.)

Christisonia, R. & W.

Christisonia, R. & W.



Christisonia Sawii (R. W.)



Orthosiphon brachiatus (R. W.)


Seemann del.

Seemann sculp.


Corymboidea

Labiata


1429



Phlavanthus Wightii (Benth.)




Plibianthus macraei (Benth.)



Ecolus spicatus (Benth.)




Coleus barbatus (Benth.)



Coleus Wightii (Benth.)

Labiata


Cymoides



Anisochilus dysophylloides (Renth.)

W. H. S. 1887


W. H. S. 1887



Amisochilus purpureum (R. W.)

Salvatae

Cosmosidae



Anisochilus albidum (R. W.)


Opymoides!

Labiata

us?




Anisochilus suffruticosum (R.M.)



Lavandula Burmanni (Benth.)




Lavandula Lamiiflora (R. W.)



Pogostemon Hornemannii (Benth.)




Pogostemon rotundatum (Benth.)



Pogostemon hirsutum (Benth.)



Cogastemon speciosum (Benth.)



Dryophylla tetraphylla (R. W.)


Menthoidea!

Sabiata!

1165



Dysophylla auricularia (Blume)



Micromoria biflora (Benth.)

Lawson, Bot.

Dumort., Bot.

Melissineae

Sabiaceae

1567




Melissa umbrosa (Bieber)

Scutellarinea!

Sabiata!

1148.



Brunella vulgaris (Linn.)

Scutellarinea

Labiata


1619



Scutellaria violacea (Hornem.)

Sabiaso.

Scutellaria



Scutellaria piperata (Walp.)

Reichenow del.



Lonicera periclymenum (L. 132)


Sacchrydea

Sabiata

1152



Leucas lanceifolia (Desf.)



Lucas tenuifolia (Drosera)

Stachydeae

Labiatae

J/JA



Senecio suffruticosus


Trachydeea

Sabiata

1655



Leucas rosmarinifolia (Renth.)




Gompfostemma Heyneanum (Wall.)

Prasica

Labiata


1257



Gynophostemma oblongum (Wall.)



Jussiaea (*S. tomentosa*) (*Heqne*)




Antirrhinum glaucum (J. E. S.)




Pronoma det.

Stuebel f. 1160

Pronoma canescens (Jack)



Bouchea marrubifolia (Schauer)



Seemann del.

Seemann sculp.

Bouchea Hyderabadensis (Walp.)


1403

Sippia

Sphenocera

Sippia portiflora (Rich.)





Santana Indica (Roxb.)


W. & A. Woodcut

Thompson, Sculp.

Santanea!

Verbenacea!


11.65



Vitis arborea (Roxb.)




Vitis altissima (Linn. fil.)



Walbrothia leucocylon (Roxb.)



Premna tomentosa (Willd.)



Corradi del.

Scamporrini sculpsit.

Premna integrifolia (Sinn.)




Lymbina arborea (Roxb.)

Lantana

Viburnacea

1171



Clerodendron fortuneatum (Linn.)



Clerodendron serratum (Spreng.)

Carroll, det.

Thompson, del.




Clerodendron phlomoides (Sinn.)

Symphoricarpha

Veronica

1175



Symphoricarpha pentanicta (R. W.)
Kosioka (Roxb.) *Congua* (Wall. R. W.)




Sphenodasme acuminata (R. W.)

Symphoricarpha

Verbenacea

1477



*Sphenodasmi Jackiana (R. W.)
bongoa Jackiana (Wall.)*


Carroll, Bot.

Wright, Bot.

Symphoricarpos

Violenaceae


1178



Sphecodasme triflora (R. W.)



A *Congea azurea* (Wall.) B. C. Villars (Rubi.)
B *C. Villarsii* (Rubi.)




Callicarpa Wallichiana (Walp.)

Avicennia

Nyctoraceae

1181



Avicennia tomentosa (Linn.)


Avicennia

Mycoporacea

Stiff.



Avicennia alba (Blume)




Premna cordifolia (Roxb.)

Lantana

Vibronacea

1486




Premna glaberrima (R. W.)


Santana

Virbonacia


1185



Premna thymoides (R.H.)



Christisonia aurantiaca (R. W.)



Meyenia Howlandiana (Nees)



Elernia glauca (f. *Nies*)

Hygrophilae

Acanthaceae

1489



Hygrophila obovata (Nees)



Hydrophila salicifolia (Nees)

Wimmer, 1861

Wimmer, 1861

Albonus

Acanthaceae

1691



Euphrasia albus (Nas)

Acrotheca

Hypophylla



Homalium polyphyllum (Nees)

Scrophulariaceae

Hyppochitae




Physiculus sphyllatum (Vicia)

Hydrophileae

Acanthaceae

1196



Gymnostachyum polyanthum (R. W.)

Hydrophilica

Acanthaceae

1195



Cryptophragmium panicans (Nees)



Cryptophaagmium axillare (Nees)



Eriopogon venicolor (R.W.)



Endopogon viscosum (Arnott)



Enicophyllum capitatum (R. & H.)


Wiegmann, Icon.



Endopogon strobilanthes (R. W.)



Eudopogon foliosus (R. N.)



Ronosiphonium diandrum (Nees)



Hencksiphonium Rufsalianum (Nees)



Hemigraphis latifolia (Nees)



Dipleracanthus patulus (Vies)



AJL:JJ.

Anystasia coromandeliana (Nes)



Leptacanthus Walhori (Nees)

Comstock, det.

Drumh. det.



Goldfussia tristis (R. N.)

Hand-drawn illustration

Thompson, 1884

P. 11. 1
Xeeecusee

.-^Wte^/

1509




Goldfussia Dalhousiana (Nees)



Edgewood, det.

Goldfussia pentstemonoides (Vass)

Dr. J. G. Fisher




Archilanthes sepilis (Nees)

Ruellia

Acanthaceae

1512



Strobilanthes sepsiloides (R. W.)



Strobilanthes Perrottetianus (Nees)

Ruellia

Acanthaceae

1312



fe^znr

Strobilanthes Nigricans (Nees)

1312



Arctanthus luteus (R. H.)



Sprengel, del.

Strobilanthes ciliatus (Nees)

Sprengel, del.

Ruellia

Acanthaceae

ti/J*



Strobilanthes asper (R. W.)



Anobilanthes micranthus (R. W.)

Compositae, det.

Thompson, J. det.

Ruellia

Acanthaceae

1520




Strobilanthes spakumianus (R.W.)




Endopogon rhamnifolius (R. W.)




Goldfussia decanens (R.W.)



Strobilanthes Nisiana (R.W.)



Adenosma verticillata (Nees)



Gymnostachyum alatum (R. W.)

Ruellia


Acanthaceae



Calophanus rugans (R. W.)



Septacanthus platus (R. W.)




Barborea Hochstetteri (Nuss)

Walter R. Burleigh

Barleria

Acanthaceae.

1529



Barleria Couratlica (Nees)


Banleria

Acanthaceae

1530



Lepidagathis Waltheriana (Nees)




Neuracanthus Pavii (R. W.)



Nyracanthus trinervis (R. W.)

Wm. A. L. 1887



Blepharis asperima (Nees)


Acanthia

Acanthium

1335



Acanthidium quossum (Acanthia)



Acanthodium grossum (Nees)



Phloganthus latifolius (R. H.)




Hemicheilus montana (Nees)


Gonolobus

Acanthaceae

1534




Hastellularia procumbens (Nies)



Rostellularia heterophyllifolia (Nees)



Rostellularia gracilis (R. W.)



Proellulania pimplan (R. W.)

200-2708



Leptostachya Wallichii (Nees)

Wiegand 1881


Gondarus

Acanthaceae

1346



Athaboda Neiphonica (Nees)



Adhatoda Wynaadensis (Nees)


Eranthomea

Acanthaceae

/Jtf



Justicia livida (Hamilt.)



Rungia foeniculata (Nias)




Rungqiah lasior (Nees)




Rungia Wightiana (Nees)

Wightiana, Hook.

Drumley, Hook.



Rungia Arnotiana (R.M.)




Dicliptera bivalvis (Rostk)




Dicliptera cuneata (Nees)



Peristrophe montana (Nees)




Rhabdospora glabra (Nees)



Hypoestes Malaccensis (R. W.)



Kaplanshus neilgherrensis (R. N.)



Andrographis lobelioides (R. W.)

Andrographideae

Acanthaceae

1558



Andrographis Nightiana (Nus)




Andrographis viscosula (Nees)



Andrographis conplanica (Nees)



Andrographis Neesiana (R. W.)



Probilanthis campanulatus (R. W.)

Griseb. det.

Thompson 1912



Ruellia? punctata (Nees)



Lepidagathis longifolia (R. & H.)

Symphorema

Verbenaceae

1179/2 ov 1565




Conqua tomentosa (Roxb.)


Symphoricarpha

Verbenacea!


11/9/3 or 1566




Conqua velutina (R. W.)




Utricularia stellaris (Linn. fil.)



Utricularia fasciculata (Rostk)




Utricularia diantha (P. V.S.)



Griseb., 220

Griseb., 220

Utricularia punctata (Willd.)




Covindoc del.

U. arcuata (R. W.)

Dumphy, Lith.

U. reticulata (Smith)




Govt. Ind. & L.

U. Wallichiana (R. W.)

U. humilis (Vahl)


2000 by Z. 108



Gouan del.

Dumphy Lith.


Lontibularia uliginoides (R. W.)



Gervinco del.

Dumort. Lit.


Utricularia uligenosa (Vahl)



Gavindoe tilt.

Utricularia conferta (R.W.)


Dumphy Lith.



Coverdale del.

Dunphy Lith.


Utricularia Griffithii (R.W.)



Griseb. del.

Utricularia Smithiana


Dunphy Sculp.



Govindoo del. *U. brachypoda* (R. W.)

U. pedicellata (R. W.)


Dunphy Lith.



Griseb. in.

Utricularia squamosa (R. W.)

Dumky Lith.




Covindes del.

U. affinis (R. W.)

Tompig L. W.


U. macrotepis (R. W.)



Griseb. del.

Utricularia glochediata (R. W.)


Dumphy Lith.



Griseb. del.

Utricularia nivia (Vahl.)


Dunphy Lith.



(Savmdev del.)

Utricularia carulea (Linn.)

Dumphy Lith.




Carandus del.

L. racemosa (Wall.)

Joseph Loh.

L. bifida (Linn.)




Microphyxis tonella (R. W.)



Mimusaops Elingii (Linn.)

Griseb., Bot.

Drum.-Hoy, 1864




Mimosa Indica (Alph. D. C.)

Caroline, ill.

Wm. H. T. ill.




Mimosa roxburghiana (R. W.)




Diospyros capitulata ♀ (R. W.)

Dunlop



Isomandra polyandra (R. W.)



Sideroxylon attenuatum (Alph D.C.)

Emblicae

Mysirana

1591




Samanea Samaria (R. Br.)

Aibiscus

Malvaceae


tip



Sida incana (Cai)




Surraa villosa (Kunth)



Gurugu pinnata (Roxb.)

Burseracea


tip



Garuga pinnata (Rosb.)

Rosaceae


Arctostaphylos



Arctostaphylos procumbens (Saxif.)



Euphonia scarosa (Cecilom)




Coffea Wightiana (Wall.)

Stapelica

Asclepiidea


'Jff



Bouccaria diffusa (R. W.)




Mikiola paniculata (Wall.)



Meibomia Indica (R. W.)


Meibomia Malaccensis (R. W.)



Linnaeus 1753

Impatiens Jordanica


Wiegmann del.



Drummond, Bot.

Impatiens Goughii (R. W.)

Drummond, Bot.



Ailanthus Malabarica (D.C.)

Casalpinia

Liguminosa

1605



Humboldtia laurifolia (Vahl)

Thompson 1888

© TM & CC



Govindoo del.

Humboldtia Brunonis (Wall.)

Pursh sculp Lit A.

Trigonostemon

Trigonostemon



Humboldtia Fiebiana (R. H.)




Govindoo, del.

Brunonia Musorensis (Holin.)

Dumphy Lith.


S "S



Govindoo del.

Dichrocephala Schmidtii (R. W.)

Dumphy Lith.



Covindoo del.

Atalantia floribunda (R. W.)

Dumphy Lith.

Osbeckia

Melastomaceae

/tit.



Griseb. del.

Osbeckia hispidijsima (R. & W.)


J. & C. Smith sculp.



Walter Heuckel del.

Scavola uvifera (Hook.)

Dumphy Lith.



Cronquist del.

Vincetoxicum Arnottianum (R. W.)

Dumphy Lith.

Petalocera

Petalocera



Thunberg *Ind.*

ἄνθος ἰσθμίου
Anagyris

Petalium *Marex* (Linn.)

ἄνθος ἰσθμίου
Anagyris

Thunberg *Ind.*



Coquillett, det.

Wright, det.


Punceria coagulans (Stocks)



Cornelius Dal.

Thompson, Lill.

Capsicum fastigiatum (Blume)



Carrión del.

Philopaea ramosa (Myrs.)

Fraxipar. Lich.




According to...

Dr. W. G. ...

Strobilanthes rugosus (R. W.)



Lepidogathis nervosa (R. W.)



A *Salvadora Persica* (Linn.)
B *Salvador Stocksii* (R. H.)



Oeronia Brunoniana (R. W.)

Malaxidaceae

Orchideae

1623




Dumortier, Lich.

Oberonia platycaulon (R. W.)

Malaxidea


Гречиха.

Лист



Obionea Lindleyana (R. W.)


rra:



Griseb. Bot.

Griseb. Bot.


Oeronia denticulata (R. W.)



Coronia verticillata (R. W.)




Ciceronia Wightiana (Linn.)



Seemann del.

Seemann del.


Oboronia Arnothiana (R. & P.)



Seemüller, del.

Seemüller, del.

Chloronia imbricata (Blume)




Dienia cylindrostachya (Lindl.)

Malacideae.

Orchideae.

fflf



Microstylis discolor (Lindl.)



Microstylis luteola (R. H.)



Siparis biloba (R. W.)


Seemann del.

Seemann sculp.

Malacoides

Orchidaceae

1634



Cria polystachya (A. Rich.)



Eria pubescens (R. W.)



4-1-11. JW.

Eria pauciflora (R. H.)

W. H. R. 1111



Eria reticulosa (R. H.)

Seemann del.

Swartz del.



Calogyne nervosa (A. Rich.)



Caloglyphis corrugata (R. W.)



Cralogyne adoratiflora (Lindl.)




Caloglyne angustifolia (A. Rich.)



Dendrobium filiforme (R. W.)



Dendrobium humile (R. W.)



Dendrobium Indoniamum (R.M.)



Dendrobium album (R.W.)

Reichenow, Bot.

Drummond, Bot.



Dendrobium aureum (Lindl.)

Malaxideae


Orchidaceae

1627



Dendrobium macrostachyum (Lindl.)

Young, 1881



Dendrobium ramolysinum (R. W.)




Dendrobium graminifolium (R. W.)


1630

Malaridea

Archidea



Brachyphygium Saigohense




Pollophyllum fuscopurpureum (R. W.)

Malaxides

Orchideae.

1652.



Malaxides maculata (Lindl.)

1652




Cirrhopetalum albidum (R. H.)

1036

Archidaca

Melastomaceae




Cinchopetalum Melastomaceae

1635

131

A. iac




Crichopetalum fimbriatum (R. H.)

Journal of Botany


1911



Cirrhopetalum grandiflorum (R. W.)



Corchopetalum Walkerianum (R. W.)




Cerahopetalum caudatum (R. W.)




Epidendrum bicolor (Lindl.)



Anandina bambusifolia (Lindl.)



Apaturia Lindleyana (R. W.)



Ipsia speciosa (Lindl.)




Calanthe Poveyana (A. Rich.)



Eulophia ramentacea (Lindl.)

W. & A. G. & Co. Lith.

W. & A. G. & Co. Lith.



Eulachia macrostachya (Lindl.)



Vanda parviflora (R. W.)

Vanda

Orchidea


&/&-



Conradson del.

Drummond lith.


Vanda Wightiana? (Lindl. & C.)




W. G. Peck

Vanda pulchella (R. W.)

Thompson




Saccolabium haniiliosum Lindl.



Saccolabium rubrum (Lindl.)



Saccolabium spicatum (R. Br.)



Saccolabium HBK.

Saccolabium paniculatum (R. H.)

Saccolabium HBK.



Acridos Lindleyana (R. W.)


W. J. Hooker del.



Acridos Lindleyana (R.W.)

Hand-drawn, 1861

Hand-drawn, 1861



Hooker, Bot.

Hooker, Bot.


Polystachya luteola (Hooker)



Polystachya purpurea (R. W.)

Illustration by...

Drawing by...



Diplocentrum recurvum (Lindl.)



Diplocentrum longifolium (R. W.)




Diplocentrum congestum (R. W.)



Coccotheca tener (Lindl.)

W. & A. R. Smith, del.

W. & A. R. Smith, del.




Sarcanthus filiformis (R. W.)

Th. G. F. Sch.

Vandea

Orchidea!


1685¹




Conradus alt.

Wimperley, Zool.


Sarcanthus rosae (R. W.)



Sarcanthus Wilkersonianus (R.H.)



Vanda sibilica (Lour.)



Cymbidium tenuifolium (Mild.)


Vanda

Ochidea

1690




Cryptopora fusca (R. W.)



Acoras angustifolia (Lindl.)



Platanthera jantha (R. 117)



Natanthora affinis (R. W.)

Thompson, Field



Plectanthera brachyphylla (Lindl.)



Peristylus Lawii (R. W.)



Perisporium spiralis (Jfr. Kuhn)

Drummond, 2. 1846



Scaphylopoda richardsonii (R. & V.)

Scaphylopoda, R. & V.

Scaphylopoda, R. & V.




Pristylus exilis (R. W.)

Drummond, det.

Murphy, del.




Peristylus robustior (R. W.)



Haberiana foliosa (Rich.)



Habenaria tinctoria (R. W.)



From the original del.

W. H. Bull.

Habenaria perisyleides (H. N.)



Halonaria thysanota (Lindl.)



Habenaria viridiflora (R. Br.)



Habenaria elliptica (R. W.)



Halimaria affinis

Halimaria affinis

Halimaria affinis (R.W.)




Flabonaria ovalifolia (R. W.)



Habenaria det.

Habenaria platyphylla (Spring)


Habenaria det.




Habenaria plantaginea (Lindl.)



Thalictrum cephalotes (Lindl.)




Habenaria fimbriata (R. W.)




Habenaria richardiana



Habenaria montana (Rich.)




Habenaria Jordaniana (R. W.)



Satyrium Porrettianum (Rich.)



Satyrium albiflorum (Rich.)




Y^Sm

Lathyrus Hughtianus, Willd.

V'Vx**< .W

Pompeo Biondi



f .///< ?/J. m/afie &SMJL




Paeonia carinata (Lindl.)

S




Cephalanthera acuminata (Lindl.)




Epipactis macrostachya (Lindl.)

W. & A. G. & Co. Lith.

W. & A. G. & Co. Lith.



Epipactis Dalhousiae (R. W.)



Spiranthes australis (Lindl.)

Comstock, Ill.

Comstock, Ill.




Leucine bracteata (R. W.)




W. G. Smith del.

J. Smith sculp.

Leucine brevifolia (R. Br.)




Leucine robusta (R. W.)



Seemann, det.

Monochilus flabellatum (R. Br.)

Young, det.




Monochilus affinis (Lindl.)


Noctua

Orchidea

1729




Goodyera procera (Hooker)



Comstock del.

Comstock del.

Goodyera ovalifolia (R. W.)



Anactochilus setaceus (Blume)

Stamps, Ind.



Euphroboscis pigmaea (Griff.)

Muscivora

Orchidaceae

113



Mycaranthes stricta (Lindl.)



Phreatia uniflora (R. Br.)




Spiranthes elliptica (R. W.)

Thompson, Ed.

1736

Malacoides

Archidox



Crypsopala ovalifolia (R. W.)



Corradi, det.

Dr. G. G. Smith

Agaveanthus marchantoides (R. W.)



Lichenora Serdonioma (R. W.)



Spathoglottis pubescens (Lindl.)


Epidendrea

Orchideae

1740



Bromheadea palustris? (Lindl.)



Chilochista usneoides (Lindl.)



Seemiller, Bot.


Isophaea lanciolata (R. W.)

Seemiller, Bot.

Vandea

Orchidea

y/43



Seemiller, det.


Isophia latifolia (R. W. G.)

Wm. A. P. 1882

Vanda

Orchideae.


'7U




Arides cylindricum



Saccolobium guttatum (Lindl.)




Sarcanthus pauciflorus (R. W.)



Pteroschelus Malabaricus (R.W.)

Zosterostylis Walckeri (R.W.) *Acropsis Indica (R.W.)* *Appendicula Hapselkii (Bl.)*



Bolbophyllum nemulum (R. W.)

Malacideae

Orchideae

1750



Pattonia macrantha (R. W.)



Cythosus Gryphus (R. W.)



Cymbidium erectum (R. & M.)

Vandae

Orchidea

1754



Cryptopora Cullenii (R.M.)



Cottonia macrostachya (R. W.)




Tenebraphyllum Jordanianum (R.K.)

W. G. S. 1882

W. G. S. 1882




Cryptochilus sanguinea? (Wall.)




Apetalon minutum (R. H.)

Pogonia biflora (R. H.)



Crotanthera pallida (R. & W.)




Cypripedium puberulum (Lindl.)



Cullenia aculeata (R.H.)



Pisonia aculeata L. (Linn.)




Pisonia aculeata ♀ (Linn.)

Boerhaavia

Nyctaginaceae


1765



Pisonia mornisifolia (R. Br.)



Boerhaavia repanda (Mild.)



Celosia argentea (Mooq.)

Celosia

Amarantacea


1768



Celosia pulchella (Mog.)



Chamissoa albida (Mog.)



Chamissoa nodiflora (Mart.)

Achyranthes

Amaranthaceae

1794



Achyranthes dichotoma (Mispagania)

Achyranthes

Amarantaceae


1772.



Chamissoa aspera (R. W.)




Eriogonum candidum (Moz.)



Banalia thyrsoiflora (Mog.)




Bilobium nutans (L.) (log)



Achyranthes floribunda (R. W.)

ff



A. *Arva floribunda* (R. W.)

B. *Pseudanthus brachiatus*. (R. W.)

H. W. G. L. L.


Achyranthes!

Amarantaceae!


1777



Achyranthes (Linn.)
- /, m^jwi^w K a *



Achyranthes rubrofusca (R. W.)




Achyranthes bicolorata (Blume)




Conyostachys aquatica (Walt.)



Cyathula tomentosa (Miq.)



Cyathula capitata (Moench)



Paspalia orbiculata (R. W.)

Gomphrena

Amarantaceae


1784




Gomphrena globosa (L.)



Cometes Suratensis (Burm.)



Chenopodium ambrosioides (Linn.)



Atriplex heterantha (R. W.)




Abione fera (Moq.)


1789

Chenopodiaceae


Atriplex




Chenopodiaceae (R. W.)




Atriplex Konigii (Moquin)




Kochia Indica (R. W.)




Suaeda monoica (Torsk.)




Chenopodium Indica (R.N.)



Caracylon indicum (R. W.)



Salsola spinosens (Mog.)



Sida Indica (Mog)



Polygonum ambiquum (Meis.)



Polygonum barbatum (Linn.)




Polygonum glabrum (Willd.)



Polygonum strictum (Allioni)



Polygonum Donii (Mies)




Polypogon peduncularis (Wall.)

2

B

♂ ♀

1802




Polygonum horridum (Roxb.)



Polygonum Nepalense (Meis)

1885

Polygonaceae



Polygonum Malleobotry (Meis)

1886.

Polygonaceae.



Polygonum chinense (Pers.)

5
\$?<!&&&&&&€€•
yy

1807




Polygonum molle (Don)

Wimmer, Bot.

Gray, Bot.

Polygonaceae

/far



Polygonum indicum (Roth)





Peropyrum oliverii (Saub. & Spach)

W. G. Smith



Rumex nepalensis (Spring)






Begonia subpeltata (R. W.)

Begoniaceae.


/rf/s




Begonia dipetalata (Graham)




Boyonia toem A. J. Burckhardt, l. 2V*



Diploclonium arctianum (R. W.)



Diploclonium cordifolium (R. W.)



Diploclisium Lindleyanum (R.N.)

Camphorae

Lauraceae

1818.




• *Camphora officinarum* (Bauch.)

Phoebe

Lauraceae

1820



Phoebe paniculata (Nees)

Phoebe

Lauraceae

1821

Rochburghiana



Phoebe lanceolata (Nees)

Phoebe

Lauraceae


1822

Knoxburghiana




Phoebe villosa (R. W.)

Wm. H. Miller



Persea gratissima Gaert.




Muchilus macrantha (Nees)



Machilus glaucescens (R.W.)



Alseodaphne somnecarpifolia (Vies)



Alseodaphne semecarpifolia (Visca)

Saurauia

Cryptocaryae

Roxburghiana






Cryptocaryus *puberula* (Vain.)

Cryphaea


Lauraceae

1830



Cryphaea spiffithiana (R. H.)

Smith, Ed.




Pododaphnoides *Sauraceae* *Pododaphnoides*

Flaviflora

Laurae V. V.

1832


Roburghiana




Laurae V. V. (1832)



Cyclocodaphne Wightiana (Nees) v.



Techanthera tomentosa (Roxb.)



Tetranthera ligustina (Nees)




Tekanthorea Panamanja (Hem. Nicot)

Wright 1111


Ternstroemia

Sauraceae


1837.



Wightiana (Nees)



Ternstroemia glabrata (R.W.)




Lepidadenia ovalifolia (R.M.)

Ternstroemiaceae

Lauraceae


1810



Severina, del.

Wright, coll.


Lopidadenia Newiana (R.H.)



Winters, det.

Winters, det.

Piper argyrophyllum (Miq.)



Achmestaphne speciosa (Nees)



Actinodaphne mollelimi (V. V. J.)




Sida acuta (L.) Vahl

Daphnoidinea

Lauraceae

1865




Litsaea oblonga (Nees)


Ternstroemia

Sauraceae

1856



Lepidadenia Griffithii (R.W.)




E. J. E. 7


Capsytha filiformis (Linn.)



Schmidia bicolor (R. W.)




Cassaria elliptica (Willd.)




Gynerops Walla (part)



Blackwellia schandra (R.M.)







Coyris Highiana (Hall)




Sarcostigma Kleinii (M. & G.)



Hernandia Sonora (Lam.)



Pyrrosia Horsfieldii (Blume)




Aristolochia lanceolata (R.M.)



Guidia cricophala (Miers)

Thompson, K. & C.



Gnidiopsis siparonsis (Gard.)


W. H. S. P.



Ceanothus laevis (Pursh) A. Nels.

Euphorbia

Euphorbia




Euphorbia Arvicia (Hornem.)




Euphorbia nigra (Rostk.)



Euphorbia Rothiana (Spring)



Excoecaria crenulata (R. W.)
B. E. Agallocha (Hilleb.)




Fulconera Malabarica (H.M.)



Cyclonium lanceolatum (Roxb.)



Adelia neriifolia (Roth)




Adelia pilosa (R.W.)



Xylocarpus nudiiflora B. (Linn.)



Trevisia nudiflora ♀ (Linn)



Hemicypha repens (H.B.K.)




Kottlera fuligata (Roab.)


Crotoneae

Euphorbiaceae

1876



Croton umbellatum (Willd.)



Scaevola leucopyrus (Willd.)



Bursera Roxburghii (Wall.)



Sarcococca chinensis (R. Br.)

Buxea

Euphorbiacea

1878



Gonghia Nilgherrensis B. (R.W.)

IS.




Gonghia vilgherrensis ♀ (R.W.)




Microcladus Roemerianus, (H. B. K.)



Daléchampsia volutina (R.W.)




Dalachampsia Indica (R.W.)



Macaranga Indica (R.W.)



Claoxylon digynum (R.H.)



Kalias permium polyandrum (R. W.)

Acalypha

Euphorbiaceae

1886




Claculon muricatum (K. H.)


X



Sarcoclinium longifolium B. (R.W.)




Sarcodinium longifolium (R.W.)




Givokia Rothlisformis (Griff.)




Trigonostemon heteranthum (R.H.)



Colandra longipes (R. W.)




Polkandra parvifolia (R.H.)




Agynonix bacciformis (Syn. fil.)


<fr



Phyllanthus Niruri (Linn.)




I. *Phyllanthus Rhoadii* (R.W.) II. *P. polyphyllus* (Willd.)
 III. *P. Madraspatensis*, var. (Linn.) IV. *P. Leprocarpus* (R.W.)



Emblica officinalis (Lam.)




Melanthera truncata (R. W.)




Melanthesa rhamnocoides (Bl.) *Melanthesa obliqua* (R.W.)



Anisonema multiflora (R.W.)




Coratogynum rhamnoides (R.W.)




Macraea Rhedi (R.W.)

1. *Phyllanthia oblongifolia* (R. & W.)III. *Phyllanthia Guianensis* (R. & W.)II. *Phyllanthia integrifolia* (R. & W.)IV. *Phyllanthia ovalifolia* (R. & W.)



Reidia floribunda (R.W.)



I. *Phyllanthus fimbriata* (R. W.)
 III. *Phyllanthus ovalifolia* (R. W.)


II. *Phyllanthus latifolia* (R. W.)
 IV. *Phyllanthus polyphylla* (R. W.)




Seville, Ill.

Glochisandra acuminata (R.W.)

Seville, Ill.




Glochidion ellipticum (R. H.)




Glochidion arboracum (R.W.)

Glochidium villosinum (R.W.)




Gynoon biandrum (W. & A.)




Gynocarpus hirsutum (R.W.)




Adaphne Nilgherrensis (R.W.)



Amanoa Indica (R.W.)



Ricardia macrostachys B. (W. & A.)



Perardina macrostachys (W. & A.)




Tiglium Klotzianum (R.W.)


Wiegand, 2014



Croton lacciferum (Linn.)




I. *Dicra Wallichii* (Jul) II *D. dichotoma* (Jul)
 III *D. Wightii* (Jul) IV *D. longifolia* (R. W.) V. *D. rigida* (Jul)




1. *Dicraea elongata* (Sch.)


2. *D. stylata* (R.M.)




1. *Podostemon subulatum* (Spard.) II. *Heterobryum olivaceum* (Tul.)
 III. *H. Griseum* (T.) IV. *Meniopsis Hookeriana* (T.) V. *M. Johnsonii* (R.W.)



I *L. % & * m K f f t / A t* (R.W.) II *Tul-foliosa* (R.W.)
 III. *Tul-Lauri* (R.W.) IV. *Tul-pedunculata* (R.W.)




I. *Tulasnea ramosissima* (R.M.) II. *Tristachya bypoides* (Gard.)



Wimmer, det.


Wimmer, det.

Peperomia Dindygulensis (Miq.)




Piperom. Heyneana (Miq.)

P. portulacoides (A. Dickr.)




Speromica *reflaxa* (A. Dicks.)

S. Courstallensis (Miq.)



Piperomia Nighthiana (Meq.)




Pothomorphe subpeliana (Meq.)

Piperia.

Piperacea.

1926

Roxburghiana



Chavica Belle (Miq)

Drayton, Bot.

Piperis.

Piperacea.

1927.

Roeburghiana.




Chavica populoides (Miq.)



Chavica Roxburghii (Miq.)

Roxburghianae




C'fff-'f'tt-' r sarmentososa (Miq)


Piperaceae.

Piperaceae.


1930




Chavica sylvatica (Miq.)




Chavica sphaerostachya (Miq.)



Cubeba Mallichii (Nig.)



Piper attenuatum (Hamilt.)




Piper nigrum (Linn.)




Piper hispidum (Roxb.)

Winters, det.


Winters, det.



Piper nigrum L. & G. (Roxb.)



Piper sylvaticum (Lamarck)




Piper nepalense (Miq.)

Piper

Piperacea

1939




Piper Nighiana (Miq.)

Piperaceae


Piperaceae

1940



Piper arborescens (Roel.)

Shimoda, J. S. P.



Reinhold, det.


Wiegand, det.

Piper argyrophyllum (Miq.)


Piperca

Piperaceae

1942.



Piper hymenophyllum (Miq.)




Mulderia Nighiana (Miq.)


Wiegmann, Fidei



Muldora trichostachya (Miq.)




Chloranthus Indicus (R. W.)




Sarcandra chloranthoides (Gardner)

1947


Callitriche




Callitriche Nigricarpa



v. n. K *Ceratophyllum muricatum* (L.) Cham.
 Ji: *C. mifianii* *0&




1. *Macaranga tomentosa*; II. *Indica*; III. *M. flauosa*
 IV. *M. Rasburghii*; V. *Cachyotomon tuberosum* (Bl.)




Sapium populifolium

Sapium Indicum




Sauropus retroversa (R.W.) S. Gardneriana (R.W.)



Phyllanthea lanica (R.M.)


Phyllanthea indica (R.M.)




Salix ichnostachya (Lindl.)



Salix tetrasperma (Roeb.)




Gnetum funiculare (Buck.) Smith




Ficus veltiana (R.W.)
Nicholson & Nimmo


Achras




Achras bicolor (Lam. Poite.)



Antiaris saccidora (Balgoll)



Cronquistia niveus (R. W.)



Cudrania javanensis (Jackal)




Epiacarpus orientalis




Epicarpurus spinosus (R.M.)




Accospermum spinosum (Fernald)



Dioscorea Indica (R.H.)



Polygonatum macrocarpa




Euvellia guttata (R.H.)


Illustration by J. Smith

Morae

4*7



Morae religiosum (Miq)



Stylosanthes integrifolia (Nanch.)



Celtis (s) Wightii (Planch)



Celtis (Ulmaceae) serotina (Blanch)




Sponia Wightii (Blanch.)




Laportea terminalis (R.W.)



Silva sinensis (R. Br.)




Urtica radicans (R. H.)



W

Acorya interrupta (R. W.)




Girardinia laschenauliana ♀ (Dene)


Handy, K. H.



Gardinia Leschenaultiana (Dcne)




Aplitzgeria macrostachya (R.W.)



Purodia Bonnettiana (R.W.)




Anacrotia integrifolia (Dunal) P. C. S. Y. Massee.



1. *Pourouma Indica*. II. *P. auriculata* (R. W.). III. *P. rostrata* (R. W.)



Chamabumia cuspidata (R. W.)



Fiskolia urticoides (R. W.)


Parsons, Ind.




Elatostema cuspidata



Elatostema lincolata (R.W.)



Elatostema ovata (R. W.)



Aspidopteryx glomerata (R. Br.)



Amistocladus Weymannii (Hilleb.)


Morea!

'f'f



Urostigma Bengalense (Gasp.)

Drummond, J. 1848



Sponia velutina (Planch.)

Thompson, F. & G.



Ankidesma acuminata (Hüll. m. s. s.)




Anhydismos venusta (R. W.)

Drummond, 1842


Euphorbia

Euphorbiaceae


SffJ



Euphorbia Cathimandoo (W. Elliot)




Chorisanthus pinnatus (R.W.)



Wignacota spicata (Pavull)



Macclandia giffithiana (R.H.)



Hiconia floribunda (R.W.)


Winters, F. & C.



Schizandraea ovatifolia (R.W.)


Schizandraea acuminata (R.W.)

Barclay, 1868



Calysaccion longifolium (R. W.)

Murphy, Frick.



Coniunculus tenellus (Daly)

Rimula penticulata (S.E. Smith)




Globba marantina (Hild.)




Globba ophioglossa (R.W.)

Dr. J. H. S. G. 1888



Zingiber zumbet (J.C. Smith)



Zingiber squarrosum? (Reed)

Drummond, 1848



Curcuma aromatica (Spalib.)

Thompson



Curcuma Nedgherensis (A. DC.)

Hand-drawn illustration

2007

Lingpiaceae



Shangyong 2007

Eubasia cammarospa (R. W.)



Andropogon flavescens (Pursh)




H. albertianum compositum, Benth.

Wiegmann del.





Hedycheim venustum (R. W.)



Roscoea alba (Vahl) **fl**


Roscoea lutea (Royle)



Costus speciosus (Smith)



Maranta virgata (Walt.)



Phrynium apiculatum (Willd.)



Musa sapientum (L.)




Cinna latifolia

Alston




Cyrtanthus locicarpus (Ruell)



Puncratium vericondum (Soland)

Dumortier, 1848






Furcraea sp. *capitata*

Dumortier, F. 1881



Alpinia/Rhodi (R.M.)





Alpinia nuchens (Rose.)

W. H. K. 1891



Homophyria robusta (Willd.)

Hemphyria



Alpinia scapularis Tulz.




Lilium nicholsonense (R. W.)




Lilium tubiflorum (R. H.)


Wm. H. R. 1906




Lilium Wallichianum? (Roxb. & Sch.)



Phalangium tuberosum (Kuntz.)



Phalangium attenuatum (R.H.)




Thalassium? parviflorum (R.M.)

Asphodelus


2040



Sedebouria hyacinthina (Roth)



Barnardina Indica (R.H.)



Curculigo sumatrana (Rost. Schmidt)




Hypoxis latifolia (R.W.)



Hypoxis nichocarpa (R.W.)

Hypoxis leptostachya (R.W.)


Barthol. 2045




Hypoxis pauciflora (R.M.)

Hypoxis brachystachya (R.M.)

Stuebel, Fide




Gloriosa superba (Linn.)



Disporum mysorensis (R. N.)

Disporum cristaticum (R. N.)




Disporum Lechnocaulium (Syn.)

Wiegand, 1884




Ophiopogon Indicus (R. W. Kost?)



Phloxanthus courballensis (R. W.)



Blisanthus nilgherrensis (R.H.)




Dianella ensifolia (Aiton)



Dracaena terminata (Linn.)


Joseph, Frick




Asparagus arvensis Linn.



Asparagus racemosus (Willd.)



Smilax zeylanica Linn.



Smilax zeylanica ♂ (Linn.)

W. & A. G. & Co. Lith.



Smilax maculata (Roxb.)

Wiegand, Bot.




Dioscorea aculeata (Linn.)

Wiegand, Bot.




Roxburghia gloriosoides (Diand.)
/ V

Murphy, F. & G.




Asphodelus parviflorus (R.W.)

Thompson, Wash.




Urgonia Indica (Kunth.)



Uraenia conaesta (R. W.)

Uragia coromandelina (R. W.)



Commelina bengalensis (Linn.)

Wiegand, F. & G.

Commelina

Commelina

Zof?




Heterocarpus hirsutus (R. W.)

Heterocarpus glaber (R. W.)



Commelina polypatha (R. H.)

Drummond 31.26



Aclisia Indica (R.W.)

Wm. H. S. P.




Dytarium montanum (R. H.)

Thompson, 1911




Dichyospermum ovalifolium (R.W.)

Barbey, L.



Dichyospermum protensum (R. & A.)



Anailoma scapiflora (R.W.)




Ancilema latifolia (R.W.)

?



Ancilema onisifolia (R. & H.)



Ancilema secunda (R.W.)

Ancilema paniculata (R.W.)



Ancilema vaginata (R. Br.)

Ancilema terminalis (R. Br.)



Y) ||V^x i-!v K^q

mh % i

Ancilema pauciflora (R. W.)

Ancilema nana (Kunth.)



Dichaspermum lanceolatum (R.H.) II *Dichaspermum junceum* & J { R.H. }
 JB ^M *Dichaspermum repens* (R.H.)



Dichryocarpus petiolatus (R. W.)


Gray, 200



Tradscantia undulata (R. W.)

Tradscantia Rothii (R. W.)

Scamper, J. G.



Sheptolirion volubile (Edgworth)




Cyanotis cristata (Koenig & Schum.)



Cyanea pilosa (Racem. & Sch.)



Cyanotis longifolia (R.W.)



Gerrard

Cyanotis lanceolata (R. W.)


Dumphy & Loh



Cyanothis Louisiana / (R. & H.)

Cyanothis fasciculata / (Ran. & Sch.)

Cyanothis stricta / (R. & H.)



Cyanotis sarmentosa (R. W.)

Cyanotis dichrotricha (Hook. & Arn.)



Cyanotis vaginata (R. W.)

Cyanotis decumbens (R. W.)



Cyanotis papilionacea / Roem. & Sch. /


Cyanotis Barmanniana / R. W. /




H. W. Greville del.

Grevillea nervosa (R. W.)

H. W. Greville del.




n. *S. insularis* / S. T. 2. *E. Crataegus* / R. T. / ; *E. C.* «, < / « / R. T. / 4. *E. Y&t. humulosa* / R. T.




Comstock del.

Thompson sculp.


1. *Parvifolia*. 2. *Acuta*. 3. *Ovalifolia*. 4. *Mysorensis*. 5. *Gardneri*.



6. *Longifolia*. 7. *Ternata*. 8. *Wightii*. 9. *Concinna*. 10. *Courtallensis*




11. *Sementosa*. - 12. *Quadriloba*. - 13. *Heterocarpa* var. - 14. *Heterocarpa*.



Overlander del.


Painted by J. Smith

15. C/Az4lrf- 16. Walkeriana. 17. Ramosissima. 18. A/Mw. l<?. , tjm/tJum



20. *pentandra*. 21. *Dalzellii*. 22. *trialata*. 23. *Wallichiana*. 24. *ovata*. 25. *oblongifolia*

Samuel J. L. L.



26. *Málgherreni* - 27. *caudata* - 28. *ramosissima* - 29. *scabra*

Dumphy, det.



30. *microphylla* - 31. *rotundifolia* - 32. *elliptica* - 33. *bicuspidata*.

Dumphy, S. G.




34. *rashata* - 35. *procumbens* - 36. *diffusa* L & /u*4uuta&L 38. *Rhediif*

Drumley, J. & C.



39. *angustifolia*! 40. *Indica*! 41. *scabrifolia*! 42. *triflora*! 43. *minor*! 44. *Borbonica*!

Drumley, Fide



J*6. Xi'fa*ucal M&AutMMi. £'/. <\$&&•<}'ian. - -68. pyramidalal

GENERAL INDEX

O* THE

PLANTS DESCRIBED AND FIGURED

IN DR. WIGHTS WORK

Kntitled

"Icones Plantar um In dice Orientalis"



LONDON

BERNARD QUARITCH LTD.

ii GRAFTON STREET, NEW BOND STREET

1921

PREFACE

The want of a GENERAL INDEX to Dr. Wight's Figures having been often experienced by me, when referring to these invaluable representations of Indian Plants, I compiled a Manuscript Key some years ago, for my own use. This having been sought for by my friends and correspondents, and being considered a Desideratum by many of the Subscribers to this important work, I ventured to suggest that Government (through whose munificent aid the work was published) should print the Index with a view to rendering these "Icones Plautarum Indise Orientalis," 2101 in number, and published between 1338 and 1853, readily accessible for the purposes of Science. This proposal was liberally acceded to, and I trust that the Index will be found simple and intelligible. The arrangement is as follows.

1st. A General Alphabetical Latin Index with a reference to the number of the Plate, the Volume will be indicated by referring to the subjoined

SYNOPSIS OF PLATES.

Plates from	1	to	318	contained in Volume			I
" "	319	" "	736	" "	" "	" "	II
" "	737	" "	1162	" "	" "	" "	III
" "	1163	" "	1621	" "	" "	" "	IV
" "	1622	" "	1920	" "	" "	" "	V
" "	1921	" "	2101	" "	" "	" "	VI

2nd. A General Systematical Index with the same reference to Plate

Whatever arrangement the subscribers have adopted in binding the Volumes, the above Indexes must be desirable for reference. To many who do not possess the work the Indexes will be valuable for ascertaining what plants are figured in it.

The names under which the drawings were originally published, have been retained except in a few instances, where Dr. Wight has requested that they should be corrected. The Synonyms given by the author are printed in Italics. It seemed inexpedient to introduce any further synonyms, or to attempt anything beyond facilitating a reference to the delineations of my valued friend.

Feeling that anything I could write, would carry little weight compared to the opinions of such high authorities as Hooker and Thomson, I have thought it proper to extract the following passage in reference to Dr. White's Icones, which occurs in their Introductory Essay to the Flora Indica

" This is not the place to dwell on the extraordinary exertions in the cause of Science of the author of this great work, which is the best proof of his wonderful energy, and shows what can be accomplished by perseverance under apparently insurmountable obstacles. At the period of the publication of the earlier numbers, the art of Lithography was in a very rude state in India, and the Plates are consequently very imperfect; but in the later Volumes the improvement is great, and the outline Drawings are admirably reproduced. The Volumes form the most important contributions, not only to Botany, but to Natural Science, which have ever been published in India, and they have been of the greatest service to us throughout our labours."

It is thus admitted that, Dr. Wight has accomplished a great work, which is as essential to the student of the Indian Flora, as Sowerby's English Botany is in Britain, but several important families of Endogens remain to be delineated, such as the Palms, Grasses and Lilies (in part.) It is to be hoped that some qualified Botanist will take these in hand, and so complete the Illustration of the Indian Flora thus prematurely dropped.

H. CLEGHORN.

This re-issue, of which 65 copies have been printed, is corrected in accordance with the "Errata" published with the original edition.

INDEX

TO THE

PLANTS CONTAINED IN THE WHOLE WORK

alphabetically arranged

Abelmoschus (H.) angulosus,	Tab. 951	Aclisia Indica,	Tab. 2068
ficulneus,	154	<i>scorzogonensis</i> ,	2068
moschatus,	399	Acriopsis Indica,	1748
Abrus fruticulosus,	33	Javanica,	1748
Abutilon crispum,	68	Acrocarpus fraxinifolius,	254
Indicum,	12	Acrodiclidia,	1817
Acacia latronum,	1157	Actephila Neilgherrensis,	1910
Acalypha Indica,	877	Actinodaphne angustifolia,	1841
<i>mappa</i> ,	816	melochina,	1843
Acalypheae,	1861	speciosa,	1842
Acanthacae,	1486	Adelia nerii folia,	1868
Acanthodium grossum,	1535-36	retusa,	1869
hirtum,	1535-36	Adenema hyssopifolium,	600
Aceras angustifolia,	1691	Adenosma balsamea,	446
Achyranthes alternifolia,	732	verticillata.	1524
aspera,	1777	Adenostemma latifolium,	1087
bidentata,	1779	reticulatum,	1088
<i>brachiata</i> ,	1776	Adhatoda Neilgherrica,	1544
<i>diandra</i> ,	722	Wynaudensis,	1545
<i>ferruginea</i> ,	721	iEceolades tenera,	1683
<i>fruticosa</i> ,	1778	iEchmandra epigaea,	503
<i>lunala</i> ,	723	iEginetia Indica,	895
<i>lappacca</i> ,	731	pedunculata,	1421
<i>Monsoniana</i> ,	725	^Eginetieae,	1419
<i>muricata</i> ,	782	Mg\le marmelos,	16
<i>orbicillata</i> ,	1783	iE nan the stolon ifera,	571
<i>pro&trata</i> ,	733	brides cylindrical,	1744
<i>rubrafusca</i> ,	1778	Lindleyanuin.	1677
Achyranthes <i>scandenx</i> ,	724	radicosum	917
<i>seiieca</i> ,	726	Wightianum,	1669
<i>triandra</i> ,	727	iErua brachiata	1776

	Tab.		Tab.
<i>Mrua. floribunda,</i>	1776-bis	<i>Alysicarpus Belgaumensis,</i>	92
<i>Jaxanica,</i>	876	<i>longifolius,</i>	251
<i>lanata,</i>	723	<i>pubescens,</i>	250
<i>lanata,</i>	1776	<i>Amanoa Guianensis,</i>	1911
<i>Monsoniae,</i>	725	<i>Indica,</i>	1911
<i>scandens,</i>	724	<i>Amarantus fasciatus,</i>	717
<i>iEschy nan th us Cey Ian icus,</i>	1347	<i>frumentaccus,</i>	720
<i>iEschynoniene aspera,</i>	299	<i>inamcenwi,</i>	715
<i>Indica,</i>	405	<i>lanceolatus,</i>	716
<i>sesban,</i>	32	<i>oleraceih,</i>	715, 1371-2
<i>iEtbeilcma reniforme,</i>	1533	<i>polygamus,</i>	713-4
<i>Aganosma acinninatum,</i>	424	<i>polygonoides</i> (?),	512
<i>Blumii,</i>	1305	<i>polygonoides,</i>	719
<i>cymosa,</i>	395	<i>Polystachyus,</i>	713
<i>Doniana,</i>	1306	<i>spinosus,</i>	513
<i>elegan.s,</i>	1304-6	<i>tenuifolius,</i>	718
<i>marginata.</i>	425	<i>tribtis</i> (?),	514
<i>Roxburghii,</i>	440	<i>tristis,</i>	713
<i>Agapetes,</i>	1179	<i>Amberboa Indica,</i>	479
<i>arborea,</i>	1016, 1188	<i>AmblygUdtis emargiwita,</i>	918
<i>verticillata,</i>	1181	<i>A rnbro.finia ciliata,</i>	775
<i>Agave Americana,</i>	4202	<i>retrnspt rails,</i>	772
<i>vivipara,</i>	2024	<i>spiralis,</i>	7^3
<i>Aggcianthus inarchantioides,</i>	1737	<i>A mhroximã u t til ocular is ^</i>	774
<i>Agiaia odorata,</i>	115	<i>Ameleti.'i Indicn,</i>	257
<i>Aglaonerna oblongifolium,</i>	806	<i>rotunditblia,</i>	258
<i>pictum,</i>	804	<i>tenuis,</i>	257
<i>Agrimonia cupatoria,</i>	224	<i>Ammannia pentamlra,</i>	260
<i>Agyncia baccifonnis,</i>	1893	<i>rotundijbtia,</i>	2.58
<i>Ailiinthus Malabarica,</i>	1604	<i>A morphnphalht.s bulbtfcr,</i>	783
<i>Ahmginm <]ccapctalum,</i>	194	<i>campaniUatits,</i>	78 ^c 85
<i>Alchcmilla vulgaris,</i>	229	<i>margaritij'i'r,</i>	795
<i>A leurites lachfernm,</i>	191.5	<i>sylvntivus,</i>	802
<i>Alexia Ceylanica,</i>	1293	<i>A myris simpfiçifolia.</i>	72
<i>Alisma reniformis,</i>	992	<i>A iagullis arveiittix,</i>	1205
<i>Alpinia,</i>	2015	<i>cwnilia,</i>	120.5
<i>AIpinia Allughas,</i>	2026	<i>Iil ifoli:i,</i>	1205
<i>calcarata,</i>	2028	<i>Anuplmliis nristata,</i>	1119
<i>mi tans,</i>	2027	<i>olliptic.'i,</i>	1118
<i>Kbcedii,</i>	2026	<i>Ncilghori inna,</i>	478
<i>Alscodaphnc scmicarpifolia,</i>	1S'26-27, H.	<i>Notoniaiaia,</i>	1116
<i>Aktonia,</i>	12!)5	<i>oblongu,</i>	ins
<i>schoiaris,</i>	122	<i>Wigbtiana,</i>	1117
<i>vcncnata,</i>	4W	<i>Andnu'line hifoliuta,</i>	880
<i>A1 ternanthera campestris,</i>	713	<i>A ndrograpliis Cey Ian ica.</i>	1560
<i>sessilis,</i>	727	<i>echioides,</i>	467

Andrographis lobelioides,	Tab. 1557	Antirrhinum glaucum.	Tab. 1459
Neesiana,	1561	<i>Anthericum</i> page 20 Vol. VI.	
paniculata,	518	tuberoses,	2036
sorpylli folia,	517	<i>Anthopterijt,</i>	1179
vist'OMila,	1559	Antiaris saccidora,	1958
Wightiana,	1558	Antidesma acuniinata,	1991
A ndromeda/foruom%	1195	Bunias,	819
(P) forniosa,	1200	lanceolaris,	766
<i>Kotagherrensifi</i>)	1195	paniculata,	820
(P) lanceolata,	1198	toinentosa,	767-8
(P) ovalifolia,	1199	<i>Anthlesmccc,</i>	1866, 76-77
<i>jtymplocifolia,</i>	1188	Apaturia Lindleyana,	1662
Ancilma,	2081	xentis.	1662
ensifblia,	2074	Apetalon minutuni,	1758
hiyrida,	2079	Apiuni involucratuin,	567
latifolia,	2072	Apodytes Benthamiana,	1153
Montana,	2069	Apollonias Arnottii,	1819
nana,	2077	Appdicula Hasseltii,	1748
panicuiata,	2075	Ardisia Courtallensis,	1215
pauciHura,	2077	Ardi.ia Doma,	1212
protcwtti,	2071	hinnilis,	1212
Mjapi flora,	2075	litoralw,	1212
.scc-mida,	2075	oleracea,	1212
tern ii) ml is,	2076	panindata,	1215
tuberosa,	2073	pawi/lura.	1214
vaginata,	2076	pvntaguna,	1213
Ancistrocladus Heyneaiuis,	1987-88	rhoniboidca,	1213
Vahfii,	1987-88	.solunacea^	1212
Anemone Wightiana,	9.%	umbclhta,	1212
Aniscia calycina,	883	Arcnaria Ncilglieirensis,	949
uniflora,	850	Argostcnuna Coiirbillens^,	1160
Anisomcle* Malabarica,	864	Argyrea acutn,	1356
ovata,	865	aggrcgata	1350 9
Anethiiiu Panmori,	578	CDicatUy	890
sown,	572	cyniosa,	839
Ania latifolia,	914	elliptica^	1356
Anktoclea Grahmn'tanti,	1956	festiva,	1350
Anisochilus albidinn,	1436	fulgens,	1367
dysophylloides,	1434	hirsiUa,	891
purpurcum,	1435	pomacaiy	888
suffruticosuin,	1437	jtctosa,	1356-60
Aiiisoncma multiflora,	1895-1, 1899	.spodosa,	851 -1360
Anodcndron Cand^llcanuni	1309	tili folia,	1358
panicu/atum,	1309	AriMFiuu ciirvntiini,	788
Ansectochilus scetaceus,	1731	(•ii.spidatuni,	784
Anoplaiithus,	1419	graeilc,	793

	Tab.		Tab.
<i>Arisoema Roxburghii</i> ,	784	<i>Asclepias parasitica</i> ,	587
<i>Aristolochia acuminata</i> ,	771,	<i>pendiila</i> ,	474
<i>Indica</i>	1858	<i>pseudosarsa</i> ,	594
<i>lanceolata</i> ,	1858	<i>raccmosa</i> ,	591
<i>Arnebia hispidissima</i> ,	1393	<i>tenacissima</i> .	590
<i>Artanema sesamoides</i> ,	1410	<i>tenuissima</i> ,	588
<i>Artemisia glabrata</i> ,	1111	<i>tinctoria</i> ,	589
<i>Indica</i> ,	1112	<i>tüigenSy</i>	593
<i>Artocarpus chaplasha</i> ,	682	<i>volubilis</i> ,	586
<i>erhinata</i> ,	680	<i>Asparagus Asiaticus</i> ,	2055
(J.) <i>hirsuta</i> ,	1957	<i>racemosus</i> ,	2056
<i>hirsütdy</i>	680	<i>Asphodelus parvi floras</i> ,	2062
<i>integrifolia</i> ,	678	<i>Aspidopteris Canarensis</i> ,	1986
<i>Laecucha</i> ,	681	<i>glomerata</i> ,	1986
<i>lancesefolia</i> ,	679	<i>Asteracantha longifolia</i> ,	449
<i>Arum bulbiferum</i> ,	783	<i>Astylis venusta</i> ,	1992
<i>campanulatum</i> ,	782-85	<i>Asystasia Coromandeliana</i> ,	1506
<i>colocasia</i> ,	786	<i>Atalantia floribunda</i> ,	1611
<i>cucullatum</i> ,	787	<i>monophylla</i> ,	1619
<i>curvatum</i> ,	788	<i>Ate virens</i> ,	928
<i>cuspidatum</i> ,	784	<i>Jthroisma</i> ,	1093
<i>divaricatum</i> ,	790	<i>Atriplex heterantha</i> ,	1787
<i>flagelliforme</i> ,	179	<i>Atylosia Candollii</i> ,	754
<i>fornicatuni</i> ,	789-92	<i>Lawii</i> ,	93
<i>gracile</i> ,	793	<i>Aulaya</i> ,	1411
<i>Indicum</i> ,	794	<i>Avicennia</i> ,	1480
<i>margaritifera</i> ,	795	<i>alba</i> ,	1482
<i>montanum</i> ,	796	<i>qfficinalis</i> ,	1481-82
<i>nympheteifolium</i> .	786	<i>tomentosa</i> ,	1481
<i>odorum</i> ,	791	<i>Axanthes Blumeana</i> ,	1163
<i>Orixense</i> ,	801	<i>Ceylanica</i> ,	1163
<i>sessiliflorum</i> ,	800	<i>cvrymboxa</i> ,	1164
<i>sylvaticum</i> ,	802	<i>elliptica</i> ,	1164
<i>trilobatum</i> ,	803	<i>longifolia</i> ,	1165
<i>viviparum</i> ,	798	<i>Azadirachta Indica</i> ,	17
<i>Arundina bambusifolia</i> ,	1661	<i>Halanites yEgyptiaca</i> ,	274
<i>Asclepias acida</i> ,	595	<i>Baliospernum polyandrum</i> ,	1885
<i>annularia</i> ,	597	<i>Banalia thyrsoiflora</i> ,	1774
<i>cordifolia</i> ,	593	<i>Barleria acuminata</i> ,	450
<i>echiiiata</i> ,	596	<i>buxifolia</i> ,	870
<i>herbacea</i> .	492	<i>Courtallica</i> ,	1529
<i>laurifolia</i> ,	598	<i>crisata</i> ,	453
<i>longistigma</i> %	475	<i>cuspidate</i> ,	451
<i>montana</i> >	592	<i>Hochstetteri</i> ,	1528
<i>ovalifolia</i> ,	592	<i>longiflora</i> .)	450
<i>paUida</i> %	585	<i>nitida</i> ,	454

	Tab.		Tab.
Barleria prionitis,	452	Bonnaya verbenaefolia,	1412
<i>tomentosa</i> ,)	450	veronicaefolia,	1411
Barnardia Indica,	2041	Boucerosia campanulata,	1287
Barringtonia racemosa,	152	diffusa,	1599
speciosa,	547	lasiantha,	1286
Basella alba,	896	umbellata,	495, 1286-87
Batatas Choisyana,	491	Bouchea (Chj Hyderahadensis,	1462
pentaphylla,	834	(R.) Marrubiifolia,	1461
Batis spinosa ,	1963	Brachylepis nervosa,	1284
Bauhinia rcandens,	264	Brachypterum scandens,	275
semibifida,	263	Brachyramphus Heyneanus,	1146
Beaumontia grandiflora ,	1314-15	Bragantia Wallichii,	520
Jerdoniana,	1314-15	Breweria <i>evolvuloides</i> ,	1369
Begoniaceae,	1810	Roxburghii,	1370-76
Begonia di petal a,	1813	Bridelia spinosa ,	1905
Grahamiana,	1811	Bromheadia palustris,	1740
Malabarka ,	1817	Bruguiera eriopetala,	239
subpeltata,	1812	<i>gymnorhixa</i> ,	239
Beilschtniedia Roxburghiana,	1828	Rheedii,	239
Berberis (M.) Leschenaultiana,	940	Bryonia amplexicaulis,	502
Berchemia parviflora,	19	epigaja,	503
Bergera Koenigii,	13	Hookeriana ,	758, 1609
Bignonia Xylocarpa,	1335-6	laciniosa,	500
Blaberopusy	1295	Mysorensis,	758, 1609
Blackwellia tetrandra,	1851	scabrella,	501
Blepharis asperrima,	1534	Buchanania angustifolia,	101
Boerhavicefolia,	458	intermedia,	81
Blepharispermum petiolare,	1092	lanceolata,	237
subsessile,	1093	Buchnera euphrasiodes ,	855
Blinkworthia ,	1356	hispidia,	1413
Blumea alata,	1101	Buddlea discolor,	894
hieracifolia,	1099	Btdbine , page 20, Vol. VI.	
pterodonta,	1100	Bupleumm distichophyllum,	1006
vernonioides,	1101	plantaginifolium,	281
Boerhaavia <i>dijfusa</i> ,	874	ramosissimum,	1007
procumbens,	874	<i>virgatum</i> ,	1007
repanda,	1766	Bursinopetalutn arboreum,	956
<i>scandens</i> ,	875	Butea parviHora,	210
stellata,	875	Buttercea rhamnifolia,	1521
Bolbophyllum <i>Calamaria</i> ,	1749	Buxae,	1861
<i>Careyanm</i> ,	1650	Byttneia herbacea,	488
fuscopurpleum,	1651		
Neilgherrense,	1650	Coesalpinia digyna,	1995
treinulum,	1749	mimosoides,	298
Bonnaya hyssopioides,	857	<i>oleosperma</i> ,	1995
minima,	858	<i>paniculata</i> ,	86

	Tab.		Tab.
C(L)salpinia sepiaria,	37	Canseora (C.J grandiHora,	1326
<i>simora</i> ,	392	I [^] awii,	1327
Ccesulia axillaris,	1102	perfoliata,	1327
<i>Caladium cncnlaUwu</i>	787	tend la,	1327
<i>nymphmjblium%</i>	786	Can.sjera Hheedii,	1861
Calanthc einargiuata,	918	<i>scandais</i> ,	1861
Perrottetii,	1664-65	Caitliiiiin d'uhf inuin,	1034
<i>veratrifolia</i> ,	1664-65	IA'schenaultii,	896
Calla aromatica,	805	Neilgherren.se, /z/v,	1064
Calyptrata,	799	umbellatuin,	1034
oblongi folia.	806	Capparis di varicata,	S89
picta,	804	grandis,	21
rubescens,	807	horrida,	173
virosa,	808	Mu nay ana,	379
<i>Cnlksia</i> , page 28, Vol VI.		pyri folia,	1047
Callistephus Wight ianus,	1089	Koxburghii,	1048
Callicarpa Wallichiana,	1480	Capsicum fastigiatum,	1617
Callitriche Wight iana,	1947	Carallia lanc-cu* folia,	604
Calonyction spociosuni,	1361	liicida,	605
Calophaues vagans,	1526	Canilluina at teuuaiia,	1268
Calophyllum ihmuaimi, <i>ji</i>	107	<i>Jimhrhtttt</i>)	1268
Burmanni,	108	(Viridaiuine Horbonica,	941
deci pious,	106	Cardiospcrniuni c-unesciis,	74
iuopliyllum,	77	11alicacabum,	508
Moonii,	111	Careya hcrlmcra,	557
ton ien to.su m,	110	sphu'rira,	147, 556
Calosantes Iudiea,	1337-38	Caris.sa earandas,	426, 1289
Calotropi* <i>frigtuitm</i> ,	1278	congesbi,	1289
<i>JfttHiiHoniana</i> ,	1278	dilFusa,	427
herbaeea,	492	pauci tier via,	1289, 90
proeera,	1278	villos/i,	437
Calpicarpum Roxburghii,	431	Caroxylon Indicum,	1794
Calyptranthes eordifolius,	544	Carpesiuin Nopalense,	1120
Caly.saceiou longifolium,	1999	<i>Ca?mf</i> (<i>l</i>) <i>M</i> > <i>gon mouospcnnum</i> ,	35
<i>CampunuUwea</i> ;	1810	Cartonema, page 28, Vol. VI. <i>Carna</i> ,	130
Campanula Alphonsii,	1177	Ca-searia elliptiea,	1849
(Campanula fulgen*,	1179	Cassia alata,	253
rainulo ^v a,	1178	bacillus,	252
Campbellia,	1419, 1423	nodosa,	410
ainantiacn,	1424	(S.) obtusa,	757
cytinoides,	1425	rhombi folia,	269
Camphora officimaruni,	1818	<i>Ca/uthie dixcolo?</i> \	761
Camphoreo,;	1817	Cassytha liliformis,	1847
Campylanthus ramosissimus,	1416	CassyHiew,;	1847
<i>stilsoloidcx</i> ;	1416	Castanea Indira,	417
Canavalia gladiata,	753	<i>Cathartocariput</i> ,	410

<i>Candida gyrandra.</i>	Tab. 1303	<i>Ceropegia Walkerise,</i>	Tab. 1266
<i>trichotoma,</i>	1303	<i>Chamabainia cuspidata,</i>	1981
<i>Cedrela toona,</i>	161	<i>Clmniis. soa n Ibid a,</i>	1769
<i>Celastnis montamis,</i>	382	<i>aspera,</i>	1772
<i>piiniculatus,</i>	158	<i>dichotoma,</i>	1771
<i>Celosia ar^entea,</i>	1767	<i>nodiHora.</i>	1770
<i>aspera,</i>	1772	<i>pyramidally</i>	1767
<i>cerium,</i>	730	<i>Chavica Betle,</i>	1926
<i>coniosa,</i>	730	<i>peepuloides.</i>	1927
<i>coryinbosa,</i>	712	<i>Roxburghii,</i>	1928
<i>nixtata,</i>	1767	<i>sarmentosa,</i>	192!
<i>jxriygoHoidrx,</i>	1708	<i>sphaerostachya,</i>	1931
<i>pulchella,</i>	1768	<i>sylvatica,</i>	1930
<i>Celsia Coromandelina,</i>	1406	<i>Cheirostylis Habellata,</i>	1727
<i>Celtis orientalis, £</i>	602	<i>ChenoxvliaceiCi</i>	1810
<i>oriental is, 9</i>	603	<i>Chenupodina Indica,</i>	1793
<i>oriental]*!</i>	1971	<i>niicTophylla,</i>	1793
<i>serotina,</i>	1970	<i>Chienopodium nmbrosioides,</i>	1786
<i>Wightii,</i>	1969	<i>Chilocarpus Zeylanicus,</i>	1288
<i>Centrostachys aquatica,</i>	1780	<i>Chilosco-hista usneoides,</i>	1741
<i>diandra,</i>	<i>7U2</i>	<i>Chinna or Bengal gram,</i>	20
<i>Centunculu.s tviwlla,</i>	1585	<i>ChionantheEj</i>	1241
<i>tone]] us,</i>	2000	<i>Chiouanthus ramiHora,</i>	7JH
<i>Cephalanthera acmninata,</i>	1721	<i>CIUaranthacecc,</i>	1945
<i>Cera it in m v ul gat u in,</i>	948	<i>Chloranthus Indicus,</i>	1945
<i>Ccratogynuni,</i>	1899	<i>qffidnalh,</i>	1945
<i>Ceratogynuni rhaninoidcs.</i>	1900	<i>Chonemorpha(?)antidycenterica,</i>	439
<i>CiMiitophylhiil] niissionis,</i>	1948	<i>macrophyila,</i>	432
<i>Imiricatuni,</i>	1948	<i>Choripetalum aurantiacum,</i>	1210
<i>wrticiflaiuM,</i>	1948	<i>Chorisandra pinnata,</i>	1994
<i>CyratoitnnHia var'wgata,</i>	1179-1180	<i>Chribtisonia,</i>	1419
<i>Cerbcra fruticoMt,</i>	431	<i>aurantiaca,</i>	1486
<i>odollain,</i>	441	<i>calcarata,</i>	1426
<i>CVriops Candolliana.</i>	240	<i>Lawii,</i>	1427
<i>CVri>poria (irumiiiiaia,</i>	1263	<i>Ndlgherrica,</i>	1425
<i>l)ill)osa,</i>	84.5, 1263	<i>subacaulis,</i>	1423, 6-7
<i>ciliata,</i>	1262	<i>Cic-cr arietinuni,</i>	20
<i>Dorai.Micana,</i>	1259	<i>Cinnaiiioincse,</i>	1817
<i>elegans,</i>	864, 1265	<i>Ciniiaioimim,</i>	1817
<i>intermedia,</i>	1263	<i>albiHoruni,</i>	140
<i>jllIKINI,</i>	1260	<i>aroniaticuni,</i>	136
<i>Munronii,</i>	1264	<i>Culilawan,</i>	137
<i>Mysorensis</i>	864	<i>dubiuni,</i>	135
<i>pusilla,</i>	1261	<i>dulce,</i>	138
<i>spiral is,</i>	1267	<i>iners,</i>	122
<i>tubcrosa,</i>	353	<i>iners, bis,</i>	122

Cinnamomum, iners ?	Tab. 130	Cocculus Plukenetii,	Tab. 824
multiflorum, /3	126	Coelogyne angustifolia,	1641
multiflorum,	131	corrugata,	1639
nitidum,	124	nervosa,	1638
obtusifolium,	189	odoratissirna,	1640
ovalifolium,	125	Coffea alpestris,	1040
perpetuoflorens,	141	Arabica,	53
perpetuoflorens,	?	Grumelioides,	1041
	127, 134	Wightiana,	1598
recurvatum,	133	<i>Coiebrookia</i> ,	2001
villosum,	127	Coleus barbatus,	1432
Zeylanicum,	123, 134	spicatus,	1431
<i>Zeylanicum</i> , ?	7,128,9	Wightii,	1433
Cirrhopetalum albidum,	1653	Colocasia antiquorum ,	786
caudatu,	1658	<i>cuculata</i> ,	778
fimbriatum,	1655	<i>fornicata</i> .	789-92
grandiflorum,	1656	<i>Indica</i> ,	794
Macwi ?	1652,1656	<i>montana</i> ,	796
Neilgherrense,	1654	<i>nymphceifolidi</i>	786
Walkerianum,	1657	<i>odora</i> ,	797
Cirsiuni Argyracanthum,	1137-38	<i>virosa</i> ,	808
Cissus adnata,	144	Combrotum Wightianum.	227
<i>angustifolius</i> *	176	Cometes Surattensis,	1785
auriculata,	145	Commelynaceae, p. 28, Vol. VI.	
<i>lanceolaria</i> ,	177	Commelyna Bengalensis,	2065
Citrullus Colocynthis,	498	<i>cristata</i> ,	2082-89
Citrus Limetta,	958	<i>nana</i> ,	2077
vulgaris,	957	<i>papilionacea</i> ,	2086
Claoxylon digynum,	1884-86	polyspatha,	2066
muricatum,	1886	<i>scapiflora</i> ,	2073
Clausena Willdenowii,	14	Congea azurea,	1479
Cleghornia acuminata,	1310	velutina.	1479 or 1566
cymosa,	1312	<i>villosa</i> ,	1479
Clematis Gouriana,	933^4	tomentosa,	1479 or 1565
Wightiana,	935	Conocarpus latifolia,	994
Clcome aspera,	287	Conocephalus nivens,	1959
<i>viscosa</i> ,	22	Conopholis,	1419
Cicrodendron infortunatum,	1471	<i>Cotuipertwt Genencm, Podos</i>	
phlomoides,	1473	<i>temcuea</i> '	1915
serratum,	1472	Convolvulaceaj ,	1356
Cleydra gymnanthera,	47	Convolvulus <i>tricolor</i> ,	835
Clypca Hernandifolia,	939	<i>calyctnus</i> ,	833
Cnidium diffusum,	569	<i>capitiilahis</i> ,	1366
Coccoloba Indica,	1806	glomeratus,	1366
Cocculus cordifolius, 9	486	<i>hirtiM</i> ,	834
cordifolius, £	485	mici'ophyllus,	1367

<i>Convolvulus pentaphyUus</i> ^	Tab. 834	<i>Crotalaria lunulata</i> ,	Tab. 480
<i>rhynospennus</i> ,	1368	<i>Notonii</i> ,	752
<i>rufescens</i> ,	1365	<i>obtecta</i> ,	208-383
<i>Corchorus acutangulus</i> ,	739	<i>pulcherrima</i> ,	481
<i>capsularis</i> ,	311	<i>rubiginosa</i> ,	885
<i>huinilis</i> ,	1073	<i>semperflorens</i> ,	982
<i>prostratus</i> ,	1073	<i>speciosa</i> ,	29
<i>Cordia cuneata</i> ,	1379	<i>trifoliastrum</i> ,	421
<i>domestica</i> ,	1378	<i>verrucosa</i> ,	200
<i>fulvosa</i> ,	1380	<i>Wallichiana</i> ,	982
<i>Leschenaultii</i> ,	1380	<i>Crotoneae</i> ,	1861
<i>Myxa</i> ,	1378	<i>Croton Aromaticum</i> ,	1915
<i>obliqua</i> ,	1378	<i>lacciferum</i> ,	1915
<i>Perrottettii</i> ,	1381	<i>muricatunii</i>	1886
<i>Rothii</i> ,	1379	<i>polyandrum</i> ,	1885
<i>serrata</i> ,	469	<i>Tigliuniy</i>	1914
<i>tomentosa</i> ,	1378	<i>uinbellatum</i> ,	1874-
<i>trichostemon</i> ,	1380	<i>Cryptocarya</i> ,	1817
<i>Wallichii</i> ,	1378	<i>floribunda</i> ,	1829
<i>Coriandrum sativum</i> ,	516	<i>Gritfithiana</i> ,	1830
<i>Corniu altera</i> ,	1211	<i>Cryptochilus sanguinea</i> ,	1757
<i>sylvestrix</i> *	1211	<i>Cryptocoryne ciliata</i> ,	775
<i>Zeylanica</i> ,	1210-11	<i>retrospiralis</i> ,	772
<i>CoroniUa sesban</i> ,	32	<i>spiral is</i> ,	773
<i>Cosinostigma acuminatum</i> ,	1270	<i>unilocularis</i> ,	774
<i>racemosa</i> ,	591	<i>Cryptolepis Buchananii</i> ,	494-831
<i>racemosiim</i> ,	1270	<i>grand i flora</i> ,	831
<i>Costus</i> , page 15, Vol. VI.	2015	<i>f pauciflora</i> ,	493
<i>Nepaulensis</i> ,	2014	<i>Cryptophragmium axillare</i> ,	1496
<i>speciosus</i> ,	2014	<i>canescens</i> ,	1495
<i>Cotoneaster affinis</i> ,	992	<i>serrulaUim</i> %	1495
<i>buxi folia</i> ,	992	<i>Cryptostegia grandiflora</i> ,	832
<i>Cottonia macrostachya</i> ,	1755	<i>Cubeba Wallicliii</i> ,	1932
<i>Country Mallow leaf</i> ,	12	<i>Cucumis</i> ,	1810
<i>Covellia guttata</i> ,	1966	<i>Cohcynthis</i> ,	498
<i>Crataeva marmelos</i> ,	16	<i>pubescens</i> ,	496
<i>religiosa</i> ,	16	<i>trigonus</i> ,	497
<i>Crinum latifolium</i> ,	2019-20	<i>Ciicurbitacea'</i> ,	1104-1810
<i>toxirari urn</i> ,	2021-22	<i>Ciu'iirbita maxima</i> ,	507
<i>Crossandra axillaris</i> ,	460	<i>Cudrania Javanensis</i> ,	1960
<i>infundibuliformis</i> ,	461	<i>Cullenia oxcelsa</i> ,	1761 -2
<i>Crotalaria harbata</i> ,	908	<i>Cupania pentaphylla</i> ,	402
<i>bifaria</i> ,	30	<i>Curculigo brevifolia</i> ,	2043
<i>bracteata</i> ,	273	<i>lati folia</i> ,	J2044
<i>evolvuloides</i> ,	31	<i>Malabnricii</i> ,	2(1415
<i>formosa</i> ,	981	<i>orchioids</i> ,	2043

	Tab.		Tab.
Curculigo pauciflora,	2046	Cynoglossum <i>micranthum</i> ,	1395
Sumatrana,	2042	Cypripedium purpuratum,	1760
Curcuma,	2005-2015	<i>Cyrilla aquatica</i> ,	861
aromatica,	2005	<i>Cyrtandra lanuginosa</i> ,	1355
Neilgherrensis,	2006	Cyrtopera Cullenii,	1754
Zedoaria,	2005	<i>flava</i> ,	1690-1754
Cuscuta Arabica,	1371	fusca,	1690
Chinensis,	1873	Cystanche,	1419
hyalina,	1372	lutea,	1420
<i>sukatdy</i>	1372	tubulosa,	1420
Cyamopsis psoraloides,	248	Cytheris cordifolia ,	1751-2
Cyanotis Burmanniana,	2089	Griffithii,	1751-2
cristata,	2082	Dcemia extensa,	596
decumbens,	2088	Dalbergia frondosa,	266
dichrotricha,	2087	latifolia,	1156
fasciculata,	2086	marginata,	87
lanceolata,	2085	Oogeinensis,	S91
Lawiana,	2086	reniformis,	261
longifolia,	2084	rimosa,	262
page 28, Vol. VI.	2081	robusta,	9AA
papilionacea,	2089	scandens,	275
pilosa,	2083	stipulata,	243
rosea,	2086	tamarind ifolia,	242
sarmentosa,	2087	Dalechampia,	1861
<i>tuberosa</i> ,	2083	<i>Capensis</i> ,	1881
vaginata,	2088	Indica,	1882
Cyathocline lutea,	1150	velutina,	1881
lyrata,	1098	Dalhousiea bracteata,	265
Cyathula cap i tat a,	1782	Dalzellia,	1918-5
<i>orbiculata</i> .	1783	foliosa,	1919-2
tomentosa,	1781	<i>longipes</i> ,	1920-2
Cylicodaphne <i>tetranthera</i> ,	1817	Lawii,	1919-3
Wightiana,	1833-1840	pedunculosa,	1919-4
Cylista scariosa,	1597	pulchella,	1920-2
Cymbidium aloifolium,	1687-8	ramosissima,	1920
ercctum,	1753	Zeylanica,	1919-1
ten ui folium,	911, 1689	Uaphnidianaee,	1817
<i>tesseloideSy</i>	916	Dasyloina Bengalense,	568
triste,	911-1689	<i>glaucum</i> ,	568
Cynauchum <i>alatum</i> ,	1280	Datura alba,	852
<i>Callialata</i> ,	1279	fastuosa,	1396
pauciflorum,	354	<i>meteU</i>	852
Cynoetinum alatum,	1280	<i>stramonium</i> .	1396
Callidata,	1279	Decalepis Hamiltonii,	1285
Cynoglossum <i>cwlctinum</i> ,	1394	Decanourum Courtallense,	1081
fureatum.	1395	dive.rgens,	1078, 1084

	Tab.		Tab.
Decaneurum Molle,	1082	Dichospermum repens,	2078
reticulatum,	1080	Dichrocephala chrysanthemifolia,	1095
Silhetense,	1083	latifolia,	1096
Decaschistia crotonifolia,	42	Schmidii,	1610
trilobata,	88	Dichrostachys cinerea,	357
Deeringia ceiosioides,	728	Dicliptera bivalvis,	1551
tetragyna,	729	cuneata,	1552
Dendrobium album.	1645	Dicoma lanuginosa,	1140
alpestre,	164S	Dicrcea dichotoma,	1916-2
aureum,	1646	elongata,	1917-1
barbatulum,	910	longifolia,	1916-4
denudans,	1643	rigida,	1916-5
filiforine,	1642	stylosa,	1917-2
graminifolium,	1649	Wallichii,	1916-1
Heyneanuin,	909	Wightii,	1916-3
humilis,	1643	Dictyospermum montanum,	2069
Jerdonianum,	1644	ovalifolium,	2070
macrostachyum,	1647	protensum,	2071
Pierardi,	908	Dicypellium,	1817
ramosissimum,	1648	Didyincarpus Humboldtiana,	1351
<i>Dentella erecta,</i>	842	lyrata,	1350
Desmanthus triqueter,	766	ovalifolia,	1351
Desmocheeta atropurpurea,	781	Rottleriana,	1348
muricata,	782	tomentosa,	1349
prostrata,	733	Didyplosandra,	1515,16-19
Desmodium cephalotes,	873	Dienia cylindrostachya.	1630
collinm,	272	Dilivaria ilicifolia,	459
congestum,	209	Dillenia bracteata,	358
ditfusum,	298, 409	retusa,	358
Gangeticum,	271	speciosa,	823
gyrans,	294	<i>Dinetus racemosus</i> ^	1376
latifolium,	270	Dioscorea aculeata,	2060
patens,	407	alata,	810
polycarpum,	406	amcency	811
quinqueangulatum,	293	bulbifera,	878
recurvatum,	374	doemona,	811
rnfescens,	984	globosa,	812
strangulatum,	985	oppositifolia,	813-2060
triflorum,	291	pentaphylla,	814
triHorum, j3	292	tomentosa,	815
Dianella ensifolia,	2053	Diospyros Candolleana,	1221-22
Dicenna biarticulatum,	419	Capitulata,	1224-1588
pulchellum,	418	Chloroxylon,	1224
<i>Dichorisaiultra,</i> page 28, Vol. VI.		d ubia,	1223
Dichospennum j unco ides,	2078	ebem:m,	188
lanceoiatum,	2075-78	ghUinoscky	843

Diospyros Kaki,	Tab. 415	<i>Dysophylla crassifolia</i> ,	Tab. 1444
montana ,	1225	tetraphylla,	1444
obovata ,	1226	Ebermaira glauca ,	1488
<i>Orixensis</i> *	1225	Ecdysanthera granduliferce ,	1307
ovalifolia,	1227	Griffithii,	1307
racemosa ,	416	Echaltium piscidium,	472
ram i flora,	189	Echinosperrnum coelestinum,	1394
tomentosa, fern.	183	Echites acurninata ,	424
tomentosa, mas.	182	<i>antidysenterica</i> ,	439
<i>tetraspemuty</i>	1221-22	<i>cai-yophyllata</i> ,	440
Diplocentrum congestum ,	1682	cymosa ,	395
longifolium,	1681	<i>dichotomy</i>	438
recurvum,	1680	<i>jrutescens.</i>	430
Diploclinium,	1810-17	<i>hircosa</i> ,	429
Arnottianum,	1815	<i>macrophylla</i> ,	432
biloculare,	1814	<i>marginata</i> ,	425
cordifolium,	1816	paniculata ,	396
Lindleyanum,	1817	parvi flora,	423
Dipsacus Walkeri,	1166	<i>scholaris</i> ,	422
Dipteracanthus patulus,	1505	<i>venenata</i> ,	436
Disperis Neilgherrensis,	1719	Edwardsia Madraspatana,	1054
tripe taloidea,	930-1719	<i>parvifolia</i> ,	1054
Disporum Ceylanicum,	2049	Ehretia cutpera ,	1383-84
Leschenaultianum,	2048	(X.) cuneata,	1385
Mysorensis,	2049	loevis	1382
Dithyocarpus, page 28, Vol. VI.		ovalifolia ,	1383
pctiolatus,	2079	<i>umbeUulata</i>	1384
Rothii,	2080	<i>vimhiea</i>	1385
midulatus ,	2080	Wightiana,	1384
Dodecadenidy	1833	Eloeagnus <i>conferta</i> ,	1856
Dopatrium lobelioides,	859	lati folia,	1856
Doronicum Arnottii,	1125	Elceocarpus aristatus,	63
Candolliaiiuni ,	1127	bilocularis,	62
Lessingianuin ,	1126	Ganitrus ,	66
reticulatuin,	1151	lancea'folius ,	65
rupestre ,	1128	oblongus ,	46
temiifolium ,	1129	robustus,	64
tomentosum ,	1151	rugosus ,	61
Wightii,	1124	Elatine (Bergia) oestivosa ,	222
Dorstenia Indica ,	1964	Elatostema cuneata,	2091
Dracaena terminal is ,	2054	cuspidatn,	1983-2090-2091
Droscra Burmaniii.	944	lineolata ,	1984-2090
Dumasia congesta ,	445	<i>ojypositifolia.</i>	1985
Durio Ceylanica ,	1761-2	ovata,	1985-2090-2091
Dyschoristic littoralis,	447	surcolosa ,	2091
Dysophylla auricularia,	1445	Elephuntopus ^caber,	1086

	Tab.		Tab
Elettaria cannaecarpa,	2007	(A.) acuminata,	607
Ellertonia Rheedii,	1295	» bracteolata,	531
<i>Basaaly</i>	1209	» claviflora,	606
Embelia Gardneriana,	1208	» <i>grata</i> .	607
glandulifera,	1207	» inophylla,	623
<i>Ribes</i> ,	1207	» lanceolata,	680
Tsjeriam cottam,	1209	» leplantha,	528
<i>villosa</i> ,	1209	» Wightiana,	599
Emblica officinalis,	1895-2-95	(E.) Mooniana,	551
Embryopteris glutinifera,	844	» Willdenowii,	545
Emilia scabra,	1123	(j.) alba,	548
Endopogon capitatus,	1496-99	» amplexicaulis,	608
foliosus,	1496-1501	» aquea,	546-550
<i>hypokucas</i> ,	1497	» cylindrica,	527
rhamnifolius,	1521	» hemispherrica,	525
strobilanthes,	1496-1500	» lanceolaria,	613
versicolor,	1497	» lauri folia,	609
viscosus,	1498	» macrocarpa,	612
Epicarpurus orientalis,	1961	» <i>Malaccensis</i> ,	549
spin os us,	1962	» Munronii,	546
Zeylanicus,	1962	» pauci flora,	526
Epigym Griffithianuvn,	1308	» polypetata,	610
Epipactis <i>carinata</i> ,	1720	» purpurea,	549
Dalhousiae,	1723	» terni folia,	611
macrostachya,	1722	(S.) alterni folia,	537
Epiphegus,	1419	» Arnottiana,	999
Epithema Ceylanica,	1354	» brachiata,	626
Eranthemum muittanum,	466	» calophylli folia,	1000
Eria pauciflora,	1636	» caryophylli folia,	553
polystachya,	1634-35	» caryophyllcea,	540
pubescens,	1634-35	» cerasoides,	615
reticosa,	1637	» cord i folia,	544
Erianthera,	1557	» corymbosa,	627
<i>serpyllifolia</i> ,	5r	» cymosa,	555
Erigeron Wightii,	1090	» ferruginea,	554
Eriobotrya Japonica,	226	» fruticosa,	624
Eriochlaena,	882	» glandulifera,	629
Eriodendron anfractuosuim.	400	» grandis,	614
Erodium chuimbulense	1074	» Jambolana,	535, 615, 620
Erythraean thus obtusus,	1491	» Janibolana, vai. micToearpa,	553
Erythraea Roxburghii,	1325	» lance(efolia,	621
Erythrina Indica,	58	» moutana,	1060
ova] i folia,	247	» inyrtifolia,	618
Eugenia <i>anguatifolia</i> ,	610	» Neesiana,	533
<i>cymosti</i>).	614-25	» oblata,	607, 622
<i>cymosa</i> '4	625	» obtusifolia	620

	Tab.		Tab.
(S.) operculata,	552	Excoecaria <i>Jgallocka</i> ,	1865
„ Paniala,	616	crenulata ,	1865
„ polyantha,	543, 555	oppositifolia ,	1865
„ praecox,	619	Fagracea Coronandelina ,	1316
„ pulcliella ,	628	Malabar ica ,	1317
„ reticulata,	541	Zeylanica,	1317
„ revoluta,	534	Falconer i a, Malabar ica,	1866
„ Ro t tier i ana,	100	Wallichiana ,	1866
„ rubens,	554, 630	Feronia elephantum,	15
„ rubicunda,	538	Ferrula buxifolia ,	763
„ salicifolia,	539	Fieus ampelos,	652
„ silvestris,	532, 1060	angustifolia,	660
„ Thunira ,	617	aquaticdy	659
„ toddalioides,	542	asperrima,	633
„ ven us ta,	625	Attimeeraloo,	650
„ Wallichii,	536	BengalermS)	1989
„ Zeylanica,	455	Benamina ,	642, 668
Eulopliia inacrostachya,	1667-8	cajinabindy	659
ranientacea ,	1666	caricoides,	634
virens ,	913	comosa.	658
Euonymus angulatus,	1053	congesta,	644
crenulatus ,	214, 973	conglomerata,	669
garcinifolidi	761	copiom ,	632
Goughii,	215	cordi folia,	640
Fiiioxolus candatus ,	1773	cunia,	648
Euphorbiacea',	1810, 1861	doeinona ,	638, 641
Euphorbia anti(uorum,	897, 1063	denticulata ,	659
Cattiinandoo,	1993	elastica,	663
glauca,	1864	exasperata,	664
Iccta,	1864	excelsa ,	650
Nivulia,	1862	fruticosa,	663
Rothiana,	1864	glomerata,	667
setretalis ,	1864	hedcracea,	653
tortilis ,	898, 1063	heterophylla,	659
trigona ,	1863, 1993	hirsuta,	670
Kuphroboscis pygnnca ,	1732	hirtu,	672
Exat'inn hicolor ,	1321	humilis,	635
Courtallense,	1323	Indica ,	642, 668, 1989
hyssopifoliuvii	600	iufectoria,	665
pedunculare,	336	laccifera ,	656
Perrottetii,	1322	lunceolata ,	645
petiolare,	1324	macTophylla ,	673
pumiluni ,	1324	nitida,	642
sessi le,	1324	obtiiMi folia ,	662
Wi^htianuni ,	840	o[D]ositi folia ,	638
ZcyLANicum,	1322	polycarpa,	632

Ficus quercifolia,	Tab.	Ganitrus sphaerica,	Tab.
<i>racemifera</i> ,	646	Garcinia, Cambogia,	66
<i>radicans</i> ,	639	<i>conicarpa</i> ,	960-1
<i>ramentacea</i> ,	671	<i>cornea</i> ,	121
<i>rapiformis</i> ,	657	<i>COKO</i> ,	105
<i>repens</i> ,	637	<i>elliptica 't</i>	104
<i>scabrella</i> ,	636	<i>Ki'din</i> ,	120
<i>scandens</i> ,	661	Kydiaua,	113, 960-1
<i>nerratdy</i>	643	<i>laneoeofblia</i> ,	113, 960-1
<i>tomentosa</i> ,	659	Merguiensis ,	103
<i>truncata</i> .	647	<i>paniculata</i> ,	11 fl
Tsiala ,	659	<i>papilla</i> ,	112
<i>tuberculata</i> ,	668	pedunculata ,	960-1
<i>vagans</i> ,	651	<i>pictoria</i> ,	114-115
<i>virgata</i> ,	655	Hoxburghii,	102
Wassa ,	649	Gardenia arborea ,	104, 960-1
Flacourtia Ramontchi,	666	campanulata ,	576
Flaviflorae,	85	<i>dumetorum</i> ,	578
Flemingea bractcata,	1817	enneandra ,	580
congesta ,	268	<i>gummifera</i> ,	574
Lineata,	326-390	<i>latifolia</i> ,	576
nana ,	327	<i>longisphia</i> ,	574, 759
<i>procumbens</i> ,	389	<i>lucida</i> ,	582
<i>scmialata</i> ,	408-987	montana ,	575
stricta ,	326	turgida ,	577
<i>strobilifera</i> ,	329	<i>nlig'nwsa</i> ,	579
Fleurya interrupta,	267	Gardnera Wallichii ,	397
Fluggea lucopyrus.	1975		1313
Fceniculiini Pailinoriuin,	1875	Garuga pinnata ,	1594-95
<i>vulgare</i> ,	570	Gaultheria fragrantissima ,	1196
Forskahlca <i>tenacmima</i> ,	515	Grifh'thiana ,	1197
<i>urticoides</i> ,	1982	Lcschnaultii ,	1195
Fourroya gigantea,	1982	<i>ovalifolidi</i>	1195
Fragaria elutior,	2025	Gaylussaa dependent	1179
Indica ,	988	<i>serrata</i> .	1184
Gacrtncra Königii,	989	Gelonium lanceolatum ,	1867
Galactia longifolia,	1318	Gendarussa P^rmii(jiicbarcensis ,	402
<i>tenuiflora</i> ,	482	vulgaris ,	468
<i>villosa</i> ,	489	Gentiana pedicclata,	1328
Galedupa <i>clipt'ica</i> ,	482	<i>vertieellata</i> ,	600
<i>pincidia</i> ,	420	Gent'uumr ,	1419
Galega Heyneana ,	86	G cod or inn dilntatum ,	912
<i>im-itna</i> ,	388	Gcophilii renitbnnis ,	54
<i>poitapht/Jhi</i> .	371	Geranium Wullirhinnum ,	3^4
<i>spinotta</i> ,	370	(Ji'sncriiiccv,	1419, 1810
Galium Kcquicnianum,	1372	Gie&ekia tnot/uginoiden,	1918-5
	1042	<i>rubella</i> ,	1918-5

<i>Gilibertia</i> ,	Tab. 1013-14	<i>Goodyera ovalifolia</i> ,	Tab. 1730
<i>Girardinia Leschenaultiana</i> ,	1976	<i>procera</i> ,	1729
<i>Gisekia molluginoides</i> ,	1168	<i>Gossypium album</i> ,	9
<i>pharnacioides</i> ,	1167	<i>arboreum</i> ,	10
<i>Givotia Rottleriformis</i> ,	1889	<i>herbaceum</i> ,	9-11
<i>Globba bulbifera</i> .	2001	<i>Gouania leptostachya</i> ,	974
<i>Careyandy</i>	2002	<i>Goughia</i> ,	1877
<i>marantinoides</i> ,	2001	<i>Griffithiana</i> ,	1877
<i>ophioglossa</i> ,	2002	<i>Neilgherrensis</i> ,	1878-79
<i>OrixensiS</i>)	2002	<i>Govindooia nervosa</i> ,	2090
<i>Glochidion</i> ,	1905	<i>Gram ma tophyllum Finlay.tonianum</i> ,	1740
<i>arboreum</i> ,	1907-1	<i>Grangea Madraspatana</i> ,	1097
<i>ellipticum</i> ,	1906	<i>Gratiola lobelioides</i> ,	859
<i>Heyneanum</i> ,	1907-1	<i>lucida</i> ,	863
<i>Neilgherrense</i> ,	1907-1	<i>Green la Wight iana</i> ,	1161
<i>velutimim</i> ,	1907-2	<i>Grewia columnaris</i> ,	44
<i>Glochisandra</i> ,	1904-4	<i>hirsuta</i> ,	76
<i>acuminata</i> ,	1905	<i>microcosm</i>	84
<i>Gloriosa superba</i> ,	2047	<i>oppositifolia</i> ,	82
<i>Glossocardia Boswellia</i> ,	1110	<i>rotundifolia</i> ,	45
<i>Glossospermum velutinum</i> ,	509	<i>scabrophylla</i> ,	89
<i>Glycine labialis</i> .	168	<i>sclerophylla</i> ,	89
<i>Glycosmis triphylla</i> ,	167	<i>ulmifolia</i> ,	84
<i>Gmelina arborea</i> ,	1470	<i>umbellata</i> ,	88
<i>Rheedii</i> ,	1470	<i>Griffithia fragrans</i> ,	310
<i>Gnaphalium hypoleucum</i> ,	1114	<i>Grumilea congesta</i> ,	1037-1039
<i>marcescens</i> ,	1115	<i>elongata</i> ,	1036
<i>NeUghenyanum</i> ,	478	<i>Guarea paniculata</i> ,	146
<i>Gnetum funiculare</i> ,	1955	<i>Guatteria Korinti</i> ,	398
<i>scandem</i> ,	1955	<i>longi folia</i> ,	1
<i>Gnidia criocephala</i> ,	1859	<i>Guettarda speciosa</i> ,	40
<i>Sisparensis</i> ,	1860	<i>Gymnema Decaisneanum</i> ,	1271
<i>Goldfussia Dalhousiana</i> ,	1509	<i>elegans</i> ,	830
<i>decurrens</i> ,	1522	<i>hirsutum</i> ,	1271-72
<i>pentstemonoides</i> ,	1510	<i>lactiferum</i> ,	343
<i>tristis</i> ,	1508	<i>sylvestre</i> ,	1271
<i>Zenkeriana</i> ,	1517	<i>sylvestre</i> ,	349
<i>Goldfussiaeae</i> ,	1492	<i>tingens</i> , var. <i>cordifolia</i> ,	593
<i>Gomphandra angustifolia</i> ,	953-954	<i>tingens</i> , var. <i>ovalifolia</i> ,	592
<i>coriacea</i> ,	953-54	<i>Gynmostachyum alatmn</i> ,	1525
<i>polymorpha</i> ,	953-54	<i>Ceylanicum</i> ,	1494
<i>Gomphostemma eriocarpum</i> ,	1457	<i>polyanthum</i> ,	1494, 1525
<i>Heyneanum</i> ,	1456	<i>Gynoon</i> ,	1905
<i>oblongum</i> ,	1457	<i>Heyneanuvi</i> ,	1905-80
<i>Goinplircim globosa</i> ,	1784	<i>hirsutum</i> ,	1909
<i>Goodyera ehmgata</i> ,	1730	<i>Jussieuanum</i> ,	1908

	Tab.		Tab.
<i>Gynoon triandrum</i> ,	1908	<i>Hedyotis</i> (A.) <i>affinis</i> ,	1030
<i>Gynura nitida</i> ,	1121	(D.) <i>articularis</i> ,	1028
<i>Walkeri</i> ,	1122	<i>deltoidea</i> ,	1030
<i>Gyrinops Walla</i> ,	1850	(D.) <i>Lawsoniae</i> ,	1026
<i>Haasia media</i> .	1831	<i>Leschenaultiana</i> ,	1030
<i>Wightii</i> ,	1831	(A.) <i>monospenna</i> ,	1031
<i>Habenaria affinis</i> ,	1707	<i>plantaginifolia</i> ,	1029
<i>cephaiotes</i> ,	1711	<i>racemosa</i> ,	312
<i>crinifera</i> ,	926	<i>ramosa</i> ,	822
<i>decipiens</i> ,	1714	(D.) <i>stylosa</i> ,	1027
<i>digitata</i> ,	1701	(D.) <i>verticillaris</i> ,	1029
<i>cliptica</i> ,	1706	<i>Hedysarum alopecuroides</i> ,	290
<i>fimbriata</i> ,	1712	<i>awiculntum</i> ,	298
<i>foliosa</i> ,	1700	<i>biaiiculatum</i> ,	419
<i>Heyneana</i> ,	923,1703-4	<i>bracteatum</i> ,	268
<i>Jerdoniana</i> ,	1715	<i>cephaiotes</i> ,	373
<i>Lindleyana</i> ,	922	<i>collinum</i> ,	272
<i>longicalcarata</i> ,	925	<i>crinitum</i> ,	411
<i>mon tana</i> ,	927,1714	<i>diffiumm</i> ,	409
<i>ovalifolia</i> ,	1708	<i>Gangeticum</i> ,	271
<i>peristyloides</i> ,	1702	<i>gyrans</i> ,	294
<i>plantaginea</i> ,	1710	<i>hamom</i> ,	284
<i>platypbylla</i> ,	1709	<i>lagenarium</i> ,	299
<i>rariflora</i> ,	924	<i>lagopoides</i> ,	289
<i>Richardiana</i> ,	1713	<i>latifolium</i> ,	270
<i>salaccensis</i>	922	<i>Neli,—tali</i>	405
<i>trinervia</i> ,	1701	<i>patens</i> ,	407
<i>viridi flora</i> ,	1705	<i>pictum</i> ,	411
<i>Halenia Perrottetii</i> ,	1334	<i>procumbenS)</i>	408
<i>Haloragis oligantha</i> ,	1061	<i>pulchelhim</i> ,	418
<i>Hamiltonia</i> ,	2047	<i>purpureum</i> ,	406
<i>Hapalantbus Neilgberryensis</i> ,	1556	<i>quingueangulatum</i> ,	293
<i>tener</i> ,	1556	<i>I ecurvatum</i> ,	374
<i>Harveya</i> ,	1419	<i>reptans</i> ,	291
<i>Hedera acuminata</i> ,	1062	<i>sennoldes</i> ,	297
<i>Jackiana</i> ,	1062	<i>strohiliferum</i> ,	267
(P.) <i>obovatu</i> ,	1011-12	<i>triflorum</i> ,	292
,, <i>racemosa</i> ,	1015	<i>tiberoswn</i> ,	412
,, <i>rostrata</i> ,	1013-14	<i>vespniUonis%</i>	285
<i>trifoliata</i> ,	307	<i>viscidium</i> ,	286'
<i>Hedychium</i> , Vol. VI, page 15,		<i>Helichrysum buddleioides</i> .	1113
<i>cernuum</i> ,	2011	<i>Helictres Isorn</i> ,	180
<i>coronarium</i> ,	2010	<i>Heligme Rbcedii</i> ,	1303
<i>flavescens</i> ,	2008-9	<i>Heliotropiuni brevisfolium</i> ,	1389
<i>scaposum</i> *	2030	<i>Corom andelianu m</i> ,	1388
<i>vcnustum</i> ,	2012	<i>linifolium</i> ,	1391

<i>Heliotropium Malabaricum,</i>	Tab. 1387	<i>Hortonia ovalifolia,</i>	Tab. 1998
<i>marifolium,</i>	1390	<i>Hoya li?iearis,</i>	1269
<i>Kottleri,</i>	1392	<i>ovalifolia,</i>	847
<i>scabrum,</i>	1389-90	<i>parasitica,</i>	587
<i>supinum,</i>	1387	<i>pauci flora,</i>	1269
<i>tenue,</i>	1391	<i>pendula,</i>	474
<i>Zeylanicum,</i>	892,1386	<i>viridiflora,</i>	586
<i>Hemiadelphis polysperma,</i>	1492	<i>Humbbrtia,</i>	1356
<i>Hemichoriste montana,</i>	1538	<i>Humboldtia firunonis,</i>	1606
<i>Hemicyclia sepiaria,</i>	1872	<i>laurifolia,</i>	1605
<i>Hemidesmus Indicus,</i>	594	<i>Vahliana,</i>	1607-8
<i>pubescens,</i>	1320	<i>Hunteria corymbosa,</i>	428
<i>Hemigraphis latebrosa,</i>	1504	<i>lanceolaria,</i>	1294
<i>Heracleum Hookerianum,</i>	1010	<i>Roxburghiana,</i>	1294
<i>pedatum,</i>	342	<i>Hutchinia Indica,</i>	355
<i>rigens,</i>	1009	<i>Hydnocarpus alpinus,</i>	942
<i>Sprengelianum,</i>	1008	<i>inebrians,</i>	942
<i>Hernandia sonora,</i>	1855	<i>Hydrobryum,</i>	1915-1918-5
<i>Heterocarpus glaber,</i>	2067	<i>griseum,</i>	1918-3
<i>hirsutus,</i>	2067	<i>olivaceum,</i>	1918-2
<i>Heterostemma Tanjorensis,</i>	348	<i>Hydrocera,</i>	1050
<i>Hewittia bicolor,</i>	835	<i>Hydrocotyle Asiatica,</i>	565
<i>Hexacentris,</i>	1847	<i>conferta,</i>	1002
<i>Mysorensis,</i>	871	<i>Nepalensis</i> Sy	1002
<i>Hibiscus hirtus,</i>	41	<i>polycephala,</i>	1003
<i>lampas,</i>	5	<i>rotundifolia,</i>	564
<i>lunarifolius,</i>	6	<i>Hydrolea Zeylanica,</i>	601
<i>populneus,</i>	8	<i>Hydrophylax maritima,</i>	760
<i>prwiens,</i>	6	<i>Hygrophila obovata,</i>	1489
<i>Surattensis,</i>	197	<i>salicifolia,</i>	1490
<i>Hippocratea Grahmi,</i>	380	<i>Hymenodyction exrelsum,</i>	79-1159
<i>obtusifolia,</i>	963	<i>obovatum,</i>	80-1159
<i>Hippomaneae,</i>	1861	<i>utile,</i>	1159
<i>Hiraea Indica,</i>	381	<i>Hyobancheae,</i>	1419-23
<i>Holarrhena Codaga,</i>	1297	<i>Hypericum Hookerianum,</i>	959
<i>Malaccensis,</i>	1298	<i>Mysorensis,</i>	959
<i>pubescens,</i>	1297	<i>Mysorensis,</i>	56
<i>Holopetala integrifolia,</i>	1968	<i>Hypocarpus,</i>	955
<i>Holostemma Rheedii,</i>	597	<i>Hypoestes Malaccensis,</i>	1555
<i>Ilomalonema aro?natica</i> >	805	<i>Hypoxis brachystachya,</i>	2046
<i>Calyptratum,</i>	799	<i>lati folia,</i>	2044
<i>rubescens,</i>	807	<i>leptostachya,</i>	2045
<i>Hopea,</i>	1237	<i>minor,</i>	2046
<i>HorsJUl dia odorata,</i>	1857	<i>pauciflora,</i>	2046
<i>Hortonia acuminata,</i>	1998-2	<i>trichocarpa,</i>	2045
<i>floribunda,</i>	1997	<i>trichostachya</i> ^	2046

	Tab.		Tab.
<i>Ichnocarpus frutescens</i> ,	430	<i>Indigofera pulchella</i> ,	367
<i>Ilex Gardneriana</i> ,	1217	<i>tinctoria</i> ,	365
(P.) <i>Wightiana</i> ,	1216	<i>trifoliata</i> .	314
<i>Illecebrum brachiatum</i> ,	1776	<i>trita</i> ,	315, 386
<i>Impatiens albida</i> ,	743	<i>uniflora</i> ,	333
<i>campanulata</i> ,	744	<i>viscosa</i> ,	404
<i>cuspidata</i> ,	741	<i>Inga dulcis</i> ,	198
<i>dasysperma</i> ,	742	<i>Ionidium suffruticosum</i> ,	308
<i>fasciculata</i> ,	748	<i>Iphisidy</i>	588
<i>fruticosa</i> ,	966	<i>mtilti/lora</i> ,	1276
<i>Gardneriana</i> ,	1050	<i>Ipomaea</i> ,	1356
<i>Goughii</i> ,	1603	<i>bracteata</i> ,	1374
<i>inconspicua</i> ,	970	<i>campanulata</i> ,	1375
<i>Jerdoniae</i> ,	1602	<i>chrysoides</i> ,	157
<i>Kleinii</i> ,	884	<i>pes tigridis</i> ,	836
<i>latifolia</i> ,	741, 970	<i>pileata</i> ,	1363
<i>Leschenaultii</i> ,	741, 970	<i>pulchella</i> ,	156
<i>modesta</i> ,	968	<i>rugosa</i> ,	887
<i>Munronii</i> ,	1049	<i>sessiliflora</i> ,	169
<i>oppositifolia</i> ,	883	<i>Wightii</i> ,	1364
<i>rivalis</i> ,	751	<i>Ipeea speciosa</i> ,	1663
<i>rosmarinifolia</i> ,	750	<i>Isanthem Jloribunda</i> ,	1355
<i>rufescens</i> ,	969	<i>permollis</i> ,	1355
<i>scabrida</i> ,	323	<i>Isonandra CandoUeana</i> ,	1220
<i>scapiflora</i> ,	967	<i>lanceolata</i> ,	359
<i>tomentosa</i> ,	749	<i>Percha</i> ,	1589
<i>triphylla</i> .	323	<i>Perrottetiana</i> ,	1219
<i>umbellata</i> ,	745	<i>polyandra</i> ,	1589
<i>uncinata</i> ,	747	<i>villosa</i> ,	360
<i>viscida</i> ,	746	<i>Isora corylifolia</i> ,	180
<i>Indigofera arborea</i> ,	368	<i>Ixora acuminata</i> ,	706
<i>argentea</i> ,	331	<i>alba</i> ,	707
<i>aspalathoides</i> ,	332	<i>bandhuca</i> ,	149
<i>atrrpurpurea</i> ,	366	<i>barbata</i> ,	185
<i>ccerulea</i> ,	366	<i>brachiata</i> ,	710
<i>cinereu</i> ,	386	<i>coccinea</i> ,	153, 707
<i>echinata</i> ,	316	<i>cuneifolia</i> ,	709
<i>enneaphylla</i> ,	403	<i>fulgens</i> ,	151
<i>flaccida</i> ,	387	<i>lanceolaria</i> ,	827
<i>fragratis</i> ,	385	<i>nigricans</i> ,	318
<i>glandulosa</i> ,	330	<i>Pavetta</i> ,	148
<i>linifolia</i> ,	313	<i>parviflora</i> ,	707, 711
<i>paucifolia</i> ,	331	<i>polyantha</i> ,	1066
<i>pedicellata</i> ,	983	<i>stricta</i> ,	184, 707
<i>pentaphylla</i> ,	385	<i>tomentosa</i> ,	186
<i>prostrata</i> ,	314	<i>undulata</i> ,	708

	Tab.		Tab.
<i>Ixora villosa</i> ,	150	<i>Karivia amplexicaulis</i> ,	502
<i>Jambosa alba</i> ,	548	<i>Katon Niruri</i> ,	1899
<i>aquea</i> ,	216, 546	<i>Kirganelia</i> ,	1894
<i>vulgaris</i> ,	435	Klugia Notoniana,	1353
<i>Jasminum affine</i> ,	1255	<i>Kochia Indica</i> ,	1791
<i>angustifolium</i> ,	698, 700	<i>Kydia calycina</i> ,	879-880
<i>arborescens</i> ,	699, 703	<i>fraterna</i> ,	879-880
<i>aureum</i> ,	1258	<i>pulverulenta</i> ,	881
<i>auriculatum</i> ,	700, 1254-55	<i>Roxburghiana</i> ,	881
<i>Mgnoniaceum</i> ,	1258	<i>Lablab vulgaris</i> ,	57, 203
<i>bracteatum</i> ,	1248	<i>Lactuca glabra</i> ,	1145
<i>brevilobum</i> ,	1254-55	<i>Heyneana</i> ,	1146
<i>chrysanthemum</i> ,	1258	<i>Lagerstroemia microcarpa</i> ,	109
<i>Courtallense</i> ,	1252	<i>parviflora</i> ,	69
<i>elongatum</i> ,	702-701	<i>Reginse</i> ,	413
<i>erect iflorum</i> ,	1251	<i>Lamprocarpus</i> , Vol. VI, page 15,	
<i>flexile</i> ,	1252-53	<i>Lantana alba</i> ,	1464
<i>grandiflorum</i> ,	1257	<i>Indica</i> ,	1464
<i>hirsutum</i> ,	702	<i>Laportea crenulata</i> ,	1972
<i>latifolium</i> ,	699, 703	<i>terminalis</i> ,	1972
<i>laurifolium</i> ,	1247	<i>Lasia hetrophylla</i> ,	777
<i>Malabaricum</i> ,	1250	<i>Lasianthus venulosus</i> ,	1032
<i>myrtifolium</i> ,	1247	<i>Lathrcea squamaria</i> ,	1419
<i>ovalifolium</i> ,	1256	<i>Lauraceae</i> ,	1817, 1855
<i>pubescens</i> ,	702	<i>Laurus</i> ,	1833
<i>revolutum</i> ,	1258	<i>bilocularis</i> ,	1828
<i>rigidum</i> ,	1247	<i>cassia</i> ,	128-132-140
<i>Rottlerianum</i> ,	1249	<i>cinnamomuin</i> ,	129-136
<i>Sambac</i> ,	704	<i>Culilaban</i> ,	137
<i>simplicifolium</i> ,	705	<i>dulcis</i> ,	138
<i>tetraphis</i> ,	1247	<i>lanceolaria</i> ,	1821
<i>Jatropha peltata</i> ,	1169	<i>multiflora</i> ,	181
<i>villosa</i> ,	1169	<i>nitida</i> ,	124
<i>Jerdonia Indica</i> ,	1352	<i>obhmifolia</i> ,	139
<i>Johnia Coromandeliana</i> ,	321	<i>poirecta</i> ,	1832
<i>Jonesia asoca</i> ,	206	<i>recurvata</i> ,	133
<i>Josephia lanccolata</i> ,	1742	<i>villosa</i> ,	1822
<i>latifolia</i> ,	1743	<i>Lavandula</i> (Ch.) <i>Burmanni</i> ,	1438
<i>Jobsinia Indica</i> ,	523	(Ch.) <i>Lawii</i> ,	1439
<i>Juncus lamprocarpus</i> ,	2078	<i>Lawia acuminata</i> ,	1070
<i>Justicia Ecboliinn</i> ,	463	<i>Zeylanka</i> ,	1919-1
<i>livida</i> ,	1546	<i>Lebrctonia procumbens</i> ,	4
<i>Kaempferia</i> Vol. VI, page 15,		<i>Lcdebouria hyacinthina</i> ,	2040
<i>Galanga</i> ,	899	<i>Lcea macrophylla</i> ,	1154
<i>rotunda</i>	2029	<i>staphylea</i> ,	78
<i>Kalanchne latin iata-</i>	1158	<i>Legendreu*</i>	1356

	Tab.		Tab.
Leiospermuni ferrugineum,	721	Ligustrum Neilgherrense	1243
Leonotis nepetifolia,	867	Perrottetii,	1244
Lepidadenia,	1833-36-38	<i>ramiflora</i> ,	1245
glabrata,	1838	Liliaceae,	2047
Griffithii,	1846	- Lilium Neilgherrense,	2031-32
Neesiana,	1840	tubiflorum,	2033-4
ovalifolia,	1839	Wallichianum,	2035
Wightiana,	1836-7	Limnophila hypericifolia,	1409
Lepidagathis cristata,	455, 1414	polystachya,	860
laxa ,	1564	racemosa,	861
longifolia,	1564	Limonia missionis,	175
nervosa,	1620	Linociera intermedia,	1245
pungens,	456	Malabarica,	1246
scariosa,	457	Liparis <i>atropu?</i> ' <i>purana</i> ,	1633
Walkeriana	1530, 1620	atropurpurea,	904
Lepistemon flavescens,	1362	biloba,	1633
Leptacanthus alatus,	1527	densiflora,	901
Walkeri,	1507	elliptica,	1735
Leptadenia <i>imbtrlis</i> ,	850	longipes,	906
reticulata,	350	olivacea,	908
<i>Lepuraidra saccidora</i> ,	1958	<i>viridiflora</i> ,	1735
Letostachya Wallichii,	1543	Walkeriae,	905
Lettsomia,	1356	Lippia (Z.) nodiflora,	1463
aggregata	1359	Lithospermum,	1377
<i>cymosa</i> ,	839	Litsaea Ceylanica,	132-1844
setosa,	1360	oblonga,	1845
Leucas biflora,	866	Lobelia aromatica,	1172
cephalotes,	337	excelsa,	1172-3-4
<i>helianthemifolia</i> ,	1453	<i>nicotiancaefolia</i> ,	1172
<i>Indica</i> ,	1451	trichandra,	1171
(A.) lanceaefolia,	1452	trigona,	1170
nepetifolia,	867	Lonicera (X.) ligustrina,	1025
(A.) rosmarinifolia,	1455	Lophopetalum Wightianum,	162
(A.) suffruticosa,	1454	<i>Loranthacece</i> ,	1419
(A.) ternifolia,	1453	Loranthus umplexifolius,	301
(H.) urticaefolia,	1451	capitellatus,	304
vestita,	338	elasticus,	343-1063
Leucothoe <i>Kotagherensis</i> ,	1195	(S.) euphorbiae,	1063
Neilgherrensis,	1243	lageniferus,	806
<i>Nepalensis</i> ,	1243	longiflorus,	302
Perrottetii,	1244	loniceroides,	303
<i>vulgare</i> ,	1244	memecylifolius,	142
Lichenora Jerdoniana,	1738	Neilgherrensis,	1020
<i>Ligusticum Ajowan</i> ^	566	tomentosus,	305,378
<i>diffusum</i> ,	569	Wallichianus,	143
Ligustrum <i>macrophyllia</i> ,	1245	Lourea vespertilionis,	885

	Tab		Tab.
Ludwigia prostrata,	762	<i>Marcettia</i> ,	1356
Luffa pentandra,	499	<i>Maripa</i> ,	1356
Lycium <i>Afrum</i> ,	1403	Marsdenia Brunoniana,	356
Europaeum,	1403	tenacissima,	590
Indicum,	1403	tinctoria,	589
<i>Ruthenicum</i> ,	1403	Mazus surculosus,	1407
Lysimachia (E.) Leschenaultii,	1204	<i>Medicago corniculata</i> ,	384
<i>tenella</i> ,	1585	<i>Melanthaceae</i> , ^m	2047
Maba buxifolia,	763	Melanthesa <i>Chinensis</i> ,	1898-2
<i>Ebenus</i> ,	1228-9	obliqua,	1898
Neilgherrensis,	1228-9	rhamnoides,	1898
<i>Smeathmanni</i> ,	1228-9	<i>truncata</i> ,	1897
Macaranga,	817, 1949	<i>turbinata</i> ,	1897
flexuosa,	1949	Melhania abutiloides,	23
Indica,	1883, 1949	<i>Melia azadirachta</i> ,	17
Roxburghii,	1949	Azedarach,	160
tomentosa,	1949	<i>pumila</i> ,	91
Maclellandia Griffithiana,	1996	Melicope Indica,	1051
Machilus glaucescens,	1825	Melissa umbrosa,	1447
macran thus,	1824	Melodinus monogynus,	394
<i>Macleania</i> ,	1179	Memecylon amplexicaule,	279
Macraea,	1900	angustifolium,	276
Gardneriana,	1902-3	Heyneanum,	278
Myrtifolia,	1902	Jambosoides,	277
oblongifolia,	1902	Mesua Coromandelina,	117
ovalifolia,	1902	ferrea,	118-961
Rheedii,	1901	pedunculata,	119
Madacarpus Belgaumensis,	1152	speciosa,	961
<i>Madaractis glabra</i> ,	1124	<i>Methonica</i> ,	2047
<i>pinnatifida</i> ,	1127	<i>Meycia</i> ,	1847
<i>polycephala</i> ,	1125	Hawtayneana,	1487
<i>scabra</i> ,	1126	Michelia Nilagirica,	938
Maesa Indica,	1206	Micrargeria Wightii,	1417
<i>missionis</i> ,	1207	Microchlcaena quinquelocularis,	882
<i>Perrottetiana</i> ,	1206	Microelus Roeperianus,	1880
<i>Malaxis Rheedii</i> ,	902	<i>Microlonchus</i> ,	1137
Malope Indica,	1051	Micromeria biflora,	1446
Malva Neilgherrensis,	950	Micropyxis <i>pumila</i>	1585
<i>verticillata</i> ,	950	<i>tenella</i> ,	1585
<i>Monostachys</i> ,	1912-13	Microrrhynchus glaber,	1145
<i>Mappa</i> ,	1883	Microstylis discolor,	1631
Moluccana,	816	luteola,	1632
? peltata,	817	Rheedii,	902
<i>Marantaceae</i> , Vol. VI, page 15,		versicolor,	901-1632
<i>Maranta arundinacea</i> ,	2015	Microtropis densiflora,	1052
virgata,	2015	garcinifolia,	761

	Tab.		Tab.
Microtropis microcarpa,	975	<i>Mucuna</i> ,	1861
ovalifolia,	976	monosperma,	35
ramiflora,	977	utilis,	280
Millettia ? piscidia,	86	<i>Mukia scabrella</i> ,	615
rubiginosa,	207	Muldera galeata,	1943
Millingtonia pungens,	964-5	trichostachya,	1944
Milnea Roxburghiana,	166	Wightiana,	1943-4
Mimusops Elengi,	1586	Mulgedium Neilgherrense,	1144
<i>hexandra</i> ,	1587	Munronia pumila,	91
Indica,	1587	Murray a exotica,	96
Roxburghiana,	1588	<i>Musacecc</i> , Vol. VI, page 15,	
Mitrasacme Indica,	1601	Musa superba,	2017-18
Malaccensis,	1601	Mycaranthes stricta,	1733
<i>Mitreola Oldenlandioides</i> ,	1600	<i>Mycelis</i> ,	1147
paniculata,	1600	Myriactis Wightii,	1091
Mniopsis Hookeriana,	1918-4	Myricaceae,	1876
Johnsonii,	1918-5	Myrica integrifolia,	764-5
Modecca palmata,	201	Nilagirica,	938
Wightiana,	179	Myristica Horsfieldii,	1857
Mollugo disticha,	3	Myrsine capitellata,	1210-11
<i>stricta</i> ,	1168	Myrtus spectabilis,	524
Momordica charantia,	504	tomentosa,	522
dioica (a) &>	506-5	<i>Nama Zeylanica</i> ,	601
dioica (a) ? >	506	Naregamia alata,	90
Monocera ferruginea,	205	Nectandreae,	1817
<i>glandidifera</i> ,	952	Nclitris paniculata, ?	521
Munronii,	952	<i>Nepenthes</i> ,	1915
Roxburghii,	63	Nephelium Litchi,	43
rugosa,	61	rubrum,	24-25
tuberculata,	62	<i>Nerium caudatum</i> ,	599
Monochilus affinis,	1728	<i>coccineum</i> ,	442
<i>Jlabellatus</i>	1727	<i>grandifloruntj</i>	832
Monolophus, Vol. VI, page 15,		<i>paucijhrum</i> ,	493
scaposus,	2036	<i>piscidium</i> ,	472
Monosis Wightiana,	1085	reticulatum,	494
Monoxora spectabilis,	524	tinctorium,	444
<i>Monsonia Lawiana</i> ,	1074	tomentosum,	443
Moonia Arnottiana,	1105	Nesoea tri flora,	259
<i>heterophylla</i> ,	1105	Neuracanthus Lawii,	1531
<i>Moorcraftia</i> ,	1356	Neuracanthus trinervius,	1532
<i>Moorka tree, or Mootchee-wood</i> ,	58	Neurada procumbens,	1596
Morus atropurpurea,	677	Neurocalyx Hookerianus,	52
Indica,	674	Nicolsonia congesta,	1056
Morus paniculata, .	676	Niebuhria linearis,	174
<i>scandens</i> ,	1960	Nomismia capitata,	295
Tartarica,	675	nummularia,	283

	Tab.		Tab.
Norysca Mysorensis,	56	Ophiorrhiza Harrisonii,	1162
Notelcea,	1241	Roxburghiana,	1068
Notonia corymbosa,	484	Ophioxylon Belgaumense,	1292
<i>grandiflora</i> ,	484	Ceylanicum,	1291
Nyctagineae,	1042	macrocarpum,	1292
Nyctanthes angustifolia,	698	Neilgherrense,	1292
Nymphcea stellata,	178	serpentinum,	849
Oberonia anthropophora	1626	Oreodaphneae	1817
Arnottiana,	1628	Ormocarpum sennoides,	297
Brunoniana,	1622	<i>Ormosia</i> , Addend. Vol. iii. p. 16,	
denticulata,	1625	<i>Omitrophe villosa</i> ,	401
Griffithii,	1629	Orobanchaceae,	1419
imbricata, ?	1629	Orobanchese,	1419
Lindleyana,	1624	Orthosiphon bracteatus,	1428
platycaulon,	1623	Obbeckia aspera,	377
verticillata,	1626	Gardneriana,	997
Wightiana,	1627	hispidissima,	1612
Obione <i>Belangeri</i> ,	1789	Leschenaultiana,	996
<i>fera</i> ,	1788	<i>truncata</i> ,	375, 996
<i>Konigii</i> ,	1790	<i>virgata</i> ,	376
<i>Stocksii</i> ,	1789	<i>Wightiana</i> ,	997-8
Ochna <i>Wightiana</i> ,	223	<i>Osyris</i> <i>peltata</i> ,	817
Ocimum <i>Basilicum</i> ,	868	<i>peltata</i> ,	1683
<i>tbyrsiflorum</i> ,	868	<i>Wightiana</i> ,	1853
Odina <i>wodier</i> ,	60	Oxalis <i>corniculata</i> ,	18
<i>Olacineae</i> ,	1861	<i>Oxycoccus macrocarpu</i> <i>Sj</i>	1188
<i>Oldenlandia ramosa</i> ,	822	<i>palustris</i> ,	1188
Olea <i>clavata</i> ,	736	Oxyscpala <i>ovalifolia</i> ,	1736
<i>glandulifera</i> ,	1238	<i>Pachystemon</i> ,	1883
<i>linocieroides</i> .	1241	<i>trilobum</i> ,	1949
<i>paniculata</i> ,	735	Panax <i>fruticosum</i> ,	573
<i>polygama</i> ,	1239-42	Pancreatium <i>verecundum</i> ,	2023
<i>robusta</i> ,	1242	Panjanelia <i>multijuga</i> .	1343
<i>Roxburghii</i> ,	735	<i>Rheedii</i> ,	1343-4
<i>Olethne</i> & <i>j</i>	1241	<i>Paratropia</i> ,	1015
Oligolepis <i>amaranthoides</i> ,	1149	<i>Parietaria Indka</i> ,	33-34 & 1980-1
Oligopholis,	1419-21	<i>offuinalisy</i>	2091
<i>tubulosa</i> ,	1422	<i>Zeyla?iica</i> ,	46
Ophelia <i>corymbosa</i> ,	1329-30	Paritium <i>tiliaceum</i> ,	7
<i>elator</i> ,	1330	Parnassia <i>palustris</i> ,	945
<i>elegans</i> ,	1331	<i>Wightiana</i> ,	945
<i>Grisebachiana</i> ,	1330	Parochetus <i>major</i> ,	483
<i>minor</i> ,	1332	<i>Parsonia</i> ,	1303
Opbiopogon <i>Indicus</i> ,	2050	Passiflora <i>Leschenaultii</i> ,	39
Ophiorrhiza <i>eriantha</i> ,	1067	Pastmaca <i>Hookeriana</i> ,	1010
<i>grandiflora</i> ,	1069	<i>rigens</i> ,	1009

	Tab.		Tab.
Pastinaca Sprengeliana,	1008	Phaseolus trilobus,	94
Pattonia macrantha,	1750	Phelipoea calotropoides,	1420
Pavetta breviflora,	1035	<i>cytinoides.</i>	1425
Brunonis,	1065	<i>lutea,</i>	1420
Indica,	148	<i>ramosa,</i>	1419-20-1618
murex,	1615	<i>Phellandi'ium stoloniferum,</i>	571
Rothiana,	1065	<i>Phillyrea paniculata,</i>	736
Pedicularis Penottetii,	1418	<i>robusta.</i>	1242
Zeylanica,	1419	<i>terminalis qffinis,</i>	736
Pegia ? Colebrookiana,	236	Phlebophyllum Kunthianum,	448
<i>Pelargonium,</i>	1050	Phloganthus latifolius,	1537
Peliosanthes Courtallensis,	2051	<i>thyrsiflorus,</i>	1537
Neilgherrensis,	2052	Phoebeoe,	1817
Peltandra,	1890	Phoebe glaucesens,	1825
longipes,	1801	<i>lanceolata.</i>	1821
parvifolia,	1892	<i>paniculata,</i>	1820
Pentatropis microphylla,	352	<i>villosa,</i>	1822
Peperomia Courtallensis,	1923-2	Pholidota imbricata,	907
Dindygulensis,	1921	Photinia Lindleyana,	228
Heyiicana,	1922-1	Notoniana,	991
portulacoides,	1922	Phreatia uniflora,	1734
reflexa,	1923-1	Phrynium capitatum,	2016
Wightiana,	1924	<i>ovata.</i>	2016
Pergularia odoratissima,	414	<i>virgatiun,</i>	2015
pallida,	58*	Phyllantheoe,	1861
Peristrophe montana,	1553	Phyllanthus,	1896
Peristylus exilis,	1698	<i>hacviformiSy</i>	1893
Lawii,	1695	<i>leprocarpus,</i>	1895
plantagineus,	921	<i>Madraspatensis,</i>	1895
Richardianus,	1697	<i>multijlorvAy</i>	1901
robustior,	1699	<i>myrtifolius.</i>	1902
spiralis,	1696	Niruri,	1894
Peronema canescens,	1460	polyphyllus,	1895
Perseae,	1817	<i>rhamnoides,</i>	1895-98-1900
Persea gratissima,	1823	Rheedii,	1895
Peueraria tuberosa,	412	<i>ncandem.</i>	1895-99
Phajus bicolor,	1659-60	<i>tetrandrus,</i>	1900-1902-1903
Phalangiuni, Vol. VI, page 20,		<i>turbinatusy</i>	1897
attenuatum,	2037	<i>vitis idcea,</i>	1298-1900
oligospermum,	2038	Physalish somnifera,	853
parviflorum,	2039	Physichilus serpyllum,	1498
tuberosum,	2036	<i>Picconia,</i>	1241
Phaseolus hi n at us,	755	<i>Picris hamulosa,</i>	1148
psoraleoides,	249	<i>hieracioides,</i>	1143
Pulnicnsis,	202	Pierardia <i>Coujiallensh,</i>	1912-13
rostratus,	34	<i>macrostachys,</i>	1912-13

	Tab.		Tab.
<i>Pilea radicans</i> ,	1974	<i>Podostemon subulatus</i> ,	1918-1
<i>trinervia</i> ,	1973	<i>WalJirhii</i> ,	1916-1
<i>Pimpinella Candolleana</i> ,	341	<i>Wightii</i> ,	1916-3
? <i>involuta</i> ,	985-567	<i>Pogonia biflora</i> ,	1758-2
<i>Leschenaultii</i> ,	1005	<i>Carinata</i> ,	1720
<i>Pinna tree</i> ,	77	<i>Pogonotrophe macrocarpa</i> ,	1965
Piperaceae, Vol. VI, page 1,		Pogostemon Heyneanus ,	1440
Piper arborescens ,	1940	<i>hirsutus</i> ,	1442
<i>argyrophyllum</i> ,	1941	<i>rotundanus</i> ,	1441
attenuating	1933	<i>speciosus</i> ,	1443
<i>hymenophyllum</i> ,	1942	<i>Polanisia Burtporensis</i> ,	1072
<i>Nepaulense</i> ,	1938	<i>chelidonii</i> ,	319
nigi'um ,	1934	<i>icosandra</i> ,	7
<i>sylvestre</i> ,	1937	<i>Pollia</i> , Vol. VI, page 28,	
<i>trioicum</i> ,	1935-6	<i>Polyadenia</i> ,	1833
<i>Wightii</i> ,	1939	Polycarpcea coryinbosa ,	712
<i>Pisonia aculcata</i> ,	1763-64	<i>spicata</i> ,	510
<i>Georgina</i> ,	1763-64	<i>Polygala arillata</i> ,	946
<i>morindi folia</i> ,	1765	<i>Wightiana</i> ,	69
Pittosporum Neilgherrense ,	971	<i>Polygonaceae</i> ,	1810
<i>tetraspermum</i> ,	971	<i>Polygonum ambiguum</i> ,	1797
Platanthera affinis ,	1693	<i>avicutare</i> ,	1808
<i>branchyphylla</i> ,	1694	<i>barbatum</i> ,	1798
<i>iantha</i> ,	1692	Chinense ,	1806
<i>lutea</i> ,	919	Donii ,	1801
Susannee ,	920	<i>glabrum</i> ,	1799
Plecosperrum spinosum ,	1963	horridum ,	1803
Plectranthus coetta ,	1430	Indicum ,	1808
Macroei ,	1430	mollf ,	1807
<i>scrophularioides</i> ,	1429	Nepalense ,	1804
<i>striatus</i> .	1429	pedunculare ,	1802
<i>Wightii</i> ,	1429	<i>strictum</i> ,	1800
<i>Pleurostylis Wightii</i> ,	155	<i>Wallichii</i> ,	1805
Plumbagintoe ,	1042	<i>Polyodontia ? Ceylanica</i> ,	256
<i>Plumieria acuminata</i> ,	471	<i>Polystachya lutcola</i> ,	1678
Podalyria bracteata ,	265	purpurea ,	1679
<i>Podanthera pallida</i> ,	1759	<i>Pongamia elliptica</i> ,	420
Podochilus falcatus ,	1748-2	<i>glabra</i> ,	59
Malabaricus ,	1748-2	<i>ovnlifolia</i> ,	328
Podostemaceae ,	1915	Porana paniculata ,	1376
Podostemon ,	1917-18	raccmosH ,	1376
<i>dichotomus</i> ,	1916 2	volubilis ,	347-1376
<i>elongatiMy</i>	1917-1	Posoq ueri&Jlorifmnda ,	583
<i>griscus</i> ,	1918-3	<i>nut ans</i> ,	581
<i>olivaceuSj</i>	1918-2	Potentillu Ijcsrhenaultiana .	990
<i>rigidus</i> ,	1916-5	Mooniana ,	233

		Tab.		Tab.
Pothomorphe subpeltata,		1925	Pouzolzia prostrata,	No. 54
Pothos demrsiva,		770	pyrain data,	2101, „ 48
<i>heterophylla,</i>		777	quadrialata,	2094, „ 12
<i>officiualis.</i>		778	ramosissima,	2095-97, „ 17, 28
<i>peepla,</i>		780	Kheedii,	2099, „ 38
<i>pertusdy</i>		781	rostrata,	1980-3, „ 34
<i>scandens,</i>		776	rotundi folia,	2098, „ 31
Pottsia Hookeriana, .		1306	scabra,	2097, „ 29
<i>ovata,</i>		1306	scabrida,	2100, „ 41
Pouzolzia,		2091	Stock si i,	„ 18
<i>acuta,</i>	2092, No.	2	suffruticosa,	„ 43
<i>ambigua,</i>	2095. „	19	ternata,	2093, „ 7
<i>angustifolia,</i>	2100, „	39	tetraptera,	2100, „ 42
<i>aspera,</i>	2095, „	18	tomentosa,	2094, „ 11
<i>auriculata,</i>	1980,2099, „	37	trialata,	2096, „ 22
<i>Bennettiana,</i>		1978	tuberosa,	„ 44
<i>bicuspidata,</i>	2098, „	33	vesicaria,	„ 45
<i>Borbonica,</i>	2100, „	44	Walkeriana,	2095, „ 16
<i>caudata,</i>	2097, „	27	Wallichiana,	2096, „ 23
<i>concinna,</i>	2093, „	9	Wightii,	2093, „ 8
<i>cordata,</i>	„	53	Zeylanica,	2101, „ 45
<i>Courtallensis,</i>	2093 „	10	Premna cordifolia,	1483
<i>cymosa,</i>	1979-2 „	29	glaberrima,	1484
<i>Dalzellii,</i>	2096, „	21	integrifolia,	1469
<i>diffusa,</i>	2099, „	36	lati folia,	869
<i>elliptica,</i>	2098, „	32	<i>xerratifbliai</i>	1469
<i>Gardneri,</i>	2092, „	5	<i>thyrsoidea,</i>	1485
<i>glabra,</i>	2095, „	15	tomentosa,	1468
<i>heterocarpa,</i>	2094, „	13,14	Wightiana,	1485
<i>hispidas,</i>	„	51	Primula denticulata,	2000
<i>Indica,</i>	1980-1-2100, „	40	Prunella vulg«iris,	1448
<i>integrifolia,</i>	1979-1, „	2	Pseudarthria v^scida,	286
<i>Johnsoniana,</i>	2101,	47	Pseud an thus brachiatus,	1776
<i>longi folia,</i>	2093, „	6	<i>Psilotrichum nudum,</i>	1775
<i>microphylla,</i>	2098, „	30	Psychotria bihiilcata,	1039
<i>minor,</i>	2100, „	43	<i>bractcata,</i>	1039
<i>Mysorensis,</i>	2092, „	4	<i>laevigata,</i>	828
<i>Neilgherrensis,</i>	2097, <i>n</i>	26	<i>sarmentosa,</i>	1038
<i>oblonffi folia,</i>	2096, „	25	<i>trimcata,</i>	1039
<i>oval i folia,</i>	2092, „	3	Pterocarpus dalbergioides,	246
<i>o\ ata,</i>	2096, „	24	Pterolobium laceran%	196
<i>parvi folia,</i>	2092, „	1	<i>Pteropyrum Oliverii,</i>	1809
<i>paucittora,</i>	„	55	Pterospermum ucelifolium,	631
<i>pent and ra,</i>	2096, „	20	Heyneunum,	489
<i>pil sa,</i>	2101, „	46	<i>Pt'dotis ovatus,</i>	1775
<i>prorunil)ens,</i>	2099, „	35	<i>Ptychotis Ajowan,</i>	566

	Tab.		Tab.
Puneeria coagulans,	1616	Rhus Bucki-Amela,	561
Pupalia orbiculata,	1783	<i>Roxburghii</i>)	561
Putranjiva Roxburghii,	1876	<i>semialata</i> , var. /3 <i>Roxburghii</i> ,	561
Pygeum acuminatum,	993	succedanea,	560
Pyrrhosia Horsfieldii,	1857	Ricinus mappa,	816
<i>Pyndaria puberti.</i>	2046	Rivea,	
Quercus acuminata,	221	<i>cuneata</i> ,	890
<i>armata</i> ,	770	<i>cymosa</i> ,	839
<i>castanicaarpa</i> ,	769	<i>hirsuta</i> ,	891
<i>fenestrata</i> ,	219	<i>ornata</i> ,	1356
<i>ferox</i> ,	218	<i>pomacea</i> ,	888
<i>lanceaefolia</i> ,	212	<i>speciosa</i> ,	851
<i>lappacea</i> ,	220	<i>tilicefolia.</i>	1358
<i>semiserrata</i> ,	211	Rosa involucrata,	234
<i>squamata</i> ,	213	<i>Leschenaultiana</i> ,	38
<i>turbinata</i> ,	221	Roscoea alpina,	2013
Ramphicarpa longi flora,	1415	<i>lutea</i> ,	2013-2
Randia dumetorum,	580	Rostellularia <i>diffusa</i> ,	1539
<i>floribunda</i> ,	583	<i>gracilis</i> ,	1541
<i>longispina</i> ,	582	<i>hedyotidifolia</i> ,	1540
<i>nutans</i> ,	581	<i>moUissima</i> ,	1539
<i>uliginosa</i> ,	397	<i>procumbens</i> ,	1539
Ranunculus reniformis,	75	<i>simplex</i> ,	1542
<i>subpinnatus</i> ,	49	Rotala fimbriata,	217
<i>Wallichianus</i> ,	937	<i>Roxburghiana</i> ,	260
Raphidospora glabra,	1554	<i>verticillaris</i> ,	260
<i>Reidia</i> ,	1902-4	Rothia trifoliata,	199
<i>fimbriata</i> ,	1904-1	<i>Rottlera dicocca</i> ,	1915
<i>floribunda</i> ,	1903	<i>Indica</i> ,	1870-71
<i>latifolia</i> ,	1904-2	<i>peltata</i> ,	1873-86
<i>ovali folia</i> ,	1904-3	<i>tinctoria</i> ,	1915
<i>polyphylla</i> ,	1904-4	Roxburghia, Vol. VI, page 27,	
Remusatia vivipara,	798-900	<i>gloriosoides</i> ,	2061
Rhamnus hirsutus,	978	Rubia munjista,	187
<i>Wightii</i> ,	159	Rubus Gowreephul,	230
<i>Zeylaniva</i> ,	1899	<i>lasiocarpus</i> ,	232
Rhinacanthus coiiimunis,	464	<i>rugosus</i> ,	225
Rhizophora mucronata,	238	<i>Wallichianus</i> ,	231
<i>Rhodamnia, Jack</i> ,	524	Ruellia littoralis,	447
Rhododendron,	1810	<i>punctata</i> ,	1563
<i>arborcum</i> ,	1018-1201	Rumex Nepalensis,	1810
<i>forrnornij</i>	1202	Rungia Arnottiana,	1550
<i>grande</i> ,	1202	<i>latior</i> ,	1548
<i>Griffithianum</i> ,	1203	<i>pectinata</i> ,	1547
Rhopala excelsa,	190	<i>repens</i> ,	465
<i>robusta</i> ,	191	<i>Wightiana</i> ,	1549-50

Saccolabium guttatum,	Tab. 1745-6	Sarcostigma Kleinii,	Tab. 1854
<i>niveum,</i>	1676	<i>Sarissus anceps,</i>	760
paniculatum,	1676	Sassafras Parthenoxylon,	1832
papillosum,	1672	Satyrium albiflorum,	1717
Rheedii,	1745-6	Nepalense,	929
rubrum,	1673	Perrottetianum,	1716
speciosum,	1674-75	Wightianum,	1718
Wightianum,	917	Sauropus Gardneriana,	1951
Salacia macrosperma,	962	Indica,	1952
<i>multiflora,</i>	962	retroversa,	1951
oblonga,	97	Zeylanica,	1952
pomifera,	55	Scaevola uvifera,	1613
prinoides,	821	<i>Scaevoleae,</i>	1810
<i>verruosa,</i>	962	Scepa Lindleyana,	361
Salicornia brachiata,	788	<i>Schleichera pentaphylla,</i>	402
<i>Jrúticosa,</i>	738	Schmidelia Cobbe,	964
<i>herbacea,</i>	788	Rheedii,	964
Indica,	737	villosa,	401
Salix ichnostachya,	1953	Schmidia bicolor,	1848
tetrasperma,	1954	<i>Scilla hidica,</i>	2063
Salsola spinescens,	1795	Scindapsus decursivus,	779
Salvadora Persica,	1621	officinalis,	778
Salvia lanata,	325	peepla,	780
Samara aurantiaca,	1210	pertusus,	781
<i>laeta,</i>	1210	Scitamineae, page 15, Vol. VI.	2059
Rheedii,	1591	Scleropyruin Wallichianum,	241
Sanicula elata,	334, 1004	Sclerostylis atalantioides,	71
<i>Santia venulosa,</i>	1032	Roxburghii,	72
Sapium baccatum,	1950-2	<i>Scrophulariaceae,</i>	1419
Indicum,	1950	Scutellaria rivularis,	1450
Sapota Elengoides,	1218	violacea,	1449
Sarcandra chloranthoides,	1946	Scutia Indica,	1071
Sarcanthus, filiformis,	1684	Rheediana,	1071
pauciflorus,	1747	<i>Scytalia litchi</i>	43
roseus,	1685	<i>rubra,</i>	24-25
Walkerianus,	1686	Secamone emetica,	1283
Sarcocli nium,	1886	Seddera evolvuloides,	1369
longifolium,	1887-8	Semecarpus anacardium,	558
Sarcococca trinervia,	1877	cassuvium,	559
Sarcolobus carinatus,	1273	Grahamii,	235
globosufi,	1273	Senecio candicans,	1134
<i>Sarcospermum,</i>	1910	corymbosus,	1130
Sarcostemma brevistigma, ?	595	intermedius,	1135
Brunonianum,	1282	Senecio lacinosus,	1129
intermedium,	1281	la vand ulaefol ins,	1133
viminale	545	<i>multifidus,</i>	1129

	Tab.		Tab.
Senecio Neilgherrianus,	1132	Sophora glauca,	979
<i>tenuifolius</i> ,	1129	heptaphylla,	1155
Walkeri,	1131	robusta,	245
Wightianus,	1136	robusta, page 16, Vol. III.	
Sericostoma pauciflorum,	1377	<i>Souromutum jtessiliflorum</i> ,	800
Serpicula hirsuta,	1001	Spathodea arcuata,	1340
Serrsea incana,	1592	Rheedii,	1339
Sesainum laciniatum,	1345	Spathoglottis pubescens,	1739
prostratum,	1346	<i>Spergiila arvensis</i> ,	947
Sesbania Egyptiaca,	32	<i>Spermacoce</i> ,	1042
<i>Seseii Bengalense</i> ,	568	leevis,	193
Sethia oblonga,	97	<i>Spermadictyon</i> ,	2047
Shuteria bicolor,	835	<i>Sphaeranthus amaranthoides</i> ,	1149
vestita,	165	hirtue,	1094
Sida acuta,	95	Sphaerocarya edulis,	255
<i>foidica</i> ,	12	<i>Wallkhiana</i> ,	241
<i>populifolia</i> ,	12	Sphenodesme acuminata,	1476
<i>Sideroxylon</i> ,	359	barbata,	1474
attenuatum,	1590	ferruginea,	1474
Siegesbeckia orientalis,	1103	Griffithiana,	1477
Smilax maculata,	2059	Jackiana,	1476
ovalifolia	809	<i>penta?idra</i> ,	1475
Zeylanica,	2057-58	triflora,	1478
Smithia blanda	986	Wallichiana,	1475
<i>racernosa</i> ,	986	Spilanthes calva,	1109
<i>Solanacece</i>	1419	oleracea,	1109
Solanum denticulatum,	1397	<i>Spinacia tetrandra</i> ,	818
ferox,	1399, 1400	<i>Spiranthes australis</i> ,	1724
giganteum,	893	densa, ?	1724
Indicum,	346	<i>longispkatdy</i>	1724
Jacquini,	1401	<i>Wightiana</i> ,	1724
(N.) pubescens,	1402	<i>Spironema</i> ,	2064
rubrum,	344	<i>Splitgerbera Inacrostachya</i> ,	1977
torvum,	345	Sponia velutina,	1990
trilobatum,	854	Wightii,	1971
verbascifolium,	1398	Stellaria media,	947
(N.) Wightii,	841	<i>Sternodia viscosa</i> ,	1408
Sonchus ciliatus,	1141	<i>Stemonurus foetid us</i> ,	955
Wightianus,	1142	<i>Steno.siphoniuin confertum</i> ,	1503
Sonerila axillaris,	1058	diandrum,	1496, 1502
Brunonis,	1059	Hussellianuni,	873, 1503
elcguns,	995-8	<i>Sterni/ia</i> ,	1861
gaudiflora,	995	foetida,	181-364
speriosa,	995-2	guttata,	487
versi color,	1057	<i>Stereospernum chelonoides</i> ,	1341
Sonneratia acida,	340	suaveolens,	1342

	Tab.		Tab.
Stilago <i>Bunia</i> .1,	819	Symplocos <i>monantha</i> ,	1286
<i>Iconweolarui</i>)	766	<i>nervosa</i> ,	1235
<i>pubescens</i>	821	<i>obtusa</i> ,	1233
<i>innientosa</i> ,	767-8	<i>pendula</i> ,	1237
Streptolirion <i>volubile</i> ,	2081	<i>pulchra</i> ,	1230
Striga <i>Euphrasioides</i> .,	855	<i>racemosa</i> ,	1235
<i>Orobanchoides</i> ,	1414	<i>Syringea</i> ,	1241
Strobilanthes, 1492-6, 1*10-1522		<i>Syzygium carizophyllaeiim</i> ,	540
<i>aspera</i> ,	1518	<i>densiflorum</i> ,	999
<i>campanulata</i>	1562	<i>Jambolanum</i> ,	535, 553
<i>ciliata</i> ,	1517	<i>lanceolatnm</i> ,	530
<i>dericrons</i> ,	1517	<i>nervosum%</i>	552
<i>glaimita</i> ,	1517	<i>oblatum</i> ,	622
<i>Grahamiana</i> ,	1520	<i>rubicundum</i> ,	538
<i>Heyniana</i> ^	1520, 1619	<i>rugotnim</i> ,	339
<i>lurida</i> ,	1515-16	<i>saccharinum</i> ,	539
<i>in it-rant ha</i> ,	1519	<i>Zeylanicum</i> ,	73
	1519	<i>Tabernaemontana coronaria</i> ,	477
<i>Neesiana</i> ,	1523	<i>crispa</i> ,	470
<i>Perrottetiana</i> ,	1513-13	<i>dichotoma</i> ,	433
<i>rugo.sa</i> ,	1619	<i>parviflora</i> ,	393
<i>sessilis</i> ,	1511	<i>recurva</i> ,	476
<i>scvsiloides</i> ,	1512	<i>Taeniopbyllnm Jerdonianum</i> ,	1756
<i>Wightiana</i> ,	1514-16-18	<i>Tanghinia Odollam</i> ,	441
Strophanthus <i>brevicaudatus</i> ,	1302	<i>Taverniera cunei folia</i> ,	1055
<i>dic-hotoni</i> us,	599-1299	<i>Tephrosia incana</i> ,	371
<i>Griffithii</i> ,	1300	<i>senticosa</i> ,	370
<i>longicaudatus</i> ,	1299	<i>spinosa</i> ,	372
<i>Wightianus</i> ,	1301	<i>tinctoria</i> , /3	388
Strychnos <i>colibrina</i> ,	434	<i>Terminalia Catappa</i> ,	172
Stylocoryne <i>cerifira</i> ^	1064	<i>tomentosa</i> ,	195
<i>nionosperma</i> ,	317	<i>Tetracera Rbeedii</i> ,	70
<i>rigida</i> ,	1064	<i>Tetrameles Grahaniiana</i> ,	1956
<i>Wobera</i> ,	309, 584	<i>muli flora</i> ,	19.56
Stylodi«cus <i>trifoliatus</i> ,	1880	<i>Tetranthera</i> ,	1833
<i>Suacla</i> <i>Indica</i> ,	1796	<i>glabrata</i> ,	1838
<i>monoica</i> ,	1792	<i>ligustrina</i> ,	183.5
<i>Sutera</i> <i>glandulo.sa</i> ,	856	<i>monopctahii</i>	1833
<i>Syvsia KonigVi</i> ^	1318	<i>Pananmnja</i> ,	1836
<i>Symphoreina iivoliicmtiini</i> ,	362	<i>tomentosa</i> ,	1K34
<i>pol vand rum</i> ,	363	<i>Wightiana</i> ,	1833
<i>polyandrum</i> ^	1474	<i>TetranthertMr</i> ,	1817
<i>Stmpfocamt</i> ;	1878-9	<i>TciuTium tonuMitosuni</i> ,	1458
<i>Symplocos foliosa</i> ,	1234	<i>Timlictruni ijlyphoc-irpuni</i> ,	48
<i>Garducruiaua</i> ,	1231	<i>TluMiini Wightisiiuin</i> ,	185J2
<i>niicroplylla</i> ,	1292	<i>rriu*s H?sia populiiin</i> ,	8

	Tab.		Tab-
<i>Ttibaudia</i> ,	1179	Tylophora fasciculata,	848
<i>setigera</i> ,	1181	Iphisia,	1276
Thunbergia grandiflora,	872	mollissima,	1275
<i>ThymaUoe</i> ^	1861	parviflora,	1274
Tigilium Klotzschianum,	1914	tenuissima,	588
<i>officinal</i> *,	1914	<i>Typhonium divaricatum</i>	790
Tinnantia, page SI, Vol. VI.		<i>JlageUiforme</i> ,	791
<i>Tomex</i> ,	1833	? <i>gracMe</i> ,	793
Torenia Asiatica,	862,1346	<i>Orixense</i> ,	801
Tournefoit'ia <i>Edgeworthii</i> ,	1386	<i>trilobatvm</i> ,	801, 803
<i>reticosa</i> ,	1386	<i>Ulmus integ7ifolia</i> ,	1968
<i>subidata</i> ,	1386	<i>Umhelliferoe</i> ,	1810
<i>viridiflora</i> ,	1386	Uraria alopecuroides,	290
Tournefortia Zeylanica,	1386	<i>hamosa</i> ,	284
Toxocarpus Kleinii,	886	<i>lagopoides</i> ,	289
<i>laurifolius</i> ,	598	<i>picta</i> ,	411
<i>Roxburghii</i> ,	475	Urceola elastica,	473
<i>Tradescantia cristata</i> .	2086	Urginia congesta,	2064
<i>fasciculata</i> ,	2086	<i>Coromandeliana</i> ,	2064
<i>imbrkata</i> ,	2082	<i>Indica</i> ,	2063
<i>paniculata</i> ,	2080	Urostigma Bengalense,	1989
<i>papilionacea</i> .	2086	<i>religiosum</i> ,	1967
<i>pUosa</i> ,	2083	<i>Urticacece</i> , page 9, Vol. VI.	1104
Tragularia horrida,	1763, 64	<i>Urtica acerifolia</i> ,	1976
Trewia nudiflora,	1870, 71	<i>alienata</i> , No. 46,	693
<i>serrata</i> ,	1890	(P.) <i>Borbonica</i> , No. 39,	2100
Trianthema decandra,	296	(P.) <i>crenulata</i> ,	686
<i>obcordata</i> ,	288	<i>decumana</i> ,	689
Tribulus lanuginosus,	98	<i>fruticosa</i> ,	694
Trichaurus ericoides,	22	<i>heterophylla</i> ,	687,1976
<i>Tricholepis Candolliana</i> ,	1139	<i>interrupta</i> ,	692,1975
<i>procumbens</i> ,	1139	<i>involucrata</i> ,	685
Trigonella corniculata,	384	<i>naucleiflora</i> ,	684
Trigonostemon heteranthum,	1890	<i>parviflora</i> ,	690
Tristicha bryoides,	1920-2	<i>pentandra</i> ,	696
<i>hypnoides</i> ,	1920-2	<i>pulcherrima</i> ,	683,1959
<i>Zeylanica</i> ,	1919-1	<i>scabrella</i> ,	691,1977
Triumfetta angulata,	320	(P.) <i>stiffriticosa</i> , No. 43,	694
<i>Tropaeolum</i> ,	1050	<i>tenacissima</i> ,	688
<i>Trophis aspera</i> ,	1961	(P.) <i>tuberosa</i> , No. 44,	697
<i>spinosa</i>	1962-63	(P.) <i>vesicaria</i> , No. 45,	695
<i>Tuilasnea</i> ,	1919-20	Utricularia affinis,	1580
Turpinia Nepaiensis,	972	<i>arcuata</i> ,	1571
Turraea villosa,	1593	<i>bifida</i> ,	1584
Tylophora asthmatica,	1277	<i>brachypoda</i> ,	1578
<i>camosa</i> ,	351	<i>coerulea</i> ,	1583

<i>Utricularia capillacea</i> ,	Tab.	<i>Valeriana Arnottiana</i> ,	Tab.
<i>conferta</i> ,	1572	<i>Brunoniana</i> ,	1045-6
<i>cganea</i> ,	1575	<i>Hookeriana</i> ,	1043
<i>diantha</i> ,	1575	<i>Leschenaultii</i> ,	1045
<i>fasciculata</i> ,	1569	<i>Vallisneria spiralis</i> ,	1044
<i>Micaules</i>	1568	<i>Pergularia</i> ,	438
<i>glochidiata</i> ,	1583	<i>Roxburghii</i> ,	429
<i>Griffithii</i> ,	1581	<i>spathulata</i> ,	1671
<i>humilis</i> ,	1576	<i>Wightiana</i> , ?	916
<i>macrolepis</i> ,	1572	<i>Vandellia Crustacea</i> ,	915
<i>nivea</i> ,	1580	<i>Vanilla aphylla</i> ,	1670
<i>pedicellata</i> ,	1582	<i>Walkeriae</i> ,	863
<i>punctata</i> ,	1578	<i>Wightii</i> ,	931
<i>racemosa</i> ,	1570	<i>Vatcria Roxburghiana</i> ,	931
<i>reticulata</i> ,	1584	<i>Tumbugaia</i> ,	26
<i>Smithiana</i> ,	1571	<i>Ventilago Maderaspatana</i> ,	164
<i>squamosa</i> ,	1577	<i>Verbascum virgatum</i> ,	27
<i>stellaris</i> ,	1579	<i>multiflorum</i> ,	163
<i>uliginoides</i> ,	1567	<i>Neilgherrensis</i> ,	1404-5
<i>uliginosa</i> ,	1573	<i>pectiniformis</i> ,	829,1076
<i>Wallichiana</i> ,	1573-4-5-9	<i>salvifolia</i> ,	1084
<i>Uvaria longifolia</i> ,	1572	<i>Wightiana</i> ,	1078
<i>Uxidarvea</i> (S)	1	<i>Viburnum acuminatum</i> ,	1077
<i>Vaccinea</i> 'y	2047	<i>capitellatum</i> ,	1079
<i>Vaccinium</i> ,	1179	<i>hebanthum</i> ,	1079
(A.) <i>affine</i> ,	1179	<i>La?ita?ia</i> ,	1021
<i>arboreum</i> .	1190	<i>opulus</i> ,	1022
(A.) <i>Donnianum</i> ,	1188	<i>Wightianum</i> ,	1023
" <i>Dunalianuni</i> ,	1191	<i>Vicoa Indica</i> ,	1024
" <i>Griffithianum</i> ,	1194	<i>Vincetoxicum Arianottianum</i> ,	1024
" <i>hirsutum</i> ,	1192	<i>Viola odorata</i> .	1024
" <i>Leschenaultii</i> ,	1182	<i>Wightiana</i> ,	1148
" <i>Malacca</i> ,	1188	(P.) <i>glaucescens</i> ,	1614
" <i>Neilgherrense</i> ,	1186	<i>Viscum</i> [3 <i>coralloides</i> ,	943
(A.) <i>obovatum</i> ,	1189	<i>moniliforme</i> ,	943
(A.) <i>odontoccrum</i> ,	1193	<i>orbiculatum</i> ,	1825
" <i>serpent</i> ,	1187	<i>ramosissimum</i> ,	1019
" <i>serratum</i> ,	1183	<i>Visenia unibellata</i> ,	1018
" <i>sctigera</i> ,	1184-6	<i>V'utiania robusta</i> ,	1016
" <i>venobiini</i> ,	1181	<i>Vitex altisbinui</i> ,	1017
" <i>verticillatum</i> ,	1185	<i>arhorca</i> *	509
" <i>Wallichianuin</i> ,	1181	<i>leucoxydon</i> ,	1242
<i>Vachellia Farnesiana</i> ,	1180	<i>negundo</i> ,	1466
<i>Valiea</i> ,	300		1465
<i>Vahlia oldenlandioidejs</i>	473		1467
<i>vi&coba</i> ,	562		519
	563		

<i>Vitex pubescens</i> ,	Tab. 1465	<i>Wood sorrel</i> ,	Tab. 18
<i>Vitis adnata</i> ,	144	<i>Wrightia cocci nea</i> ,	442
<i>angusti folia</i> ,	176	<i>piscidia</i> ,	472
<i>auriculata</i> ,	145	<i>Rothii</i> ,	1319
<i>camosa</i> ,	171	<i>tinctoria</i> ,	444
<i>lanceolaria</i> , ?	28	<i>tomentosa</i> ,	443
<i>lanceolaria</i> ,	177	<i>Wallichii</i> ,	1296
<i>muricata</i> ,	740	<i>Xanthium Indicum</i> ,	1104
<i>Neilgherrensis</i> ,	965	<i>Xanthochymus dulcis</i> ,	192
<i>pallida</i> ,	50	<i>Ximenia olacurides</i> ,	1861
<i>quadrangularis</i> ,	51	<i>Youngia napifolia</i> ,	1147
<i>settea</i> ,	170	<i>Zanthoxylon triphyllum</i> ,	204
<i>Vitmannia Africana</i> ,	490	<i>Zanthoxylon</i> ,	1051
<i>Vogelia Indica</i> ,	1075	<i>Zingiberacecc</i> , p. 15, Vol. VI.	2015
<i>Wagatea spicata</i> ,	1995	<i>Zingiber</i> ,	2015
<i>Wahlenbergia agreslis</i> ,	1175	,, <i>squarrosum</i> ,	2004
<i>Indica</i> ,	1176	,, <i>Zerumbet</i> ,	2003
<i>perotifolia</i> ,	842	<i>Zizyphus glabrata</i> ,	282
<i>Wallrothia</i> ,	1467	,, <i>Jujuba</i> ,	99
<i>Webera corymboso</i> ,	584	,, <i>rugosa</i> ,	339
<i>Wedelia calendulacea</i> ,	1107	<i>Zosterostylis Walkerae</i> ,	1748-4
<i>urticaefolia</i> ,	1106	,, <i>Zeylanica</i> ,	1748-4
<i>Wendlandia Notoniana</i> ,	1033	<i>Zeuxine bracteata</i> ,	1724, <i>bis</i>
<i>Willughbeia</i> ,	1288	<i>brevifolia</i> ,	1725
<i>Wollastonia hi flora</i> ,	1108	<i>robusta</i> ,	1726
<i>Wood apple tree</i> .	15	<i>sulcata</i> ,	1724-6

INDEX

TO THE

PLANTS CONTAINED IN THE WHOLE WORK

[Arranged according to their Natural Orders]

	Tab.		Tab.
RANUNCULACEA.		CRUCIFERE.E.	
Anemone Wightiana,	936	Cardamine Borbonica,	941
Clematis Gouriana,	933,4	CAPPARIDE.E.	
Wightiana,	935	Capparis divaricata,	889
Ranunculus reniformis,	75	grandis,	81
subpinnatus,	49	horrida,	178
Wallichanus,	937	Murrayana,	879
Thalictrum glyphocarpum,	48	pyrifolia,	1047
DILLENIAE.E.		Roxburghii,	1048
Dillenia bracteata,	358	Cleome aspera,	287
speciosa,	823	Niebhuria linearis,	174
Tetracera Rheedii,	70	Polanisia Burtporensis,	1072
MAGNOLIACE.E.		Chelidonii,	319
Michelia Nilagirica,	938	icosandra,	2
ANONACE.E.		FLACOURTIANEJB.	
Guatteria Korinti,	398	Flacourtia Ramontchi,	85
longifolia,	1	Hydnocarpus alpinus,	942
Uvaria longifolia,	1	inebrians,	942
MENISPERMACE.E.		VIOLARIE.E.	
Clypea Hernandifolia,	939	Ionidium suffruticosum,	308
Cocculus cordifolius, 6	485	Viola odorata,	943
cordifolius, \$	486	Wightiana,	943
Plukenetii,	824,5	DAOSERACE.E.	
SCHIZANDBACEI.		Drosera Burmanni,	944
Hortonia acuminata,	1998	Parnassia pahutris,	945
floribunda,	1997	Wightiana,	945
ovalifolia,	1998	POLYGALKE.E.	
BERBERIDE.E.		Polygala arillata,	946
Berberis (M.) Leschenaultii,	940	Wightiana,	67
NYMPHACEJE.		TAMABISCINBJB.	
Nymphaea stellata,	178	Tricbaurus ericoides,	888

	Tab.		Tab.
ELATINEA			
Elatine (B.) aestivosa,	222	Sterculia guttata,	487
CARYOPHYLLACE.fi.			
Arenaria Neilgherrensis,	949	Visenia umbellata,	509
Cerastium vulgatum,	948	TILIACE.E.	
Mollugo disticha,	3	Corchorus acutangulus,	739
<i>Spergula arvensis</i> ,	947	capsularis,	311
Stellaria media,	947	humilis,	1073
MALVACE.fi.			
Abelmoschus (H.) angulosus,	951	<i>prostratus</i> ,	1073
ficulneus,	154	Grewia columnaris,	44
moschatus,	399	hirsuta,	76
Abutilon crispum,	- 68	oppositifolia,	82
Indicum,	12	rotundifolia,	45
Decaschistia crotonifolia,	42	sclerophylla,	89
trilobata,	88	ulmi folia,	84
Gossypium arboreum,	10	umbellata,	83
herbaceum,	9-11	Triumfetta angulata,	320
Hibiscus hirtus,	41	EIXEOCARPE.fi.	
lam pas,	5	Eloeocarpus lanceofaelius,	65
lunarifolius,	6	oblongus,	46
Surattensis,	197	robustus,	64
Lebretonia procumbens,	4	Ganitrus sphaerica,	66
Malope Indica,	1051	Monocera femiginea,	205
Malva Neilgherrensis,	950	<i>glandulifera</i> ,	952
<i>verticillata</i> ,	950	Munroii,	952
Paritium tiliaceum,	7	Roxburghii,	63
Serroea incana,	1592	rugosa,	61
Sida acuta,	95	turberculata,	62
Thespesia populnea,	8	DIPTEROCARPE.fi.	
BOMBACE.E.			
Cullenia excelsa,	1761-2	Ancistrocladus Heyneanus,	1987-88
Eriodendron anfractuosum,	400	<i>VahlII</i> ,	1987-88
Helicteres isora,	180	Vateria Roxburghiana,	26
BYTNERIACE.E.			
Byttneria herbacea,	488	Vatica laccifera,	164
Eriochloena,	882	Tumbugaia,	27
Kydia calycina,	879, 80	TERNSTR.FIMIACE.fi.	
<i>fraterna</i> ,	879,80	Cleyera gymnanthera,	47
<i>pulverulenta</i> ,	881	OLACINE.F<	
Roxburghiana,	881	Apodytes Benthiana,	1153
Melhania abutiloides,	23	Balanites Egyptiaca,	274
Microchloena quinquelocularis,	882	Bursinopetalum arboreum,	956
Pterospermum acerifolium,	631	Gomphandra <i>anguitifolia</i> ,	953-4
Heyneanus,	489	<i>coriacea</i> ,	953-4
Sterculia fctida,	181-364	polymorpha,	953-4
		<i>Hypoca?'/ms</i> ,	955
		Stemonurus foetidus,	955
		AuRAN^TTIACE.fi.	
		Aegle marine]os,	16
		Atalantia floribunda,	1611

	Tab.		Tab.
<i>Atalantia monophylla</i> ,	1611	<i>Salacia multiflora</i> ,	962
<i>Bergera Konigii</i> ,	13	<i>oblonga</i> ,	97
<i>Citrus Limetta</i> ,	958	<i>pomifera</i> ,	55
<i>vulgaris</i> ,	957	<i>prinoides</i> ,	321
<i>Clausena Willdenowii</i> ,	14	<i>ventcosa</i> ,	962
<i>Feronia elephantum</i> ,	15		
<i>Glycosmis triphylla</i> ,	167	ERYTHROXYLE.E.	
<i>Limonia missionis</i> ,	175	<i>Sethia oblonga</i> ,	97
<i>Murraya exotica</i> ,	96		
<i>Sclerostylis atalantioides</i> ,	71	MALPIGHIACER.	
<i>parvifolia</i> ,	71	<i>Aspidopteris Canarensis</i> ,	1986
<i>Roxburghii</i> ,	72	<i>glomerata</i> ,	1986
		<i>Hinea Indica</i> ,	381
HYPERICINE.E.			
<i>Hypericuni riokerianuni</i> ,	959	SAI'IXDACEK.	
<i>Mysorensis</i> ^	959	<i>Cardiospermum canescens</i> ,	74
<i>Norysca Mysorensis</i> ,	56	<i>Halicacabum</i> ,	508
		<i>Cupania pentaphylla</i> ,	402
GUTTIFERE.E.		<i>Nephelium litchi</i> ,	43
<i>Calophyllum Burnianni</i> , <i>ft</i>	107	<i>rubrum</i> ,	24-5
<i>Burnianni</i> , <i>a</i>	108	<i>Schmidelia Cobbe</i> ,	964-2
<i>decipiens</i> ,	106	<i>Hillebrandii</i> ,	964
<i>Inophyllum</i> ,	77	<i>villosa</i> ,	401
<i>Moonii</i> ,	111		
<i>tomentosum</i> ,	110	MKT.IACKF..	
<i>Calysaccion longifolium</i> ,	1999	<i>Agave odorata</i> ,	511
<i>Garcinia cambogia</i> ^ <i>a</i> ,	960-1	<i>Azadirachta indica</i> ,	17
<i>conicarpa</i> ,	121	<i>Guarea paniculata</i> ,	146
<i>cornea</i> ,	105	<i>Melia azadirach</i> ,	160
<i>elliptica</i> ,	120	<i>Millettia Roxburghiana</i> ,	166
<i>Kordia</i> ,	960-1	<i>Munronia pumila</i> ,	91
<i>Kydia</i> ,	113-960-1	<i>Naregamia alata</i> ,	90
<i>lanceifolia</i> ,	103	<i>Turraea villosa</i> ,	1593
<i>Merguensis</i> ,	116		
<i>paniculata</i> ,	112	CEDHKLACEK.	
<i>papilla</i> ,	960-1	<i>Cedrela Toona</i> ,	161
<i>pedunculata</i> ,	114-5		
<i>pictoria</i> ,	102	MILLINCTOSIACKK.	
<i>Roxburghii</i> ,	104-960-1	<i>Millingtonia pungens</i> ,	964-5
<i>Mesua Coromandelina</i> ,	117		
<i>ferrea</i> ,	118-961	A.MI'KUUKK.	
<i>pedunculata</i> ,	119	<i>Cissampelos adnata</i> ,	144
<i>speciosa</i> ,	961	<i>auriculata</i> ,	145
<i>Xanthochymus dulcis</i> ,	192	<i>Ipomoea macrophylla</i> ,	1154
		<i>Staphylea</i> ,	78
HIPPOCHATKACKt.		<i>Vitis angustifolia</i> ,	176
<i>Hippocratea Grahami</i> ,	380	<i>cnrrosa</i> ,	171
<i>obtusifolia</i> ,	963	<i>lanceolaria</i> ,	28,177
<i>Salacia macrocarpa</i> ,	962	<i>niuricata</i> ,	740
		(A.) <i>Neilgierrensis</i> ,	965
		<i>pallida</i> ,	50
		<i>(quadrangularis)</i> ,	J1
		<i>sectosa</i> ,	170

	Tab.		Tab.
GEEANIACE.E.		CE LASTBINE.C.	
Erodium chumbulense,	1074	<i>Cassine discolor,</i>	761
Geranium Wallichianum,	324	Celastrus montanus,	382
Monsonia <i>Lazviana,</i>	1074	paniculatus,	158
<i>Pelargonium,</i>	1050	Euonymus angulatus,	1053
BALSAMINE.E.		crenulatus,	214,973
<i>Hydrocera</i> >	1050	<i>garcinifolius,</i>	761
<i>Impatiens albida,</i>	743	Goughii,	215
campanulata,	744	Lophopetalum Wightianum,	162
cuspidata,	741	Microtropis densiflora,	1052
dasysperma,	742	<i>garcinifolia,</i>	761
fasciculata,	748	microcarpa,	975
fruticosa,	966	ovalifolia,	976
Gardneriana,	1050	ram i flora,	977
Goughii,	1603	Pleurostyliia Wightii,	155
Jerdoniae,	1602	Turpinia Nepalensis,	972
inconspicua,	970	RH AMNE.fi.	
rivalis,	751	Berchemia parviflora,	19
rosmarinifolia,	750	Gouania leptostachya,	974
tomentosa,	749	Rhamnus hirsutus,	978
umbellata,	745	Wightii,	159
uncinata,	747	Scutia Indka,	1071
viscida,	746	Rheediana,	1071
<i>latifolia,</i>	741, 970	Ventilago Maderaspatana,	163
I^eschenaultii,	741, 970	Vitmannia Africana,	490
modesta,	968	Zizyphus glabrata,	282
rufescens,	969	jujuba,	99
scabrida ?,	323	rugosa,	339
scapiflora,	967	TEEEBINTHACE.E.	
Munronii,	1049	Buchanania nngustifolia,	101
Kleinii,	884	intermedia,	81
oppositifolia,	883	lanceolata,	237
OxATJDE.fi.		Garuga pinnata,	1594-5
<i>Oxalis corniculata,</i>	18	Odina wodier,	60
PITTOSPORE.E.		Pegia ? Colebrookiana,	236
<i>Pittosporum Neilgherreme,</i>	971	Rhus Bucki-Ainela,	561
tetraspermum,	971	succedanea,	560
ZYGOVHYLLKX.		Semecarpus Anacardium,	558
Tribulus lanuginosus,	98	Cassuvium,	559
ZANTHOXYLE.E.		Grahamii,	235
Ailanthus Malabariora,	1604	LKGUMIKOSF.	
Melicope Indica,	1061	Abrus fruticulosus,	33
Zanthoxylon triphyllum,	204	Acacia latronum,	1157
OCHNACEF..		Acrocarpus fraxinifolius,	254
Ochna Wightiana,	223	iEschynomene aspera,	299

	Tab.		Tab.
<i>Schynomene Indica</i> ,	405	<i>Dalhousiea bracteata</i> ,	265
<i>Alysicarpus Belgaemensis</i> ,	92	<i>Desmanthus triijuetrus</i> ,	756
<i>longifolius</i> ,	251	<i>Desmodium Cephalotes</i> ,	373
<i>pubescens</i> ,	250	<i>congestum</i> ,	209
<i>Atylobia Candollii</i> ,	754	<i>collinum</i> ,	272
<i>Lawii</i> ,	93	<i>difTudUtii</i> ,	298,409
<i>Bauhinia scandens</i> ,	264	<i>Gangeticum</i> ,	271
<i>semibih'da</i> ,	263	<i>gymns</i> ,	294
<i>Brach^pterum scandeife</i> ,	275	<i>latifolium</i> ,	270
<i>Butea par\iflora</i> ,	210	<i>patens</i> ,	407
<i>Ceesalpinia miinosoidcb</i> ,	292	<i>polycarpum</i> ,	406
<i>paniculata</i> ,	36	<i>quinqueangulatum</i> ,	293
<i>sepiaria</i> ,	37	<i>recurvatum</i> ,	374
<i>Canavalia gladiata</i> ,	753	<i>nifesoens</i>	984
<i>Cassia alata</i> ,	253	<i>strangulatum</i> ,	985
<i>bacillus</i> ,	252	<i>trifloruin</i> ,	291
<i>IMxlosa</i> ,	410	<i>trifloruin, B</i>	292
(S.) <i>obtusa</i> ,	757	<i>Dicerma biarticulatum</i> ,	419
<i>rhombifoliu</i> ,	269	<i>pulchellum</i> ,	418
<i>Cicer arietinum</i> ,	20	<i>Dichrobtachys cinerea</i> ,	357
<i>Crotalaria barbata</i> ,	980	<i>Dumasia congesta</i> ,	445
<i>bifaria</i> ,	30	<i>Edwardsia Maderaspatana</i> ,	1054
<i>bracteata</i> ,	273	<i>parvifolia</i> ,	1054
<i>evolvuloides</i> ,	31	<i>Erythrina Indica</i> ,	58
<i>formosa</i> ,	981	<i>ovalifolia</i> ,	247
<i>lunulata</i> ,	480	<i>Flemingia bracteata</i> ,	268
<i>Notonii</i> ,	752	<i>congesta</i> ,	390
<i>obtecta</i> ,	208, 383	<i>lineata</i> ,	327
<i>pulcherrima</i> ,	4b1	<i>nana</i> ,	389
<i>rubiginosa</i> ,	885	<i>procumbens</i> ,	408,987
<i>semperflorens</i> ,	982	<i>semialata</i> ,	326
<i>speciosa</i> ,	29	<i>stricta</i> ,	329
<i>trifoliastrum</i> ,	421	<i>strobilifera</i> ,	267
<i>veiTUt'osa</i> ,	200	<i>Galactia longifolia</i> ,	482
<i>Wallichiana</i> ,	982	<i>Glycine labialis</i> ,	168
<i>CyamopMs psoraleoides</i> ,	948	<i>Humboldtia Brunonis</i> ,	1606
<i>Cylista scariosa</i> ,	1597	<i>laurifolia</i> ,	1605
<i>Dalbergia frondosa</i> ,	266	<i>Vahliana</i> ,	1607-^8
<i>latifolia</i> ,	1156	<i>Indigofera arborea</i> ,	368
<i>marginata</i> ,	87	<i>aspalathoides</i> ,	332
<i>Oogeinesis</i> ,	891	<i>atropurplea</i> ,	869
<i>reniformis</i> ,	261	<i>ccerulea</i> ,	866
<i>rimosa</i> ,	262	<i>echinata</i> ,	816
<i>robusta</i> ,	244	<i>enneaphylla</i> ,	408
<i>stipulata</i> ,	243	<i>flaccida</i> ,	887
<i>tamarindi folia</i> ,	242	<i>glandulosa</i> ,	880

	Tab.		Tab.
Indigofera linifolia,	313	Tephrosia senticosa,	370
pauci folia,	331	spinosa,	372
pedicellata,	983	tinctoria,	388
pentaphylla,	385	Trigonella corniculata,	384
pulchella,	367	Uraria alopecuroides,	290
tinctoria,	365	hamosa,	284
trifoliata,	314	lagopoides,	289
trite,	315,386	picta,	411
uniHora,	333	Vachellia Farnesiana,	300
viscosa,	404	Wagatea spicata,	1995
Ingā dulcis,	J98	ROSACEÆ.	
Jonesia asoca,	206	Agrinonia eupatoria,	224
Lablab vulgaris,	57, 203	Alchemilla vulgaris,	229
Lourea Vespertilionis,	285	Cotoneaster affinis,	992
Millettia ? piscidia,	86	buxifolia,	992
rubigino*a,	207	Eriobotrya japouica,	226
Mucuna nionosperma,	35	Fragaria elatior,	988
utilis,	280	Indica,	989
Nicolsonia congesta,	1056	Neurada procumbens,	1596
Noinismia capitata,	295	Photinia Lindleyana,	228
nummularin,	283	Notoniana,	991
Oi'inocarpuin sennoities,	297	Potentilla Leschenaultiana,	990
Ormosia, Vol. III, part 4, page 16		Mooniana,	233
Parochetus major,	483	Pygcum acuniinatum,	993
Phaseolus lunatus,	755	Polydontia ? Ccylanica,	256
psoraleoides,	249	Rosa involucrata,	234
Pulniensis,	202	Leschenaultiana,	38
rostratus,	34	Rubus Gowreephul,	230
trilobus,	94	lasiocarpus,	232
Pongamia elliptica,	420	rugosus,	225
glabra,	59	Wallichianus,	231
ovali folia,	328	SALICARIÆ.	
Pseudarthria viscida,	286	Amcletia Indica,	257
Pterocarpus dallrergioides,	246	rotundi folia,	258
Pterolobium lacerans,	196	tenuis,	257
Pueraria tuberosa,	412	Lagerstrfcinia niicrocarpa,	109
Kothia trifoliata,	199	parvitoria,	69
Scsbania /Egyptiaca,	32	Regina ¹ ,	413
Shutcria vestita,	165	Maclellandia Griffithiana,	1996
Smithia blanda,	986	Ncsaia triflora,	259
raccmosiiy	986	Rotela finibriata,	217
Sophora glauca,	979	Roxburghianu,	260
heptaphylla,	1155	verticilaris,	260
robuste,	245	RHIZOTHOUEÆ.	
Taverniera cuucifoliu,	1055	Hruguiera erioj>etala,	239
Tephrosia incana,	371	Rheddii,	239

	Tab.		Tab.
Carallia lancesefolia,	604	Eugenia (I.) aquea,	216,550
lucida,	605	,, cylindrica,	527
Ceriops Candolliana,	240	,, hemispheric[^],	525
Rhizophora mucronata,	238	,, lanceolaria,	613
CoMBREI'ACE.E.		,, laurifolia,	609
Combretiiin Wightianum,	227	,, macrocarpa.	612
Conocarpus latifolia,	994	,, Munronii,	546
Tenninalia catappa,	172	,, pauciflora,	526
tomentosa,	195	,, polypetala,	610
M KLA STOMACE/E.		,, purpurea,	549
Osbeckia aspera,	377	,, ternifolia,	611
Gardneriana,	997	,, vulgaris,	435
hispid issi ma,	1612 *	(S.) alternifolia,	537
Leschenaultiana,	996	,, Arnottiana,	999
truncata,	375, 996	,, brachiata,	626
virgata,	376	,, calophyllifolia,	1000
Wightiana,	997-8	,, caryophyllaea,	540
Sonerila axillaris,	1058	,, caryophyllifolia,	553
Brunonis,	1057-1059	,, cerasoides,	615
elegans,	995-3	,, cordifolia,	544
grandi flora,	995	,, corymbosa,	627
speciosa,	955-2	,, cymosa,	555
versicolor,	1057	,, ferruginca,	554
MEMECYLE.E.		,, fruticosa,	624
Memecylon amplexicaule,	279	,, glandulifera,	629
anguhtifolium,	276	,, grandis,	614
Heyneauum,	278	,, Jambolana,	535
jambotioides,	277	,, lanceerfolia,	621
ALANGILK.		,, montana,	1060
Alangiuni decapetalum,	194	,, Myrtifolia,	618
MYRTACE.E.		,, Nee-siana,	533
BaiTingtonia racemosa,	152	,, oblata,	622
speciosa,	547	,, obtusifolia.	620
Careya herbacea,	557	,, operculata,	552
sphterica,	147, 556	,, Paniala,	616
Eugenia (A.) aciiniinata,	607	,, Polyantha	543
,, bracteolata,	531	,, praecox,	619
,, claviflora,	606	,, pulchella,	628
,, inophylla,	623	,, reticulata,	541
,, lanccolata,	530	,, revoluta,	534
,, leptantha,	528	,, Rottlciana,	100
,, Wightiana,	529	,, rubens,	630
(E.) Mooniana,	551	,, rubicunda,	538
,, Willdenowii,	545	,, salicifolia,	539
(I.) alba,	548	,, sylvestris,	532
,, amplexicaulis,	608	,, Thumra,	617

Eugenia (8.) toddalioides,	Tab. 542	SAXIKHAGACK.K.	Tab.
„ venitota,	625	Vahlia oldenlandioides,	562
„ Wallichii,	536	viscosa,	563
„ Zeylanicuin,	7J5	UAI BELLI FERE.	
Jossinia Indica,	5HS	<tinanthe stolonitëra,	57J
Monoxora spectabilis,	524	Auuthum sow a,	572
Myrtiis tonieuto&a,	522	Apiuin invohicratinn,	367
Nelitri* paniculata, ?	521	Uupleui'uuii dihtichopliYllum,	1006
Rliodamnia *pectabili*,	524	plaiitaginitblimn,	281
Sonneratia acida,	340	ramosisMiinuin,	1007
Syzygium denaijtorum^	999	I'irgatiiMy	1007
Zeylanicum,	73	Cnidiuin diffusum,	569
ONAGRACK.K.		Coriaiidruin sutixuin,	516
Ludwigia prostrata,	762	Dasyloina Bengalenaë,	568
HALORA(G;E.K.		Focniculuni Panmoriuni,	570
Haloragis oligantha,	1061	vulgare,	515
Serpicula hintuta,	1001	Heracleuni Hookerianum,	1010
CUCUHBITACE.K.		pedatuin,	342
Bryonia amplexicaulis,	502	rigetis,	1009
epigasa,	503	Sprengelianum,	1008
Hookeriana,	758, 1609	Hydrocotyle Asiatica,	565
laciniosa,	500	conferta,	1002
Mysorensib,	758, 1609	Nepalensis,	1002
scabrella,	501	polycephala,	1003
Citrullus culocynthis,	498	rotund i folia,	564
Cucumis pubecciiis,	496	Pastinaca Hookeriana,	1010
triguuu^,	497	rigens,	1009
Cuciirbitucew,	1104	Sprengeliuna,	1008
Cucurbita maxima,	507	Piinpiuella Candolliana,	341
Luff'a pentandra,	499	involucrata,	335, 567
Moiuordica charautia,	504	I^e^'henaultii,	1005
dioica, £	505	Ptychotis Ajowan,	566
diuica, H	506	Sanicula elata,	334, 1004
I'AS.ñKLOKKK.		AHAUACE E.	
Mudecca palmata,	201	(rilibniidj	1013-14
Wi^htiana,	179	Hedera aciuiiiiata,	1062
Passiflora J.cM'licnaultii,	39	Jarkinna,	1062
rORTUKACEE.		(P.) obo\ata,	1011-12
Tiianthema decaiidra,	296	„ raceniosa,	1015
obeordata,	288	„ rostrata,	1013-14
I'AKOWCHIACF. K.		trifoliata,	307
I'olyuirpu'ii coñ\amboMi,	712	Panax fniticoMim,	573
•Npicata,	510	Pa rat ropiu*	1015
Cometes Surattensi^	1785	ñOIIANTHACKK.	
Cu ASM* LACK K.		Ixjranthu.s aniploxiiöliiiN,	:MM
Kalanchoe laciuiata,	1158	capitclUitus	304

Psychotria bisulcata,	Tab. 1039	Caesulia axillaris,	Tab. 1102
<i>bratteata</i> ,	1039	Callistephus Wightianus,	1089
sarmentosa,	1038	Carpesiuin Nepalense ,	1120
<i>truncata</i> .	1039	Cirsium Argyracanthum,	1137-8
laevigata,	828	Cyathocline lyrata ,	1098
Handia duinetorum ,	580	lutea ,	1150
floribunda,	583	Decaneurum Courtallense ,	1081
longispina ,	582	divergens ,	1084
nutans ,	581	Molle,	1082
uliginosa,	397	reticulatum ,	1080
Rubia munjista	187	Silhetense,	1083
Santia venulosa ,	1032	divergens ,	1078
Sarissus anceps ,	760	Dichrocephala chrysanthemifolia ,	1095
Spermaeoce laevis ,	193	latifolia,	1096
Stylocoryne <i>cerifei'a</i> ,	1064	Schmidii,	1610
monosperma ,	317	Dicoma lanuginosa,	1140
rigida,	1064	Doronicum Arnottii,	1125
Webera,	309, 584	Candollianum,	1127
Wendlandia Notoniana,	1033	Lessingianum ,	1126
VALEUIAN.E.		reticulatum,	1151
Valeriana Arnottiana,	1045-6	rupestre,	1128
Brunoniaua,	1043	tenuifolium,	1129
Hookeriana ,	1045	tomentosuim ,	1151
Leschenaultii,	1044	Wightii,	1124
DIPSACE.E.		Elephantopus scaber ,	1086
Dipsacus Walkeri,	1166	Emilia scabra,	1123
COMTOSIT.E.		Erigeron Wightii,	1090
Adenostemma latifolium,	1087	Glossocardia Boswallea ,	1110
reticulatuim ,	1088	Gnaphalium hypoleucum,	1114
Amberboa Indica,	479	marcescens ,	1115
Anaphalis aristata ,	1119	Grangea Maderaspatana ,	1097
elliptica,	1118	Gynura nitida ,	1121
<i>oblonga</i> ,	1118	Walkeri,	1122
Neilgherriana,	478	Helichrysum buddleoides ,	1113
Notoniana,	1116	Lactiica glahra %,	1145
VVightiana,	1117	Heynearuii	1146
Artemisia glabrata,	1111	Madacarpu.t Belgaumensis,	1152
Indica,	1112	Madanutis gUilrra ,	1124
Athroisma ,	1093	<i>p'wnat'ifida</i> ,	1127
Blepharispenniiii pctiolarc ,	1092	polyvephala .	1125
subscsilc,	1093	<i>sahra</i> ,	1126
Blinnea aluta ,	1101	Mkrolonchu.%	1137
liiemci folia,	1099	Microrhynchus glaber ,	1145
<i>vi'M(mioide*</i> ,	1101	Mono.sis Wightiana ,	1085
ptcrodongta ,	1100	Moonia Arnottiana ,	1105
Brachymmplius Ilcyneiinus ,	114ti	Merophylla ,	1105

	Tab.		Tab.
Mulgedium Neilgherrense	1144	Wahlenbergia Indica,	1175-76
<i>Mycelis</i> ,	1147	perotifolia,	842
Myriactis Wightii,	1091	LODELIACE.E.	
Notonia corymbosa,	484	Lobelia aromatica,	1172
Oligolepis amaranthoidos,	1149	excelsa ,	1172-3-4
Picris <i>hamidosa</i> ,	1143	trichandra,	1171
hieracioides,	1143	trigona,	1170
Senecio candicans,	1135-1134	EBICACE.E.	
oorymbosum,	1130	Agapetes <i>arborea</i> ,	1016
intermedius,	1135	<i>Andvomedsi Jlexuosa</i> ,	1195
lavandulaefolius,	1133	(P.) formosa,	1200
<i>lacinosits</i> ,	1129	Kotagherensis,	1195
<i>midtifidiis</i> ,	1129	(P.) lanceolate,	1198
Neilgherrianus,	1132	(P.) ovalifolia,	1199
<i>tenuifolius</i> .	1129	<i>symphcifolia</i> ^	1188
"Walked,	1131	Gualtheria fragrantissima,	1196
Wightianus,	1135,1136	Griffithiana,	1197
Siegesbeckia orientalis,	1103	Leschenaultii,	1195
Sph(<i>pranthus amarantioides</i> ,	1149	Rhododendron arboreum,	1018,1201
hirtus,	1094	<i>formosium</i>)	1202
<i>Spilanthes calva</i> ,	1109	gi'ande ,	1202
<i>olerarea</i> ,	1109	Griffithianum,	1203
<i>Sonchus ciliatus</i> ,	1141	VACCINIACE.F.	
Wightianus,	1142	Vaccinium (A.) affine,	1190
<i>Tricholepis CandoU'iana</i> ,	1139	<i>a? boreum</i> .	1188
<i>procumbens</i> ,	1139	(A.) Donuianum,	1191
<i>Venonia conyzoides</i> ,	829, 1076	,, Dunalium,	1194
<i>nultihora</i> ,	1084	,, Griffithianum,	1192
Neilgherrensis,	1078-84	,, hirsutum,	1182
<i>pctiniformis</i> ,	1077	,, Leschenaultii,	1188-92
<i>salvifolia</i> ,	1079	,, Malaccense,	1186
<i>Wightiana</i> ,	1079	,, Neilgherrense,	1189
Vicoa Indica,	1148	,, obovatum,	1193
Wedelia calendulacea,	1107	,, odontocermum.	1187
<i>uiticaetblia</i> ,	1106	,, serpens,	1183
Wollastonia biflora,	1108	,, senatuni ,	1184-6
Xanthium indicum,	1104	,, venosum ,	1185
Yomigia napifolia,	1147	,, verticillatum,	1181
(rOODKNOVIK ^r .		,, Wallichianum,	1180
Scaevola divaricata,	1613	ILICINACE.	
CAMPACULACE.		Ilex Gardneriana,	1217
Campaculaceae Alplionsii,	1177	(P.) Wightiana,	1216
fulgens,	1179	STYKACACE.	
rainulosa,	1178	Symplocos foliosa,	1234
Wallichianum-giji agrostoides,	1175	Gardneriana ,	1231-4
		luicmphylla ,	1232

	Tab		Tab
JaMumum Sam bat.	704	Cixptolepis grandifloia,	831
simplicifoliuir,	705	pauuHoia,	493
OLEACEAE,		Ciyptohtegia grandifloia,	832
Chionanlhus lannfloia,	734	Cynanchum paucifloiuin,	354
Ligustium Neilgheiiense,	1243	Cynoctonuin alatum,	1280
Peiottetn,	1244	callialatum,	1279
Linouua inteimtdia,	1245	Deenua extensa,	596
Malabar tea.	1246	Decalepis Hamiltonu,	1285
Olea claxala,	736	G>mnema Decaisneanum,	1271
glandulifua,	1238	hirsutum,	1271-72
Imocieioides,	1241	sihestiib,	349, 1271
polygama,	1239-40	tingens, \ai coidifolia,	593
lobuyta,	1242	tmgens, \ar ovalifoba,	592
Roxbuighn,	735	elegans,	830
&AIXADOHAtkfc		Henndesmus Indicus,	594
Sahodoia Peisica,	1621	pubescens,	1320
AbCLLI'IAD&L		Heteiostemnia Taii)orensis,	348
Bouceiosia campanulata,	1287	Holostemma Rheedu,	597
diffusa,	1599	Hoya ovalifoba,	847
lasiantha,	1286	paiasitita,	587
umbellate,	495, 1286-7	pan lflora,	1269
Biacbylepis neivosa,	1284	pendula,	474
Caloti opis gigan tea,	1278	Imeant,	1269
Hamiltoniana,	1278	\uidifloia,	586
beibacea,	492	Hutchinia Indica,	355
pioteia,	1278	Leptadema leticulata,	350
Caiallunm attenuate,	1268	Maisdema Biunomana,	356
fitnbi lata,	1268	tenacissnna,	590
Ceiopogia auuiunata,	1263	tmctoiaa,	589
bulbosa,	845, 1263	Pentatiopis miciopb\lla,	352
ciliata,	1262	Pel gulaila odoiattissima,	414
Decaisneana,	1259	palbda,	585
elegans,	846, 1265	Sai tolobus globosus,	1273
intei media,	1263	Saicostemma biexistigma,	595
juncea,	1260	Biunouianum,	1282
Muni onn,	1264	mtei medium,	1281
Mysoiensis,	846	Sec am one emetic a,	128.J
pusilla,	1261	Toxocaipus Kleinu,	886
spnalis,	15267	lauufoInis	,598
Walkuia.,	1266	Ro\biii<;hii,	475
tubtiosa,	35 J	Txlophoia astlInn\tua,	15277
Chilotaipus, /txltinuuN,	1288	C II DOS I,	351
Cosmostigma ac umiuatum,	1270	f>*(iculat x,	848
lacumwi,	591	I)lii^i i.	15276
HUIMOiuHL,	1270	molhooimn.	1*275
Ciyptolepis Buchtiuani,	494	paixifloia.	15274

Tylophora tenuissima,	Tab. 588	Ophioxylon Ceylanicum,	Tab. 1291
Vincetoxicum Arnottianum,	1614	macrocarpum,	1292
APOCYNACE.		Neilgherrense,	1292
Aganosma acuminatum,	424	serpentinum,	849
Blmnii,	1305	Melodinus monogynus,	394
Donianum,	1306	Plumieria acuminata,	471
elegans,	1304	Pottsia Hookeriana,	1306
marginatum,	425	ovata,	1306
Roxburgh]i.	440	Strophaiithiis brevicaiidatus,	1302
Alyxia Ceylanica,	1293	dichotomus,	599-1299
Alstonia scholaris,	422	Griffithii,	1300
venenata,	436	longicaudatus,	1299
Anodendron Candolleanum,	1309	Wightianus,	1301
pankulatum,	1309	Tabernaemontana coronaria,	477
Beaumontia grandiflora,	1314-15	crispa,	470
Jerdoniana,	1314-15	dichotoma,	433
Calpicarpum Roxburghii,	431	recurva,	476
Carissa Carandas,	426	parviflora,	393
congesta,	1289	Urceola elastica,	473
diffusa,	427	Vallaris dichotoma,	438
paucinervia,	1290	Pergularia,	429
villosa,	437	Wrightia Rothii,	1319
Cerbera Odollum,	441	cocci nea,	442
Chonemorpha ? antidysenterica,	439	piscidia,	472
inacrophylla,	432	tinctoria,	444-1319
Chilocarpus Ceylanicus,	1288	tomentosa,	443
Cleghornia acuminata,	1310	Wallichii,	1296
cymosa,	1312	LoGAMACE.E.	
Ecdysanthera glandulifera,	1307	Fagrcea Coroinaiidulina,	1316
Griffithii,	1307	Malaharica,	1317
Echaltium piscidium,	472	Zeylanica,	1317
Echites cymosa,	395	Gaertnera Konigii,	1318
paniculata,	396	Gardnera Wallichii,	1313
parviflora,	423	Mitrasaenic Indica,	1601
Ellertonia Rheedii,	1295	Malaccensis,	1601
Epigynuni Griffithianum,	1308	Mitrcola ohlenla ml wides,	1600
Heligme Rheedii,	1303	paniculata,	1600
Holarrhena Codaga,	1297	Strychnos colubrina,	434
Malaccensis,	1298	GENTIANACE.	
pubescens,	1297	Adenoma hy.^opifolium,	600
Hunteria lanceolaria,	1294	Canscora (C.) grandiflora,	1326
corymbosa,	428	I^awii,	1327
Roxburghiana,	1294	perfoliata,	1327
Ichnocarpus frutescens,	430	tenella,	1327
Nerium grandiflorum,	832	Erythraea Roxburghii,	1325
Ophioxylon Belgaumense,	1292	Exacum bicolor,	1321

	Tab.		Tab.
Exacum Courtallense,	1323	Argyreia aggregata,	1356-9
pedunculatum,	336	<i>cymosa</i> ,	839
Perrottetii,	1322	<i>cuneata</i> ,	890
petiolare,	1324	<i>elliptica</i> ,	1356
pumilum,	1324	<i>festiva</i> ,	1356
sessile,	1324	<i>fulgens</i> ,	1357
Zeylanicum,	1322	<i>hirsuta</i> ,	891
Wightianum,	840	<i>pomacea</i> ,	8K8
Gentiana pedicellata,	1328	<i>setosa</i> ,	1356-60
Halenia Pei Tottetii,	1334	<i>speciosa</i> ,	851, 1360
Ophelia corymbosa,	1329	<i>tiUaefolia</i> ,	1358
<i>elatior</i> ,	1330	Batatas <i>Choisyana</i> ,	491
<i>elegans</i> ,	1331	<i>pentaphylla</i> ,	834
Grisebachiana,	1330	Breweria <i>evolvuloides</i> ,	1369
<i>minor</i> ,	1332	Roxburghii,	1370, 76
CYRTANDRACEAE.		Calonyction <i>speciosum</i> ,	1361
/Eschynanthus <i>Ceylanica</i> ,	1347	Convolvulus <i>calycinus</i> ,	833
Didymocarpus <i>Humboldtiana</i> ,	1351	<i>capitulatus</i> .	1366
<i>lyrata</i> ,	1350	<i>tricolor</i> ,	835
<i>ovalifolia</i> ,	1351	<i>glomeratus</i> ,	1366
<i>Rottleriana</i> .	1348	<i>hirsutus</i> ,	834
<i>tomentosa</i> ,	1349	<i>microphyllus</i> ,	1367
Epithema <i>Ceylanicum</i> ,	1354	<i>pentaphyllum</i> ,	834
<i>isBiithra</i> , <i>floribunda</i> ,	1355	<i>rhynospermis</i> ,	1368
<i>permollis</i> ,	1355	<i>rufescens</i> ,	1365
Jerdonia <i>Indica</i> ,	1352	Cuscuta <i>Arabica</i> ,	1371
Klugia <i>Notoniana</i> ,	1353	<i>Chinensis</i> ,	1373
BIGNONIACEAE.		<i>hyalina</i> .	1372
Bignonia <i>Xylocarpa</i> ,	1355, 36	<i>sulcata</i> ,	1372
Calosanthus <i>Indica</i> ,	1337-8	Hewittia <i>bicolor</i> ,	835
Panjanclia <i>malayana</i> ,	1343	Ipoimea,	1356
<i>Ilhcedii</i> ,	1343-4	<i>bracteata</i> ,	1374
Spathodea <i>arcuata</i> ,	1340	<i>campanulata</i> ,	1375
<i>Rhcedii</i> ,	1339	<i>chrysoides</i> ,	157
Stercospermum <i>Chloiooides</i> ,	1341	<i>pes tigridis</i>	836
<i>Miaveolens</i> ,	1342	<i>pileata</i> ,	1363
SESAMEAE.		<i>puichella</i> ,	156
Sesainum <i>laciniatum</i> ,	1345	<i>rugosa</i> ,	887
<i>prostratum</i> ,	1346	<i>sessili flora</i> ,	169
Pedaliium <i>murcex</i> ,	1615	Wightii,	1364
HYDROCHARITACEAE.		Ijepistemon <i>flavescens</i> ,	1362
Hydrolea <i>Zeylanica</i> ,	601	LiCttsomia,	1356
CONVOLVULACEAE.		<i>aggregata</i> ,	1359
Aniseia <i>calycina</i> ,	833	<i>cymosiu</i>	839
<i>uni flora</i> ,	850	<i>setosa</i> ,	1360
Argyreia <i>antha</i> ,	1356	Porana <i>pankuhittu</i>	1376

Porana racemosa,	Tab.	Tournefortia <i>subulata</i> .	Tab.
volubilis,	1376	viridiflora,	1386
Rivea euneata,	347, 1376	Zeylanica,	1386
<i>cymom.</i>	890	SOLANACE.fi.	
Choisyana,	839	Capsicum fastigiatum,	1617
hirsuta,	491	Datura alba,	852
ornata,	891	fastuosa,	1396
pomacea,	1356	<i>Metel,</i>	852
speciosa,	888	<i>Stramonium,</i>	1396
tiliaefolia,	851	Lycium <i>Jfnim,</i>	1403
Seddera evolvuloides,	1358	Europaeum,	1403
<i>Shuteria bicolor,</i>	1369	Indicum,	1403
CORDIACE.fi.	835	<i>Rutheninim,</i>	1403
Cordia <i>cuneata.</i>	1379	Physalis somnifera,	853
<i>domestka,</i>	1378	Puneeria coagulans,	1616
fulvosa,	1380	Solanum denticulatum,	1397
<i>Leschenaultii,</i>	1380	ferox,	1399-1400
Myxa,	1378	giganteum,	893
serrata,	469	Indicum,	346
obi i qua.	1378	Jacquini,	1401
Perrottetii,	1381	(N.) pubescens,	1402
Rothii,	1379	rubrum,	344
<i>tomentosa,</i>	1378	torvum,	345
<i>trkhostemon%</i>	1380	trilobatum,	854
Wallichii,	1378	verbasci folium,	1398
BORAGIXE.E.		(N.) Wightii,	841
Amebia hispidisbima,	1393	OHOBAXCHACE.E.	
Cynoglossum furcatuni,	1395	Aeginetia Indica,	895
Echinosperrum coelestinuni,	1394	pedunculata,	1421
Ehretia laevi*,	1382	Campbellia,	1419-1423
ovalifolia,	1383	aurantiaca,	1424
Wightiana,	1384	cytinoides,	1425
(X.) euneata,	1385	Christisonia,	1419
Heliotropiuni brevifolium,	1389	aurantiaca,	1486
Coromandelianum,	1388	calcarata,	1426
linifolium,	1391	Lawii,	1427
<i>Malubcwkm,</i>	1387	<i>Xeilgherrka,</i>	1425
marifolium,	1390	Mibacaulis,	1423-6-7
Rottleri,	1392	Cystanche,	1419
scabrum,	1389-90	lutea,	1420
supinuin,	1387	tubuhiNa,	1420
tenue,	1391	(Oligopholi\	1419 U\
Zcylanicum,	892-1386	tubulosa,	142J2
Sericostoma pauciflorum,	1377	Phclipiea ramosa,	1618
Tournefortia Edgeworthii,	1386	ScRorHLLAniACKK.	
reticosa,	1386	Antirrhinum glaucum,	1439

	Tab.		tab.
Artanema sesamoides,	1410	Lavandula (Ch.) Lawii,	1439
Bonnaya hyssopioides,	857	Leonotis nepetsefolia,	867
minima,	858	Leucas biflora,	866
\ erbenaefolia,	1412	cephalotes,	837
\ eronicaefolia,	1411	<i>helianthemifolia</i> ,	1453
Buchnera <i>euphrasioides</i> ,	855	<i>Indica</i> ,	1451
hispidia,	1413	(A.) lanceaefolia,	1452
Buddlea discolor,	894	,, rosmarinifolia,	1455
Cainpylanthus ramosissimub,	1416	,, suffruticosa,	1454
<i>saUoloides</i> ,	1416	,, ternifolia,	1453
Celsia Coromandelina,	1406	(H.) urticffifolia,	1451
Cyrilla <i>aquatica</i> ,	861	vestita,	338
Gratiola <i>lobelioides</i> >	859	Melissa umbrosa,	1447
<i>luiida</i> ,	863	Micromeria biflora,	1446
Liinnophila hypericifolia,	1409	Ocimum Basilicum,	868
polystachya,	860	thyrsiflorum,	868
racemoaa,	861	Orthosiphon bracteatus,	1428
Mazus surculosiis,	1407	Plectranthus <i>coetsa</i> ,	1430
Micrargeria Wightii,	1417	Macrcei,	1430
Pedicularis Perrottetii,	1418	<i>scrophularioides</i> Sy	1429
Zeylanica,	1419	<i>striatu</i> 8,	1429
Ram phi car pa Ion gi flora,	1415	Wightii,	1429
Stemodia vi^cosa,	1408	Pegostemon Heyneanus,	1440
Striga Euphrasioides,	855	hirsutus,	1442
Orobanchoides,	1414	rotundatus,	1441
Sutera glandulosa,	856	speciosus,	1443
Torenia Asiatica,	862	Prunella vulgaris,	1448
Vandellia crustacea,	863	Sal via lanata,	325
Verbaseum virgatum,	1404 5	Scutellaria v iolacea,	1449
LAIUAT E.		rivularis,	1450
Anisochilus albidus,	1436	Tt'iicnũm tomentosum,	1458
d} hophylloides,	1434	MYOPORACK E.	
purpureiuh,	1435	Avicennia,	1480
suffruticosus,	1437	alba,	1482
Aniboineles Malabarica,	864	<i>officinali</i> Sj	1481-2
ovata,	865	tomentosa,	1481
Colcus barbatus,	1432	VFRnENACKE.	
spicatus,	1431	Bouchoa (Ch.) Hyderabadensi^,	1462
Wightii,	1433	(11.) mamihifolia,	1461
Dysophylla auricularia,	1445	Callicarpa Wallichiana,	1480
<i>crassifolia</i> ,	1444	CliTodendron intbrtunatiini,	1471
tetraph} lla,	1444	phlomoides,	1473
Goiiplios tern ma <i>eriocarpum</i> ,	1457	serratum,	1472
Heyneanum,	1456	Congea azurea,	1479
oblonguni,	1457	tomentosa.	1479,1565
Lavandula (Ch.) Burmanni,	1438	velutina,	1479, 1566

	Tab.		tab.
<i>Congea villosa</i> ,	1479	<i>Asteracantha longifolia</i> ,	449
<i>Gmelina arborea</i> ,	1470	<i>A. v. ^tasia Coromandeliana</i> ,	1506
<i>Rheedii</i> ,	1470	<i>Barleria acuminata</i> ,	450
<i>Lantana alba</i> ,	1464	<i>buxifolia</i> ,	870
<i>Indica</i> ,	1464	<i>Courtallica</i> ,	1529
<i>Lippia (Z.) nodi flora</i> ,	1463	<i>crinata</i> ,	453
<i>Peronema canescens</i> ,	1460	<i>cuspidata</i> ,	451
<i>Premna cordi folia</i> ,	1483	<i>Hochstetteri</i> ,	1528
<i>glaberrima</i> ,	1484	<i>nitida</i> ,	454
<i>integrifolia</i> ,	1469	<i>Prionitis</i> ,	452
<i>lati folia</i> ,	869	<i>Biepharis asperrima</i> ,	1534
<i>sematifolia</i> ,	1469	<i>Boerhavisefolia</i> ,	458
<i>thyrsoides</i> ,	1485	<i>Calophanes vagans</i> ,	1526
<i>tomentosa</i> ,	1468	<i>Crohsandra axillaris</i> ,	460
<i>Wightiana</i> ,	1485	<i>infundibuliformis</i> ,	461
<i>Sphenodesme acuminata</i> ,	1476	<i>Cryptophragmiuni axillai'e</i> ,	1496
<i>barbata</i> ,	1474	<i>canescens</i> ,	1495
<i>fen'ughiea</i> ,	1474	<i>serrulatum</i> ,	1495
<i>Griffithiana</i> ,	1477	<i>Dicliptera bivalvis</i> ,	1551
<i>Jack i ana</i> ,	1476-7	<i>cuneata</i> ,	1552
<i>pentandra</i> .	1475	<i>Dilivaria ilicifolia</i> ,	459
<i>tri flora</i> ,	1478	<i>Dipteracanthus patulus</i> ,	1505
<i>Wallichiana</i> ,	1475	<i>D. V. ^choriste i i ttoralis</i> ,	447
<i>Synphorema involucrata</i> ,	562	<i>Ebermaiera glauca</i> ,	1488
<i>polyandra</i> ,	363	<i>Endopogon versicolor</i> ,	1497
<i>Vitex altissima</i> ,	1466	<i>viscosus</i> ,	1498
<i>arborea</i> ,	1465	<i>capitatus</i> ,	1499
<i>leucoxylon</i> ,	1467	<i>foliosus</i> ,	1501
<i>negundo</i> ,	519	<i>rhamnifoliiiN</i> ,	1521
<i>pube.scens</i> ,	1465	<i>strobilanthes</i> ,	1500
ACAXTHACE.E.		<i>Eranthemium montanum</i> ,	466
<i>Acanthodium grossum</i> ,	1535-6	<i>Erythraean thus obtusus</i> ,	1491
<i>h hium</i> ,	1535-6	<i>Gendarussa Tranquebarensis</i> ,	462
<i>AdenoMna balsamea</i> ,	446	<i>vulgaris</i> ,	468
<i>verticillata</i> ,	1524	<i>Goldfussia Dalhousiana</i> ,	1509
<i>Adhatoda Ncilgherrica</i> ,	1544	<i>decurrens</i> ,	1522
<i>Wynaudensis</i> ,	1545	<i>pentstemonoides</i> ,	1510
<i>iEtheilema reniforme</i> ,	1533	<i>tristis</i> ,	1508
<i>Andrographis Ceylanica</i> ,	1560	<i>Zcnkeriana</i> ,	1517
<i>echioides</i> ,	467	<i>Gymnostachyuni alatum</i> ,	1525
<i>lolK'lioide.s</i> ,	1557	<i>Ceylanicum</i> ,	1494
<i>Ncesiana</i> ,	1561	<i>polyanthuni</i> ,	1494
<i>paniculata</i> ,	518	<i>Ilaplanthu.s Neilgherrensis</i> ,	1556
<i>.serpyllifolia</i> ,	517	<i>tencr</i> ,	1556
<i>viscosula</i> ,	1559	<i>Heiniadt'lphis poly.sperma</i> ,	1492
<i>Wightiana</i> ,	1558	<i>Hemichoriste montana</i> ,	1538

Hemigraphis latebrosa,	Tab. 1504	Strobilanthes campanulata,	Tab. 1562
Hcxacentris Mysorensis,	871	<i>ciliata</i> ,	1517
Hygrophila obovata,	1489	<i>decurreiis</i> ,	1517
<i>salici folia</i> ,	1490	<i>glabrata</i> .	1517
Hypoestes Malaccensis,	1555	Graham iana,	1520
Justicia Ecbolium,	463	<i>Heyneana</i> ,	1520
<i>livida</i> ,	1546	<i>lurida</i> ,	1515-16
Lepidagathis <i>cristata</i> ,	455	<i>micrantha</i> ,	1519
<i>laxa</i> ,	1564	<i>Mysorensvt</i> ,	1519
<i>longifolia</i> ,	1564	Neesiana,	1523
<i>nervosa</i> ,	1620	Perrottetiana,	1513
<i>pungens</i> ,	456	<i>rugosa</i> ,	1619
<i>scariosa</i> ,	457	<i>sessilis</i> ,	1511
<i>Walkeriana</i> ,	1530-1620	<i>sessiloides</i> ,	1512
Leptacanthus <i>Walkerii</i>	1507	<i>Wightiana</i> ,	1514
<i>alatus</i> ,	1527	Thunbergia <i>grandiflora</i> ,	872
Leptostachya <i>Wallichii</i> ,	1547		
Meyenia <i>Hawtayneana</i> ,	1483	LENTIBULARI&E.	
Neuracanthus <i>Lawii</i> ,	1531	Utricularia <i>affinis</i> ,	1580
<i>trinervius</i> ,	1532	<i>arcuata</i> ,	1571
Peristrophe <i>montana</i> ,	1553	<i>bifida</i> ,	1584
Phlebophyllum <i>Kunthianuiii</i> ,	448	<i>brachypoda</i> ,	1578
Phloganthus <i>latifolius</i> ,	1537	<i>cserulea</i> ,	1583
<i>thyrsiflorus</i> ,	1537	<i>capUlacea</i> ^	1572
Physichilus <i>serpyllum</i> ,	1493	<i>conferta</i> ,	1575
Rhaphidospora <i>glabra</i> ,	1554	<i>cyanea</i> ^	1575
Rhinacanthus <i>commuiiis</i> ,	464	<i>diantha</i> ,	1569
Rostellularia <i>diffusely</i>	1539	<i>fasciculata</i> ,	1568
<i>gracilis</i> ,	1541	<i>jilicaulis</i> ,	1583
<i>hedyotidifolia</i> ,	1540	<i>glochidiata</i> ,	1581
<i>ynollissima</i> ,	1539	<i>Griffithii</i> ,	1576
<i>procumbens</i> ,	1539	<i>humilis</i> ,	1572
<i>simplex</i> ,	1542	<i>macrolepis</i> ,	1580
Ruellia <i>punctata</i> ,	1563	<i>nivea</i> ,	1582
Rungia <i>Arnottiana</i> ,	1550	<i>pedicellata</i> ,	1578
<i>latior</i> ,	1548	<i>punctata</i> ,	1570
<i>pectinata</i> ,	1547	<i>racemosa</i> ,	1584
<i>repens</i> ,	465	<i>reticulata</i> ,	1571
<i>Wightiana</i> ,	1549-50	<i>Smithiana</i> ,	1577
Stenosiphoniuin,	1503,1496	<i>squamosa</i> ,	1579
<i>confertum</i> ,	1503	<i>stellaris</i> ,	1567
<i>diandrum</i> ,	1502	<i>uliginoides</i> ,	1573
<i>Russellianum</i> ,	873, 1503	<i>uliginosa</i> ,	1573-4-5-9
Schmidia <i>bicolor</i> ,	1848	<i>Wallichiana</i> ,	1572
Strobilanthes,	1492-6, 1510, 1522	PRIMULACKE.	
<i>aspera</i>	1518-23	Anagallis <i>arvenxi</i> ^	1205
		<i>coeruletiy</i>	1205

Anagallis latifolia,	Tab. 1205	Chamissoa albida,	Tab. 1769
Centunculus tenellus,	2000	aspera,	1772
Lysimachia (L.) Leschenaultii,	1204	dichotoma,	1771
<i>tenella</i> ^	1585	nodi flora,	1770
Micropyxis <i>pumila</i> ,	1585	Cyathula capitata,	1782
<i>tenella</i> ,	1585	tomentosa,	1781
Primula denticulata,	2000	Deeringia celosioides.	728
PIAJMBAGINE.E.		tetragyna,	729
<i>Plumbaginecc</i> ,	1042	Desmochneta atropurpurea,	731
Vogelia Indica,	1075	muricata,	732
NYCTAGINE.E.		prostrata,	733
Boerhaavia <i>diffma</i> ,	874	Euxolus caudatus,	1773
procumbens,	874	Gomphrena globosa,	1784
repanda,	1766	Leiosperniuni ferrugineum,	721
<i>scandens</i> ^	875	Pseudanthus brachiatus,	1776
stellata,	875	Psilotrichuni nuduin,	1775
<i>Nyctaginecc</i> ,	1042	Pupalia orbiculata,	1783
Pisonia aculeata, &	1763	CHKVOPODIACE.E.	
aculeata, 9	1764	Atriplex heterantha,	1787
morindifolia,	1765	Basella alba,	896
AMAUAXTACE.E.		Caroxylon Indicum,	1794
Achyranthes aspera,	1777	Chenopodina Indica,	1793
bidentata,	1779	Chenopodiuni ambrosioides,	1786
rubrofusca,	1778	Kochia Indica,	1791
<i>sericea</i> ,	726	Obione fera,	1788
Acrua floribunda,	1776	Konigii,	1790
Javanica,	876	Stocksii,	1789
lanata,	723	Salicornia hrachiata,	738
mnnsonise,	725	<i>j'rutiiosa</i> ,	738
scandens,	724	<i>hcrbncea</i>	738
Alternanthera se.ssilis,	727	Indica,	737
Aniarantus fasciatus,	717	Sal sola spinescens,	1795
f rumen taceus,	720	Spinacia tetrandra,	818
laiiceolatiis,	716	Sua^da Indica,	1796
oleraceus,	715	monoica,	1792
polygarnus,	714	PIIVTOLACCACE.K.	
polygonoides,	512, 719	Gisekia inolluginoides,	1168
spinosus,	513	pliarnacioides,	1167
tonuifolius,	718	Poi.VCONACE.E.	
tristis,	514, 713	Polygonimi anibij'iimn,	1796
Hanalia tin r^iHora,	1774	barhatiiin,	1798
Cclosia urgi'ituii,	1767	Chincnsc,	1806
cerniiMii.	730	Donii,	1801
pulcliella,	1768	glabrum,	1799
Centrostachys m^untica,	1780	horridiiiu,	1803
diandra,	722	Indicum,	1808

Polygonum molle,	Tab. 1807	Lepidadenia Griffithii,	Tab. 1846
Nepalense,	1804	Neesiana,	1840
pedunculare,	1802	ovalifolia,	1839
strictuni,	1800	Wightiana,	1837
Wallichii,	1805	Litsoea Ceylanica,	1844
Pteropyrum Oliverii,	1809	oblonga,	1845
Ruinex Nepalensis,	1810	Machilus glaucescens,	1825
BKGONIACE.K.		macranthus,	1824
Begonia dipetala,	1813	Pei*sea gratissima,	1823
Grahamiana,	1811	Phoebe lanceolata,	1821
subpeltata,	1812	paniculata,	1820
Diploclinium Arnottianum,	1815	villosa,	1822
biloculare,	1814	Sassafras Parthenoxylon,	1832
cordifolium,	1816	Tetranthera ligustrina,	1835
Lindleyanum,	1817	Pauamanja,	1836
LAURACE.E.		tomentosa,	1834
Actinodaphne nngustifolia,	1841	MYRISTICACE.E.	
meiochina,	1843	Pyrrhosia Horsfieldii,	1857
speciosa,	1842	PROTKACE.E.	
Alseodaphne semecarpifolia,	1826-27	Rhopala excelsa,	190
Apollonias Arnottii,	1819	robusta,	191
Beilschmiedia Roxburghiana,	1828	EL(EA)GINACE.E.	
Camphora officinarum,	1818	Eloeagnus latifolia,	1856
Cassytha h'lififormis,	1847	THYMF.LACE.IE.	
Cinnamomum albitiorum,	140	Cansjera Rheedii,	1861
aromaticum,	136	Gnidia eriocephala,	1859
Culilawan,	137	Sisparensis,	1860
dubium,	135	HERNANDIACE.E.	
dulce,	138	Hernandia sonora,	1855
iners,	122, 6w, (lft)	Sarcostigma Kleinii,	1854
multiflorum, /3	126	AQUILARIACE.G.	
nitidum,	124	Gyrinops Walla,	1850
obtusifolium,	139	SAMYDACE.E.	
ovalifolium,	125	Casearia elliptica,	1849
perpetuo-florens,	141	HOMALIACE.E.	
villosum,	127	Blackwellia tetrandra,	1851
Zeylanicum,	123-8-9134	SANTALACE.E.	
Cryptocarya floribunda,	1829	Osyris Wightiana,	1853
Griffithiana,	1830	Scleropyrum Wallichiana,	241
Cylicodaphne Wightiana,	1833	Sphero-carya edulis,	255
Haasia Wightii,	1831	Thesium Wightianum,	1852
Laurus Cassia,	128, 132	AUISTOLOCHIEA.	
Cinnamomum,	129	Aristolochia acuminata,	771
multiflora,	126, 131	lanceolata,	1858
recurvata,	133	Bragantia Wallichii,	520
Lepidadenia glabrata,	1838		

	Tab.		Tab.
<i>DATISCEX.</i>			
<i>Anictoclea Grahamiana,</i>	1956	<i>Macaranga flexuosa,</i>	1949-3
<i>Tetrameles Grahamiana,</i>	1956	<i>Indica,</i>	1949-2,1883
<i>nudiflora,</i>	1956	<i>Roxburghii,</i>	1949-4
<i>EUPHORBIACEA^.</i>			
<i>Acalypha Indica,</i>	877	<i>Macroea Gardneriana,</i>	1902
<i>mappa,</i>	816	<i>myrtifolia,</i>	1902
<i>Actephila Neilgherrensis,</i>	1910	<i>oblongifolia,</i>	1902
<i>Adelia neriifolia,</i>	1868	<i>ovalifolia,</i>	1902
<i>retusa,</i>	1869	<i>Rheedii,</i>	1901
<i>Agyneia bacciformis,</i>	1893	<i>Mappa Moluccana,</i>	816
<i>Arnanoa Indica,</i>	1911	<i>peltata,</i>	817
<i>Anisonema multiflora,</i>	1899	<i>Melanthesa obliqua,</i>	1898
<i>fialiospermum poljandrum</i>	1885	<i>rhamnoides,</i>	1898
<i>Ceratogynum rhamnoides,</i>	1900	<i>turbinata,</i>	1897
<i>Chorisandra pinnata,</i>	1994	<i>Microelus Roeperianus,</i>	1880
<i>Claoxylon digynum,</i>	1884	<i>Osyris peltata,</i>	817
<i>muricatum,</i>	1886	<i>Pachystemon trilobum,</i>	1949
<i>Croton lacciferum,</i>	1915	<i>Peltandra longipes,</i>	1891
<i>umbellatum,</i>	1874	<i>parvifolia,</i>	1892
<i>Dalechampia Indica,</i>	1882	<i>Pierardia macrostachys</i> £,	1912
<i>velutina,</i>	1881	<i>macrostachys</i> 9 ,	1913
<i>Emblica officinalis.</i>	1896	<i>Phyllanthus leprocarpus,</i>	1895
<i>Euphorbia antiquorum,</i>	897	<i>Madraspatensis,</i>	1895
<i>Cattimandoo,</i>	1993	<i>Niruri,</i>	1894
<i>Nivulia,</i>	1862	<i>polyphyllus,</i>	1895
<i>Rothiana,</i>	1864	<i>Rheedii,</i>	1895
<i>tortilis,</i>	898	<i>Putranjiva Roxburghii,</i>	1876
<i>trigona,</i>	1863	<i>Reidia fimbriata,</i>	1904
<i>Excoecaria crenulata,</i>	1865	<i>floribunda,</i>	1903
<i>Falconeria Malabarica,</i>	1866	<i>latifolia,</i>	1904
<i>Fluggea leucopyrus,</i>	1875	<i>ovalifolia,</i>	1904
<i>Gelonium lanceolatum,</i>	1867	<i>polyphylla,</i>	1904
<i>Givotia Rottleriformis,</i>	1889	<i>Ricinus mappa,</i>	816
<i>Glochidion arboreum,</i>	1907	<i>Rottlera peltata,</i>	1873
<i>ellipticum,</i>	1906	<i>Sapium baccatum,</i>	1950-2
<i>velutinuin,</i>	1907	<i>Indicum,</i>	1950
<i>Glochisandra acuminata,</i>	1905	<i>populifoliuin,</i>	1950-2
<i>Goughia Neilgherrensis</i> \$ »	1878	<i>Sarcoclinium longifolium,</i> &>	1887
<i>Neilgherrensis</i> 9 »	1879	<i>longifolium</i> 9 9	1888
<i>Gynoon hirsutum,</i>	1909	<i>Sarcococca trinervia,</i>	1877
<i>Jussieuanuin,</i>	1908	<i>Sauropus Gardneriana,</i>	1951
<i>Hemicyclia sepiaria,</i>	1872	<i>Indica,</i>	1952
<i>Jatropha peltata,</i>	1169	<i>retroversa,</i>	1951
<i>villosa,</i>	1169	<i>Zeylanica,</i>	1952
<i>Jlfacaranga,</i>	817	<i>Tiglium Klotzschianum,</i>	1914
		<i>Trewia nudiflora</i> £,	1870

	Tab.		1980-1-2100 No.	Tab.
Trewia nudiflora 9 ,	1871	Pouzolzia Indica,	1980-1-2100 No.	40
Trigonostemon heteranthum,	1890	integrifolia,	1979-1 „	2
CALMTRICHACE^:				
Callitriche Wightiana,	1947	Johnsoniana,	2101 „	47
UITICACE.I.				
Chamabainia cuspidata,	1981	longi folia,	2093 „	6
Elatostema cuneata,	2091	microphylla,	2098 „	30
cuspidata,	1983	minor,	2100 „	43
lineolata,	1984	Mysorensis,	2092 „	4
oppositifolia,	1985	Neilgherrensis,	2097 „	26
ovata,	1985	oblongi folia,	2096 „	25
surculosa,	2091	ovalifolia,	2092 „	3
Fleurya interrupta,	1975	ovata,	2096 „	24
Forskahlia tenacissima,	1982	parvifolia,	2092 „	1
urticoides,	1982	pauci flora,	„	55
Girardinia Leschenaultiana & ,	1976	pentandra,	2096 „	20
Leschenaultiana 9 >	1976	pilosa,	2101 „	46
Laportea crenulata,	1972	procumbens,	2099 „	35
terminal is,	1972	prostrata,	„	54
Parietaria bracteata,	55	pyramidata,	2101 „	48
Indica,	1980, 2100,	quadrialata,	2094 „	12
Judiaca,	55	rainosissima,	2095-97 „	17-28
Sonneratih	55	Uheedii,	2099 „	38
Zeylanka,	2101,46	rostrata,	1980-3 „	34
Pilea radicans,	1974	rotundifolia,	2098 „	31
trinervia,	1973	scabra,	2097 „	29
Pouzolzia acuta,	2092 No.	scabrida,	2100 „	41
ambigua,	2095	Stocksii,	„	18
angusti folia,	2100 „	suffruticosa,	„	43
ospera,	2095 „	ternata,	2093 „	7
auriculata,	1980-2099	tetraptera,	2100 „	42
Bennettiana,	1978 „	tomentosa,	2094 „	11
bicuspidatu,	2098 „	trialata,	2096 „	22
Borbonica,	2100 „	tuberosa,	„	44
caudata,	2097 „	vesicaria,	„	45
concinna,	2093 „	Walkeriana,	2095 „	IG
cordata,	53	Wallichiana,	2096 „	23
Courtallensjis,	2093 „	Wightii,	2093 „	8
cymosa,	1979-2 „	Zeylanica,	2101 „	45
Dalzellii,	2096 „	IT rt i ca <i>acertifolia,</i>	1976	
diffusa,	2099 „	(P.) alienata,	603 „	46
elliptica,	2098 „	{P.) <i>liorbonka,</i>	2100 „	39
Gardneri,	2092 „	crenulata,		686
glabra,	2095 „	decumana,		689
heterocarpn,	2094 „	fruticosa,		694
hispida.	13-14	heterophylla,	687, 1976	
	51	intiTruptn,	692, 1975	
		involucrata,	685	

	Tab.		Tab.
<i>Urtica laxiflora</i> ,	1975	<i>Ficus hirta</i> ,	672
<i>nauclei flora</i> ,	684	<i>humilis</i> ,	635
(P.) <i>parviflora</i> ,	690	<i>infectoria</i> ,	665
„ <i>pentandra</i> ,	2096 No. 20	<i>laccifera</i> ,	656
<i>pulcherrima</i> ,	683	<i>lanceolata</i> ,	645
<i>scabrella</i> ,	691,1977	<i>macrophylla</i> ,	673
(P.) <i>suffruticosa</i> ,	No. 43	<i>nitida</i> ,	648
<i>tenticissima</i> ,	688	<i>ohtusifolia</i> ,	662
<i>trinervia</i> ,	1973	<i>oppositifolia</i> ,	638
(P.) <i>tuberosa</i> ,	697 No. 44	<i>poly car pa</i> ,	632
„ <i>vesicaria</i> ,	695 „ 45	<i>quercifolia</i> ,	646
	ULMACEA.	<i>radicans</i> ,	671
<i>Celtis orientalis</i> $\langle \mathcal{D} \rangle$,	602-3, 1971	<i>raccmifera</i> ,	639
<i>serotina</i> ,	1970	<i>ramentacea</i> ,	657
<i>Wightii</i> ,	1969	<i>rapiforniis</i> ,	637
<i>Holopetala integrifolia</i> ,	1968	<i>repens</i> ,	636
<i>Sponia velutina</i> .	1990	<i>scabrella</i> ,	661
<i>Wightii</i> ,	1971	<i>scandens</i> ,	643
<i>Ulmus integriifolia</i> ,	1968	<i>tomentosa</i> ,	647
<i>orientalis</i> ?,	603	<i>Tsiala</i> ,	668
	MOREJE.	<i>tuberculata</i> ,	651
<i>Batis spinosa</i> ,	1963	<i>vagans</i> ,	655
<i>Covellia guttata</i> ,	1966	<i>virgata</i> ,	649
<i>Dorstenia Indica</i> ,	1964	<i>Wassa</i> ,	666
<i>Epicarpurus orientalis</i> ,	1961	<i>Morus atropurpurea</i> ,	677
<i>spinosus</i> ,	1962	<i>indica</i> ,	674
<i>Ficus Bengalensis</i> ,	1989	<i>paniculata</i> ,	676
<i>Indica</i> ,	1989	<i>tartarica</i> .	675
<i>Allameeraloo</i> ,	650	<i>Plecosperruin spinosum</i> ,	1963
<i>ampelos</i> ,	652	<i>Pogonotrophe macrocarpa</i> ,	1965
<i>angustifolia</i> ,	660	<i>Trophis aspera</i> ,	1961
<i>asperrima</i> ,	633	<i>spinosa</i> ,	1962
<i>caricoides</i> ,	634	<i>Urostigma rcligiosum</i> ,	1967
<i>comosa</i> ,	658	<i>Bengalense</i> ,	1989
<i>congesta</i> ,	644		ARTOCARPE^..
<i>conglomerate</i> ,	669	<i>Antiaris saccidora</i> ,	1958
<i>cordi folia</i> ,	640	<i>Artocarpus Chapl&sha</i> ,	682
<i>cunia</i> ,	648	<i>cchinata</i> ,	680
<i>doemona</i> ,	641	(J.) <i>hirsuta</i> ,	1957
<i>elastica</i> ,	663	<i>integri folia</i> ,	678
<i>exasperata</i> ,	664	<i>Laecuha</i> ,	681
<i>fruticosa</i> ,	654	<i>lanccoefolia</i> ,	679
<i>glomerata</i> ,	667	<i>Conocephalus niveus</i> ,	1959
<i>hederacea</i> ,	653	<i>Cudrania Javanensis</i> ,	1960
<i>heterophylla</i> ,	659	<i>Lepuramtra sacchlortiy</i>	1958
<i>hirsuta</i> ,	670	<i>Mows scandens</i> *	1960

	Tab.		Tab.
CKRATOFHYLLEIC		Chavica sylvatica,	1930
Ceratophyllum missionis,	1948	Cubeba Wallichii,	1932
muricatum,	1948	Muldera trichobtachya,	1944
tubercilatum,	1948	Wightiana,	1943
verticUlatum,	1948	Peperomia Courtnllensis,	1923
PODOSTKMACKA:.		DindygulenMs,	1921
J)al/ellia foliosa,	1919	Heyncaiaa,	1922
Lawii,	1919	portulacoides,	1922
pedunculosa,	1919	reflexa,	1923
rainosissima,	1920	Wightiana,	1924
Zeylanica,	1919	Piper arborescens,	1940
Dicinta dichotoma,	1916	argyrophylliiii,	1941
elongata,	1917	attenuatum,	1933
longi folia,	1916	hymcnophyllum,	1942
rigida,	1916	Neprtulonse,	1938
stylosa,	1917	nigrum,	1934
Wallichii,	1916	sylvestre,	1937
Wightii,	1916	trioicum, 5 & 91	1935-6
Hydrobryum Griseum,	1918	Wightii,	1939
olivaceuin,	1918	Pothoniorphe subpeltata,	1925
Mniopsis Hookeriana,	1918	CUFULIFKR.V.	
Johnsonii,	1918	Castanca Indica,	417
Podostemon subulatus,	1918	Quercus arinata,	770
IVisticha bryoides,	1920	castanicaarpa,	769
AN'TIDEAMK.V..		ferox,	218
Antidesma acuminata,	1991	fenestrata,	219
Bunias,	819	1 an ceo? folia,	212
paniculata,	820	lappacea,	220
lanceolaria,	766	sumiserrata,	211
pubescens,	821	s(liiamata,	213
tomcntosa,	767-8	turbinata,	221
Astylis venusta,	1992	GNKTACE.T:.	
Scepa Lindleyana,	361	Gnetum funiculare,	1955
Stilago lanceoiar'W)	766	seandeniti	1955
tomentasa,	767-8	SALUACKA-:.	
Bun'ns,	819	Salix ichnostachya,	1953
CHLORAKTHIACEA.		tetroNpcrma,	1954
Chloraiithus Indicus,	1945	MVUICK.V..	
offirinaUs,	1945	Myrica integrifolia,	764-5
Sarcandra chloranthoides,	1946	DIOSCORRJE.	
PII'KRAI'K.Y..		DioM'orcu aculeata,	2060
Chavica Bctic,	1926	alata,	810
j)eeuloide.s,	1927	ama'Tia,	811
Roxburghii,	1928	l)(Pinoua,	811
sarmentosa,	1929	globosa,	812
spl i (LTON tacliy a,	1931	oppositilblia,	813

Dioscorea pentaphylla,	Tab. 814	Cirrhopetalur.. fimbriatum,	Tab. 1655
tomentosa,	815	grandiflorum,	1656
bulbifera,	878	Macrcei, ?	1652
SMILACE.E.		Neilgherrense,	1654
Sniilax maculata,	2059	Walkerianum,	1657
ovalifolia,	809	Cottonia niacro^tacliya,	1755
Zey Ian ica 9,	2057	Cryptocliilus sanguinea,	1757
Zeylanica 5 i	2058	Cymbidiuii aloifolium,	1687-8
ROXBUHGHIACE.I.		erectum,	1753
Roxburgbia gloriosoides,	2061	tenuifolium,	911
ORCHIDE^E.		tesseloides,	916
Aceras angustifolia,	1691	triste,	1689
Acriopsis Indica,	1748	Cypripedium piirpuratiini,	1760
Javanica,	1748	Cyi'topera Cullenii,	1754
/Eceolades tenera,	1683	flava,	1690-1754
yErides cylindricum,	1744	fusca,	1690
Lindleyanum,	1677	Cytheris cordifolia,	1751-2
radicosum,	917	Griffithii,	1751-2
Wightianum,	1669	Dcndrobium album,	1645
Aggeianthus marchantioides,	1737	alpestre,	1643
Antectochilus setaceus,	1731	aureum,	1646
Auia latifolia,	914	barbat uluin,	910
Apaturia Lindleyana,	1662	denxidans,	1643
senilis,	1662	filiforme,	1642
Apetalon mimitum,	1758	graminifolium,	1649
Appeudicula Hasseltii,	1748	Heyneanum,	909
Arundina bambusifolia,	1661	humile,	1643
Ate virons,	928	Jerdonianum,	1644
Bolbopby 11 u n i <i>Cala mar in,</i>	1749	macrostachyum,	1647
<i>Careyanuni)</i>	1650	Pierardi,	908
fubcopurpureuin,	1651	ramosissiinum,	1648
Neilgherren.se,	1650	Dienia cylindrostachya,	1630
treniuluii,	1749	Diplocentrum congestum,	1682
Hroinlieadia palustris,	1740	longifolium,	1681
C<julogyne angu.<>tifolia,	1641	recurvum,	1680
corrugata,	1639	Di.speris Neilgherrensi.s,	1719
nervosa,	1638	tr'ipctaloides.	1719
odorutissima,	1640	tri[]etaloidia,	930
Calantlic Linarginata,	918	Epipactis (<i>urlnatu,</i>	1720
IVrroltetii,	1664-65	Dalhousia,	1723
vcrat rifolia,	1664-65	macrostiu'hya,	1722
Cc'plialaiitheru «'icuniii;i(a,	1721	IM'ia pauciHora,	1636
Chcirostyli«i Hjilx'llala,	1727)olystachya,	16,*4-S5
Cliiloclii>t(i iMicoides,	1741	pulx'sccns,	1634 35
Cirrhopetaluin all>i(limi,	l()5f*	ri'ticosa,	1(537
caiidatuin,	l()58	Kulophia macTObtacliya,	1667-8

	Tab.		Tab.
<i>Eulophia rameutacea</i> ,	1666	<i>Microstylis luteola</i> ,	
<i>virens</i> ,	913	<i>Rheedii</i> ,	902
<i>Euphroboscis pygmea</i> ,	1732	<i>versicolor</i> ,	901
<i>Geodorum dilatatum</i> ,	912	<i>Monochilus affine</i> ,	1728
<i>Goodyera elongata</i> ,	1730	<i>flabellatiis</i> ,	1727
<i>ovalifolia</i> ,	1730	<i>Mycaranthus stricta</i> ,	1733
<i>procera</i> ,	1729	<i>Oberonia anthropophora</i> ,	1626
<i>Govindooia nervosa</i> ,	2090	<i>Arnottiana</i> ,	1628
<i>Grammatophyllum Finlaysonianum</i> ,	1740	<i>Brunoniana</i> ,	1622
<i>Habenaria affinis</i> ,	1707	<i>denticulata</i> ,	1625
<i>cephalotes</i> ,	1711	<i>Griffithii</i> ,	1629
<i>crinifera</i> ,	926	<i>imbricata</i> , ?	1629
<i>decipiens</i> ,	927-1714	<i>Lindleyana</i> ,	1624
<i>digitata</i> ,	1701	<i>platycaulon</i> ,	1623
<i>elliptica</i> ,	1706	<i>verticillata</i> ,	1626
<i>finibriata</i> ,	1712	<i>Wightiana</i> ,	1627
<i>foliosa</i> ,	1700	<i>Oxysepala ovalifolia</i> ,	1736
<i>Heyneana</i> ,	923, 1703-4	<i>Pattonia macrantha</i> ,	1750
<i>Jerdoniana</i> ,	1715	<i>Peristylus exilis</i> ,	1698
<i>Lindleyana</i> ,	922	<i>Lawii</i> ,	1695
<i>longicalcarata</i> ,	925	<i>plantagineus</i> ,	921
<i>montana</i> ,	927, 1714	<i>Richardianus</i> ,	1697
<i>ovalifolia</i> ,	1708	<i>robustior</i> ,	1699
<i>peristyloides</i> ,	1702	<i>spiralis</i> ,	1696
<i>plan tagi nea</i> ,	1710	<i>Phajus bicolor</i> ,	1659-60
<i>platyphylla</i> ,	1709	<i>Pholidota imbricata</i> ,	907
<i>rariflora</i> ,	924	<i>Phreatia uniflora</i> ,	1734
<i>Richardiana</i> ,	1713	<i>Plantanthera affinis</i> ,	1693
<i>salacce?isif</i> ,	922	<i>brachiphylla</i> ,	1694
<i>trinervia</i> ,	1701	<i>iantha</i> ,	1692
<i>viridiflora</i> ,	1705	<i>lutea</i> ,	919
<i>Ipea speciosa</i> ,	1663	<i>Susanna?</i> ,	920
<i>Josephia lanceolata</i> ,	1742	<i>Podanthera pallida</i> ,	1759
<i>latifolia</i> ,	1743	<i>Podochilus falcatus</i> ,	1748-2
<i>Lichenora Jerdoniana</i> ,	1738	<i>Malabaricus</i> ,	1748-2
<i>Liparis atropurpurea</i> ,	904	<i>Pogonia biflora</i> ,	1758-2
<i>atropurpiiriana</i> ,	1633	<i>carinata</i> ,	1720
<i>biloba</i> ,	1633	<i>Polystachya luteola</i> ,	1678
<i>densi flora</i> ,	901	<i>purpurea</i> ,	1679
<i>elliptica</i> ,	1735	<i>Saccolabium guttatum</i> ,	1745-6
<i>longipe.s</i> ,	906	niveum ,	1676
<i>olivacea</i> ,	903	<i>paniculatum</i> ,	1676
<i>viridiflora</i> ,	1735	<i>papillosum</i> ,	1672
<i>Walkeria*</i> ,	905	<i>Rheedii</i> ,	1745-6
<i>MalaxU Rheedii</i> ,	902	<i>rubruni</i> ,	1673
<i>Microbtylis decolor</i> ,	1631	<i>speciosum</i> ,	1674-5

Saccolabiuin Wightiaium,	Tab. 917	Hedychium cernuum,	Tab. 2011
Sarcanthus filiformis,	1684	coronarium,	2010
pauciflorus,	1747	flavescens,	2008-9
roseus,	1685	scapomm,	2030
Walkerianus,	1686	venustum,	2012
Satyrium albiflorum,	1717	K&'mpferia Galanga,	899
Nepalense,	929	rotunda,	2029
Perrottetianum,	1716	Monolophus scaposus,	2030
Wightianum,	1718	Roscoea alpina,	2013
Spathoglottis pubescens,	1739	lutea,	2013
Spiranthes australis,	1724	Zingiber squarrosus,	2004
densa, ?	1724	Zemin bet,	2003
longispicata,	1724		
Wightiana,	1724	CAKSACEJE.	
Taeniophyllum Jerdonianum,	1756	Maranta amndinacea,	2015
parvifloreiy	1669	virgata,	2015
pulchella,	1671	Phrynium capitatuin,	2016
spathulata,	1669	ovatum,	2016
Wightiana,	1670	vireatum,	2015
Vanda Roxburghii,	916		
spathulata,	915	MELANTHACEAE	
Vanilla aphylla,	931	Musa superba,	2017-18
WightiL	931	AMARYLLI DACE'AE.	
Walkeriae,	932	Agave vivipara,	2024
Zosterostylis Walkerao,	1748-4	Crinum latifolium,	2019-20
Zeylanica*	1748-4	toxicarium,	2021-22
Zuxine bracteata,	1724 bis	Fourcroya gigantea,	2025
brevifolia,	1725	Pancratium verecundum,	2023
robusta,	1726	HYPOXIDE^S.	
sulcata,	1724-5	Curculigo brevifolia,	2043
ZIKGIDKRACEA:.		latifolia,	2044
Alpinia Allugas,	2026	Malabafjca,	2043
calcarata,	2028	orchioides,	2043
nutans,	2027	pauci flora,	2046
Rheedii,	2026	sumatrana,	2042
Costus Nepaulensis,	2014	Hypoxis brachystachya,	2046
speciosus,	2014	latifolia,	2044
Curcuma aromatica,	2005	leptostachya,	2045
Neilgherrensis,	2006	minor.	2046
Zedoaria,	2005	pauci flora,	2046
Elettaria cannwcarpa,	2007	trichocarpa,	2045
Globba bidbiferu.	2001	trichostachya,	2046
Careyana,	2002	MELANTHACE.T:.	
marantinoides,	2001	Di.sporuin Ceylanicum,	2049
ophioglossa,	2002	Ix.'sclcnaultianum,	2048
OrLrewtis.	2002	Mysnrense,	2049
		Gloriosa superba,	2047

	Tab.		Tab.
LILIACEAE.			
<i>Anthriscum tuberosum</i> ,	2036	Cyanotis Burmanniana,	2089
Asparagus Asiaticus,	2055	<i>crystata</i> ,	2082
<i>racemosus</i> ,	2056	<i>decumbens</i> ,	2088
Asphodelus parviflorus,	2062	<i>dichrotricha</i> ,	2087
Barnardia Indica,	2041	<i>fasciculata</i> ,	2086
Dianella ensifolia,	2053	<i>lanceolata</i> ,	2085
Dracaena terminalis,	2054	<i>Lawiana</i> ,	2086
Ledebouria hyacinthina,	2040	<i>longifolia</i> ,	2084
Lilium Neilgherrense,	2031-2	<i>papilionacea</i> ,	2089
<i>tubiflorum</i> ,	203&-4	<i>pilosa</i> ,	2083
<i>Wallichianum</i> ,	2035	<i>rosea</i> ,	2086
Ophiopogon Indicus,	2050	<i>sarmentosa</i> ,	2087
Peliosanthes Courtallensis,	2051	<i>tuberosa</i> ,	2083
<i>Neilgherrensis</i> ,	2052	<i>vaginata</i> ,	2088
Phalangium attenuatum,	2037	Dichospermum juncoides,	2078
<i>oligospermum</i> ,	2038	<i>lanceolatum</i> ,	2078
<i>parviflorum</i> ,	2039	<i>repens</i> .	2078
<i>tuberosum</i> ,	2036	Dictyospermum montanum,	2069
<i>Scilla Coromandeliana</i> , t	2064	<i>ovalifolium</i> ,	2070
<i>Indica</i> ,	2063	<i>protensum</i> ,	2071
Urginea congesta,	2064	Dithyrocarpus petiolatus,	2079
<i>Coromandeliana</i> ,	2064	<i>Rothii</i> ,	2080
<i>Indica</i> ,	2063	<i>undulatus</i> ,	2080
COM MEL YN ACE M.		Heterocarpus glaber,	2067
Aclisia Indica,	2068	<i>hirsutus</i> ,	2067
<i>scorzogonensis</i> ,	2068	<i>Juncus lamprocarpus</i> ,	2078
Aneilema ensifolia,	2074	<i>uliginosus</i> ,	2078
<i>hispidula</i> ,	2079	<i>Murdania scapiflora</i> ,	2073
<i>latifolia</i> ,	2072	Streptolirion volubile,	2081
<i>montana</i> ,	2069	Tradescantia <i>crystata</i> ,	2086
<i>nana</i> ,	2077	<i>fasciadata</i> ,	2086
<i>paniculata</i> ,	2075	<i>imbricata</i> ,	2082
<i>pauciflora</i> ,	2077	<i>paniculata</i> ,	2080
<i>protensa</i> ,	2071	<i>papilionacea</i> ,	2086
<i>scapiflora</i> ,	2073	<i>pilosa</i> ,	2083
<i>secunda</i> ,	2075	AIJSMACEIE	
<i>terminalis</i> ,	2076	Alisma reniformis,	322
<i>tuberosa</i> ,	2073	AUOIDKA.	
<i>vaginata</i> ,	2076	<i>Aglaonema oblongifolium</i> ,	806
Coinmelyna Bengalensis,	2065	<i>pictum</i> ,	804
<i>crystata</i> ,	2082-89	<i>Amblyglottis emarginata</i> ,	918
<i>iiiana</i> ,	2077	Ambrosinia ciliata,	775
<i>papilionacea</i> ,	2086-89	<i>retrospiralis</i> ,	772
<i>polyspatha</i> ,	2066	<i>spiralis</i> ,	773
<i>seaforthii</i> ,	2073	<i>unilocularis</i> ,	774
		A morphophallus bitbifer,	783

<i>Amorphophallus campanulatus,</i>	Tab. 782-85	<i>Colocasia antiqtiwum,</i>	Tab. 786
<i>margaritifer,</i>	795	<i>cuailata,</i>	787
<i>sylvaticus,</i>	80S	<i>fornicata,</i>	789-92
<i>Arisoema curvatum,</i>	788	<i>Indica,</i>	794
<i>cuspidatum,</i>	784	<i>montana,</i>	796
<i>gracile,</i>	793	<i>nymphceifolm^</i>	786
<i>Rorburghii,</i>	784	<i>odora,</i>	797
<i>Arum bulbiferum,</i>	783	<i>vb'osa.</i>	808
<i>campanulatum,</i>	782-85	<i>Cryptocoryne ciliata,</i>	775
<i>colocasia,</i>	786	<i>retrospiralis,</i>	772
<i>cuculatum,</i>	787	<i>spiralis,</i>	773
<i>cuspidatum,</i>	784	<i>unilocularis,</i>	774
<i>curvatum,</i>	788	<i>Homalonema a?'omatica,</i>	805
<i>divaricatum,</i>	790	<i>valyptrata,</i>	799
<i>flagelli forme,</i>	791	<i>rubescens,</i>	807
<i>fornicatum,</i>	789-92	<i>Lasia heterophylla,</i>	777
<i>gracile,</i>	793	<i>Pothos decurttiva.</i>	770
<i>Indicum,</i>	794	<i>heterophylla,</i>	777
<i>margaritiferum,</i>	795	<i>qfficialis,</i>	778
<i>montanum,</i>	796	<i>peep lu,</i>	780
<i>nymphoeifolium,</i>	786	<i>pertusa,</i>	781
<i>odorum,</i>	791	<i>scan dens,</i>	776
<i>Orixense,</i>	801	<i>Pythonium bulbiferum,</i>	783
<i>sessiliflorum,</i>	800	<i>sylvaticum,</i>	802
<i>sylvaticum,</i>	802	<i>Remusatia vivipara,</i>	798-900
<i>trilobatum,</i>	803	<i>Scindapsus decursivus,</i>	779
<i>viviparum,</i>	798	<i>officialis,</i>	778
<i>Caladhim cucidatum,</i>	787	<i>pepla,</i>	780
<i>nymphocifolium,</i>	786	<i>pertusus,</i>	781
<i>Calla aromatica,</i>	805	<i>Souromatum sessUiftorum,</i>	800
<i>cal> ptrata,</i>	799	<i>'Vyphon i um divaricatum,</i>	790
<i>oblongifolia,</i>	806	<i>flagellifoi me,</i>	791
<i>picta,</i>	804	<i>gracile,</i>	793
<i>rubescens,</i>	807	<i>Orixense,</i>	• 801
<i>virosa,</i>	80S	<i>trilobatum,</i>	801-803

ALPHABETICAL INDEX OF NATURAL ORDERS

	Page.		Page.
101 Acanthaceae,	58	149 Conimelynaceae,	70
53 Alangiaceae,	45	70 Compositae,	49
150 Alismaceae,	71	92 Convolvulaceae,	55
106 Amaranthaceae,	60	93 Cordiaceae,	55
145 Amaryllidaceae,	70	61 Crassulaceae,	47
35 Aizoaceae,	42	9 Cruciferae,	39
4 Anonaceae,	39	57 Cucurbitaceae?,	46
131 Antidesmeae,	66	134 Cupuliferae.	66
85 Apocynaceae,	53	88 Cyrtandraceae,	54
117 Aquilariaceae,	62	122 Datisceae,	62
64 Araliaceae,	47	2 Dilleniaceae ¹ ,	39
121 Aristolochiaceae,	62	138 Dioscoreae,	66
151 Aroideae,	71	69 Dipsacaceae?,	49
128 Artocarpaceae,	65	23 Dipterocarpaceae,	40
84 Asclepiadaceae,	52	13 Droseraceae,	39
25 Aurantiaceae,	41	78 Ebenaceae,	51
37 Balsaminaceae,	42	16 Elatinaceae,	40
110 Begoniaceae,	61	114 Ehamnaceae,	62
67 Berberidaceae,	39	22 Ehinocarpaceae,	40
89 Bignoniaceae,	54	74 Ericaceae,	50
19 Bombacaceae,	40	29 Erythroxyleae,	41
94 Boraginaceae?,	56	123 Euphorbiaceae;,	62
20 Byttneriaceae,	40	11 Flacourtiaceae?,	39
124 Callicotrichaceae*,	63	87 Gentianaceae,	54
72 Campanulaceae?,	50	36 Geraniaceae ⁴ ,	42
143 Cannaceae,	69	135 Gnaphalaceae?,	66
10 Cappariaceae;	39	71 Goodenoviaceae*,	50
66 Caprifoliaceae,	47	27 Guttiferae?,	41
167 Caryophyllaceae;,	40	56 Haloragaceae*,	46
33 Cedrelaceae,	42	116 Illegandraceae,	62
43 Celastraceae,	42	28 Illegandraceae,	41
129 Centropogonaceae?,	65	119 Illegandraceae%,	62
107 Clusiaceae;L>,	61	91 Hydrocharitaceae?, •	55
132 Chloranthaceae;	66	26 Hypericaceae*,	41
50 Combretaceae;	45	146 Illegandraceae,	70

	Page.		Page .
76 Ilicineae,	51	130 Podostemaceae,	66
81 Jasmines,	52	14 Polygaleae,	39
98 Labiatae,	^57	109 Polygonaceae,	61
111 Lauraceae,	61	59 Portulacaceae,	47
46 Leguminosae,	43	103 Primulaceae,	60
102 Lentibulariaceae,	59	113 Proteaceae,	62
148 Liliaceae,	70	1 Ranunculaceae,	39
73 Lobeliaceae,	50	44 Rhamnaceae,	43
86 Loganaceae,	54	49 Rhizophoraceae,	45
65 Loranthaceae,	47	47 Rosaceae,	45
3 Magnoliaceae,	39	140 Roxburghiaceae,	67
30 Magnoliaceae,	41	67 Rubiaceae,	48
18 Malvaceae,	40	136 Salicaceae,	66
147 Melanthaceae,	70	48 Salicariaceae,	45
51 Melastomaceae,	45	82 Salvadoraceae,	52
32 Meliaceae,	41	118 Samydaceae,	62
52 Memecylaceae,	45	120 Santalaceae,	62
5 Menispermaceae,	39	31 Sapindaceae,	41
34 Millingtoniaceae,	42	79 Sapotaceae,	51
127 Moreae,	65	62 Saxifragaceae,	47
144 Musaceae,	70	6 Schizandraceae,	39
99 Myoporaceae,	57	97 Scrophulariaceae,	56
137 Myricaceae,	66	90 Sesameae,	55
112 Myristicaceae,	62	139 Simulaceae,	67
80 Myrsinaceae,	51	95 Solanaceae,	56
54 Myrtaceae,	45	77 Styracaceae,	51
105 Nyctaginaceae,	60	15 Tamariscaceae,	39
8 Nymphaeaceae,	39	45 Terebinthaceae,	43
42 Ochnaceae,	42	24 Ternstroemiaceae,	40
24J Olacaceae,	40	115 Thymelaceae,	62
83 Oleaceae,	52	21 Tiliaceae,	40
55 Onagraceae,	46	126 Ulmaceae,	64
141 Orchidaceae,	67	63 Umbelliferae,	47
96 Orobanchaceae,	56	125 Urticaceae,	63
38 Oxalidaceae,	42	75 Vacciniaceae,	50
60 Paronychiaceae,	47	68 Valerianaceae,	49
58 Passifloraceae,	47	100 Verbenaceae,	57
108 Phytolaccaceae,	61	12 Violariaceae,	39
183 Piperaceae,	66	41 Xanthoxyleae,	42
39 Pittosporaceae,	42	142 Zingiberaceae,	69
104 Plumbaginaceae,	60	40 Zygophylleae,	42

INDEX TO NATURAL ORDERS

ACCORDING TO DR. WIGHT'S WORKS

	Page.		Page.
1 Ranunculaceae,	39	35 Ampelideae,	42
2 Dilleniaceae,	39	36 Geraniaceae,	42
3 Magnoliaceae,	39	37 Balsamineae,	42
4 Anonaceae,	39	38 Oxalideae,	42
5 Menispermaceae,	39	39 Pittosporaceae,	42
6 Schizandraceae,	39	40 Zygophylleae,	42
7 Berberideae,	39	41 Xanthoxylea?,	42
8 Nyctaginaceae,	39	42 Ochnaceae,	42
9 Cruciferae,	39	43 Celastrineae,	42
10 Capparideae,	39	44 Rhamnaceae,	43
11 Flacourtiaceae,	39	45 Terebinthaceae,	43
12 Violariaceae,	39	46 Leguminosae,	43
13 Drosaceae,	39	47 Rosaceae,	45
14 Polygaleae,	39	48 Salicariaceae,	45
15 Tamariscineae,	39	49 Rhizophoraceae,	45
16 Elatineae,	40	50 Combretaceae,	45
17 Caryophyllaceae,	40	51 Melastomaceae,	45
18 Malvaceae,	40	52 Memecyleae,	45
19 Bombaceae,	40	53 Alangiaceae,	45
20 Byttneriaceae,	40	54 Myrtaceae,	45
21 Tiliaceae,	40	55 Onagraceae,	46
22 Eloeocarpeae,	40	56 Haloragaceae,	46
23 Dipterocarpeae,	40	57 Cucurbitaceae,	46
24 Ternstroemiaceae,	40	58 Passifloraceae,	47
24J Olacineae,	40	59 Portulacaceae,	47
25 Aurantiaceae,	41	60 Paronychiaceae,	47
26 Hypericaceae,	41	61 Crassulaceae,	47
27 Guttiferae,	41	62 Saxifragaceae,	47
28 Hippocrateaceae,	41	63 Umbelliferae,	47
29 Erythroxyleae,	41	64 Araliaceae?,	47
30 Malpighiaceae,	41	65 Loranthaceae,	47
31 Sapindaceae,	41	66 Caprifoliaceae,	47
32 Meliaceae,	41	67 Rubiaceae,	48
33 Cedrelaceae,	42	68 Valerianaceae,	49
34 Millingtoniaceae,	42	69 Dipsacaceae,	49

	Page.		Page.
70 Composite,	49	111 Lauraceae,	61
71 Goodenovieae,	50	112 Myristicaceae,	62
72 Campanulaceae,	50	113 Proteaceae,	62
73 Lobeliaceae,	50	114 Eloeagnaceae,	62
74 Ericaceae,	50	115 Thymelaceae,	62
75 Vaccineaceae,	50	116 Hernandiaceae,	62
76 Illicineae,	51	117 Aquilariaceae,	62
77 Styracaceae,	51	118 Samydaceae,	62
78 Ebenaceae,	51	119 Homaliaceae,	62
79 Sapotaceae,	51	* 120 Santalaceae,	62
80 Myrsinaceae,	51	121 Aristolochiaceae,	62
81 Jasmineae,	52	122 Datisceae,	62
82 Salvadoraceae,	52	123 Euphorbiaceae,	62
83 Oleaceae,	52	124 CallitrichaceaeD,	63
84 Asclepiadeae,	52	125 Urticaceae,	63
85 Apocynaceae,	53	126 Ulmaceae,	64
86 Loganiaceae,	54	127 JViorea?,	65
87 Gentianaceae,	54	128 ArtocarpeaeD,	65
88 Cyrtandraceae,	54	129 Ceratophylleae,	65
89 Bignoniaceae,	54	130 Podostemaceae,	66
90 Sesameae,	55	131 Antidesmeae,	66
91 Hydroleaceae,	55	132 Chloranthaceae,	66
92 Convolvulaceae,	55	133 PiperaceaeD,	66
93 Cordiaceae,	55	134 CupuliferaeD,	66
94 Boragineae,	56	135 Gnetaceae,	66
95 Solanaceae,	56	136 Salicaceae,	66
96 Orbanhaceae,	56	137 Myricaceae,	66
97 Scrophulariaceae,	56	138 DioscoreaeD,	66
98 Labiatae,	57	139 Smilacaceae,	67
99 Myoporaceae,	57	140 Roxburghiaceae,	67
100 Verbenaceae,	57	141 Orchideae,	67
101 Acanthaceae,	58	142 Zingiberaceae,	69
102 Lentibulariaceae,	59	143 Cannaceae,	70
103 Primulaceae,	60	144 MusaceaeD,	70
104 Plumbagineae,	60	145 Amaryllidaceae,	70
105 Nyctagineae,	60	146 Hypoxideae,	70
106 Amarantaceae?,	60	147 MelanthaceaeD,	70
107 Cheupodiaceae,	61	148 Liliaceae,	70
108 Phytolaccaceae,	61	149 Com melynaceae,	70
109 Polygonaceae,	61	150 AlismaceaeD,	71
110 Begoniaceae,	61	151 Aroideae,	71



	Page.		Page.
70 Composites,	49	111 Lauraceae,	61
71 Goodenovieae,	50	112 Myristicaceae,	62
72 Campanulaceae,	50	113 Proteaceae,	62
73 Lobeliaceae,	50	114 Eloeagnaceae,	62
74 Ericaceae,	50	115 Thymelaceae,	62
75 Vaccineaceae,	50	116 Hernandiaceae,	62
76 Illicineae,	51	117 Aquilariaceae,	62
77 Styracaceae,	51	118 Samydaceae,	62
78 Ebenaceae,	51	119 Homaliaceae,	62
79 Sapotaceae,	51	* 120 Santalaceae,	62
80 Myrsinaceae,	51	121 Aristolochiaceae,	62
81 Jasmineae,	52	122 Datisceae,	62
82 Salvadoraceae,	52	123 Euphorbiaceae,	62
83 Oleaceae,	52	124 CallitrichaceaeD,	63
84 Asclepiadeae,	52	125 Urticaceae,	63
85 Apocynaceae,	53	126 Ulmaceae,	64
86 Loganiaceae,	54	127 JViorea?,	65
87 Gentianaceae,	54	128 Artocarpeae,	65
88 Cyrtandraceae,	54	129 Ceratophyllesc,	65
89 Bignoniaceae,	54	130 Podostemaceae,	66
90 Sesameae,	55	131 Antidesmeoc,	66
91 Hydroleaceae,	55	132 Chloranthaceaeo,	66
92 Convolvulaceae,	55	133 PiperaceoD,	66
93 Cordiaceae,	55	134 CupuliferaD,	66
94 Boragineae,	56	135 Gnetaceae,	66
95 Solanaceae,	56	136 Salicaceaeo,	66
96 Orbanhaceae,	56	137 Myricaceae,	66
97 Scrophulariaceae,	56	138 DioscoreaD,	66
98 Labiatae,	57	139 Smilacetc,	67
99 Myoporaceae,	57	140 Roxburghiaceoc,	67
100 Verbenaceae,	57	141 OrchideaD,	67
101 Acanthaceae,	58	142 Zingiberaceac,	69
102 Lentibularieae,	59	143 CannaceaeD,	70
103 Primulaceae,	60	144 MusaceaeD,	70
104 Plumbagineae,	60	145 A maryllidaceac,	70
105 Nyctagineac,	60	146 Hypoxideac,	70
106 Amarantaceae,	60	147 Mclanthacero,	70
107 Cheiipodiaceae,	61	148 LiliaceaeD,	70
108 Phytolaccaceae,	61	149 Com melynaceae?,	70
109 Polygonaceae,	61	150 AlismaceaeD,	71
110 Begoniaceae,	61	151 Aroideae,	71

