

Indian Botanic Garden Library
BOTANICAL SURVEY OF INDIA

CLASS NO.

BOOK No. STI-C.....

ACC. NO. B-10,123.....

Museum oïstoraire naturelle
Strasbourg

la part de

Donougat & Nottly



1
Thele

STIRPES CRYPTOGRAMÆ

VOGESO-RHENANÆ;

QUAS

IN RHIENT SUPERIORIS INFERIORIAQUE, NECNON
VOGESORUM PRÆFECTURIS

COLLEGERUNT

J. B. MOUGEOT Bruyeriensis Med. Doct. et C. NESTLEK Argentinensis
Pharm Schol Pharm. Argent, Prof. adj.




—DEUS O. M. Rē natura nihil frustra creaverit.
Posteius taraca toi in Huiros fore utilitatCS ex muscis
anguror, t'iot es rclitjro vegetablilius.—


Linn : *Cui bono ? Amen : Acad : it>m.* IT1. p. 241.

FASCICULUS Y.

—♦♦♦♦♦—

BRUYERII Vogesorum Typis VIVOT, —1815





INDEX SISTEK S SPECIERUM FASCICULI V.¹

Ai^rlrtria sannaiiosa Achar.	N.º 464.	Lccanora filra Achar.	N.º 458.
Asnidium dil^iarttm Swiirtz.	403.	Locanora cerina Achar.	460.
Aspidium fragile Sn>artr.	404.	Ti-canffia circ'mau Achar.	457.
A-idiuim TbrUpH-ris Snartz.	4º3.	Lccanora rubr<i Achar.	459.
{ itrichospenniim c.Trulrsetn* Pers.	497-	Lecidca conflueos Achar.	463.
Uilrtrllosprrinum nionilifornir Roth.	496.	Lecidca coracina Achar.	462.
TSorrera trnrLi Tar. a. rt b. .hfmr.	450.	Leo idea fumosa a. Achar.	461.
Bryum Hgolatnm Schreb.	4ao.	L*praria incana A char.	47*-
iirvum rostratum Schrad.	4i9.	Lcjeke incurvata Jledw.	421.
Calicinni clavicularr^ a. <A d. Achar.	473.	Merulius mesentericus Pers.	492.
Celeracb officlnaram If~i Ald.	401.	Neclera pnmila Hedw.	429.
Coirana jtmijimua h. pioaslr Aihur.	451.	Opigr,plji dciirgrata Achar.	4J
Clavaria cricctorum Pers.	493.	Opegrapha dianhora Achar.	468.
Collema melænum Achar.	455.	Parn»plia (ambigua Achar.	449-
Collema plicatilir, Achar.	456.	Parmelia caesia Achar.	447*
Cullenia satuniinLiTii Achar.	4^4-	PurmiJia lanuginosa Achar.	44)
Colleraa thysantifum Achar.	4&3«	Pjirroelia ^rrobiculala Achar.	444-
Dicdatea asserculorum Per\$,	4^1-	Parmelia liliacca Achar,	445.
Dicramim longirostre Vedn.	41^1-	Patmelta nlothtix Achar,	448.
Dicranurn polycarpdin Ehrh.	4^4'	Feziza Ccritsi Pers.	494-
Dicramim Starkii fVeb. cl Mohr*	413.	P<ilytrit:lnim enmutne a. Linru	415.
Dicramim Yariuin Ifedn\	412.	Piiylriclium Jorrnsum Tfedtv.	416-
Draparnaldia hypnosa Bory.	499.	Polytriclinni ^ractfi JTenz.	418.
Draparoadia nmtabilis Bury.	498.	Polytri. juiiperiJviljum Baffin. 01 v. h.	417-
Endocarpon liepaticunti Achar,	441.	Ratnalina fasiigiau var. a. el b, Achar.	40a.
Endncarpoti laclineum Achar.	442.	Rivutaria. Myurtis.	500-
Fonioalis .sqtiamosa Linn.	400.	SciprtiiJfi durum Pers.	489.
Grimmiu obliisa Hcdiv.	408.	Spliitria Ancmahes Pers.	487.
Gyrolirtfii lijpfirborea Achar.	443-	Spljajria. atrovirensa. Visci Alb. etSiv.	486.
Hydrodictyon ulriciilamra Roth.	495.	Spharia ^ciiistaiis Pers.	488.
liypiiDin brvriroztum FJirh.	423.	Sj>iir,ia L'tiella. Pers.	485-
Hypnnum pnclongum Linn.	4*12.	Spha?ria Vjuin Pers.	4 3.
Hyppnum rdleMiu Stark.	424.	Splueria p^miformis Pers.	482.
Jlypiiium ripantoides Hedir.	427-	Spliaria spermoidci Pers.	484.
Uypnum rinaTimu Liti/u	436.	Sphagnum cuspidatiim^^Ar/t.	483.
Hyppnujn j*cin H. *Jumosunl Bria	428.	Spilnjia clfgans Achar.	470.
Hypnum sif<psi;itiiii J'f/h.*.ol-Jlcaitr.	4*5-	Sj pi if IIII, Vtilif^o Arharj	47>.
Hasten um cl:itinum Pers.	47+-	Slcmonitis faiculata Pers.	49°-
HysKrium stirpinum Pers.	473.	Stereocalilon hotryosurn Achar,	
Isidimn nrctf'le-s sfcfuir.	467.	Tricliostomuta ericoides Srhrad.	409.
Jui)yci[iiantji;i l>iilciit:il;i J/m.	439.	Trichosl'imura ijolriiliyiliitn Hcdw>	410.
Jungermannia concinnata Lightf.	434.	Usnea ceratina Achar.	465.
Jungprm;ninta conimi'ns Dicks.	432.	Didymodon obscurus Kaulf.	406.
Jungermannia orcQalstft Smith.	435.	Weussia ingax Hedw.	407.
Jungermannia Cucvifolia Dicks.	4^11.	Xyloma circinans Pers.	480.
Jungermannia Miim l In Critutz.	4^3.	Xyloma Empeori Pers,	481.
Jung. poljanLhos Limt rl v. aquatica.	4^11.	V^loma fagiaeom Pers.	478.
Jungermannia quuedentata Linn.	4j 0.	Syloma punctataID Prm.	477*
Jungermannia iii!nb;itp Linn,	437.	Xyloma? striaeforme Pers.	476.
J unyermamiia triloLatu i. minor UvvL	438.	Xylotaa \ugBanrae De Cand.	479-



Bot. Ceterach officinarum T. & G. Sp. pi. 3. p. 126.
Asplenium Ceterach Linn.
ID. in l'ipiu vna » mm mura circa Rappt) (villam, Aotamng,






* 402. *Aspidium Thelypteris Swartz Syn. Filic. p. 50.*
Polypodium Thelypteris Linn. Mant. 505.
In paludosis et sylvis humidis circum *Argentinam Bruyeriumque*. Augusto.

403. *Aspidium djlatattun* *Snartz Syn, FVir. p. 420.*

Ppypodiutn *diltitimi* *Hnjfm*, Ppfypodnim an'ilaium *fill*,


Volgare in Vogesorum jylvis. iP-sUte ci autumao,



404. *Aspidium fragile* *Startz*. *Syn. FiHc*, p. HB.

Puiypudiam frogilo *Linn.*

Filix aJmoilaQl Tarlnui, ia wxis murlsquo nuiircfiis Vpgciorumiat fre^iiojj. JE, Li!uel autumnno.





405. Sphagnum **cuspidatum** Ehrh. et Hedw. Sp. Muse. Suppl. r. p. 16. tab. 6.
In *-<JUOJI* infnsu at pafudimn profndii VogMoruin /£, .
Ubi aqua abundat fluitare solet, tum foliis longioribus laxiusque dispositis gaudet.

406. DiiJviindan obscurus Kattlf. in *Grev. sc. crypt. Flora* 4. tab. 193.
Bicraitim poJMrpnm Dool 10nJ Tavi. *Disc. brit. tab.* 18.
In saxis Vogesoriu artiiosis coruinque fissuris, Vere.

407. *Weissia Jugax* Ebdw. *Sp. Muse. p. 64. tab. iZ.Jig- 5—10.*
Bryuzo critpamm Dirks. *Grimmia* it rials Schrad,
la fiisurii rnpium , frsiate IVacliferi.

408. *Griminia oblnsa* *Hcthv. Sp. Mttsr. Suppl i. p. 88. tab. a5.*
Ad iumruas Vogeorum riipej Tan to «ffla(n, projjo *Lacum viridem* /EiLale et anlumno.



409- *Trichostomum pinnatifidum* Schrad. *Fl. Juss. Bot. Muse, Suppl. i.* 47. tab. 38.
Bryum hypnoides K. g. *Jnrt. Hr. yum sctjgaiona* //.-[7]w.
Ad rupw ol t*rr*m " " <cc8tii ; jHtnH astate.



410. *Tricliostonium* poWplylUmi *JTnhi: S/>, Musr, SuppJ. i. - ^3 irfj*

In saxI, ad viam publicata ruom» ^e Aⁿhomme, et drCa *Bruyerium*. JirJo jji n; oque.





4^f i- Hicrauum Inngirosirv Bedw- Sp. Musr, SttppL I, p. Iyo. tab. 44,
Ad rape) in sylvt JJeauiv"Ofif propo Bruyetium. Autuamo et byam«.



4 M. 4

412, *Dicramim vanum* *Hc<i,y, Sii'rp. crypt. 2. tab. Zt*
Erynm i imp I ox Linn,
In torra areno-argiiloFa ftd fussai oJtiiceilli m t c m pubJicarQm, A₀ | u yome.



4^m - *Dufrenoyia Starkii* Wkl. et Mohr Crypt, germ. p. 189.
in *Rotabac montis. Judio.*

4M- *Dicranopdjcaipten* FM. H BUm. Sp. Mute. Suppl t. p. 179.

Crescit in rupium fissuris promiscue cum nostro *Dicrano strumifero* a quo solummodo differt
theca absque struma et minus arcuata; sed intermediis specimenibus in illud transit, uti
jjin Clar. Bock observavit. Estate *bmcnli* ram.






4[5. Polytrichum comitaneum (t. Linn, et Tvedit: Sp. Muse* p. 88.


Polytrichum yucatanicum Ehrh.

In sphaerularum oliginosis* vili turibsi). Ve«,




41C Peljtriehom fomKfflom *JBedm. Sp. Muse, p. 13a. tab, ig. f. x.*
Polytrichum altanum Lam *ji/ens.*
In sylvarum locis umbrosij, *Æstato.*

-it? Pnlviii hum jtmiperifblium Hoffm- et var. I, IVtb. ct Mohr Crypt, germ. p. 220.
Yar., V PoljM. junif, QiiDuja Mi-nz* et Htdv/, Tolyt. coantino i. ij'i't. croidl in lgr> inroiii t
T<d erioeit* ar?dis, — Var. t, Polyt, striciom Jtfenz, habiut in pljcaia iiccis et npricii, tt™
6'iSfsn a priori caala draqugamr ramose. JEitalo Jrocin* maturat.






419. Pol; Lncbimi gracfle *Mehz. Tr. of Linn. Sac. 4. tab. 6. f. 3.*
Pulytriciom JoogiwUim Swatz, Folyrriehum mraaticum Poppe.
ja Jpci> paludmii el lurfoiis. Vor ac acslato.*



4ig. *Bryitra rosiraium* *Skrad. Spied* 72.

Mnim longirosluro Rrid.

In tjW»lici» huuüdi*. Mlirlio dt aprili.



A²⁰. Bry. MJI [isiiinttim Schreb* Lips. 84.
Jlniuai lorpilliiglJum rf, Linn. Moitim uniulitaai Hedw.
Atl ispei inqu* sylw. Vote,

431. *Lcskea incurvata* Hediv, *Sp. Muse. p. ai6. tab. iZ. Jig. 8—14.*

Ad saxa hnmida el arhoTum radices is preerDprii V«g*anna

praesertim in moaiibai *Ballon de Servance* et *Jtotvbttc Junio*





422. Hypn,TM pnr fongnm Idnn.
Hum* in locii nmbrosii, vildo poljmorphum, li_vuma et
J <P vera puma malarnm.



4^o > Hypnum brevirostrum Ehrh. et Brl. Muscat. Si/pp!. 2. p. 195.
Supra truncat arborum laxaqu^ in iylvis. Febroario,





424. *Hypnum rtdrtun** Stark, in *Tlffr. ct Mohr Crypt, germ, p. 306.*
Ad nmoi Aceri. *itmuiujAmuni* in *sutumi** *Vugsiarnm fyls. iE_{stato}.*



425. *Hypnum silesiacum* *Palisoi-Beaitv.* j[^]*Etheog.* p. 70.

Loske* SflUgari *Urid.* FJjpnun repens *Poll.*

In sjlTarum Iruncis pulridii. \tre ot ~~axtato.~~





426. *Hypnum riparium* Linn.

At palos l*did<Mqii8 ad npa* fliiviorona, in ijisis flim'u, irtfjno locis ndis.
Aduodum poJmorma specioj aammno ot hyemo fructuj ferenj.



427* *Hypnum riparioides* Hedw. *Slirp* crypt.* 4* *lib.* 4-
Hypnum rustilulium. iVec't- II, rustiornio *Jvtiss.* H. rivolarej *Lhrh.*
Ad saxa rivuloronij aestate.





428. Rjrpnum |.-:;>ii(i|.limosum *Brid. S/*>. *Muse. a. p. 159.*
Hypami ptumotwn *Schwefgr. >I'J n*Jü DHL nee Liitn. m |JriJ. 'm Liu*
ID sa*ii inadidi* ad rivulos in Vpi gesorum sylvis, vere.



429, Neckera pnniila *TTcdiv** *Stirp. crypt. 3. tab. 2.0.*
Hypnum pennaium Dicks, iijjinura I'oaiiniloides La March.
Ad truncos atborum in sylvu ablognU, apiili el maig.





450. Fontinnlis squamosa Linn.

In flavii Vagwamm ad Upidej atjna itDroarsoi val iutardnm perfusoj.


Fructus ilort æstatB. « Jed nniSima ~~aves~~itur.

A3i JiuimrmaniiU cnrrifoforDirts, ex Book. brit. Jwg. tab. 16.

In truDeii lyUarum putridis. Apnh ei maio.

0

4Zs. *JiingcrmaTinia tonnivcos Dicks, ex ffoolc. hrit. Jung. tab. 15.*
In nmlirqiis sjlvvarnm ad terrain rnpBsque circa *Bryyerium* , aprili el maio.




433. *Juncus filiformis* Crantz CT "ZIOA". in*. *Jung, inh- A*
Juncus filiformis Mijitnfolo *Sikleh. JuDgjamianna bicornij Welt, el Moltr.*
Inter muscos ai jupos in Vog«wrnm »ylvis.

434. *Jungermannia concinnaia* LighfJ'. ex Hook, brtt. Jung* iab- 7

Jungermannia julacea Bojfm., Schfad., aUronicJuc.

Ad rupai Rptubac montu inqno illis vctsm meridiem CUHB pailontc Tanache diolfil sills* Junio,



435- Jungermannia crevitata Smith ex J. Hook. brit. Jung tab. ty*
Ad terrain locorum hyemalium in viis Svalbardiae, Aprili, 1874.





406. Junfermannii **poljanthos** Linn, et var* a^taitca. Rook, in CoUoq.

Jungflrmaouitt palloicenj Sthrad. , HoJJ'rn.^ Roth tx Hank, brit. Jung. f'^-e- 16.


rW. a. lorreiiris, invonitur aprili r^{om} capiolis »d ternin in locis timbrosis. -" Varu aquatica, cr«icit aitato tit lipidu i_B rivuli* ot dtnomioalur J. paHei^m b, ritubnU a Webefo et Mohrio, J- frigif^ » Ratitw et J, fla*iiiila • Tfiooborgio.

<*Do feu; jp«e» armw *id»it- Ill. Hoo kcrain ait WebaT Bitt.Mttsc. htpat, Prodr.p.Si - expertloTfls Rpbii jadicoBt *bi b'«l error, an J. j-cijanlhos Linn, Mipulii obbngU itifidis, (JUK 10 nnsfra stirpfl •dmni, q| nlt Fi^L^roi, ^ludei, -vtl i» deitiiatur Webaro aflrmanic; dcindo an sit J. plWetu Sdtrad. tadm ipceia* *c J. polyaoihoi /inn. *« ex verbia Hookori Jung<jrm&nria.Tüm lam eximii scrotatoris Kdn hjlvod* aril. (C^tflrom JoOgflrmannia q«e in »]iqnot exempUribus colleccionii noiU* Fase. //, n. 1^0, paHetrtiu vocwur, eit certa J, Trichomanis Dicks.)





157. *Jangermanni* *irilobala* Linn, *ci Book, hrif, Jung, tali, J6.*
Ju DgarmBDuFa rfidicam Hoffni.
In •j-lvt* ad [eiram, aasa_r radicoi urburnm. Angnito.





458. *Ji;ni;rrnniniLi;i hil'lvim I. minor Soak. hrit. Jttnger. tab. 3- aliorumque.*
*Jung, (r>*n ; i'.i. .V Welch. Jun^.* [ricrenata *fVahleni. Fi. Curpat. p. 364.*
laier mu.s'Oi ad rep«s lapiiluijue in sylvis Vog8»ori)JO-



459. *Jungermannia bJdciUata* Linn, *et IfooJc. brit. Jung, tab. Zo,*
[nJ d: s otnbroju nligifloiEitnifl, »d rnpes i_n tjh'u, Malo.



4-p- Jungermannia (jninqucaBtata *Tlaih. et Linn.*
Juiigorniannia barbnU *Schn-b. , De Cam!, a Houk. brit. Jung, tab. jo.*
A.6 r"pci humiiias in sy!vii uaiLrgsis, maio capsulifera.



4-U. Endocarpon hepitiictim Ac/tar. LLrh. untv. p. 238.

Eudocarpon mwicorTjin fers. ex Zittrris.

IQ tern gUTBtaa •midida^ae tire* Argentinatjt. Voro.

44^t- Endocarpon lachaeum Achar, *Lich. uni*\>. p. 299.
Lichen Uchufluj Adwr. Endocarpon fluplocam Da Cand. FL gall. &PP^l- (*xel. Acharii »ynon.)
Ad. lapidw mounium argenteratensium, toto anno.

443. Gyrophora hyperborea Jdchar. Tich. univ. p. 225.
licien hyporeus Aclat. LUh. Prodr. p. 14.
Ad rope* At sax a nudi in Vogesis.

443. est Gyrophora deusta OLAJ
acnon hyperborea.

iii. *Farmelia scroliculata* Achar. *Math. Lich.* p. 219.
Licium globosum Scop, *Lobaria strobilata* De Cand.
In ironis arborum, et ad terram inter muscos.





445. *Psarmeliariliaceae* Achar. *Lich. univ.* p. 460.
Lichen liiaceni Ifojftn, imLticarla quercina i?« Cand.
Supra trqnoa arborum.

446. *Parmelia lanuginosa* Achar. *Lich. univ. p. 465.*

Lichen Janaginwul⁰ > H(j[^] z i r[^] f a t, 10. j R 4,

Ad k t o r a u m h_{r o l, m o n i j n m} ; n i d m o l ;,, s a x i s.

4\$7- *Parmelia* ^{CEesya} -[^]*thar. Xdch. unfy. p. 479.*
X,ichdQ caesius fffffnt. /oafaricaria coati^ De Cani.
Xn saxis lapidibusque.



448. *Parmelia ulohrix* Achar. *Lich. univ. p. 481.*
Lichen tflotbrix Achar, *Imbricaria ttglfiWi Da Cand.*
AJ. arboi-tim truncos.



449. *Parmelia jmhi^irt dchar. Lick. utUP. p. \$5.*
 Lichen ainbtgnns "W/i Imbricar ji ambigua Pe Cunrt,
 AJ spimojita ti^rifia, truncasque PiHOnu aridos. fi

f



450. Borrera tcnellri var. a. et b. Achar* Lich. vni. p. 498.

[Var. J. LieLon loplalflus Achir. Phjscla lepinea De Cand. crescit ad truncos arborum et in saxis.]



cl.



b.

45*, *Cetraria juniperina* b. pinasiri Arhar. *Lirh. win* p. 506.
Ltchan pinasiri Scop. Pliy«-f» pinutri De Cand. *Fi. gali.* n. 1084.
In tranw Pinorum, Juniperi communM inquo iopimooijj idbiogni, Vogesorum.

42. Ramalina fastigiata Tar. a. et b. Achar. Lich. unii>. p. 6d5.

Var. a. Lichen fastigatus Pers. Physcia fastigiata De Cand, inveniatur ad truncos arborum annuarum.

Var. b. Lichen calicaris auctorum vulgo (non Linn.) habitat quoque in cortico arborum in sylvis edilioribus,



b.



453. *Collma thysanœum* Achar. 1«eA. itnfy. fK 65J. e* Fl&rke in Litt.
In Vogesotum Iruncii^ Quercos Teiniu* inir» muscos.



454. *Collema satuminum* Athar, *Lith. uni* . p. & f*i*.
Liclien *Mlnriuaui* *Dkks*, *Collema Um*«tit«9UDi *Hitjfm*,
Ad *I*nnco*» *praiBrtim* Ateris pioudoplauni in Yogeiorum fjfJvii prxallii*



455. *Gollema melfeinim j4char. Lick, univ. p, G36.*
Collama iicoljo^folinni 2J Cand. Fl, gall. n. 104a.*
Ad lapidos ulcariu AFmiis el Lotharingæ.

456. Coilema p) Seattle Acliar. *Liclu utiif.* p. 635.

Xirlion plicalilu Achar, *L'nhj, Prodr.* p. lag*


Act aaxi ma did a oi lap **idea in muris bukniidii** circa -*Eruyetium.*




47< Lee-mora circinfla jfcliar. löch, unh. p. 42X
Lichen circinatus Pert. l'nc<niiqm radiomm Dt Ctnd. SI. gait, n, 1031.
Ad lapides ID muris Lotharingæ.

458. *Lecanora atra* Achar., *Lich.*, nrw> p- 34 4-
Lichen ater Badi, P*«*[*ria. taphroinelas ,»* CanJ. *IL gutl.* n. 985.
la Mxi* at arborum corticibus.

459. *Lecanora mbr.i* Ackat, *LirJu urdv.* p. 389.
Lichen pallidus Hoffm. *Patellaria ruhra* O« Carif. *Ft. gall,* n° 981.
Ad ^{co}«i<H:m *vetustam Ulmi, Quiicui, Fraxinique,*



460, *Lecanora cerioa* Achar. *Lich. uni?*. p* 3g.
Lichen corinos Eedv>. Patollaria ccrina Be Cand> Fl. gatU n. 978.
la arborum truncis.



V



461. *Lecidea fumosa* a. *AcUf. Uch w&, p. 1B7.
Lichen faB1WM char. Patellar*i*, f_{DH}»« P< Cand. A gait. «• 94a.
In «milmi JiHceis circa Bruymum.



462. *Lecidea coraciua* Aihar. *Lick.* univ. p. IGI#
Lie ban oornfnos Achur, *Lich, Prodr.* p> 791
Ad Ilza jugi Vogesgram;



4³, Leculca eonfl ums u4rhar- TAch. unU.p- 174.

Lichen confluens fVeb.

la mmmis rupiLm Rot&bac tnontlf.



463. I*dd« confines ^rAar. ffc&, wtlv. p. 174.

Lichen conllunru FVeb.


In summis rupibus Rotabac monlii.

464- *Akctoria sarmentosa* Achar* *Lirh. uttiv. p.* 595.


Lichen saimentojus Achar. UtneB dichotoiot *Hnjfm.*

Ad ramj arLorum in allu Vogejoruna sylvii.





465. *Isnea ccratina* AcJutr. Lick WM- p. 619.
Ad rupes in Vogesorum sylvis.



466. *Stereocaulon botryosum* Achar. *Lkh* unv.* p. 581.
Stereocaulon piichaia b. balryvnm *Flaykt in Lilt.*
Ad rupoj in prxruptu *JROIabai monii.*

no 466. Cit *Stereocaulon demidatum* Flit
Deuti. dict. no 79.


467. *Isidium coccodes* Avhar. *Lich. unfa p- ^7^a*.

Lichen coccodes Achar. Lepr« d)*car» £hrh, la voiujtn *rJorom cortico.


Ad Tsidimm ----- to perlinet I. coccodfil ^tilar- dubiumuii rum ' (ub«*«nla *solida fodtns* a
doctlis. viro afc diciii simillma inveainniar paritor in ihjllo plorimorum lichenum ex. gr. *Parmelia*
cons p«*rJaci MjaHln, liliw*. « IMM tv.Urc*h iam * Boffm^no Mnam. *Lich.* descripta ac delineata ipse
Acharis recte in *Meth. Lich. et Lici. univ.* adnotavit, Pmtww I" F d r k e Un aliquot Isidii 'p str J11611J
Aebuiuu veras scutellas observasse scimus, unde hoc genus ntegro elaborandum arbitrari licuit.

468. *Opegraphia dbphora* Achar. *Lick. uniy. p.* 254.
Lichen diaplurus Jchar, *Lich, Protir, p.* 20.
Ad caudices Fraxini vetustos Lotharingie.


4 ft). Opegraphi detiigrala Achar. Lich- UfW- p- 259.
Ad eorlicffm fasvintciilfun Ulmi Fraxiniquo.



470. *Spiloma elegans* *sfchar.* *Lick. univ. p. i35. c& Schleich. exempl.*
In corlco *Viol picas.*



471. Sjiiloma Vitiliyo j4char. &<h. unw, p. i3g-
In ligno ibtolii fitnorluo decor lie* toque.



472. *LcjiTor'ui* In ran a *Achar. Lich. univ. p. 665,*
Bynui incana *Linn.* Lirhon inrauna *Hr-jfin,*
Ad rupM mpra musooj incjuo ipsa lorra, in luci] umbrOIn>

473. Calicium ctaviculare vai\ a, et d. jtchar* Lick, unh¹. p. 234.

TTaLisat T*T(a. Lichea cl^vwllm .dcliar. Calcium clavallam De Vend, ad trnni-os eiaritlo] Ploi
picas promisCMe cam C>l. abiolino Pen. et v*r d. LfeliGU sphicrftceptial) Jwar. Calttinm spli,iro-
cephalum Achar, Meth. Mucor iplj<roceptal_M Zitrn. in ligno Fini »i«ti< conico orbato ossiccatoque.



a.




no 470, var. a. pertinet ad calicium quercinum Pers.
var. d. ad Calicium salicinum Pers.



474- Hystemtm elatinum *Pers. Syn. Fung. p. sxvtrt.*
 Lichen *Utina ~~Achw~~, ~~Lick~~ *Prodr. l. aa.*
 Ad corticis _____ i Ungnojconiii frostnl* ttni P'«* et Abictis.

47J. *Hysterium scirpimim Pen. in Lilt, et Fund Crypt, exsicc. ft. 403.*
ID caJmo iriilo Scirpi fai-tutrij.



476. *Xyloma ? stricifonne p&s. Icon. pict. Fung. p. 39. A II. l. 3.*
5>lurrii ilriformii *Pert. Sya, Fung. Hypoderma striiforme Ot Cmitt.*
Jli ciilw arldo* *Ptoridit aqnilinip »t Osmumlaj regalii. Vero.*



477. *Xyloma punctatum* Pers. *Syn. Fung.* p. 104.
Ad folia *Aceris pseudoplatani*. Autumno.



478. X/oma *fagineum* Pers. Syn, Fung. p. 107.
In foliis Fagi deciduis ojtardiscjno.

479- Xyloma Virgaureae De Cand. Syn, FL galL n. 821 **.
IQ foliis Sclidaginit Virgaureae. Autumno.






48a Xjtama circinans Pers. in Lilt.
Xjtotu bifrooi tit Cand. Ft. gall. Suppl.
Jn foli'' ittidmm QOBICM nboris. Hyome *t verd.



481. Xyloma Empeiri Pers. in Litt.
Hypoderma sphaerioides var. *Empotri* De Cand.
In foliis adtuc vivoniibtu Empain nigri. Æstate.


482. Sphaeria pomifonms Pers. fy*. Fung. p. 65.
AJ trimco, eisi^pto* Alni g. ulinose.

483. Sphseria Peniza Pcrs. \$fn* Fung- p. G6.
Ad Fagi Fraxiaiqao traacot palrusconiss.




484. *Sjihieria spermoides* *Pcrs. Syn. Fung, p, 75.*
In lignia putridi; lolo anno.

485. *Sphwria Patella Pcrs. Syn. Fung. p. 7⁶-*
Jn ciolubai pulroscentibus *VMtinic*^ latira Afnpliciiqio hu'toosit.




486. *Sphitrb atrovirens a. Visci Alb, et Swein. Consp. Fung. p. 48. L 2./.* j.
In foliis caQJibm^ne docidaw Viict aHi ;,, ,j]r;,, abi_o^n_«.





487- SphserEa Anemones *Ptrs. in Lilt.*
In fuJiil , petiuJis mrjite pelaJn Anf>maa<i namoroib, Alaio.



488. *Sphæria genistalis* Prrs. in Litt.
Ad folia oisicejd Ganisln ugi'ililn.

489. *Scrotium durum* Pert. *Syn, Fung, p, 121.*
Ad nihil «ridaa horJiarnm majoram. Hyeme.

i

490. *Stemoniia* (nsdcal&la Pers. Sjn. Fung- p- '87.
Ad irnco* puijJos, Aulumtio.

491* *Dsedalca asscreiiiriim* PITS, in *Lift*.
Agaricus abiounns *Bull, tt Pest, Syn. Funp-< p. 486.*
Ad parieloi At iraboi abielinoj, Æstate el autumnno.





492. *Merulius mesentericus* Pers. in Litt.
Thelephora mesenterica Pers. Syn. Fung. *Theleph. tremelloides* De Cand.
Ad Fagi truncos languescens. Estate.

V/

493. *Clavaria trispicata* Pert. *fyi. Fung. p. Goo.*
In ericetis ArraryBrBjoriuin. AufUJno,



V

494- Pezka Cerasi Pers. Syn, Fung, p. 673.

Sphaeria iabia J'ers. Jion. pict, Fung, tab. so. *Sphaeria actroa* Zfe Cand,
In Cortice PrunJ Co raj i pafresoentij.

111. Porsoon moDuit (Jburn. hot. 3. /> 640 ^{suana} Sph. dabUm inilium Psiiza Cerati «ss.

495, Hydrudictyon. nriciiaLum Roth. Ff. germ, t, Z. p, 53*.
Coxt'orvi rotiruiitti Linn, ifjdrod^t-lion penlagotmm De Cand, Fi. gall. n. 147.
Nataus in a [pit stagnanliLuj verno lempora <<] tutumnum.








496. *Eatrachospmnum raoniliforme* Roth et Vouch. *Hist, des Conf.p. us t. JJ. f. i.*

Conl'orva gt-luLcosa Linn- Balracho^ercni. ludiiiutuli g, uwaiUCurtiu. Bary*

Ad lapidas in aquu Huilaulibiis toio anno.

Rationem serrandi Batracho?parijjt araiico gummi ope D^f. Gaillarrfot «mtcu* catialmot aoLig iradidit,
et modem ad IIUDC pWimiru^J^^ruai ioimn gsnorftles fnciliui chard explanira quivimus.





1111 Lactispermum cserulescens Pers. In Li//,
 Bitrark<r<rnaoo **moailifarmo d.** vagum *Poth Fi. wrm. f. * n ^Bo*
 Hd p<n f>ludii tnr!g! i fa 6'airn ^uz-ff'i dini Vopoiomm, ^sral*
 A Bjfricboip. *tnrSgiuw Ttw. (Bur. tufloii* L .Sory) n<<!or *nih* differra **UMft** IJ]. Porioon.

498. Dnip.ini.iMia nnita bills *Bary Ann. du Mus. ix p, ^o«. f_a^ 35 r r.*
Conferva mtitil-ihn A,/n (rx A-n) BUrarAoipamitK glaqMnlan fuiith. tt Dt *Cand.*
Hj-<me « Tare corporibm *.ju» ri>olor«» i ossarumque immersis adherens.

m



499. *Dermatiaraldia lypnosa* Bory Ann, *du Mus*, 13. p. 405. tab. 35, f. 2.
Bairachosparmutn plumosum fauch, it Du Cand.
Ad barlias ia foudo rivaJorum. Hjlflu ot xvrc.



500. Rivularia ? myums.

Conferva tynrui Jrouston, Batracho»i*rinum mynrus D& Cand. Balr, myogurm Ducluz.
 Vulgaru "" Voglsorunl riralii »d lapidet et horbaa^ hyorao at v*ro prime vigot,
 Structura mliuia am mifrgsropii coapoilli axploraia recadit a Batrachospermis
 Draparnaldiisque alga hœc et ni fallimur »flii» B-ivolarin: Hothii, huicque generi
 amandanda, quoad algarum multo mclini co«titnU »c owraht faorinL genera.

BOOK CARD
 Indian Botanic Garden Library
 BOTANICAL SURVEY OF INDIA

Call No \$JI-g... Ace. No MQttl....

Author..... L. J. G. J. B. & others

Title..... Stipis cryptogamae Vogeliae -
 -nanae quas in Rhini Superioris...

Name of Barrower/Code No.	Date of Issue	Date of Return

