



Indian Botanic Garden Library  
BOTANICAL SURVEY OF INDIA

CLASS No. ....

BOOK No. ST1-c .....

ACC. NO. B-10,124 .....

*in O'Herrens natura  
cuia^ - de la par  
mougeth Nestlem*



STIRPES CRYPTOGRAMÆ

VOGESO-RHENANÆ;

QUAS

IN RHENI SUPERIORIS INFERIORISQUE, NEC NON  
VOGESORUM PREFECTURIS

COLLEGERUNT

J. B. MOUCEOT Bruyeriensis Med. Doct. et J. NESTLES Argentinensis  
Facult. Med. Argent. Botrin. Proi:

— DEUS O. 31. et natura nihil frustra creaverit.  
Pater Umen tui iuveniuvs fort; **militates** ex muscia  
auguror, quot ex reliquis vegetabilibus. —

Linn. Cut' lotto? *Amesn\* Acad. torn. III. p. S{J<*


FASCICULUS VI



BRUYERII Vogesorum- 181S.







*[Faint, illegible text, likely bleed-through from the reverse side of the page.]*






INDEK SISTENS SPECIERUM NOMINA FASCICULI\* VP.

Agaricus stypticus Bull.	~N.° 580.	I* e. c i d e a m l cr opljyJ la y. tr \-ptophj' L.A.	55a.
Amboceros punctatm Linn.	53S.	Letidea rivulosa Achar.	548.
Aspidium Illigeri Jit-iUtl.	504.	Lccidea sabiiletorum Fterhe.	548.
liryutn crudum Ihuh.	51a.	Lecidea viridescens Achar.	550.
Cetraiia cucullata Aclmr.	544.	Lemanca incurvatu Borjf.	592.
Clianlratia glomerata De Cand.	58S.	I-eolia lubrica Pers.	583.
Chantranaia P nana.		Lcskca allenuata Jh(hv,	513.
Chara (lexilis Linn.	591.	Leskfja rufti^cens Hetlw.	514.
Chara vulgaris Linn,	590.	Licea slobilina Alb. ct S<kw.	579.
Gollema fasciculare a* Achar,	55.	Lvcoperdoi perl at 11 m Prrs.	577.
Colleina nigrum Achar,	553.	()'pcoraj>ha herpetica A char.	555.
Coryneurp disci forme Nees.	573.	Ojff;raplia noiha A chat,	556.
Goryneum pulvinatum Kun. nml Schm.	574.	Ojliiof;lossura vnlj;itiim Linn.	502.
Diatom*) ilocculosum DP Cand,	598.	Osrlfaloria njajor /-rt>c/.	596.
Bicranum flagdlare lfdw.	511.	OsrlJ;itura muralis.	s
EctOipenna^cespiosa J'auih.	595.	ParmcKa ad^lutinata Fhrve.	
Eocaiypia strejitorarpa Hedv\	506.	.Pehidea Uori/oirallsv. hvmeitina Acliar,	
Eqiisetiim fluviale Linn.	501.	P<zka cnpmpressa Prrs.	
Evernia divaiicata Aclmr.	545-	Pesha digualifl ^/f>. cf Sckw.	585.
Grimmia gracilis Schieick.	509.	Peziza 11 id id us Schm. und Kun.	588.
Grinitoia rivularis lrid.	508.	Peziza Piuastri Pers.	5R;.
Gymnostomn aquaticum Jloffhu	505.	Peziza voyesia Pers~	
Gympliora Sfarfochro;) A chr.	540.	Pliacitlium AtjuTolii Kun. und Schm.	562.
Hypnum aduncum b. teinis Turn.	54	PliuTidium coronatum Fries.	559.
Hypnum commutatam ffitiw.	5a3.	Phucidium dentatum Kun* ttntl Sthm.	561.
Hypnum cordifbium Hedw,	518-	PhacidJum mullivalve Ann. und Schm.	56a.
llypQain Ihiihms Linn.	526.	Polypodium taltrareuni Smith.	503.
Bypnum nitL-ns Schreh,	517.	Ramalina polJinaria Achar.	546.
Hypnum palnsre Linn.	521.	JUuzomorpha (iisca /'«'J.	558.
Ily[>nmn picalrtm Svldeich.	525.	Ijrcfs f^lauca Linn.	539.
ily[inura pluraosum Linn,	530.	Sclemtium querciniim Pers.	575.
Hypnum popnlciim Ifahw	519.	SplifTra ceralnsperria Totle.	567.
Hypnum scorpioides Linn,	522.	Sphsria decoloraus Pers.	570.
H^pn u in straminciim el v. trifari'jm lleiL	516.	Sphceria dolidfum P<rs*	571.
Hypnum s^h^aticum Linn.	515.	Spba'm scilbostomu v- g- Fries*	569.
Ilysterium mgDftattm Pers?	563.	Spbaeria Fata Pers.	568.
Hyslerimu Rulii Pers.	564.	Sphaeria opiiio^Iossooides Pers,	563.
Jungermannia autumnal is De. Cand.	528.	Spheeria pocchuioidea fli? CanJ.	566:
Jungermannia byssacea lloh.	53t.	Splm-rii sirobilma //>  . MM7 Schm.	
Jungt:nnanina excisa Divhs.	530.	Slictri i'nlif;inosii Achar.	642.
Jnngermanuia exsecta Smith	533.	Thdepbora rrpnia Perj,	581.
J linger m am lif ^raveolens Schr/id.	536.	ThcSephora discifJimis Z'c Cand.	582.
Jtingennamna heteronhylla Schrad.	53J.	Torula fnliginosa /Vr^.	58i>
Jungermannia tan ceo la la Linn.	527.	Xriclua fulliix A. /W r.	
Jungermannia pnillb Linn,		Tri^liostonium fotituloides Hedw.	510.
Jungermannia scalar is Schrad,	534.	Tubemilaria couflueus Pers.	576.
Juoermannia sernillifolia Dicks.	537.	Verr>cari;i rlijpypta Achar.	557.
Jniiijerniatitiitt spnttroriirpa JiooK.	529.	"Weissia verticiJlata Hedw.	507.
Lecanora glaucoma Aohar.	547.	Ulva bnffosa Roth.	599.
Lectdea decolorans A char.	55i.	Ulva lul>rica Roth.	G 00.








SOT. rcjinVeinm fluviatili; Linn.  
Ad fluvioruni ri/iai JiumiUji « in ^lvarum j>atudoir, Vese.





502. *Ophioglossum vulgatum*  
In pratis et sylvis humidis. Mar.



503. *Polypodiura calcareum* Smith *Fl. Brit.* 3, p. 1117.  
In tylyii montium c^leafterum Jomtfi. *Exstat.*  
Au HE distincta ipccic\* A IV\*lj>. Drjroj



5of. Aspidium Ha Peri Jllld. S/>. pi. 5. p. 274.  
In rupibus calcareis Ju(Uli et cir» *Btifoctum*. Estate.







505. *Cynodon dactylon* L. Gerr. A. 15 2)4  
In rivulii at] HU caJcaie\* Juia»L ^LitjjcH



506. *Eiicafy[iLa stri'j)tocarj% Hedw. sp. musc. p. 62. fnb, 10.*  
**Bryum** cornorturo fluff-  
*Ad mutof reiasfos rupetque akare^s valla Birste. ,E>mc.*





507. Wu'issia verliciHata *Efedw. Sp, A fuse SitppL i. p, 71. tab. 20.*  
Erjit'n icriitillaiQui *IJun.*  
In rupibuj calcareit irrijuiv Jurasji. Alignlla<





50S. Grimmiin rirtaris *Brtid. cr IfetJu: Sp. Muse. Srtppl J. p. gg. tab. aj.*  
Ad lapidus nvulorum ^uada^t tulnnoi am irn'guM Voge^onim. V««.



*Bog. Grinoroi.1 gracilis Schleich. el Jicmv. Sp. Muse Suppl i. p. rji\* tab. a3«*  
Ad liijiiJei iu sjlvarum JOLIS \i^uiotum umbrosis. Hymie Ac vere.







510. *Trichostomum fontinaloides* Hedw. *Stirp. Crypt.* 3, tab. 14.  
*Fontinalis minor* Linn.  
In rivulis et fluviis Jurassi ad lapides. Æstate.





511. *Dicranum flagellare* Hedw. *Stirp. Crj>t.* 3. tab. f«  
Ad HJ103 in vlvu circa Brnjeritun. Vtje at mstate.

no 511. An poti M\* varietas foliis crisp.  
*Dicrani longifolii?* \*



513

Bryum cindam *Unite'*, *Fh angl. p. 491.*

*Haid criidum TJnn. ffebw.*

*In udis montosis. Æstate.*



513. *Leslea aiieiranta* *Ilethv. Sn'rp. Crypt, i. tab. 13.*  
DjpKum silcauatLim *Sehrt-b*  
*hd truncos ajborum hpidcitjae, Auiuamo Untam rniui projekt.*





51.f. *Leakea nifecens* Jledw. *Sp. Mttsc. Snppl* a. p. 178. tab. 3G-  
Ilyjiuum rufweuti Diikr,  
In raxif apricii Diadidisquo v a Iliä Birsta Juraiii. 'Ts'a'f.





515. *Adiantum sylvaticum* Linn, *Syst. Veg.* p. 950.  
In sylvarum loci\* Juitltdi\* rt-l icii'Uil;. Vete,

516. Hypnum atrinerveum et var. ^'. tnfarium IfediV. 213.  
 \\*r. a. Hypn. str.mi,tc..n. D/rfe. cretdt ip p»lii^i« Vogesorum inter Spha,na.  
 Var. fe l!j-p«. nifarium //Vi. rt Jffotr i» paludtbuli Jur»«i cum Hypn. Scorpioide.








517. *flypnum niens Schreb. Lips. p. 92.*  
JJI praljb io-ract». JI<sup>state</sup>.



5x3. *Tlypnum cordifolium* IlcJiv. *Sticp. Crypt. 4. tab. 37.*  
In foiii\* todfqaa paludosu. Æstate.





5ig. *llypnum* populemn Sed%ov\* S/s. Masc, p. 2 TO, tab\* 70.  
Ad jrtjyruii (IDDCCM et saxa. Veto ac aestate.







520. Hypnum plumorum Linn, et Hedw. Sp. Sfusa\* Suppl. a. p. 244.

Hypnum pseudoplumosum Brid.

In >au huiiidii Vogesorum, Auiutm^.

no 520. Nil nisi varietas Hypni no 428,  
certe Hypnum plumosum Schwägg.







{Jar. Ixpnum palusre Linn,

UjpnunT lurilum /JCJFI\

AJ liil'ia puli iila ct lapide\* in rivulis. K, state.

Stirps valde polymorpha, ad tjtittn ua^trum Ilj-pn. satebrosum Faic, J. n". i|18. forsan referendum,  
oam i Il)'pu. jalcbrojo lloffm. breviorujus foliis ac mmus mbalatis differt.










522. *Hylocomium sphenoides* Linn, ex Web. et Mohr *Crypt. Germ.* p. 372.  
*Hylocomium critsum* St. hum, *Hylocomium lusitanicum* Schiekfu  
*Hylocomium paludibui* Lorfaccis Juraiii, .Estate.



5a3- *Hypnum complanatum* Hedw. *Stirp. Crypt.* 4> tab. 26.  
ID prUU tid.» >d iotitt\*, riTulon^ac, Juuio.





524. Hypnum aculeatum var. b. tenne Turn. M<sup>c</sup>C. IIib. p. 189.  
 Hypnum aduncum fhJw. Stir'. (-rXP<sup>l</sup>- 4\* <\*\*\*. 24. Hypn. loLgttcium J. C. Stech.  
 In pata<sup>h</sup>ibv\* ct aqutt\* \*Estate.  
 Sub nomine JTrpn, ru.,p;i in collection\*notua. FMC 3. n\*. a3o Hypn. • dmicujji vlr. a. inseruimus.


0

525. *Flypnura plantarum* Schleich. in *J. Tedw. Sp. Muse. Suppl.\** 2. p. 301.  
AJ. *!;ii<cs ci teit-am tnonlii OuuseraUo Juraoi. Julio.*





5



5<sup>6</sup>. flypmn (Iuitans *Linn.*  
In at<sup>i</sup>'a Htptnllbut ied puru. Æstate.



Z-k-r Jungermannia lanceolata Linn.  
Ad icram ib buniclii umbrois, F<sup>ino Ver</sup>.





523. *Jungfermannia autumnalis* De Cand. *jrft gall. Suppl. p. 202.*  
*Jungfermannia Schraderi* 3/4ff. *F/. nypf. ErLing. p. 180?*  
Ad rupci in sylvis, autumno. An sac distincta a precedente?

529\* *JuHgerroatinu spliferocarpa* *Hook, brit, Jung. tab. 74.*  
Atf icram «t tua m.iJiJa moniu *Lresoir* *Vogejorum, Junio.*



53o. *Jungennaniiiia extisii Dicks, ex Ilool; brfc Jung. tab. 9*  
Vnr. fl. liatiinl ad lerrara in ericetii  
V\*r. h. crisiMti) i& sjlvarum vfii. M\*io»

*m*

531. *Judgermamiia* *hyssacea* Roth c.c. //oak. *brit. Jung, tab, 12.*  
/Ad icrram limoum ia sjlv\* Mnrrio.



53 a. Jungerniannia pi is ilia *Lin it.*  
Ad terrUD «ryl'tioiam in *agsis* huruiJis, Autunino,

533. *Jungermannia exsecta* Schmid. ex Hook. brit. Jung. tab. 19.  
Ad terram in locis umbrosis et ericetis.



£34. Jungerruannia scalarts *ScJtrad, ex Hook. brit. Jung. tab. 6i,*

*Jungermanuia liticcalnta Engl- to'- •*

*Ad viarum civarum laicra jn ty-lvi\*. Martio.*

**Ak**

533. *Jungermannia tetraplocha* Schrad. & Hook. *brit. Jung. tab. 5x.*  
*la iruncis pultrdii* Vwe,



53G. *Jungcrmania gravcolens* Schrad. ex Web. et Moench Crypt. Germ, p. 406.  
Ad rupej icudidiu drca Bmyerium. Estate.

TM w

m



53;. JangermanDia scrpillifoli\ Dicks. ea> /foo/t. brit. Jitng. tab. 42.  
In sj-lvis ad IUJ humid\* ail ripat rivubrutu, liyctut ei primo yere.




538. Antboreros punctnius *Linn*  
£d len-aiD lituoiam iu flgru btimiJii. Autumnno,





53g. Riccia glauca Linn.  
To solo liuiso cimpoftn, ^iate autumnoque.





540. *Gyrophora spadochroa* Achar. *Lich. univ.* p. 229.  
*Lichen spadochrous* Ehrh. *Umbilicaria spadochroa* De Cand.  
Ad saxa Vogesorum præsertim in monte Hohneck.



5:jl» Peludea liomojitMis var. *hymenir;l* *sichor. Lick. MWP. p\* 516,*  
Ad aiborum IIIUJCOS in ivlvif eJiworibus ialar muscos,



542. *Stictis fuliginosa* Aclutr. *Licet, univ. p. 454.*

*Lichen fuliginosus* Dicks.

In *lycii* BJ *aitarum* truncos.



5^3. *Parmelia acglutinata* *Fun-he in Zrtte-is.*

Ad ulmj froncoj to: *haringia.*


*Alfinis* Parmelju- *tycltrttldi*, icil *Uiollo mioort it ajglutinato distincta.*





5.(4- *Cetraria cucullata* Jchar. tick. univ. p<sub>M</sub> 511.  
Ltdien ci.cullaiui lie!.' Phyc<sub>m</sub> cucnlla'a /J<sub>t</sub>- Cnttil.  
Ad terram it) lumraii Vogcurunj pucujs prope fiotabac montem,

545. *Everant diraricata* *Ackar. Lick, uhiv. p. 441.*  
*Lielieu divaricates* *Linn, Dmes flaccida (inffm. De Cand.*  
Ad arboruru acifaliaruni raioi.







r'JG. RaifiaKna poflinarta *Jchar-lick. unit', p. Go&*  
*LitLen polliuatiui A\*:har. Fbjtdi \*ftJ«rros«i De Cartt.*  
*lit Quti-cuuiii [ruDci\* vetustia.*

5,|- \ Lerannra glisncoma Achar. Syn. *Lich.* p\* i 65.  
Lichen g...oma Achar. Patellaria glaucoma De Cand.  
In MJU ct ru-il\*u\* iuimi> Vose»ru>n.





546. Lwiden sabrfewnnn *Fltrrke et Jchar. Syn, Lich. p. 201*

Lichen «bälrtorom Schrvb. P««n-««<sup>TM</sup>»««rum a- t-W.

*inque terra nuda sabuletorum.*

549. *Lecidea rivulosa* Achar. *Syn. Lich.* p. 28.  
Ad saxa quartzosa et in granitide Vogesorum.

*n<sup>o</sup> 549. Lecidea contigua Nalb.*



550. *Leddi fridesceus Achar, Lick, twit: p. aoo.*  
Lichen vtrid\*\*teti\* *Schrad.* Paiflkria vfiidpicptu *Vt Cn/ut,*  
Ail iruijcos «jnorluoi puiienciiei tn \*>lt\* aLiguu.

551. LcciJca decoTorans *Jchar. Sjn. Lūll. p. 3*;  
l.ji.lieu (.k'totoian\* *Ehrh,*  
Ad lerram in eriteiis circa *Brojcrintr.*

#





b

552. *Lecidea microphylla* var. *triptophylla* Achar. *Syn. Lich.* p. 53.  
~~*Lecidea microphylla* var. *triptophylla* Achar. *Syn. Lich.* p. 53. e Cand?~~  
 hab. On ad corticem Fagi Acerisque Pseudoplatani, in sylvis excelis.  
~~*Lecidea microphylla* var. *triptophylla* Achar. *Syn. Lich.* p. 53. e Cand?~~ *Discides* Flarke *Deut. Lich.* n°. 25. *Patellaria aurea* Perz. *secund.* Litt,  
 crescit in caulis silicis.



6

552. *Lecidea microphylla* var. *triptophylla* *Atchar. Sjn, Lich\* p. 53.*  
*a. Lecidea microphylla* var. *triptophylla* *Atchar. Sjn, Lich\* p. 53. Cand?*  
 habitat ad corticem Fagi Acerisque in sylvis montanis  
*b. Lecidea microphylla* var. *corallinoides* *Flörke Deut. Lich. n°. 25 Patellaria aurorca Pers. secund. Litt,*  
 crescit in castribus siliceis.



553. *Collema nigrum* Ach. *tar*, *LicL uriv.* p. 628.  
Lichen niger *Itudl. t.iun.*  
*la Iopulibu\* caicareis el ad terram.*

55j . . Collima fasciculate a, A **char.** Licit, unit: p, G3r)\*  
Lichen fructicularia Linn,  
AJ lcnam uxaqoe calcarea.



555. Opegnpi\* inn\* ica icltaPm S) re. Lich. p. 72.  
Lichea herpeticus Achar. Opegrapha herpetica Dufour Jour. Phys. 1818,  
Ad Fraani e.

no 555. ex Opegrapha subcolletta  
var. parva Flora. Dant. 1818



,556. Opcgi-Jplin notlia th si'gtiflta *Achar. Sjt. Lich. p.* -^  
JLJ cor L ice (" vetujitarn Quorcui.



557- *Terrucaria rlyponta slchar. Lich. mm: />. 582.*  
In FiaXiui raninruiii crrruc



558. *Rhizomorpha fusca* Pers. in Litt.

Crescit in coriariis officinis ad parietes cuparum coriis vacuatum, sed aqua vulgo *Eau de Battement* vel *Eau de Gisee* dicta semiplena, ubi *semper* remanens late ac profunde expanditur. *III/18*- palmata Achar. vicina species, t. *LIII* praesertim recedit, ramis infertis in *Mutuo* in formam *intermque* ac lacunosam confluentibus, dum rami superne liberi, vel palmati *conspicui* *ad* *hanc* *eyadunt*.





55g. *Pimplidm coronalum* Fries *Obs. mycol.* i. p. 167.

*Xylocopa pubescens* Fries *Obs. mycol.* i. p. 167. *tab.* 18.

i., *ttlii*\* *tejectis quercinis fagineisque.*



560. Phacidium multivalve Kun. und Schum. *mycol. Bot.* 1. p. 42.  
Xyloma ~~multivalve~~ De *ffid.* .VAi. »"•• 3. (aA. i3./ «.  
In foliis A'juulii cmoituis.







561, PKid'liitm dentatum Kun. und Schm. mykol. Hef. 1. p. 41.  
Sphaeria punctiformis S. unbigua Part. V. <sup>forma lichenoides De Cand. FL gall. n.° 819</sup>  
IU full) Quercus deciduis.



562. *Phacidium Aquifolii* Kun. und Schm. mykol. Hefl. 1. p. 34.  
*Xyloma Aquifolii* De Cand. Mém. Mus. Hist. Nat. Paris. *Xyloma Ilicis* Schleich.  
In foliis emortui Aquifolii.





563. *Hysterium angustatum* Pars. *S/n. Fti-tg. p. f!*),<sup>n</sup> *ex Pers. in Litt.*  
Ad ligna exiicctu *luprini* ("orvli AVCJJUJ?.

564. *Hysteriuni Rubi Pers. Syn. Fung. p. IOU,*  
*in statu dejecto Rubi casii.*





565. *Sphaeria ophioglossoides* Pers. Syn. Fung. p. 4.  
*Sphaeria radicata* De Cand. Fl. \*ill. ti", 154.  
In iiiiouis *Micelisqua* circa *Hruyeriam* % •utumno.



566. *Sphaeria puccinioides* De Cand. *Fl. gall. suppl.* p. 118.  
Ad folia ramosque emortuos Buxi sempervirentis in Jurasso.



50\* Sphierib'ccralMpcima ToJe Fung. Blecktenh. 2. j> ~>?> t. 17. f. i3t.  
Ad bai/m pmrcscentru r.Pr«iulflrufa QueKtii Iern intixorum Pisa ia Lartti ululhticaljUtlJBi.

568. Sphaeria lata Pers. Syn. Fung. p. 29.  
A1 ligiiiKJJ 1 agi exsic.ituui.



58j}. Schemā silbestcma ^- ptanoidvs rostellatq *Fries in Litt.*  
Ad tunot Aceib PiemJnplaUiii iu prxrupiis moBlii *IJohntek Vo^eiOiciuii*,

570. *Sphaeria decolorans* Pers. Syn. Fung. p. 49.  
*Sphaeria petrioides* De Cand. *Sphaeria cinnabarina* Tode.  
Ad ramos Ribis rubrae, Quercus ac Tilia.



j 571. Spüft-1-k Doliolum *Pers. Sjn. Fung. p. \* > 8.*

111 1111 plantarum major 111-

572. Sphacteria sirolinim *Boll und Schm. Deuts. Sskw. i. n. 8.*  
Ad squamas pufccnL<i iifobilorum *Vl,i Alia;\*. Vere ac autumnno.*



1

573, *Corynourm disciforme* Xccs \*« *Etn. und Schm. my fail. Heft. u p. 76- Mtl* >. z.f- '3\*

Ad ramru fiojtcaia Querm. Veré.

Cctius Pacciti<sup>is</sup> vicinon 1<sup>ac</sup> i<sup>^</sup>i-a cim !oe\*adui:i, Z<sup>l</sup>. rj. fi *Litt.*

574. Coryiieuin pulvmatum *Kun. im. Schm. mjkol. IL-ft. 1. J>. 78. tab. 2. f\* 19.*  
is ei uortuis.





575. *Sclerotium fimeriana* Peri. *Ann. Fung. p. 124.*  
In foliis dectiJau ariJj Qacrem, ajitalc ac autumnis.

576. Tubercularia confluens Pers. *Syn. Fung.* p. 113.  
Ad truncos ramosque arborum exsiccatos.





577. *Lycoperdon perlatum* Pers. *Syn. Fung.* p. 143.  
*Lycoperdon proteus* var. *hirtum* Bull. *De Cand.*  
In sylvis ad terram. Autumnis.

578. Tlicsb fallav *If. P?.r\$. Sjn, Fung. p. 177.*  
*Mucor* fi iniiui *Jitaj\** *Sr.hjcrocarpuj ficoides Ball.*  
Ad roUfCOf el ligtia putridau Autumnno.



579. *Licea strobilifera* - ^/k <\* Schw. Consp. . Fufg. />- 109. tab. 6. f. 3.  
In «qua:ui3 strubiloruiu Pi''' aljiutu- Vore nc \*uiumno.

#

*t*

GSo. *Agancus Slypictis Bull. Pers. Sriu Fung. p. 48r.*  
Atl truucoi cukcatoi Fa^i Qwercu»>jne, iuiumno ex hycme leni.



581. *Thelephora cruciata* Pa' s. Syn. *Fung*, p- 57<sup>J</sup>\*  
At! ratuoi CXUCdLoS Pini l<sup>J</sup>;cca\ Auiumuu.

582. Thelqihora discifottnis *De Cetnd. M. g/tlL Suppl p. 3i<sub>f</sub>*  
AJ «usLu!» pusreicesiteJ corlicis truncorum Quercui vivctiiti.





5S3. *Leolia luhrica* Pers, Sju. Ftu<sup>^</sup>. „ 613.  
TFsvella gelatmoja Bull De C<sub>ind</sub>.  
Ad terrain ia lylvu aLiugnU, autumnno.



584. *Peziza* vagesifera J'rrs. in Litt.

Ad tunicos putridos -%i>re ex;jo\*itot et pra;\*ertm in ligni\* abfctini\* putrefcentbu\* terra flbieettSp Vecz\*  
A Pci. uigiolla Pert, cupuli\* sitpitatti, extui taiviLui, duttnela species.

*Peziza melzuzia d. vagesifera Pers. Myc. eur. p. 584*




1. S

585. Pezi?a digitnlis .///£. e( Sch|i\ Consp. Fung, p, 3iS- tab. 5. ,/. L\*  
Sat frequcu in ty|.vii circa Brtiferium ad ram05 emorius Pint Piccae. Autumnno



t

586. *Peziz.n compressa* Pers. *Sfn. Fung. p.* 0\*70-  
In asiulis Corli Avclbuar. Aprili.





587. *Peziza Pinastri* Pers. *Syn. Fung.* p. 672.  
Ad cortices ramorum putrescentes Pini Piceæ et Abietis.



588. Pczlza **Nidatna** &7im.. *uml Kim. Dents. Slav.* 3. n". 72,  
In caulit^us iicft Covallariit: InuUiliorne IUiaruimie hc:baruni. Vero,





586. *Torula iuliginosa* Pers. in hits.  
Monilia Picefi Funk. Anicnafia pinophila Nees.  
Ad ram« Pijti Pkea; ndhuc lauguescentei m s>lyis umbrosis.



590. Chart vulgaris Linn.  
In aqua\* iagnarHiJus. Estate.




5gi. Cliani flexilis *H*<sub>1172</sub>.  
In livulis. JEtktb

J



1

9



592. *Lt-mniica incurvata* Bory sfrw. Mas. t?,  
 Confer\ a iDrulaia R\*>th- Cb<alf<inia torulosa Dt Cand,  
 Ad lapides in rivulis rapidis fragosisque Vegetatione





4

593. *Cliantaria glomerata* V. - *Sand. Fl. gall. n.º. 121.*  
*Conserva glomerata* Linn. *Polypodium glomeratum* Vauch.  
In fluvii ad lapides. Maio.








594. Chantransia? nana.  
 Conferva nana Dillw. ex Mertens in Litt.  
 In mulij ad plantas «!«• •»«"«• Ныеме К primo Т«\*  
 Alga pulcherrima structuræ affinis Chantransiæ glom-ata, quam e diversis Galliæ regionib; sub nomine  
 Confervæ Hermannii Drap. vel Chantransiæ Hermannii Desv. accepimus.

Тrentepohlъ pulcholla Agardh 1811. Alg - » 187.





*Cup.* Ectosjirniia i espitosa *Vauch. Hist. des Conf. p. 28. tab. a.f. 1.*  
*V. ucheria cespitosa De Cand. Fl. gall. n. 155.*  
ID fuodo r.vuiurum >d terram limozam. Estate.





596. *Oscillatoria major* Vauch. *Hist. firs Conf.*, p. 193. // J. J. A.  
*Conferva thermalis* Schr. *De Cand. Fl. gall.* 2, p. 53. *Tremella thermalis* Spring. *f. ex Luc'h. Vall. Loth.* p. 362.  
In thermis Plumierii, tota  
Hæc *Oscillatoria* ex aqua emidi Plumierii in aqua aeris temperie mensis Julii tantum calefacta et  
Labellis immersa asservataque, vixit ac propagata fuit.



597, Oscillatoria murwis.

Conferraria muris Didiacanth. Oscillatoria senecae Penzance F. i. f.

Ad muros antrorum in aedificiis-j. Luctorum. In terra nuda lignea vanni et picea. Liofem. Autri Br? BC f. t. c.

*Lignospora muris Agardh. h. b. K. n. 174.*



1118. *Diatoms flocculosum* Dto CamL 77. A"?. "• "6.  
 Conferva floccuosa Roth. Conferva pt"tinalis MtUF  
 Jn a^uij Jæci» Gvardmer ad hrbj«. ^»t!e.



*Uva bullosa Rich Cat. 3. p. 329.*  
*Uva lactuca L. Huds. Uva minima Fauch. L. Cand.*  
ID • foiiii hfv> »'J.,Cuti reple tii inmle verno tempore.



600. [lubrica Roth 'Cat. i. p. 204.  
• Cotjktva lullii'i Rithh Cut. 3. j. 168.  
In aqui\* fontium OiKidiuuorum, Maio Junioque,



BOOK CARD  
Indian Botanic Garden Library  
BOTANICAL SURVEY OF INDIA

Calf to STI - £ ..... Ace. No. B-10.124 .....

Author ..... Mougeot, J. B. & others

Title *Stirpis cryptogamae* V. the  
*namae quas in Rhini Superiori* . . . . .

Name of Borrower/Code No.	Date of Issue	oi £?tfn
*		

INDIAN BOTANIC GARDEN LIBRARY  
BOTANICAL SURVEY OF INDIA

