

Indian Botanic Garden Library
BOTANICAL SURVEY OF INDIA

CLASS NO

BOOK NO. STI - e

ACC. NO. B-10.128

Diakone natura
Hourig

Ermenegil



1
12.4

STIRPES CRYPTOGRAMMÆ

VOGESO-RHENANÆ;

QUAS

IN RHENI SUPERIORIS INFERIORISQUE*, NEC NON
VOGESORUM PRÆFECTURIS

COLLEGERUNT

J. It. MOUGEOT Bniycr(Hisis Metl. Dort. et C. NESTLER Argentinensis
FacuJt. Metl. Argent. Bolan. Prof.




—BKTJS O. ML et natra niliil in7<bra nnnvrlr.
Posieros tameu tot iuveniuros fore odllitatea ex muitcis
auguror , cjuol ex reliqaw rcgctalibus.—

Lium, CuiionoF Amoen. Aeitd, lom, HI. p. a{i.

FASCICULUS X,



BRUYERII Vogesorum. 1833.



INDIAN

BOTANICAL GARDEN

CALCUTTA

L. JINHAJI

No. B 10128


II
XXurc declmflm rentnnam **qiiam** Nestleri collaborator Is amlnqiic desideratissimi longus morbus et fatalis exitus distiller tint ? tandem ad inlegnim perduxit non sine **magno cruciafu cortlis et animi**. Nam cum *hacc* studia, quae dolores acutissimos **fere sola** possent levare, indesinenter menti **meae calauaitatem irreparabilem** representarent., labpres **Datura gratissimos** in grave **supplkdum** quasi ronvertcbant. **Uliii**[^] initem grata? scientia* **doctoris et fervidi promotoris suprema voluntas** hoc officinal **milli inprimis imposuit et solemne** proniissum exegit **moriens** ut incccp- lum nostntm omni ope et opera perseqiieror. Quatnobiem adjuvantibus ca?teris aiuitis[^] fillofpie rneo? in **magnam spem adducor** (ore ut possim ilerum aliquot foniLirios **edere**. **Seel nunquani obliviscar** qitantam jartiram ego et omnes naturae sludiosi fecerimus. Quotiey soltis. aut cum pain-is, ntit cum magno comitatu, splen- clidos licec lichenibus, muscis? filicibus, aliisque **cryptogamis** Vogesonmi fontes, lacus, torrenteSj excelsa jnga, convalles, nenioraqtie rcvisam, quossempet cum nova voluptate rnecum scrulabatur, toties doctissimi, amnl)ilissiini, humanissimi et ex maⁱⁱ pietate prxdicti viri record a done ? \^rulnus nunquam sanAile recrudescet.

Bruycrui Fbgcsorum, 1 Mail \ 855.


J. H. MOUGEOT,



| | | | |
|---|----------------------|--|----------------------|
| AfSCalyppt cripitosa <i>Bruch*</i> | IV ^o 909. | Orthoircbnm Slurmii <i>Ilornsch.</i> | N. ^o 922. |
| Arcbidium pha^ooides <i>Brid.</i> | 904. | Parmelia plurabea <i>Ach.</i> | 939. |
| Barbula ruiieifblia <i>Brid.</i> | 9*9* | Parmelia cotispcrsfl i\ slenopb ^o lla <i>Acth.</i> | 940. |
| lWbula iiclmala <i>Sckwtyg*</i> | 917. | Parmelia speciosa <i>var. h. Fries,</i> | 941. |
| Bjibula membranifolia <i>Scfwtk,</i> | 9 ¹⁸ . | Phacidium r craierium <i>Fries*</i> | 986. |
| l5;itru diospermtthi tcnuisjimium <i>Dubr*</i> | 999. | Phacidiutfi Lauro-Cerasi <i>Dcsmarz*</i> | 985. |
| Boirychiuii) rutucemi <i>Tl'iild.</i> | 901. | l'i;ir -idiutn lepiidcnm <i>Fries*</i> | 984. |
| BryUm announutn <i>Hedw.</i> | 928. | Phascum remrvifblium <i>Dicks*</i> | 902. |
| Biyum cffisphium <i>v. badium Bruch.</i> | 929. | PhascTin roMellamm <i>Brid.</i> | 903. |
| Bryam intermedium <i>Bruch;</i> | 927. | Phoma llederce <i>uesmar&i</i> | 979. |
| Cniinuni abieinum <i>Pers*</i> | !>7. | Pterula subulata <i>Fries.</i> | 995. |
| Calici | g56< | Rhizococcum crepiians <i>DesmarZ\</i> | 1000. |
| icium siemoneum <i>Schaer.</i> | 932. | Sderotium berbaium <i>Fries*</i> | 990. |
| GatLariDea , augtistnta <i>Brid,</i> | 48. | Sclerolium \armm <i>Pers*</i> | 989. |
| t^oolicma uiicrophjtluni <i>Achi</i> | 9 | Spha?ria aquila <i>Fries.</i> | 965. |
| Golletna mnsicofa <i>Ach.</i> | >11. | Spba?ria barbara <i>Fries.</i> | 966. |
| Depazea buxicohi <i>Fries*</i> | 974. | Spbsnia brunneola <i>Fries.</i> | 970. |
| Depazea criieila <i>Fries*</i> | 976. | Splurria Dotbidea <i>b. Rosae Fries\</i> | 971. |
| Depazea llif [cola <i>Fries:</i> | 975. | Spha?ria euiypa <i>Fries*</i> | 967. |
| Dothidea Himantia <i>Fries*</i> | 981. | Spbirria Ilystm <i>Toder.</i> | 959. |
| JJoiLiden Pteridis <i>Fries.</i> | 980. | Spbasria Jtind <i>Fries*</i> | 964. |
| Uoihidea rotitnlala <i>Fries*</i> | 982. | BpWria leiplnrnia <i>Fries*</i> | 961. |
| Eclostroma Sedi <i>Fries.</i> | 988. | Sfjlia?ria maculans <i>Fries.</i> | 969. |
| Endocatpon Guepini <i>Mougk</i> | 938. | Sjgliinia Miiibelii <i>Moug*</i> | 972. |
| EusK^oia arntidinacea <i>Fries*</i> | 83. | SphjEria pruinosa <i>Fries.</i> | 968. |
| Exidia Auricula <i>Judte Fries*</i> | 99 ³ * | Sphcerfil jumctata <i>Fries*</i> | 958. |
| Geoglossum viiid <i>e Pers.</i> | | Splnrria rimoso <i>Alb. et Scfitw</i> | 963. |
| Unmmia slncana <i>W. Arn.</i> | fjo. | S[gl]inia slilbostoma <i>a. papula Fries*</i> | 962. |
| Grim mi a conlbrta <i>Flinch*</i> | 912. | S^haeria sirumella <i>Frits*</i> | 960. |
| Giimmhi cribrosa <i>Hedw.</i> | 911. | Spbacronema cladoniscum <i>Fries.</i> | 977* |
| G^omnostomum curvstrostrum | 9105. | SpliEcronema colliculosutii <i>Fries,</i> | 978. |
| llynienostomum sqnarrosuii <i>Brj.ger,</i> | 906. | Sporendonema Casei <i>Desmarz*</i> | 958. |
| l1) meiuula rubella <i>Fries.</i> | 934. | Storcoranlon pileatum <i>K/.</i> | 947. |
| llytmum iucurvatum <i>Schretd*</i> | 9333 | Siignniididum crnssum <i>Duby.</i> | 955. |
| It) [iimm tencllum <i>Dtcks.</i> | 996. | Sjnuicbia Itevipila <i>Brid*</i> | 920. |
| l1 [emporium coccineum <i>Fries*</i> | 935. | Syntricbia latifoHa <i>ffubefh</i> | 921. |
| Jongenfiann ta obovata <i>Nees*</i> | 936. | Tareioofa Irypoplrylla <i>Zmⁿ.</i> | 937. |
| Jinigerats&oia undulatar. sequala <i>Nees,</i> | 987. | Thelcpiiora acerina <i>Pers.</i> | 991. |
| IjabrelKn Ptarmicf>5 <i>Desmarz*</i> | 942. | Tricbotliecium rosenm ii'n [^] | 997. |
| Lecanora Villarsii <i>Ach.</i> | 943. | Trichostomum fasciculare <i>Schrad.</i> | 916. |
| Lecidei) calcaria <i>Schtvr.</i> | 946. | Tricliostomum glaucescens <i>lledw*</i> | 913. |
| Lecidea commutata <i>Schcer,</i> | 9 | Trichostomum rervosum <i>Bruch*</i> | 914. |
| Leddea immorsa <i>Ach.</i> | 945. | Tricbostomum viridulum <i>Bruch.</i> | 915. |
| Leddea nm<iris <i>Ach*</i> | 944. | Verniicularia uicliella <i>Fries*</i> | 973. |
| lSFniura afline <i>Blnd.</i> | 930. | Verrucaria Dufburii <i>D. C*</i> | 953. |
| Mnium cinclidioides <i>Ihibett*</i> | 931. | "Verrucaria" labrala <i>Ach.</i> | 950. |
| Opegrapha pha ^o a <i>Flæk.</i> | 954. | Verrucaria bytlrela <i>Ach.</i> | 952. |
| Orihotvicbam fallav <i>Bruch.</i> | 9 ²⁵ . | Terrucaria t-uptstrb <i>Schtcta*</i> | 951. |
| Orthotricbum pa I tens <i>Bruch*</i> | 92 | Weissia cirrata <i>Hedw.</i> | 907. |
| Orrliotrfrbtmi pa lens <i>Bruch.</i> | 923. | Weissia tristicha <i>Brid,</i> | 908. |
| Orthoircichum stramiQemn <i>Ilornsch*</i> | | | |



001. flolrjliium mttmim Tflfhl. Sp. pi. 5. p*62
1Q herbidis Bunt & haedl a i» •*«* Avison prope Bruy: um. Ianio.



90a. *Miascmm reruvifuli* Lim Dicks, ex Jiryol. germ. t. p. 2. l. 5. f. A.
Thiscuni parf. ycarpon *Sekm in Betkv. Sp. Muse. & ippl. i.p.6. tab. 2.*
In agriiad lerraw U, «o», ro Abatlar, Lolharihji* cl circa Biponknj. Autumnno.

m.

503. Phascnm rostellatum *Brinkl* _ *Bryal germ.* r. p. 53. /. 6./ . 14.
Ad lerram limosam circa **Bipoultra** unde *ab amico* ^rutA **ncwpimoj.** Aulumuo-

oo.f- *Ardiidimn phascoïdes* Brid, *Bryof. ttniv. i. p~ *j47^A Suppl tab, 3.*

rij^cum plobifVruni *Bntcfi. in But. Zest. iBjrj, i.p* a8i. /aft. U*

Plifticum Brtieliii Sftreng. Sj'st veg. 4' ^- '4"!**

Tn agii' ;irgillosi!> madidis lol© atiuo iVucti(trmn circa Ripontem.





ex Jussieu

905. *Glinnosromium Chviroktrnm flemv. Stirp* Crypt. 2. tab. 24.*
AJ rup«caicaria»in Jurassoci Ceptimis, verc. Species poljmorfo.



906. irynienostomom squarrosnm *Brj'ot. germ. i. p. tr*)3. *fab. is. f. i-*
lu agvis circa SipntL-in Outul>r. el Utte-mik ab aiuico *Britch,*



f)0;. Wck>i; clmm TJnkv, S>. Mmc* p. fip, tab. J 2./i 7—11.

Mnium cin^ruiTi Linn. (S> viini cri^p^lum Hoffm.

Ad riipr* in aylvia circs **Sipoutem** al Riuyccium. Verc.

W««ia k nobis cifiiaia jp f.yc. V. n.^ .{f^}; drnoniinjua CM Didrdioildu oLacurus Raul/us.

m m

Q08. AVeissh irihlichā *BrhL* — *Bryal. germ. n. s, a, p. 108. fab. Z:\. f, 2\$.*
GrinimiH irisiicha *Schw, in Flrdtv. sp. muse An/ipl. i. tab, iG.*
Ad mpes cakanai mtdidai Juiasoi, Ceki-iii-n'inn , undc miiil aiuicus *Prost. Vcre.*

j)or]. Auucalypia caepitosa Ihurh. — BryoL germ. 1. sect. a. p. t/fi. t. 37./, 4-
Vrtiissim ca= pi it'so Brut. Brj-oL maiv. 1. p. 806.
I» solo colejirio prope Biponwiii ubi legit umjcai *Bruch.* Vurt.

910. Grimonia ffrirana *If. Am. Dkp. meth.* <ics mousses p. Si.
frinmia orbicui.irts *Druch in Liit. Dryplotion abttisui Bridi*

Ad saxa calcaria Rliwn **reptiwij**, Jtirijci, in Qibnuii cuca Mimaiem UIJG iiiibkamicus *Prost. Y<re>*

9i »• Gjimmia cribrosa Hedw. — SrjoL germ. 3. sect. i. p. Bo. I- 16. f. 2.

*

BTynn ciibiostim *lh.fim.*

In muris wxlsque **npjiiJ** PH **rara** spttirs .nt [Vequeus ciica Andegavum et MiinalCffi ubi amici

Gürp el *Pratt* coH^erunL **Vere.**

91 J. *Grimmia conima* Funck. — *flrj-ah'germ. a. secf. i, p. u5. t. \tyf- 5.*
AJ rupes JKisaliicas prrpe tujel ainetis Ziruci I<'git, nos in saih ranitkia circa *Schirmeck*
el iiiiceis circa BruycrimiL Y m -



9'3- *Tnthsloreaum* ^lfinweris *Hechv. Stirp, Crypt. 3. tab. 37.*
Didymodon glimascens *ffcb. et Sfoiw.— Grcv. JCO. cry pi, Flora3. tab. 127.*
Ad Luãoi el in iissurii rupium Juxu«i Ccifliuormo<[ue. *Æstate.*





914. *Trichostomtuia nervostim* Brack in LUt.

Didymodon nervosum Hook. and Tayl. *Musc. britan.* p. 66. tab. 20.

In GaUi, observaverunt primus in muris schistosis circa Andegavum, D.^r Montagne in solo lutoso
Pyren. orient., D.^r Beck ad muros vinearum Alsatiæ superioris, de Brebisson

*a tap** versus meridiem prope Ailajse. ^LrL;



£15. *TnclioslomuTn viriduium Brtteh hot. Zeit. 1829. 2. p. 401. t. 2. f. 3.*
 |a areuosis ad rip* Hli<'i P^{TMJ}* Arg<Biin<™. > at ,

Q16. *Trichomanes fasciculatum* Schrad. — *Bedw. Sp. misc. SttppL* \.p* i55. tab. 38.


Bryum fasciculatum Hoffm. in *lirygni liyfuoi* Jcs h. Linn*

At fJita mon[is *Hofinecb.* Faoa ad icstaltm.

TnchfISLomum fascicuJirefft^C- til. n.¹ ai3 peitnwt ait *Trichostoomum* proLCQSum JJrauit,

Racomitrium cataractarum Brid.





917. *Barbula inctinata* Schiwrg. in *Hedw. Sp- Muse Suppl* \p. 131. L 33.
In terra BrgilJoso-areuosa piope Argentinam. Aprili uaioque.



U



918. *Barbula membranifolia* Schuz in *Act. nat. cur.* n, p. 226- f, ?> \f. 33,

Barbula cdforniotoj *Brid*, Toiinft memiiramltjtiã *flook.* & c . c . j , 1. t. jg.

In rupibus vulcanitis nioiLiculi *Li'uMerg* ad **Bbenam** aruicos /Jz-dun , ad muroj « t u u

circa Miniatem aimcu* *Prost*, lianc sjtcciem bhservaveruaL *Vere.*



919. *Wbula cuneifolia* **Brid.** *BrjroL univ. t. p. 5f*◇

Tortuta caucasiensis **Hook, and T. Mute. hit. p. Zt. t. 11. 81701*1** *cuneifolia* **West***.

D. *iprasenlw Inuiii spck'i io CaHia nrienluli u=querlo incerli sunnsaed* frequenier in *Callia occidentali amici*
P/ Guefin , r/e Urebissan el in *Pyrco. orient. D. r MtmtOgru* ad *torratn argillosatu* vece *obierv-av<iuut.*



O20. Sjntrlchw Krvipila BriiL Bryol, unit: i. p. r>8(y,
ariulti UevipiU iehwa^ in IUdw. Sp. Muse. Suppl i. p. ft. ., M#
AJ truocu* arlmruiu. Venu



\$ar. Sjntriciaia bfUblia Hubert. Muse. germ. p. 342.

Tortula lulilclia Blufh. m* f*iii. Syn(t'i.iii) ke-vipila b. Schu* m Act. n. cur. 11. t. 3f.

Ad orLioniiJi trunuo* circa Uipouicui Jejjilam. Brack. Vere.





922. *Orthotrichum Siurttii* Hornsch. et Hopp. in *hot. Zeit.* 1819. 1. p. 111.
Ad saxa Vogesorum, at circa Dipauter, in Pjicnaeis Gallicjue occidentali. Estate.

923, OnliGirichum slraniineuni [*Jornsck. fxJJrid. BrjoL u/iiV. *. /• 789.*
In arhuriinjs sub lint'in Veils.



924. Ot LlotiicluJin p:nens *Bruch ex Brid. Brjot. univ, i. p- 7^7**
In sjlvis ad u-unto* Tagi, 31aio.

f

925. Orrtiotrčhum fotfax *Bruch ex Br'tct. BtjoK trniv.* 1. p. 7S«,
Ad irancos Salicuni, Sntuliuci, Populi, e*c AjiriJi m „\aM

926. *Ortholima pallens* Bruch ex Brid. *Brjol. unfa*, i. p, ^g3,
In sepibus spinosissimis in albugine, iaiiU(lue Acetis P^wJopinlauri, V<c, niftl<.



r)⁷- Rrynm inHTmcdinm firuch in tilt.
WuLera inlcrmedia Sch\yrg. in flcehft Sp. Mate, ttp, i. j, a. p. Gj, tab. 75.
In caulliui ailiectis prope Bip»Qtem₁ vere ac aestate.

928. *Bryum annotinum* Hedw. Sp. Musc. p. 183. tab. 43.
Plum annotinum Linn. *Wobera annotina* Bruch in Lit.
In locis humidis arenosis. Maio, junio.






929. *Bryum arspinimm* enr. bad¹mm *Brack in Litt.*

Bryan LaiHum *firuch in Liiu*

In sreoosii iittniiclii cli'Ca Bijioutem et Argenlinam. April] , maio.



. 1

*

1

II


1*

Q^or Mninm affine *Bhndow Muse. exs. fusc. 3. irj.^o r33.*
Mniunt eujj. idatum & //erfi*. *^jfc Mm^c. p. 19^o l. lufi. ,ll f. 7.*
fal *locis umbrosis vel liuniidis syhnruu' fill lit-ij^o lens in Vogesis. AL'illi inaioque.*

(31. Mmim cinclidloirles *Huhticr Mrtsc* germ. p. 416.*
In sjlvii-Ltpi poludosij circa Bivodurum nj>ili maio(^nc₁ tmktu Leo coll*git.

Thinium effine var





g3i. CutUarinca iinguslnta *Brid. Btyol. unfa. 2. p. 105.*

Polytrielium aii^nsloU^rii *lloofi* Muse. trot, i, tab. 50.*

In colJLbui siccit « *Sjbrh* drea Argcpllitiam ct Biponteio. Vere.

933. *Hypnum tenellum* Dicks* ex Htdw. Sp. Muse* sup* 7* p- tfil* toV* 144.

Hypnum iilniHiium Brid. *Hypnum exigimjn* Bland.

A.& utBEja Argenioraii. Ilyt/iit ac Vere.

934. *Illypium incurvalum* Schrad. ex Jfedn; S/K Mtsc. SnppL i. \$. i+p- 285. t. 94.

Hs'ilium li-skicirdfs Drut.
Fir saxis Vogesorum, Sylvæ nigrae, Cebennarum. Vere.



935. *Jungermannia unata* Ners ab Esenh. Naturgesch. der europ. Leberm* i*/>- 332,

Jungermannia unata Ners ab Esenh. Naturgesch. der europ. Leberm* i*/>- 332,

Ad nipes granitosa madidas Vogesorum. Maio.

936. Jimgenmamna nmlulnta *vari* A. d. frquaia *Necsab Esmb. neiL d. eur. Leken** 1. p. 185.*

Jungern jiiinTirresi;pii)atr *f.itdmlr. iMrtcUa « J \ W J tf// Etnb, i» LM'*

In [iramiplLs Jiumidj> Vogtsoruin Utqiiedo tlerilis.

p3y- Tiirgionla liypoplivlla *Linn**

AJ ten-am liiposain Jdriis.äi rai-o, sed *firqaeniita in* Cebennis et Gallia occi'lcntnii-

938. Enlnrnron Giiq>itti *Afnttg. in Fries f.ich. rur. p. 4''' -*
Ip rupibm *tchh\o&is* cicdlwriif, cine* Audrgaviw D.' *Gucpin* ci Olbia D/ *Montague**

93◇ Parraci;i plomben *Ach. Syn. Lich, p, 302.*

Licht pluniben* *Lightf,*

▲d caulices velu*Los AiUe, SorLi in juyo *Schiizeberg Alsatiz.*



9 fo. Parmdia conspersa b. slinnjiJtvlla Jteh. Sjfl* tklu p. 309.
Adsajio graniloso Vogesorum.



94i. -*Vmwelia specios-i* \triangleright *Fries Lich* 1895. 10.
Borrera *Lich. Bor.* all. 2. p. f. 12.
Ad ramoi ALfeti* pcliuatu ;,, *Benana.*



Qila. Lrranoni Arr^rii ^ch, Syn. tic7t. p, 163.

Raro apud no iu terra elknh, s,t inqotm *tea KmHtm, i, Campania, Burgundia,
Delphinatu Galliaque meridionali.*

943. *Lecidea calcaria* Schtrr. *IIch. hch-. Spic. p. 133.*
Lichen calau^ns " « J , Pjctclaria creUcea D. C.
Ad sa " caJcu ia.

Apothecii imbricatis.

944. *Lecidea rupeslris* /sch, Syn. *Lich+ p** 3g.
Lichen rupeslris *ScapoK* *Palcllatia nipeitru D, C<*.
lu su\is [[^]iiiattin] calcaisi.

945. *Lecidea immersa* Ach. *5y«. *Lich. p. ay.*
Lecidea immersa D. C.
Ad limifus calcarios.



f(u) Lectten ccmimulaia Schrrr. in Lilt.
Lccnorn coiunnaia rfeh. Syn. Uch. p. i fa.
Ad coniccm truiicwum Ahielis pcclinaLe hi Voges_orimi sylvis.

I

947. *Stereocaulon pilcatimi* Ach. *Spt, Lich. p. 285.*
Stereocaulou condensitura Pries *Lkh, ear. fr. ao3.*
Ad sail Vogesonmi granio*a.

gl. 8. *Cichema aucrophyllum* 4ch- *Syn. Lick. p. 310.*
Ad If uncus .irborum eke* *Argentianum.*

9
fV Collemn musticoli ^ch. Syn. Licb. p. 328.
Licbm musicoki S^arii, Cowimhtia muicicoLi. 5. C.
JJI moHtoi* iJ iTffⁿ¹¹ et iIIIra muscos

950. *Vemicaria* *tf*bwa.* ^{Λ^{ch}} ^{**)}«• *Licit, p. QJ,*
VL-rtueana lavigata Pert.
Ad Jiveni arLormn corticem.

pf>i. Verrnrlarlar nlpwtris *Schrati** *Spic. p. TO-J. t, n.f. <*
Verrucaria Sdirudtti *Ach. V. iinmrsii Pen. Lidicn imtuersus UoJJht**
In *uxiscn tr ijs.*

95a. Yerroortfa hydreb Jch. Syn. Lick. /?. 94.
in rivuli circa Bruyerium.

g53. Yerrucam DufinirH P. C Ft. ft: n.° S(JQ.

Verraxru pvrTiopljoT-* Ach. Srn. lich. p. gτ.

Ad rapes cficWMS Jurassi, **Delpfain**«W₁ elc , umlc „b imico de Mirthd aewpimni.



срѣ. ОpegreпM pke« FУek. Dents. Tick. n.° 14 V
Opegrapha nimbosa Schleich. Lic'cn pulicaris Hoffm.
Ad Juglandis corticem.

gSS, Stigma tidiutn crassnm *Duhy fict.* @all =. p. 643.
Opogrjptia cruu ft. C. Porina ag^rrgata ifch. SjgfJin nggregala *Frier*,
Ad corliceiii CUJHUI tiu-o apod nau, fretjutiuius iu ^ullia occiflenuli ub' legit amicus *Le PrcvOlt**

956. Cataiurn siemoncuin *Sch&r. Licit. Jirfv. Spic i. p. 6. exsicc. n.° i3.*
Cdlicittm trkitiilf ft. **tteicutnim** *Ach.*
Ad corticem annosoi-urn arbprum piwsei \M\ **Quota*** ALieisqnei

957. Caliciuin olitelinimi *Pers. Tent, disp. fang' suppl' p- ^9.*
Calicium cervictilaiuin *Ach. Cnlicitim rurtum Frii*'*
i.d Inmcos *AbictJJ* j^-clitalw: in *Vogeiis.*

<p8. Splitt=ria pnneiatn *Fries Syst. rtye. 2. p. 330.*

P<iio punctata Linn, iijili^ria foronin **Per*- Hjjposjlon** puoctatom *Grev. scoU. cryp. FL 6. (• 3aj,*
In (lino ciuiiio Al>tifr ojvwivavil aoitcuj *fvchinger.*



f

g\$g, Sphaeria Hysirix Todt Fung. meek. t. T 6. / 12;. ex Fries in Lilt.

Sphaeria ~~colobii~~ ~~ps. in~~ & *

AJ ramw Aceris P5eidojilitani in uuaplil ponfe lohneck Vogesorum.

Sphaeria Hjrilrii; Fa*c. VI. * 5 ^ ^ Sphjeriam iUlboatoniaiu Var. g. platanoidem

rwieJUuin pciinci, ex Fries, in iiti.

180. SpLs-na sirnmella *Fries Syst. ryc. a. p. 365.*
Ad Aibi* petrxi lamos pulrescentes in prxruptis *Vogesorum.*

961. Splierfa leipTia-mia *Fries Syst- mjc** a- p. 399.
Sphaeri II ystrii *O. C. FLfr. iuppl p. 118. e.v Fries in Lite*
la ramii quercim's aulunao *xcVA- Vet**.

962. SpLxria siilbostoma <v, a. papula *Fries** *fy^t. myc. 3. p, 404.*
In lima (setulinis,

963. *SpLasria rimosa* Alb. *el Schv**~ *consp. Fung. Lus. p** i3. t. Z.f. I.
Ad culmos Arundūjii *Phragmitis.*

964. Sphaeria Jund *Fries Sjsf, myc. a. p. 428.*
la culois MsieciLi Junci conglomcraU eJluaitue.

965. Spta-TM jwjuji' Kries Sjst. ittj-c* a. p. fa.
Sphærii bpsiteda i. Jorf* /ÜII^, MCC*/. I. p. 10. / . ^ . / 70.
AJrjmos A«ri*Pi>emloplutJui fn moiiiis tioluieck praiif li.

\$06. Syhierb barfara *Fries S_rst. myc. 2. p. 468.*

Il>,cerium ciocrewm *Pers*

Ad ramos «*lieun , Ccruí., Oputi, Acuí* c

bservavit amicus D.^r *Montagne.*

967. *Splurria eutypa* Fries SjrA. myc. a. p* 478.
Ad KUDOS dejectoi Aiajria Fsi-udojflataqi in Vegcsorurtt sylvis.

968. Sphaeria prunosji *Fries Syst. mj'C 2. p. 486.*
In Fraxifii ramoruin cortice.


969. *Sphaeria iztH-ula!* is *Fries SfSt. myc, 3. p. 502.*
la taliis Populi Trctflula: dtjrecLu.



9-10. Splia-ria brimneola Fries Syst. myc. a-Jf* 526.
ID folc t-oiiva 11 arise inajjlii et verticillatae.



£7J. Spherin Dodiidea b. Rosa Fries EL fung. 2. p. 86.
Xjloro* Bos* D. C* Spte'ifl fas* SchUkh,
Virgoris in Rosa canina.



972. *Sphaeria Miribelii* Moug. — *Fries in Linnæa* 5. p. 548.
In foliis Buxi observavit communicavitque amicus de Miribel.



13. Verraiçula triciella Friei in Grev. scon, crypt. Flora C. tab. 3.15,
SphaTu triciella J r;cs Srtunyc i. p. 515.
In Tulii Mr.ditj: emortuis.



974. *Depazea buxicola* Fries J>jf. mjrc. a. p. 528.

SitUxrit iichenn'ides vtr. buxicota O. C

In folijs tdhue vivcitlibu* Buxi sempervirentis.

no. 974 maculae albae epiphyllae
punctis nigris notatae ad Dothideam
Depazeoidem Desmaz Ann. Sci. Nat. Paris.
ter. tom. 10 p 311, pertinent.






975. *Depawa ilieicola* Fries in Lilt.
Siberia. iMctjh Dui>r Pfejr&vcfcu ilkta* Pert, hi IM,
In tollifi vivis Aquifolij.



976. *Depocrea cruenta* Fries *opt. nyc. i. p. 531,*

Ad foiii Ct>nr>U>li* uiilliiloi!* el Pulyjonaii,



077. *Speronefta ciadonfecum* Fries *Obs. mjc 1. p** 188. *l. a. f. 7.*
Calidura cWonicum Ach. *Lich. mh>. p. H**
Ad lignum *Abietis putridum* in *sylvis Vogesorum.*

n°8. Splajronema coilteulnsni Fries Syst. m?c a. p. 540.
denudato.

979- P*l*oma Hedera; *Detmaz*, *PL crypt*, n-" 35°.

Ad caulet emortuo* Jlt-dera; pñiiu oWivavit anücü *Desmazieres*.





980. DoiVufca Pieridi* *Fries Syst. myc. a. p. 555.*
Sphaeria Pieriji* (?)* Xjloroa Piendii Z. L.
Ad folia Tieridis aquilinae exsiccata.


9^h. Doihidea Himamia *Fries Sjrst. mjc 2. p.* 559.
Sphicria Him»»lia *Pers,*
Ad raulcs urido, Umbetlifcerarum 1. *najorum.*

982. *DotMdea reticilata* Fries *fyst. myc. p. 5Go.*

Sphaeria retir.ubu D. C.

In fdlif ewicnLift COJIVallaria.' PpfYtlonBti CL Lifolij-.





983. *Eustegia arundinacea* Fries *El. fung.* 3. p. 112.
Xyloma arundinaceum D. C. *Phacidium arundinaceum* Duby.
Ad culmos Arundinis circa Argentinam.

M

084, Phacelium leptideum Fries Sj.it. m/e. 2. p. 576.

Til acirti u m quadrature Scftn. rayc. fief I- *• V' ^3,
la cauibue exwccalw Vaccinii Myrtilli.

I

nW. Pliacitium Lauro-Cerssi Desmaz, *PL crypt.* nS i83.

Ill Lorto boianito argeotoralenji adt pa^iuain iufuiioreni Lauro-Cerasi.







86. Pliaddiom ? Ci-attrUmi *Fries in Lift*
fipiueria Cri^ium D.X. n./r. fc? 8*4
ex L. ur.™ Litt.



987. Labrella Plarmictf- Desmaz. Pl. crypt. n.º 189.
AJ caules foliaque Achilla Ptarmicæ in planta culta monstrosa,



988. *Ectostroma Sedi* Fries *Syst. myc.* 2. p. 602.
In aridi* *Sedi Telephii* caulibus.




€)§g. Schwotiiim vrtriiim Pers. S'rn. Fung. p. i a a. ex Pers. in Lin.
Ad radices Carottæ putrescentes *ia* cella asservatas.

990. *Sclerotium herbaram* Fries SjSt, myc, 3. p. 263 !
In foliis JaiguefceJitiLiu EjiioloLii spicali Lam.



991. *Tielcpliora accrina* *Fcrs. Sjn. Fung. p. 581.*
In OnliOB A.C4BI campeSiris et pUtanoidib





p<)a. Hyroeuila mMia *Fries El, fang. a. p. 38.*
Ail p.i^imm intrlorfm rffittt folioTUMi Ty'plia- latifoib* I)/ *Guepin*
cl Sjiargiiii ntuouD.' *Mühlitbeck* auluinuo print obscrvaci nut.




993. *Extrilia Auricula Jrufa*¹ *Fries fyst. myc n. p. 221.*
*Peziza auricula Linn. Attricula JudsC*¹, 'Fungus S'imbict' O/Jic.
Ad iruncoJ umbticiiKW circa Aigeuiium, hycnic ac veie-

ggf. *Ceoglossum viridic Pers** —• *Crev* scott. crjpt, flora f. tab. 211.*

Clavaria vtridii Sdirad.

In herfidij a d a ins sylvium circa Hiu yel'ium autumjio.



995. *Pterula siibulala* **Fries** in *Linnfra* 5, p. 53a. tab. Q.f- 4-
tliica Andcg.iViJin jd terra liuuiid* detexil amicui *Guepin*.

qcfi. IHcuporium occir)eira **Frit's** SfSt. myct 3. p. rf 9.
Itt lidieuibU leproas crustaci-is "invenit primo in (j.-illia occidenuli **amicus**
La Prevost, nos poitea tti Lotharingia.


997.

Ti-iclioibeciuni roseum Link — Gre-f. scoll. cryp. Fl. 3, /. j ya.

Tvichodtrnw TMeHin.P^rj. ft *Ptrs. in f-ii.*

Sub cpiJertuiile ciJrticis variarum arboruin, auLunuo ac tiyenie.

jj)8. ©porwtrlonema Oud Desmaz. nnn. sc. nat. it. tab. ai.
Mitoc cntjlaccLt) IkiU* il:periiia Crustacea D. C. Scppdoniutn eAscoiuni Link.
Frequens iu esseis vetuilis [allu- s*]>k')ilrionalis, Ccbeunai uru, rarius in Vogesis.



999. *Batrachospermum* [enurssimum *Dttr* *Hot. gall.* 3* p. 978*
LtniOCa P?ati ndioiptraosa Oar)' jinn. Mas. \i. tah. 11. fl 3. f.
Ad AruDtlinis CULUOS in aijuii RLL>IU circa Ar^cittiuant Leitiu *Kneiff.*

1000. *Rhizocaraim crepians Desmaz. Jtm. sc. nat. a4. tab-4-*
Ul%^ran«]a:a Linn. Hydrogaitmni gurMilatum Desv.
Ja fo«i pail Bnabij Di^iioocm eKiaaus prope Ar;cDUn,m autumnno.*

**INDIAN BOTANIC GARDEN.
LIBRARY.**

NUMBERED

CLASSION

CATALOGUING

CLASSIFICATION

DATE

✓

BOOK CARD.
Indian Botanic Garden Library
BOTANICAL SURVEY OF INDIA

Call No. STI-C..... Acc. No. B-10,128.....

Author..... Mougeot, J. B. & others......

Title..... Stimpes cryptogamae vogeso Rhen-
-anae quas in Rheni Superfloris...

| Name of Borrower/Cod* No, | Date of Issue | Date of Return |
|---------------------------|---------------|----------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

INDIAN BOTANIC GARDEN LIBRARY
BOTANICAL SURVEY OF INDIA

