

(This copy is taken from the original ^{Ms.} in the
hands of the W.S.C.)

Catalogue
of Dried Plants
collected, Presented to the
"sm6tea<ffi" £ffm& Knibb E. India Compy
and arranged according to the system
of Linnaus, by
Francis Hamilton (Buchanan) M.D.

Original Ed.

/S22. -



A Catalogue of Described Plants presented to the members
of the East India Company, and arranged according to
the Linnaean method by Francis Hamilton, M.D.

Moraceae

Monocotyledonae

Cordaceae

- 1 *Canna indica* floe. rufa. Root Bangal.
Canna indica Root Bangal. Root St. Ind. f. 1
Toma Red (*sylvestris* Linn.) sanasita
habitat in foreshrubs ultra et infra Gangam umbrosis
2 *Thalia dealbata*
Thalia dealbata (schottianum) Root Bangal. Root St. Ind. f. 2 umbra
Root (non folium) sanasita
habitat Bengalensis in Banga
Patisia _____ in Paropha
Colletia ad Bangala pagat.
3 *Polygonum perfoliatum* Root Bangal. Root St. Ind. f. 7.
Gymna Patisia Bengalensis in camphora.
Colletia ad Camphora pagat.
4 *Polygonum intercalatum* Root Bangal. Root St. Ind. f. 6.
Gymna Patisia Bengalensis.
Habitat in camphora humidae umbrosis.

Liliaceae

- 5 *Hedychium spicatum*
Hedychium coccineum Root Bangal. Root St. Ind. f. 22 in notes.
Habitat in camphora et Nephala umbrosis.
6 *Hedychium coronarium* Willd. sp. Pl. 1, 12. Coss. Math. 1, 602.
Root. Root f. 3. Root Bangal. Root St. Ind. f. 9.
Gandavulum Root. And. v. 17. p. 665. p. 33.
Pladam Basal (posticum propria, Mahomatis excep). Kilk. 1.
Colletia in camphora folio.
7 *Glossyina macrorhiza* Root Bangal. Root St. Ind. f. 25.
Aira hammoniana Rennig. & constantii f. Hammonia dicotoma
jubiculat Roxburghianus Root Bangal. f. 7.
Glossyina minor Root. And. v. 14. 1.
Hellonia cheniana Willd. sp. Pl. 1, 12. Coss. Math. 1, 597.
Bun'kaido (glossina (Parvula) Bengalensis in camphora
Habitat ubique in India cyathis.
8 *Alpinia Malagassa* Root. Root f. 4. Root Bangal. Root St. Ind. f. 6.
Hellonia Malagassa Willd. sp. Pl. 1, 4.
Cardamomum zeylanicum sylvestris aquatum, non, syringa
Glossyina urmatia Burm. Chit. 20. 60.
Mala Jonda Root. And. Math. 1, 530. 162.
Tara vel Tarka Bengalensis.
Gymna Parvula Bengalensis.
Habitat alijs in India et India et ultra Gangam locis umbrosis humidiis.

Moneypynia Monandria ² Litsea

9. *Alpinia edulis* Herb. Bong. 2. Herb. No. 25. Rost. Ind. 1867.
Colitur in horto prope balneum botanico e China.

10. *Alpinia nutans* Herb. No. 25. Herb. Bong. 2. Rost. Ind. 1867.

Screwpine species Linnae. Meth. 1867, 222; India, 222.

Globba nutans Willd. sp. Pl. 1867, 222. Linnae. Meth. 1867, 222.

Globba silvestris minor Herb. Amb. 1867, 186, p. 63.

Habitat in sylvis Campania orientalis humidis.

Ab hac solle ducatur *Globba silvestris major* Rumphius
qua ceteris siam.

11. *Alpinia malaccensis* Herb. Bong. 2. Rost. Ind. 1867.

Golanga malaccensis Herb. Amb. 1867, 186, p. 63.

Maranta malaccensis Willd. sp. Pl. 1867, 186.

Dava. Taro (donna Taro) Compulemum in Campania

Habitat in Campania orientalis sylvis humidis.

12. *Bangalowia superflua*

Roxb. Bok. Bengalensis.

Habitat in sylvis Campania orientalis montosis.

13. *Anemone? albonotata* Herb. Bong. 2. Rost. Ind. 1867.

Alocasia montana Roxb. Roxb.

Habitat in Melville borealis sylvis.

14. *Zingiber officinale* Herb. Bong. 2. Rost. Ind. 1867.

Zingiber officinale Blak.: abn. 39, 2000. Schied. synonymus

Zingiber minus Herb. Ind. 1867, 186, p. 21.

Adraka sancta

Ada, Adrak Bengalensis.

Colitur ubique in radice, qua Zingiber est S/V Tet*i*i***P*.

India subguttatum. Zingiber foliis glabris non vici.

15. *Potamogeton* Chou.

Haec Rost. Ind. 1867, 186.

Zedoria longa Blak.: abn. 39, 2000. Herb. Melville etatibus

Z^yfrb *Latifolium* & * sive Burm. Blak.: Rost. 222. exinde synonymus Rumph.

Anomodon Scop. nuda, spine oblonga obtusa. Linnae. R. T. Eng. 2.

Anomodon *Zedoria* Willd. sp. Pl. 1867, 222. raro etatibus Rost. Ind.

Anomodon latifolium Linnae. Meth. 1867, 222. exinde synonymus

omnibus Haec excepta.

Circumis Zedoria Rost. Haec, 186.

Circumis Zer. Rost. Bong. 1. Rost. Ind. 1867, 222.

Kachura sancta

sive et Kachur Bengalensis?

Marla gri Burmanorum

Habitat ubique in India inter et extra Ganges suculenta.

Nelagines

17. *Cochlearia* Benthica.

Ortodoxa sancta

Lati Ostacea (variegata Phenopodium) officinale. India

Habitat in Nagapura, Lumbini

Spica varia tuberculata in fructu pedicellata in coriaria

- 3
- | <u>Monogynia</u> | <u>Monandria</u> | <u>Nystagines</u> |
|----------------------------------------------------------------------------|------------------|-------------------|
| 18 <i>Baohoria Taludama</i> | | |
| a flore rubro, caule ad geminata non radicans | | |
| <i>Taludama</i> Hort. Malv. vij. 102 t. 18. | | |
| <i>Baohoria roxita</i> Baum: Pl. Ind: 31. t. 1, f. 2, quod ad figuram | | |
| b flore albo, caule apente | | |
| <i>Baohoria procumbens</i> Hort. Bang: 2, Hort. Pl. Ind: 1, 145. | | |
| <i>Baohoria diandra</i> Baum: Pl. Ind: 3 t. 1 f. 1 | | |
| Habitat aliquo in avibus hortice non inundatis, et radicibus non profundi- | | |
| mos terra cultoribus infesta. | | |
| <u>Diandria</u> | | |
| <u>Monogynia</u> | | |
| <u>Jasminaceæ</u> | | |
| 19 <i>Jasminum quadrifolium</i> | | |
| <i>Juglora officinarum</i> Hindice | | |
| Habitat in Nagadha hortis. | | |
| 20 <i>Jasminum Nauvorallica</i> | | |
| <i>Nana</i> Mallikay Bengalensis: nomina Redurgh. Ind: 2, 5 | | |
| 93. 94) ad duas plantas diversas datum. | | |
| Cultus in Camphor, hortis. | | |
| 21 <i>Jasminum pungitiburon</i> | | |
| <i>Bon (panica)</i> Mallika Bengalensis. | | |
| Habitat in Camphor, domiciliis. | | |
| 22 <i>Jasminum rubescens</i> | | |
| <i>Bon</i> Mallika Hindice | | |
| Habitat in Nagadha domiciliis. | | |
| 23 <i>Jasminum congestum</i> | | |
| <i>Sathkhil officinarum</i> Hindice | | |
| Cultus in Nagadha hortis. | | |
| 24 <i>Jasminum exsertum</i> | | |
| <i>Sathkhil (albus)</i> Hindice: vides 1734 | | |
| Habitat in Coala sylvis. | | |
| Altera est sathkhil alba ab haec cito distingue. 1739 | | |
| 25 <i>Jasminum conditum</i> | | |
| <i>Konda officinarum</i> Hindice | | |
| Habitat in Nagadha sylphis. | | |
| 26 <i>Jasminum pubescens</i> Willd. sp. 96. 323 Enc. Math: 10. Aug. 1805 | | |
| 3 varietates synonyme Sheldic. Rend. Botan: 92 | | |
| <i>Jasminum horsetum</i> Hort. Pl. Ind: 1, 16. | | |
| <i>Mahua</i> sanscrita | | |
| <i>Konda</i> Hindice | | |
| <i>Kath' Bala</i> Bengalensis | | |
| Habitat prope Calcuttam in sylphis. | | |
| 27 <i>Jasminum bracteatum</i> Hort. Bang: 2. Pl. Ind: 1, 92 | | |
| Cultus in horti prope Calcuttam botanico & iheringianis | | |
| 28 <i>Jasminum latifolium</i> Hort. Bang: 21. Pl. Ind: 1, 92 | | |
| <i>Lal (rubrum)</i> Konda Hindice | | |
| Habitat in Coala sylvis | | |

Monogyne Dianthidium Jasminaceae

- 29 *Jasminum punctatum*
Sophia (album) Auct. officinum? Dianthidium v. N° 24
Soliter in Magadha hortis.
- 30 *Jasminum molle*
Habitat in sylvis Magadha montosis.
- 31 *Jasminum amplexicaulis*
Magisterium undulatum Buc. Matth. in 212 exches jasminum
Akelei, & que hoc dicendum.
Habitat in Bengalensis orientalis gybeis.
- 32 *Jasminum canarium*
Bam Janggi Hindicee
Soliter in Magadha hortis.
- 33 *Jasminum canarium*
Bam Janggi Bengaleseum
Habitat ad. nocturne Paga, et in camphora sephiis.
- 34 *Jasminum canarium* Willd. sp. N. in 212 solit. Bang. 2 Rob. H. Ind. 12.
Magnolia canaria Buc. Matth. in 214.
Soliter in horto prope Calcuttam botanica.
- 35 *Jasminum curvifoliatum* Brot. Bang. 2 Willd. sp. Pl. 33 35. Nutt.
nos. 37 Rob. H. Ind. 12.
Maj. ^; ~. ^' foliatum Buc. Matth. 214.
petala canarita
petala canarii Bengaleseum et Hindicee.
- ,4u<zW-<l> India dimotis.
- 36 *Jasminum humile* Willd. sp. Pl. 33 Thunb. 186. Nutt. 186.
Jasminum chrysanthemum Brot. 186. Ind. 233. Nutt. 186.
Soliter in Magadha et Nihala hortis.

Olea

- 37 *Ligustrum lucidum* Brot. 186. Nutt. 186.
Phyllaria paniculata Brot. Bang. 2 Rob. H. Ind. 12.
Ligustrum Nipponense Rob. H. Ind. 12. 186.
Habitat in camphora et Nipponi Magnoli.
- 38 *Olea fragrans* Willd. sp. Pl. 33 Thunb. 186. 2 Rob. Nutt.
186 Nutt. Bang. 2 Rob. H. Ind. 12.
Soliter in horto prope Calcuttam botanica & Phina.
- 39 *Chionanthus caniflora* Brot. Bang. 2 Rob. H. Ind. 12. 186.
Clitus in horto prope Calcuttam botanica & Mollis.

Polygonaceae

- 4* *Sphaeralcea esculinoides* Brot. Bang. 2 Rob. H. Ind. 12.
Ghata, pa, Gol Ghanta, vil. Angoripa Hindicee
Habitat in gybeis Magadha midionibus.

Acanthacea.

- 41 *Festuca tubiflora*
Habitat in camphora montosis.
- 42 *Festuca thysanophylla* Brot. Bang. 2 Rob. H. Ind. 12.
Tallera vulgaris

- 5
- | <u>Acanthaceae</u> | <u>Dianthus</u> | <u>Monogynia</u> |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| | | |
| | Lal Basot, officinarum Hindicae | |
| | Habitat in Mithila et Magadha sylvis. | |
| 43 | <u>Justicia rubra</u> | |
| | Habitat in * Ad*^ C ^m urupia Montosis | |
| 44 | <u>Justicia elongata</u> | |
| | Dianthaceum striatum Willd. Fl. Ind. p. 116. | |
| | Nil Basot Dangalonium | |
| | Habitat in sylvis, unde per A. C. Smith & Balfour prope Calcuttam botanicum missa. | |
| | Descriptionem a Justicia elongata Willd. unde postea Justicia Smithii dicenda. | |
| 45 | d*su** | |
| | Habitat in sylvis Magadha apriis. | |
| 46 | <u>Justicia secunda</u> Rott. Nov. et Syst. Meth. sup. 4112 | |
| | Crotonium pulchellum Rott. Bong. & Blatt. 1822 p. 110 | |
| | Cultus in Indiae hortis | |
| 47 | <u>Justicia lindii</u> | |
| | Habitat in sylvis corrupto montosis. | |
| 48 | <u>Justicia loboloma</u> Willd. sp. H. 1816. Nov. et Syst. Meth. sup. 4120. tabl. 116. Rott. Bong. 2. Ann. Fl. Ind. 1. L. 1817. Rott. Rott. 1818. | |
| | Adhatoda spica longipina flore rosacea Burm. Fl. Ind. 1817. f. 1. | |
| | Carm. postea prima spicae carmine curvam Rott. Rott. 1818. f. 4. | |
| | Carm. curvum Rott. Bong. 1820 | |
| | Ma-ra-gei Cormannorum | |
| | Habitat abigue in Indiae. | |
| 49 | <u>Justicia adhatoda</u> Willd. sp. H. 1816. Nov. et Syst. Meth. sup. 4123. 103. Rott. Nov. 1816. Rott. Bong. & Rott. Fl. Ind. 1. L. 1817. Rott. 1818. | |
| | Adhatoda zeylanica Burm. Fl. Ind. 1. L. 1817. f. 3. | |
| | Habitat in humido Indiae Montosis. | |
| 50 | <u>Justicia</u> | |
| | H. 1. 1816. Nov. et Syst. Meth. sup. 4125. 41. 1. nov. 3. Rott. 1816. f. 18. Burm. Rott. 1817. | |
| | Abigiamnum indecum foliis sessilibus lanceolatis | |
| | Burm. Fl. Ind. 1817. exclusis cymosum pluribus et floribus | |
| | Platycalyx, agna. Spica unica. hirsuta. hirsutissima. | |
| | Synde Maran. Rott. Bong. 1820. f. 1. | |
| | Culmen levitatem. Rott. Bong. 1820. f. 2. | |
| | Cultus in Indiae sephibus et hortis. | |
| 51 | <u>Justicia ginderupia</u> Bue. Meth. 1. 617. sup. 4126. Rott. Nov. 1816. | |
| | Bong. & Rott. Fl. Ind. 1. 2. curv. Rott. 1817. exsiccat. Vide cap. 41 et | |
| | Ginderupia nov. gen. habent strob. unicum et floram album, | |
| | et Ginderupia fulmina, cui spica axillaris Willd. sp. H. 1817. | |
| | Aspernabis galantes, calice glabro foliis bisaginatis floribus | |
| | unianticis Rott. 1816. Rott. 1817. f. 55 f. 3. | |
| | Ma-ra-gei Cormannorum. | |
| | Habitat in Indiae sephibus. | |
| 52 | <u>Justicia dolosa</u> | |

Piandia ⁶ Anthracea

- Jondarpa formosa* Hort. Scand. 10, 72, 16291
Dodona, s. p. 14. *Bengalensis*
 Habitat in Camphora pagos.
- 53 *Justicia nasuta* Hort. Bong. & Reel. Fl. Ind. 121. Hort. 35291
 sed nescio an *Willdenowii* (H. H. 150) Burn. Fl. Ind. 7 Burn.
 Meth: sup. 4, 109.
 Pulaoli Hort. Mal. 125. 163.
 Paliak sui Hindice
 Potentia in Magadha hortis.
- 54 *Justicia cochlearia* Willd. sp. Pl. 1, 28. Enc. Meth: 183, sup. 3699.
 Hort. Bong. & Reel. Fl. Ind. 5, 119. Burn. Fl. Ind. 19.
Justicia leu H. Vogl. 22.
 Digitata similis planta bicarpellaria flore tubuloso-globa.
 bifida, et loba integra, fl. exante Burn. H. Vogl. 22.
Euphrasia officinalis Lindley *Cochlearia Kawalica* *Zeylanensis*
 Hort. Alm. 152.
 See Tumba Hort. Mal. 12, 15-16.
 Habitat in India montibus.
- 55 *Justicia runcinaria* Hort. Bong. & Reel. Fl. Ind. 122.
 Colitur in horto prope Calcuttam botanico e India.
- 56 *Justicia decipiens*, Hort. Bong. & Reel. Fl. Ind. 1, 128.
 Colitur in horto prope Calcuttam botanico e Pegu
- 57 *Justicia Coryana*, Hort. Bong. 4.
 Colitur in horto prope Calcuttam botanico e D. C. Bengalensis.
- 58 *Justicia bicolorata* Hort. Bong. & Reel. Fl. Ind. 123. Willd. sp. Pl. 1, 81.
 Hort. Alm. 229.
Justicia ligulata Enc. Meth. sup. 395 cylindrica
Platynotata Ill. Govt. 12, 12.
 Raton Pulaoli Hort. Mal. 9, 115. 22. Blab. Alm. 222.
Cantharis officinum Hindice
 Habitat in Magadha cataria.
- 59 *Justicia paniculata* Willd. sp. Pl. 1, 29. Enc. Meth. sup. 396. Hort. Bong.
 & Reel. Fl. Ind. 5, 119. Burn. Fl. Ind. 9.
Justicia nasuta C. Linn. Meth. 1, 631.
Cara ferarum Hort. Mal. 12, 109 & 116 *perfumum citrum* a
 Hooker. alm. 162. Meth. 115
 Habitat in India duobus.
- 60 *Justicia speciosa* Hort. Bong. & Reel. Fl. Ind. 122.
 Habitat in India Gangetica.
- 61 *Justicia tinctoria* Hort. Bong. 4. sed non Louraini Reel. Fl. Ind. 5.
 156 ex parte forte synonymous *Ramifolia*.
Banga Bengalensis
 Habitat in camphora sepius et ad pagos solitus.
- 62 *Justicia chinensis* Hort. Bong. & Reel. 11 May 1838 Burn. Fl. Ind. 124. 163.
 ex. Willdenowii vel Bengalensis, ubi inter monanthosas calyx
 duplices, in igitur potius *Justicia bicolorata* Willd. sp. Pl. 1, 81

Mongypria 7 Diandria Acanthacea
 velutina synonyme Rhesii et Rumphii, quibus staminis
 monocathara.
 Alte - grossa (colonarium consistit) Bengalensis
 fructuosa res nulli.
 a in horto botanico foliis bracteisque lanceolate ovatis,
 b in Mithila foliis lanceolate ovatis bracteis obvolutis,
 c in parviflora foliis oblongis, bracteis lanceolatis.
 Habitat in ¹²⁰⁰ mts. montosa.

63 Justicia Botonica Hort. Beng. & Rab. H. Ind. j. 129 Enar. Meth. sup. 6109
 Burn; l&g^J: t. Jtr^A*u>.-4J. dfoUZ*. #1.- H. j. 962

justicia foliis lanceolate ovatis, bracteis ovatis cinnamomeis
 coloratis coloratis Lin: H. Zeyl. 18?

Botonica fruticosa Bontii, Noromini salviiforme

Amaranthifolia Burnii Theb. Zeyl. 47

Bon Curini Hort. Mal. 3, 53 f. 21.

Cultus in horto prope Calcuttam botanico.

64 Justicia canescens Hort. Beng. & Rab. H. Ind. j. 130
 dubius an a precedente diversa.

65 Justicia quam in Magadha ad riuulos montanos inveniens
 quam cum tandem opere cum scabie fructuibus.

65 Justicia repens Lin: Meth. 629, sup. ej; 100, Meth. 46. H. Ind. j. 96
 velutina synonyma, St. Zeyl. cuius quoque forte probat
 justicia repens Duranii H. Ind. 83 Rab. H. Ind. j. 123.

Adhatoda spiralis flores ex foliis membranaceis
 producens Burnii Theb. Zeyl. 7. 153. f. 2.

Habitat in aquis Magadha humidis.

66 Justicia perlinata Hort. Kew. 41, Enar. Meth. j. 630, sup. ej; 1092

Justicia parviflora #&kijt: #J A I

Sarasi Hindice

Habitat in Magadha riuosis.

67 Justicia procumbens Willd. sp. H. Ind. 87; sed in planta Lin: H. Zeyl.
 19: Varietas duas habet.

a ramis procumbentibus paucis foliis subcordatis petiolatis
 spinosatis, bracteis, tephyllo calyx alto marginato latera
 n. phyllo demidio bicuspidibus.

Habitat in acaj. Magadha aridioribus

b ramis procumbentibus sexuatis, foliis oblongis rotundatis
 acutis petiolatis, sparsis
 $\angle \wedge \angle$
 marginato tephyllo demidio bicuspidibus.

Lophocarpus alsine $\star\star + \# > \text{a} \text{ fo} \Sigma$ Ruba modo glauca.

Hind: Alg. 142; Phys. 12. 36 f. 3?

Habitat in Mithila.

68 Justicia diffusa foliis oblongis petiolatis subcordatis,
 sparsis acutis, bracteis calyx equalibus, calyx alto marginato
 et ciliata.

Barberi angustissimum

Raphia officinarum Hindice.

Habitat in acaj. et. Magadha riuos.

MonogyniaDiandriaAcanthaceae

- Willd. sp. Pl. p. 37
1% M—
- in locis Meloxic humidae
B. gracilis officinarum Kuntze
Habitat in Magadha
- 71 *Justicia polygyna* Hort. Bong. & Rott. Ind. p. 126.
Justicia ciliata Hort. Kew. p. 37.
Habitat ad Sutica Gangotriensis rive
- 72 *Justicia pentasticha*
Habitat in Tripura et Camrupa ad aquas.
- 73 *Justicia Ajugoides*
Habitat in Magadha et Casale sykes ad aquas.
- Lentibularia
- 74 *Vicicularia elliptica* Willd. sp. Pl. 115. Ind. 4M6+& My? set non
Burm. (H. Ind. 1549) cui metarium datur
Habitat in Magadha stagnis.
- 75* *Vicicularia fasciculata* Hort. Bong. & Rott. H. Ind. p. 142.
foliis et halysia Bengalensis.
Habitat in Bengala stagnis et fossis
- 76 *Vicicularia axillaris*
Habitat in Ranga stagnis.
- 77 *Vicicularia lutea*
Habitat ad Magadha scatriginae.
- Scrophularinae
- 78 *Veronica amplexicaulis**
veronica undulata Hort. H. Ind. p. 147.
et tip-tit * ex aquatica foliis longis et angustis
H. Ind. 1549.
Habitat in Meloxic aquosis.
- 79 *Veronica amplexicaulis* B.
Habitat in Magadha prope opidum Bobarm.
- 80 *Veronica laevigata*
Habitat in Camrupa rive
- 81 *Gratiola corymbosa*
Habitat ad Magadha scatriginae
- 82 *Gratiola oppositifolia* Willd. sp. Pl. p. 105? non Rott. H. Ind. p. 10
Habitat in Meloxic ruboris humidae
- 83 *Gratiola Bancala*
Bancala officinarum Kuntze
Habitat in Magadha rubore
- 84 *Gratiola grandiflora* Willd. sp. Pl. p. 105 Ind. 1549. Schlecht. Suppl. p. 53.
Hort. H. Ind. p. 37. et ex sis me assidua;
Rusto olla major Hort. Amb. v. 180. p. 170. p. 21. perfuram a Willd.
divoris et Burm. (H. Ind. p. 155) ad G. neocaledoniam.
floribus sheathis rotata
Habitat in ambulacris portorum.
- 85 *Gratiola veronicaefolia* Hort. Kew. p. 68. Ind. 1549. Schlecht. Suppl. p. 52. Willd. sp.
Pl. p. 103 Rep. H. Ind. p. 159. spolite synonyme *Scrophularia*.

MonogyniaDiandriaLophularina

Ruellia antipoda Burm. Mihls ex *exclusis gynomis*
Ruellia et *Rumphii*.
Ruellia foliis serratis caule ex parte floribus terminantibus
spiculis quinque latis H. Zeyl. 225.
Mesmera veronica facie petiolois uncialibus et sessorialibus
Burm. *Bot. Ceyl.* 12. evolvens *Plechenetii* synonymo
Gentianella utriculigera Indica *impatiens* foliis aggrati H. Zeyl.
Hanv. 17. *Mihls* 215. p. 2. quatuor plantam Indiam orientalem spectatam
Pea *Syjungam* *Sugram* *Rock*. *Malabar* 115 t. 35. cui opinion
J. Serrata *Rock* H. S. 299. 1st.
Habitat in *campana* *orientalis* *grisea*. *conf.* 122.

- 86 *Gratiola* ^A *hirsutiflora* *Rock*. *Bot. Ceyl.* 12. H. Zeyl. 244
Gratiola *tenuifolia* *Eneveldtii* *Mihls* *sup:* 45. 322
Gratiola *rotundifolia* *Willd.* *sp.* *Pl. 1.* 18. evolvens *synonymo*
Rhede ^{C f}

Habitat in *cosco* *aquosae*.

87 *Gratiola* *stolonifolia* *Inci.* *Mihls* *sup:* 45. 322

^f *Habitat* in *Magadha* *umbrosa*.

Sorophulariaceae officinalis

- 88 *Dopatrium lobelioides*
Gratiola lobelioides *Inci.* *Mihls* *sup:* 45. 322. *Willd.* sp. 197. 1. 100.
Gratiola pinnata *Rock*. *Bot. Ceyl.* 12. *H. Zeyl.* 244.
Dopatrium *Nikite*.
Habitat in *Magadha* *inundata*.

Verberiacae

- 89 *Tarona indica* *Willd.* sp. *Pl.* 12. *Burm.* *N. Ind.* 12

Tarpania sibirica *Inci.* *Mihls* *sup:* 45. 322.

Stachysapheta indica *Rock* *Bot. Ceyl.* ^a

Habitat in *rubore*.

- 90 *Verbena officinalis* *Willd.* sp. *Pl.* 12. *Inci.* *Mihls* *sup:* 45. *Rock*. *Bot. Ceyl.*

Colletia in *Magadha* ^f *Mihls* *et al.* *Flora* *Nikite*

- 91 *Veronica nodiflora* *Willd.* sp. *Pl.* 12. *Inci.* *Mihls* *sup:* 45. 322. *Rock*. *Bot. Ceyl.* *Flora* *Nikite* 22.

Veronica *epips* *nodiflora* *Burm.* *Flor.* *Zeyl.* 216.

Veronica *subiflora* *Forst.* *de soni* 5. 200. t. 26.

Veronica *nodiflora* *Inci.* *Mihls* n. 322. *Burm.* *N. Ind.* *Willd.* 1. 100.

Im *Veronica* *strumifolia* *foliolis* *caeruleis* *glaucis*

Habitat in *locis* *totius* *India* *propinquitate* *pini*.

Labiatae

- 92 *Salvia* *Willd.* <EL-

Salvia *bonalensis* *Rock*. *Bot. Ceyl.* 12.

Habitat in *Magadha*.

- 93

Salvia *barathica* *ftT.* *Bot. Ceyl.* 4. *Rock*. *Bot. Ceyl.* 12.

Salvia *highwoodensis* *Mihls* *sup:* 45. 322.

Bara *Magjorai* *Acetosa*.

Habitat in *Magadha* *resure*.

- 94

Salvia *gandharica*

Phala *gandharica* *officinalis* *cinerea*

Habitat in *altis* *peisis* *elevationis*

MonogyniosDiandriaLabiatae

- 05 *Salvia polystachys*
Habitat in Campana et Mts && > Ht. medie
06' *Mesla Cyprioides*
Mesla longilobum
Habitat in Campana ad montium raticos.
Cum hac forte concurrit *Codon Carduelis* Hort. Mal. p. 5. 967
- Tribus Thlaspiaceae
- 97 *Rhaga Conocladoides* n. sp. m.
Millingaria amplifolia (Lam.) Fenzl. p. 122
Rhaga Berg. p. 122
Habitat in Campana sylvic.
Urticaceae
- 98 *Croftia erecta*
Habitat in Campana orientalis montibus.
- Polygonia
- 99 *Piper nigrum* Willd. Sp. Pl. 159. Hort. Kew. 69. Hort. Malabar. Ann. H. Soc. 12. vol. 3. Ind. 123.
Piper aromaticum Linn. <u> H. S. 2. p. 458.
Piper foliis ovatis subgloboseis glabris, petiolis simplicissimis.
Linn. Sc. Trop. 26.
Piper rotundum ex Malabar., foliis ~~ZZZ~~ A. angustioris.
1. 1. 1. 207
- Plantae
- A*.'.'*Jf. W*~~& yCCmm, &&. f*A* • *epiphylloides* subracemos.
- Molugo* (sic) Hort. Malabar. p. 22. 1712.
- C. *;?c*'.j* India australiori *indumentaria* grossa
- 100 *Piper betle* Willd. Sp. Pl. 145. Siner. Malabar. Ann. H. Soc. 12.
in *Betiles* (sic) foliis latè brunn. his Trop. 26.
sic Ann. R. Soc. Am. v. 340 t. 177 p. 2.
- Pachyripa* Nam (arborescens) *Mesla* Bengalensis
Glossina (sic) arborescens ^ M. «4. L. . ^
- 101 *Piper Aspernum*
Piper Hort. 4. *Piper Bengaleseum*
Habitat in Campana pagos.
- 102 *Piper Nipponicum*
Piperatum L. Bignon.
Habitat in Campana sylvic.
- 103 *Piper longo-pungens* Pottalia foliis ab angue petiolis rotundatis
spatulae R. Br. Pl. 12 p. 6
Piper Bengaleseum nonne a *Piperatum* nonne *Piperatum*?
in Report cursum foliis. RJ
foliis in horto prope Calcuttan botanico adha. 12m
cum P. longo a Robberg (Hort. 12) idem istum
nunc non satis abundante illustratum.
- 104 ? *Piper* *ellina*
Cult. Molay. Hort. Malabar. 12.

MonogyniaDiandriaVotice officinalis*Galtenga Bengalensis* W.*Habitat in Camphora orientalis montibus**Autumnus 1882, 1883.*105 *Piper alatum**Van Pipal Bengalensis.**Habitat in Camphora orientalis sspibus*106 *Piper chinense* Hort. Bong. 2?*Piper Chinense Roxb. Thibet; 1883 ad interim Piper longum Roxb.**Aut. 1883.**Piper sylvestre* Encycl. Meth. 422*Chai Bengalensis.**Colitur ad Camphora praeceps.*107 *Piper plantagineum* Roxb. Nott. in Brot. fort.*Piper synapionum Encycl. Meth. 422**Piper malabaricum Roxb. Thibet; Herbert Bong. & ubi Rumphius*
*perheram citatur.**Phaeothamnus malabaricus parviflorum Herb. Ind. 1882, 1883, 1884, 1885.**Anna logo Hort. Malabar 1883 & perherum a Willdenowia et in*
Encycl. Meth. 422 ubi Rumphius conjugationem id est occursit
*Rumphius Brot. citatur.**Habitat in sylvis Camphora.*TrigynidaeMonogyniaCaphsfolia

ft* i Jag ***divisa

*Habitat in Mangrova sylvis*109 *Clea bengalensis**Madar officinarum Hindoo**Habitat in Mangrova, montibus*110 *Clea tornaria**Succulent herb.**Habitat in sylvis Camphora sylvestris*Ferruginea111 *Connocladia appendiculata* Wight*Willmottia pinnata Roxb. 1865, 1866**Habitat in Camphora orientalis sylvis.*Acer112 *Hippocratea leucostoma**Zelkova orientalis sylvis*113 *Hippocratea Vorma Thibet**Tournefortia diffusa Roxb. Thibet 1882, 1883**Belleri montanorum Hindoo**Habitat in sylvis montibus inferioribus**a fructuosa parva, si ante decora capitulo majoribus**arborum Roxb. Thibet 1882, 1883.*

Menia

& u

SrianduaOnagraCorynphyllaceae

- 114 Sonchus sinuatus Hort. Botan. S. Flora & Fauna Indiæ, 180?
- Ranunculus (Paeonia sinensis), Bengalensis
Habitat in Camrypha orientalis aquosa.
In Rhabdei phanta folia serrata.
- Caryophyllaceae
- 115 Dicentria indica Willd. ff. 161, 191. Hort. Botan. S. Real Acad. Sci. Indiæ, 169?
- Turnera depressa Lour. Martius, 423. Synt. in 320
- Aline hololeuca villosa, foliis crenatis amplexibus multifloris
- Mutraspatana Rikk. Alm. 22, Phys. 910, f. 6?
- Habitat in ripis Ganges monosiae
- Panta Rhabdei glabra.
- Comelinaceae
- 116 Comeline Bengalensis, Burm. Pl. Ind. Specie ssp. eponyme Rosyphila
Willd. f. 257 non Murray nescio? Encyclia 467. et 820. sp. 2
- Comeline ad Bengalensem inconspicue relata
- Linné Ind. Sup. 937. Rikk. Ind. 178.
- Comeline repens foliis brevibrotundatis Burm. Thes. Zeyl. 79
- reducere eponyme? Non illa
- Comeline stellata Stev. A. Herb. Ind. 924?
- Bengalensis, cerasina foliis brevibrotundatis brevibrotundatis
- / glauca Plak. Plan. 136. Willd. 127, f. 3 exculcata eponymis
- Nera Kuanara Bengalensis
- Habitat in Bengala orientalis aquosa
- 117 Comeline alba
- Habitat in Camrypha aquosa.
- 118 [+****M^] liu^, / **%?**"*, "f^' #'/ ', • Of
- Comeline communis, Burm. Thes. Ind. Specie eponymis
- Comeline Tiliifolia, Hort. Botan. S. Real Acad. Sci. Indiæ, 176.
- Comeline tuberosa, Burm. Thes. Ind. Specie eponymis
- 7 luteum Margaritaria speciosissima
- Comeline paludosa Burm. Thes. Zeyl. 69 1526, f. 2.
- Habitat in Bengala aquosa.
- 119 Comeline lutea £
- Parvula Kunk. sp. f. II. ramea lutea
- Kuntzea (Thoustanum) allium Bengalensis
- Habitat in India & all other virgines
- OtUd. **4t liu omnino nullis, vegetis litteris luteis, ramea lutea
- Tellu Catta Hort. Malabar. 119, 238.
- 120 Comeline sinensis
- Comeline lutea Linn. f. 11. H. is * N. 320?
- Habitat in Camrypha orientalis
- 121 Comeline lutea
- Nobis sp. orientalis ramea lutea.
- 122 Comeline ramea
- Habitat in Camrypha orientalis aquosa.

Monocotyled.

Triandria

Commelinaceæ

- 123 *Arctium lappa*
Habitat in Campania orientalis ad montium radice
- 124 *Arctium lappa*
Habitat in Campania orientalis humectis
- 125 *Arctium lappa*
Habitat in Campania borealis separata
- 126 *Arctium lappa*
Habitat in Campania borealis separata
Commelinæ sub-flore. Herb. Reg. & Herb. St. Ind. 1770 adhuc
Radicis ramosissimæ, cui filamentum stellatum tenuissimum
Habitat in India arida elevata et campis
- 127 *Arctium lappa*
Habitat in India boreali
- 128 *Callisia orientalis*
Habitat in Campania orientalis inter Dryopeas.

Euphorbiaceæ

- 129 *Cyperus indicus* Linn. Melle sp. 2412
Habitat in pratinis Mittella siccis
- 130 *Cyperus rotundus* Willd. sp. Pl. p. 273 Lin. Melle sp. 243 Ruth
Habitat in Mayabha prope montes.
- 131 *Cyperus rotundus*
Habitat in Mayabha prope montes.
- 132 *Cyperus rotundus*
Habitat in Mayabha inter Zem
- 133 *Cyperus rotundus*
Cyperus diffusus Willd. sp. 193? cui semina regiora elongata
ovalibus lobatis?
- 134 *Cyperus rotundus* Willd. sp. Pl. p. 273 Lin. Melle sp. 243 Ruth
Habitat in Mayabha prope montes.
- 135 *Cyperus rotundus* Willd. sp.
grasses Cyperaceæ, Rassarapetum, ramea juncinæ
compositione summa cunctum folium in sinu septem
lata ab Melle 111
- 136 *Hedera helix* Linn. sp. 181. t. 551
Hedera helix officinalis Kuntze
- 137 *Hedera helix* Linn. sp. 181. t. 551
Habitat in Mayabha stagna
- 138 *Cyperus fimbriatus*
foliis mollii officinarum Sindiac
- 139 *Cyperus fimbriatus*
Habitat in Mayabha arvis.
- 140 *Cyperus rotundus* Linn. sp. 181. t. 551
Hedera helix Similes fig. 35. 87 Ruth
in Mayabha (p. 97) admodum dista cum t. 196 p. 8 vide. 173?
- 141 *Cyperus rotundus*
Habitat in roris Mayabha elevationibus
- 142 *Cyperus rotundus* Linn. sp. 181. t. 551
Persicaria ab hoc in involucre libelle dissimilis Gramineæ
Cyperales elegantia panicula spicis molibus colligata.
- 143 *Cyperus rotundus* Linn. sp. 181. t. 551
Hedera sp. Ruth sp. 181. t. 551
- 144 *Cyperus rotundus* Linn. sp. 181. t. 551
Hedera sp. Ruth sp. 181. t. 551

- Monococcia* *Praecoccia* *Coccoidea*
- 146 *Cyperus foliosus*
 Habitat in vegeto acris prope casina florium.
- 157 *Cyperus pumilus* Linnæi Burm: Thibet 23. sub nom. *Willettonii*,
 cui involucrum ciliophyllum, vide 1734.
Gramine cyperoides pumillum elegans in *Madagascariensis* Blck.
 Burm 1734, Pl. 5 t. 14 f. 2
 Vide ... sic
- Habitat in alligata ha inter Zizanias
- 138 *Cyperus pumilus*, in locis aquosis crevans, fit planta pedunculata.
 ad structurem omnino cunctam servat.
- 150 *Cyperus forcatus*
 Habitat in ripis locis florii crassioribus.
- 151 *Cyperus compactus* Burm: Thibet 21.
Gramine Cyperoides stricta major Blck.
 Blck: Mact. 1734 t. 4 f. 2
 Habitat in Mithila inter Oryzam.
- 152 *Cyperus compactus* Willettonii (f. 1734) est *inceptio* *indigena*
 et Americana; folia secundum
 formam planis *compactum* Proth. (Thibet 1734) et
 Pickeringe (Pl. 1734 t. 1) deinceps plante ab alijsque diversa, vide 1734.
- 153 *Cyperus fulicella*
 Habitat cum precedente cui specificum vide 1734.
- 152 *Cyperus Mollii*
Cyperus rotundus bulbos et floribus Bert: sub 1734 f. 2
Gramine Cyperoides Zeylanica, rufa tuberosa, non zeylanica
 dictum Burm: Tela Zeyl 107
Gramine Cyperoides varia et longissime spicatum in *Madagascarica*
 Blck: 1734, Pl. 5 t. 14 f. 1, pergam cum *Halimova*
Zeylanica in *Tela Zeylanica conjugiforme* vide 1734, 180.
Molli officinum Linnaeus
 Habitat ubique in India, pagos.
 sublonge simillimum.
- 153 *Cyperus turcicus* vide 1734 150.
Cyperus rotundus Burm: Thibet 20. Willd: f. 1734 2333
 Vide Willd: n° 2653 recte non Burm: 4000 f. 216
Lys. Matia officinaria Bludice
 Habitat in alligata ha stagnis
 radicantis simillimum.
- 154 *Cyperus linearifolius* Burm: Willd: 1734 2671
 Habitat inter Mithila Oryzam
 et *Ancistrus* *fulicella*.
- 155 *Cyperus linearifolius* Burm: Willd: 1734 2671
 Habitat inter Mithila Oryzam
- 156 *Cyperus Becke*
 Radicibus Linice
 Habitat inter Mithila *b. Adti* > ^
- 157 *Cyperus jonesii*
 Tela Linice
 Habitat inter Mithila borealis Oryzam.

Motia Jidi Triundulata Cyperaceae

- 148 *Cyperus longipes*
During flood Kintore
Habitat inter. Nithila Orgam.
- 149 *Cyperus longimetha*
Same State. Longitudinal.
Or. I. L. in Tumaria Nithila.
- 150 *Cyperus rotundus* L.
Cypero
Cypero Cypero
spiculatum ligulata subrotundata umbelliferous to spiculata
altissima linearis Linn. Fl. Ind. 1806. Schlecht & Notaris
described in Nithila.
S. 146 et 147.
- 151 *Cyperus longus* Willd. Fl. Ind. 288. Described \$ 152 Albert Bengali
Port. 7000 ft. 300.
Habitat near Calcutta.
- 152 *Cyperus falconeri*
See. Nithila Kintore
Habitat inter. Nagatha Orgam.
- 153 *Cyperus falconeri*
See. Nithila Kintore
Habitat inter. Nagatha Orgam.
- 154 *Cyperus* ^^{roo}, tea fl. No. 267 fine with 270? Burne
T. 210.
spend composita, plants
H. umbell. 2000 ft. Fl. 270?
Gramen cyperoides Madragalatum ponicola Morris
Sparsa s. spiculata Schlecht. Fl. Ind. 1923. 1. 2000 ft.
Khal Maka, Kintore
Habitat inter. Nagatha Orgam.
- 155 *Cyperus* " "
Habitat @ Nithila
- 156 *Cyperus* " "
Habitat in Nithila near inundation
- 157 *Cyperus* " "
< 2* late Augustus come in
Habitat in ripicetum fungiferum canalis
- 158 *Cyperus* " "
Cyperus minimus Hook. Mf.
Cyperus portoricensis Hook. Benth. Cat. Fl. Ind. 205.
Yf- C. n. Nithila spiculatum Kintore
Habitat in Nagatha inundation
- 159 *Cyperus rotundus* Willd. fl. 270?
Gramen ligulata Hook. Benth. 205
Nithila Kongalensis
Glossy in Camerun

- Monogynia** *Triandria* *Cyperaceae*
- 160 *Cyperus kinntata*
 Trin. Cichtta Minca
 Habitat inter Magadha oxygen
- 161 *Cyperus neglectus*
 Habitat inter aca et Camypa oxygen
- 162 *Cyperus fluitans*
 Pota Pulta Hort. Mal: 25, 93, 1508
 Habitat in flutibus et Magadha oxygen.
 non est & procerus Roxburghii R. Ind: 1, 206.
- 163 *Cyperus inundatus* Hort. Beng: 6, Roxb. Fl. Ind: 3, 205
 he see belari Hort. Mal: vi, 15, 5, 56.
 Habitat in rupi Gangi canis infra Calcuttam.
 Plantae a Ruthenetic delineata (Plat. 167) quæ voca Iria umbellata
 habet ampliorum.
- 164 *Cyperus contractus*, Brown. Hort. Mal: 25, 257
 Iria Hort. Mal: 25, 102, 1508.
 Cyperus longifolius, Pres. Mill: vi, 270.
 Habitat in Mittile oxygen.
- 165 *Cyperus involucellatus*,
 Cyperus digitatus Roxb: Fl. Ind: 1, 209
 Habitat in Mittile aquatis.
- 166 *Cyperus cerasinus*, Linn: Supr. 173
 Thrinakia cyperoides Roxb: Fl. Ind: 1, 212
 Gramine cyperoides Malabaricus Linn: panicula spicata
 Nutt. Amer: 112
 Wora patti Hort. Mal: 25, 97 to 42.
 Habitat in Magadha
167. *Cyperus oscillatus*, Hort. Beng: Mal: Fl. Ind: 1, 209
 Habitat in rupi prope Calcuttam
168. *Cyperus kinntai*
 Trin. ex officinaria Hindoo
 Habitat in Magadha
- 169 *Cyperus distans* anotrum?
 Habitat in Magadha
- 170 *Cyperus fuscus*
 Kinntai ex officinaria Hindoo
 Habitat in Magadha.
- 171 *Cyperus Santonae* Willd: Sp. Pl: 11, 267
 Habitat in Mittile boreale
172. *Cyperus profusus*, Willd: Sp. Pl: 306 ex: Mitti: 1772, Ind: 1, 212, 236.
 Gramine cyperoidem maximum Malabarica dictum sumus
 Flas. Zyglo. 1840 vols. 5-190
 Gramine cyperoides Indica orientalis in . ^ - v " ^ - * y/Clad. column
 eando flaminiculis paleaceis Flas. Amer: 112
 Wora Kaida Hort. Mal: 25, 102, 15, 568
 Patera Hindoo
 Habitat in Camypa et Mittile "eyUX"
173. *Schoenus pygmaeus* Hort. Beng: 6, Roxb. Fl. Ind: 1, 235.

MonoptiliaScirpusCyperaceae

- Habitat in littoralis stagnis et aquis inundatis.
- 174 Scirpus complanatus Bertol. Nutt. £ 25, 233.
 frumentum aquarum < M & M > m. cult. temp. reg. 5. 1. 1860
XJ :...
 f. culm. 3-5 ft. folios similes, s. v. in m
 cum rizis raro z* in herbario up. 793
- Habitat in rizis a. s. v. in rizis
 175 Scirpus tetragynus Bert. Nutt. £ 25, 233.
 f. culm. 3-5 ft. folios similes, s. v. in m
 s. v. in rizis superfl. s. v. in rizis
y
 f* Habitat in rizis et littoralis rizis m. v. i. v. / y
 Stamen unknown
- 176 Scirpus minosulus
 Habitat in rizis s. v. in rizis elevatis.
- //7 Scirpus sativa Linn.
 f. culm. pungitangulis. P. 25. Nutt. 233.
 s. v. bandis officinalium. H. v. v.
 Habitat in India. Crt>rV(' e
- 177 Scirpus brachystachys Nutt. Nutt. 233.
 Scopulaterranea. P. 25. Nutt. 233.
 Habitat prope Calcuttam
- 178 C Scirpus abbreviatus Linn. Nutt. 233.
 Scirpus abbreviatus Nutt. Nutt. 233.
y a, ~n^ unicum
 Tagore Musika r^li^tx^
- 180 Scirpus quadrifarius
 Phan. Nutt. officinale. Hindice.
 Habitat in A littoralis et alligadha sylvis.
- 181 Scirpus Alderbe
- 182 Scirpus Tenuis
£*&<** : ^ , s^C* JL^a^s . 2**
 pedunculis terminalibus bisimilis bellatis brevibus
 ad Nutt. sp. My 233, quoniam 3. dichotomous report.
 Tres s. v. officinale Hindice
 Habitat in Magadha ad Ganges
- 183 Scirpus sarada
 Scirpus dichotomus Nutt. Nutt. 233. culm. 3-5 ft. folios
 s. v. fruct. culm. trigynis, umbellula decomposita s. v.
 dichotomia
V >A, ^ - ^ft Nutt. 233. culm. 3-5 ft. folios
 s. v. dichotomus Nutt. 233. culm. 3-5 ft. folios
 / Utriculi et rhizome?
 Scirpus ***** (P. Nutt. Nutt. 233. culm. 3-5 ft. folios
 synonyms

Menegynia — *Lianaria* — *Cyperaceae*
framen opacum Madagascariense ^{luteo-purpureum} capitulus
sp. Herbario P. L. Berg. 72. Meyer 1919 p. 3
Ligula lanceolata
Liliaceae ... officinalis "****" 7th eJL
Habitat in sole, Mayetia elatioribus.

V
varietas sphaerostachya
Sphaerostachya monachorum var. sphaerostachya
Habitat in Mayetia.
185 *Spiraea cristata* Willd. fl. non distribution. Exsiccatum. Exsiccatum.

y " Habitat in umbelliferous Malvaceous.

Habitat in
187 *Spiraea* folios
Spiraea minimum Lork. Berg. 57. Auct. Fl. 1919; 220
Cypres Madagascariensis, Calvanea, Compositae, folios minimums
fusca Schlecht. sp. Willd. 1919; 302. exsiccatum et herbarium
cylindrica trigonatae, rugositate.

Habitat in Cinnamomea borealis wood.

188 *Spiraea globulosa* Willd. 1919; 303. Exsiccatum. exsiccatum.

Habitat in Camphoraceous.

189 *Spiraea mollissima* Stevson 1909; 224. Willd. sp. Willd. exsiccatum. exsiccatum.

Ruth Brixton

Habitat in casala Styrax & camomopinae.

190 *Spiraea* ^ ^
framen opacum maximum Malabarica latifolia Stevson
exsiccatum. exsiccatum.
Hab. Simophil Similopigera in Mad. Publ. 1919 p. 200
oblonga a latifolia in 10 days (30) leaves still at annual
deciduous subshrubum subtilis concret
angust. Simophil.
Habitat in Stereis Casalas profundi
Hab. affinis L. Brixton 1919.

191 *Spiraea* folia

Mayetia Styrax

192 *Spiraea* folia
Spiraea ... folia Berg. 57. Auct. Fl. 1919; 219.

193 *Spiraea* lvs. lvs. 117. 1919; 219.

in arid, sterile inundation

194 *Spiraea* y
Willd. 1919; 303. Malabarica synomina, vide Stevson 1909; 224. oblonga
et folia Nov. hol. 224.
Spiraea by ... 1909; 224. 1919; 219. Malabarica syn. ... Willd. 1919;

S. A. S.

Chloroform

- Monogynia* *Scandens?* *Cyperaceae*
- 25 *Scirpus bicolor*
Methi Sindica
Habitat in fluvial Crotalaria longiflora
US *Scirpus cyperoides*
/ *
francis jonesii min. & Maderaphtanaria p. jonesii jonesii
capitula innumerae opphylli Plast. Plas. 74, Phys. 5: 194, 197
Linn. " Cyperus cyperoides
diversipinnus & Trichostylis cyperoides prostrata
- & r 2) ^ * • *Scirpus*
- 26 *Scirpus* * pfc *Scirpus* *Scirpus*
habitat in Marshy aquatics
fructus non villosus script. ex j. Linn. j^.
- 25 *Scirpus* varius see: Barth. 4: 733, 1790 page 687
Lippea officinaria Kuntze
Habitat in areas gangotri et in areas Campanula arvensis.
simillimum Cyperus alternifolius L. ssp. minor
- 26 *Scirpus* rotundus Willd. sp. Plas. 295; Eng. Bot. 2: 375? Sup. 2, 9. 1816
habitat in Crotalaria longiflora marginis.
- 27 *Scirpus palustris* Thunb. sp. Plas. 291? Sup. 2, 9. 1816 Illus. Gen:
538, f. 17
Habitat vel. near Sindh
habitat in Crotalaria aquatica
- 28 *Scirpus spiralis* Willd. sp. Plas. 292; Eng. Bot. 2: 376, 1816 illus. 2, 1816
habitat in Methi laevigatus
nestis in a sequente salic detinatur.
- 29 *Scirpus plantagineus* Willd. sp. Plas. 293; 1816 nomen & Plantagineus
Dolbe with sum & detinatur Thunb. sum & penduliflora Linnaei
in herbario suo (Brown. 1292 No. 2, 224) & sum & plantagineus
Nord. Novit
Scirpus latifolius Boott: Eng. Bot. 2, 1816
Cyperus dulcis. Rant: Amb. 5: 43, f. 1.
Poteria officinaria Kuntze
Habitat ubique in India insularibus
noscitur a presidente salic detinatur.
- 30 *Scirpus cernuus* Willd. sp. Plas. 294; 1816
habitat in Methi longissima
- 31 *Tigridia* (?) Willd. sp. Plas. 295; 1816 Dasy. 295
sum dubius ante synecdoche
habitat in India Gangotri & Simola.
- 32 *Milium* C. At.
T. > *Scirpus* *Scirpus* *Scirpus*
Bipinn.
- Bambusa et Phragmites in coll. 15726 t. 36 p. 4. Sup. 5: 222 obli.
Schoenus colomatus Brum. Pl. 13: 187

*Monogynia**Fimbristylis**Piperaceae*

Offic.

Bogotensis (M. L. B., 1928)

graminifolia *unisexualis* *stipitata* *glabra* *var.*
in Moncayo Park, Santander

4. *Mollonga strobilla* ; *fyt?o*, ; .*tf*

25

Hyllongia tricuspidata (L.) J. S. y << i a* qui non nom. Kubitzki
& Schmid note a plantam Americanam calycis dorsi glabra.
Hyllongia *sp.* *calycis dorsi glabra*
synonyma *h* *l*
flaviflora *Matsumura* *h* *l*

See

M. L. B.

:±

^//<*~<<>_v *amatensis*

Ad

Hyllongia *lum* ^{sp. n.} « Willem, » ^{*} (M. L. B.) et in Engelschia (M. L. B., 1928) con.
H. imbellata, cui sp. n. voluntaria.

Gramen *expansus* *brevic. orientalis*, *Microseris communis* *caerulea*
caerulea *pruriens*

26

... „ „ „ „ „ *Convolvulus* *ellipticus* *imbricatus*

Phragmopoda *airia* *Brown* *Nov. Bol., 1928*
Leavenworthiana *Waller* *Phil. 1928* *See Waller Phil.,*
g. 247?

Gramen *expansus* *brevic. folius* *natis* *abundans*,
per hinc frumentos pratenses minoris notitiae
ex aliis foliorum grossioribus. *Phil. Nov. Bol. 1928*
Tjolok Palle *Port. Ind. 1927* 1. 67.

Habitat in M. L. B. boreali

26 *Dichromorus siamensis*

Schizanthus *st. L.* *Zool. 1911* *sp. n.* ^{*} *Phil. Nov. Bol.* ¹⁹²⁸
in M. L. B. sp. n. *Dianthus* *sp. n.* *g. 242* *florae* *dinit* *spatulae* *g. 242* *multa*

Monea angustifolia *in* *Siam* *beschribt.*

Gramen *expansus* *Maderaspatanum* *sp. n.* *min. fl. 1928*

Gramen *expansus* *Maderaspatanum* *sp. n.* *min. fl. 1928* *g. 1*

Digynia & Fimbristylis Gramineae?

Habitat L < 4* h.i. thlas bonali Ragn.

Digynia

V* » / .

1. Digynia Bengalensis

218 Saccharum alle

- Saccharum fasciculatum Retz. ?

Alle (alle) Betta Rangan g. - C.J.J.

Habitat L & arundinacea.

219 Saccharum Thina

- Saccharum fasciculatum L. sp. 55701

Alle Bengalensis

- ragettii sophia

220 Saccharum fuscum Retz. Brey. Scandens fotitangae nov. in Madagasc.

Alle fuscum, common in hilly Bengalensis three systems.

- Scandens fuscum sophia

221 Saccharum Lata

Lata Thina Bengalensis

Habitat in Smilax Ragni inter planter rotantes.

222 Saccharum lata hirsuta Brey. R.B.; 182; 149.

Thina Bengalensis

Cultiv. in Gangetic

223 Saccharum scoparia

- lata hirsuta

Cultiv. in Urtica et Urticaria sophia

224 Saccharum Raga

Saccharum canescens Retz. Brey. 287

Chit Chaura, beti Thiyara, beti Roga Bengalensis in Panama

Rata Rho Bengalensis in Anga.

Habitat in Panama arundinacea.

Shri Thiyara sic maxima gutta fligantia formenta

225 Saccharum Bengalense Willd. sp. 163, 202

Scandens altonium

Scandens microstachys innundatus

226 ct Saccharum per hirti simile ad obsoletum nomine lata gracilis

227 Saccharum lata

lata gracilis Bengalensis

228 Saccharum torneum

23

Digynia Triandria Cermoniae

- chota Rasi & Rao Bengalensis
foliar in aravae spibus.
- 224 *Saccharum spontaneum* Rott. Bong. 6. Rott. 11. Mills. 91.
H. 221. Eustethes? ssp. culmifera synonyms. Benth. 228.
Roxburgh's artific. name ssp. Roxburghii plantam
" " Bengalensis
habita " " Bengalensis
Brahmaputra arvensis.
- 225 ^{LJ} C *Saccharum cylindricum* Rott. Bong. 6. Rott. 11. Mills. 91.
Antroxyon caricosum, Benth. 7. Mills. 91. Benth. 179.
Gramine caricosum Rott. Benth. 7. 17. 5. 7. p. 2A.
Gramine indica in Alopecuroides polystachyos major 4602
longa culmifera Rott. Benth. 7. 17. 5. 7. p. 2A.
Boro Arva Bengalensis
Rasi officinaria Codice
Habitat in India (Panjab) & Cambia.
- 226 *Saccharum officinarum* L. & - tili 1794 subsp. 69. synonym in Rott. 6.
Rott. 7. 222. cum praecepsa confundatur.
Pect. latifolia (L.) Mills. H. 222.
Saccharum officinarum Linn. Rott. 7. 17. 5. 7. 222. non
synonym?
Gramine alopecuroides indica Mills. officinaria varia
varia Bengalensis. Rott. 7. 17. 5. 7. 110. p. 26.
Habitat in ratis formans fluvii arvensis.
- 227 *Pennisetum suaveolens* Linn. Mills. 1794 p. 278.
Habitat in ratis formans fluvii arvensis.
- 228 *Setaria viridis* Linn. Mills. 1794 p. 696.
Pennisetum longistylum Linn. Mills. 1794 p. 278.
- Habitat in ratis formans fluvii arvensis.
- 229 *Setaria viridis* Linn. Mills. 1794 p. 696.
Habitat in ratis formans fluvii arvensis.
- 230 *Setaria viridis* Linn. Mills. 1794 p. 696.
Habitat in ratis formans fluvii arvensis.
- 231 *Saccharum officinarum* Linn. Mills. 1794 p. 696.
Habitat in ratis formans fluvii arvensis.
- 232 *Saccharum brevifolium* Linn. Mills. 1794 p. 696.
Gramine paniculata brevifolium euphorbiae fluvii arvensis.
Habitat in ratis formans fluvii arvensis.
- 233 *Pennisetum suaveolens* Linn. Mills. 1794 p. 278.
Habitat in ratis formans fluvii arvensis.
- 234 *Setaria viridis* Linn. Mills. 1794 p. 696.
Habitat in ratis formans fluvii arvensis.
- 235 *Setaria set* Rott. Bong. 6. 1794 subd. 1794 non Rott. 6. 1794.
Habitat in ratis formans fluvii arvensis.
- 236 *Zygia* ? Codice
Habitat officinaria Linn. 6.
Habitat in ratis formans fluvii arvensis.
- 237 *Alopecurus rubicundus*
Habitat in campis Magathae mitch

Dignia → Ticandria 24 Guineca

25% -t < ~i < *Kci nus revicularis

shari Kida 'at

Habitat in ripsa caule monas.

239 Thalassia? Naudurba

am Durba officinum Kinde

Habitat in Mayatha w... j ... /rtT.

240 Argozate Rose

Rose ghas Kinde

Habitat in Mayatha a-rt-r' hymi ingato

241 Agrostis? Naudurba

* Thal Durba officinum Kinde

Rete farica Robt. H. 25. 37447.

Habitat in Mayatha stepp.

242 Milium fern*

Karai officinum Kinde

* J f' t in r, Aj* JiCa. agnus

243 Milium Hera

WI ^t offic... y, **M** Milium

Grostha coronatima Duerstede ssp.; 2511 Robt. H. 25. 378.

Habitat in ravis et losis, Mayatha elevata

244 t Milium stratum

Phuor officinum Kinde

Habitat in Mayatha hortis.

245 Milium nanum

Habitat in ripsa Ginea floris de ti.

246 Milium aquaticum

Milium filiforme Robt. H. 362

* Milium officinum Kinde

Habitat in Mayatha monas.

247 Milium ramosum Willd. sp. H. 36?

Habitat in ripsa

248 Paspalum littorale Brown V. 20. Holz; 1887

Paspalum longiflorum Hort. Long. 71. Robt. H. 25. 376. 25. 377. 9.

Festa Palla Hort. L. 25. 376. 25. 377.

Habitat in Delta Gangaea canas asti inundata.

249 Paspalum orbiculare, Brown V. 20. Holz; 1887

Paspalum Rose Robt. H. 25. 376. exiles Willdenow synony-

mon Robt. officinum Kinde

engoli Hora Bengalensis.

resile riva Indus Gangaea sagittis spontaneum.

250 Paspalum Rose, Willd. sp. H. 36. 25. 376. exiles synonymus Kinde

Prosternon malacoidatum, Robt. H. 25. 376.

Paspalum hordeoides Linn. Exell. 25. 376.

Kora. Bengalensis

Lolite in Indus agri.

251 Poicillaria spicata Bur. Holz; 25. 376.

Colus spicatus Bur. Holz; 25. 376. Buchanan-Hynes Indus.

Emilia spicata Hort. Long. 7. Robt. H. 25. 376.

Digyma

U t-

25 *Fimbristylis* *Examinae*

- Alopecurus* *tenuis* ^{i^i^j^o^} *Si**irf-f. 5?* ¹⁹²⁵
Gramineae ^{IMB}
Graecia ad levibus, floro cespitoso, foliis minitatis, lat. long.
l. 02 ¹⁹²⁵ *leptorum* *Aploctenae* *aploctenae* in illis 1/2, recta
deinceps *frondosa*?
" " ligulae *hirsutissimis*
" " foliis *flavis* *lunata* *lutea* *flavescens*, culpos
ciliatis, spiculis ovali-ellipticis, ab hoc *multa* *planta* *diversa*
est.

252 *Pentameris* *stictica*, *Eur. M. L. H. 1903* 282

- Gramineae *involucellata* *involucellata* 282:
Alopecurus *involucellatus*, *Eur. M. L. H. 1903* 282
" " *inclusus* *synonyme* *Pentameris* *involucellata* *inclusa* 282:
Planta *Roth* *Nov. 3 (146)* *a* *panicea* *forte* *diversa*.
Habitat in Campania.
Conspic *Panicum* *polycladum* *Willd.* *phi. H. 2. 323*; *ab* *hinc* *multa* *planta* *diversa*
Gramineae *canescens* *alatum* *W. B. S. 1925* 19

253 *Panicum* *glaucum* *Ramondae*

- Panicum* *glaucum* *Willd.* *phi. H. 2. 326* *Eur. M. L. H. 1903* 282 *est*
non *Arriburgii*, *H. 1903* 282, *minimorum* *inflorum* 282:
Panicum *glaucum* *multis* *lifloris*, *racematis*, *pilosum*
H. 1903 282:

Panicostachys *glaucum* *H. 1903* 282: *iru^, tfr,* " . , . 19^

Non *Poda* *longiligulatum*

, 4U&. &+L>*. I^S/L^*JU~*«L ^*S. v.

2%

Panicum *glaucescens* *Ramondae*

Panicum *inclusum* *Eur. M. L. H. 1903* 282:

Pan. Ramondae *officinale* *Ramondae*

Habitat in Campania.

255 *Panicum glaucum* (*affine*) *(L.) Roth* *H. 1903* 282: *glaucum*

Panicum *heterolepis* *Roth* *H. 1903*

Habitat in arenosis ^{x^M}

Panicum *glaucum* *affine* *Panicostachys* 1924 03

256 *Panicum* *Rodiei*

Panicum *sulphureum* *W. B. S. 1925* 192. B.

Panicum *Quadrifidum* *var. ciliatum* *Ramondae*

Panicum *Lobatum* *ciliatum*

**>4<fr £ * *inter* *Nigra* *hirsuta* *hirsuta*

257 *Panicum* *italicum* *Willd.* *phi. H. 2. 326* *inflata* *var. 3* *hirsuta* *hirsuta*

Panicum *hirsutum* *hirsutum* *Ramondae* *hirsutum* *hirsutum*

Panicostachys *italicum*, *Scoparia* *H. 1903* 282: 1925

Panicum *hirsutum* *hirsutum* *hirsutum*

Panicum *hirsutum* *hirsutum* *hirsutum*

Panicum *hirsutum* *hirsutum* *hirsutum*

Panicum *hirsutum* *hirsutum* *hirsutum*

258 *Panicum* *strigillatum* *Eur. M. L. H. 1903* 282: *hirsutum* *hirsutum*

Panicum *hirsutum* *hirsutum* *hirsutum*

Panicum *hirsutum* *hirsutum* *hirsutum*

DigyniaTriandria ²⁶Graminea229 *Panicum thomasi* Beckwith

Habitat in Barren soil.

2<J L

Panicum marginatum, Horst Aug 7, 1911 W.H. 1337 in N.W. 1/4 sec. 398.

R. 632, 296.

Dichotomous branching.

Habitat in Barren Lignite.

231 *Panicum strobiliferum* Horst Aug 18

Habitat in Barren soil.

R. 632, 296.

Lvs. 1-4 C r. ————— p/* —————

Panicle elongated.

Habitat in Barren Lignite.

232 *Panicum ciliolatum* (A. Nels.) Beckwith 762

Habitat in Barren soil.

R. 632, 296.

233 ^{^ ^ ^} *fe* ^{t ^ ^ ^} ** > ^A | -*Panicum ciliolatum* Horst Aug 7, 1911 R. 632, 296.

Habitat in Barren soil.

234 *Panicum compositum*, Horst A. Nels. W.H. 1362 2nd. Milt. in 7461.*Panicum spicatum* Griseb. ex Stev. H. Milt. in 7461.

grasses smooth, culms erect, blades flat.

Habitat in Barren soil.

235 *Panicum brevirostre* Engelm. 762.*Panicum brevirostre* Horst Aug 7, 1911 R. 632, 296.

Spathe awl-shaped, lvs. slender, 1-2 ft. long.

Habitat in Barren soil.

236 *Panicum setosum* Horst Aug 7, 1911 R. 632, 296. W.H. 1362, 2nd. 398.*Panicum panicoides* int. Milt. in 762. Sept 10, 1911.

Habitat in Barren soil.

237 *Panicum solitarium* (A. Nels.) Beckwith 762.

Habitat in Barren soil.

Habita in Barren soil. A. 1362. All grasses Gramineae.

R. 632, 296. 1362, 2nd.

238 *Panicum purpureum*

Habitat in Barren soil.

Cypera panicoides Beckwith 762.

239 *Panicum distichum* Beckwith 762. 1362. 2nd. 398.

Panicle flat.

Panicum panicoides Beckwith 762. 1362. 2nd.

Habitat in Barren soil.

Habitat in Barren soil.

240 *Panicum sumo*

Spatha awl-shaped, lvs. slender.

Panicum solenoides Beckwith 762.

Habitat in Barren soil.

Dicotyli Gramineae

271 Cyperaceae Gramineae

V. 1860, p. 400, 272 Jin 605. 1899.

Habitat in savanna along stream. *Gramineae* unigloch.

Specimens & samples parts dry grass white in alluvium

Leaves long narrow linear & prostrate N° 282

273 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest.

274 *Panicum hispidulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

275 *Panicum glaucum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

276 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

277 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

278 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

279 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

280 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

281 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

282 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

283 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

284 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

285 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

286 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

287 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

288 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

289 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

290 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

291 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

292 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

293 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

294 *Panicum longulum* Herb. ex Willd. 1809. P. 103. 1809.

Habitat open forest. P. 103. 1809.

Digoria Himantochloa Carex
at anno topographica legitime, anno 1846. p. 296.
var. maximum Carex
» s. 5 tin. 4th Ait. 1846. £_i mill. -h 295.

296 *Carex* *acutiformis* *acutiformis*
Habitat in *Mugathas*.

298 *Carex* *acutiformis*

4(1) *hirta* J. M. C. *acutiformis*

299 *Panicum paludosum* Kots. Boga 8. 4**4Y H. L. 1846.

Habitat in *vCesf4.l?St. t & TJ--&i^+.

300 *Panicum milletianum* Willd. sp. Pl. 348 Kots. Boga 8. Ense. Mitt.; I., 746.
Habitat in H. L. 1846. Costa Rica 1846. C. bonariensis 1846. *littoralis*.
Panicum adustum Kotschy ex Steyermark 1846. *yt*
Panicum semine aureo Kotschy 1846.
Koren Miller. Costa Rica 1846. 118. 1846.

(*Panicum longiligulatum*)

Habitat in India totius ari.

301 *Panicum milletianum* 8. Miller. sp. Pl. 34 g!

Paniceae Costa Rica 1846.

Hab. H. L. 1846.

Habitat in rupibus somnis fluviorum.

302 *Panicum humile*

Habitat in semipalumbris.

303 *Panicum trimorphium*

Trin. H. L. 1846. Kotschy 1846.

Habitat in *Mugatha* soosis.

304 *Panicum montanum*

Hab. H. L. 1846.

Habitat in *Mugatha* montibus.

305 *Panicum plantatum* mihi ex var. Costa Rica 8. 4*,

laxiflorum was Kotschy 1846.

Habitat in semipalumbris orientalis tylos.

306 *Panicum* *Amabile*

Amale H. L. 1846.

Habitat in rupibus semipalumbris.

V*

Himantochloa

Habitat in

fructuosa præcipue montibus.

308 *Himantochloa*

Habitat in

humidibus *Mugatha*.

299 *Lindbergia*

Habitat in

longis tunc septem

Oh

300 *Lindbergia*

Habitat in

longis tunc septem

Oh

- Nila pax Linnaeus Sp. Pl. 467.
Habitat in Campanula orientalis
vix pendente satis distante.
- 302 Aeluropus libanotis Rost. Mpp.
Habitat in Campanula orientalis cornuta juncis.
- 303 Aeluropus libanotis Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula orientalis.
- 304 Aeluropus libanotis
• Nila pax varia
• Aeluropus officinum Willd. C V
Habitat in Campanula cornuta.
- 305 Aeluropus libanotis Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Bakaria pachymontanae Honckei. Minster.
Habitat inter Campanula cornuta.
- 306 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 307 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Gramen quadrilaterum foliis brevibus, acutis, crenatis, latis.
Habitat in Campanula cornuta.
- 308 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 309 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 310 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 311 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 312 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 313 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 314 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 315 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 316 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 317 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 318 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 319 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 320 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 321 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 322 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.
- 323 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Gramen quadrilaterum, spica inter septa tota & stigmas parvissim
inter sepa. Honckei. Minster. Sp. Pl. 3, 452. Exsiccat. 1800.
- 324 Deschampsia caerulea Willd. Sp. Pl. 3, 452. Exsiccat. 1800.
Habitat in Campanula cornuta.

30

Dianthus Tiandriæ Gramineæ

318 Prae secunda Robt. Muell.

Habitat in Magallæa montibus.

V.

Prae cylindrica Hort. Bingeri Robt. Muell. 338.

Habitat in sole prope Colomiam botanica & China.

Afc

Prae canna

Varia. Dab. officinaria Linnae.

Habitat in Magallæa altissimo.

ascit in a subsequent p. 61. Cittimæ.

319

Prae ^{*4,4m} secundaria Robt. Muell. 339. Meller 190. Willd. ff. 112. 1957.

Habitat prope Cittimæ.

Pluribus fasciis rigore plenam ingrediuntur, contumaciter rigor
subsequentis solle dolentia.

320

Prae intermedia secundaria 337.

Habitat in Ango et ab illis.

var. graminifolia procerilibus & oblongo-ellipticis foliis.

321

Prae secunda Robt. Muell. 337.

Habitat prope Colomiam.

322

Prae cylindrica Robt. Muell. 338. Meller 190. Willd. ff. 1302.

Sigill. bipinnata Willd. 465.

Flavæ. Ligulæ ligulæ.

Habitat in subtili flavigeris.

323

Prae speciosa

flavæ. II-lanceolata *—, ^6u „, mtt *TJ rfSfU>/ff <j „, speciosa

Willd. 190. Nutt. 190. R. Br. 190.

Habitat in Campea orientale.

324

Prae lutea

flavæ flavæ Robt. Muell. 339. Willd. 190. Meller 190.

sed non Prae lutea Nutt. 190. Willd. 190. Meller 190. et 191.

Fl. lutea officinaria Linnae.

Habitat in illigata.

325

Prae staphylodes

flavæ flavæ Robt. Muell. 339. Willd. 190. Meller 190.

var. staphylodes Burmæ.

Plantæ plurimæ & raro calyculata, panicula ciliata.

Willd. 190. Nutt. 190. R. Br. 190.

Habitat in Campea.

Plantæ plurimæ diversæ panicula rotundiflora 1901.

326

Prae hypoleuca

Habitat in Campea angustis.

Plantæ plurimæ panicula procalyculata panicula raro ciliata, panicula

et raro ciliata, panicula raro ciliata, panicula raro ciliata, panicula

327

Prae flava

flavæ flavæ Robt. Muell. 339. Willd. 190. et 191.

Habitat prope Colomiam.

- | <u>Pygmaea</u> | <u>Sicardia</u> | <u>Graminea</u> |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 377 | <i>Roa thunia</i>
Hundia officinariae Nivelles
Habitat in Allagash Woods
<i>Roa subsecunda</i> Enz. Hilt. v. 54. | |
| vn | | |
| | * foliolis luculentis inflatis planis atrocyano
juga glabra
Habitat in Allagash Woods | |
| 379 | <i>Roa multiflora</i> Hook. & Arn.
Chloris progeria L. | Ind. 260. |
| 380 | <i>Roa utriculata</i>
Habitat in Corral et ruminum | |
| 381 | <i>Roa amabilis</i> Willd. sp. H. Z. 1872. cultus Linnae. Synonyma (v. 17. 114)
"mispila" Willd.
Habitat in Methile boreata | M
28. |
| 382 | <i>Cynodon egypticus</i> Enz. Hilt. 1872. M. C. 1872. Pl. 1262. Phragmites
Amuriana
Chloris macronata B. E. W. Hilt. Ind. 1872. 235. | |
| | Gramen lochyanum, malabaricum, phragmites, longioribus et
macronatis foliis Blak. Ind. 1872. Phragmites | |
| | Gramen crenatum zyglosum Brum. Non Eng. 1872.
Habitat in prælia laboris | |
| | Gramen foliis oppositis marginata viti. | |
| 383 | <i>Cynodon germinatus</i>
Dactyloctenium pectinatum Linn. Hilt. Ind. 1872.
Gramen caninum Hook. and Arn.
Habitat in arvis Allagash et Methile. | |
| 384 | £*****
<i>Cynodon canaria</i>
Cynodon indicus Willd. Ind. 1872. 163.
Cynodon capillaris Willd. Ind. 1872. 163. sub Canaria
Publico non solum Gramine vacino familiare N. 338
Canaria Willd. Hort. Ital. 1872. 163.
Gramen capillaris minima Adonis L. sp. 11
Habitat in Allagash Woods. | 163. |
| 385 | <i>Cynodon canaria</i>
Gramine latifolia Willd. Ind. 1872. 163.
Gramen caninum var. Hook. Arn. v. 1872. 163.
"malabarica" specimen Thunberg
Habitat in Allagash Woods et ruminis. | |
| 386 | <i>Cynodon canaria</i>
Gramine latifolia Willd. Ind. 1872. 163.
Gramen caninum var. Hook. Arn. v. 1872. 163.
"malabarica" specimen Thunberg
Habitat in Allagash Woods et ruminis. | |
| 387 | <i>Cynodon canaria</i>
Cynodon latifolia Willd. Ind. 1872. 163.
Habitat cum præstante, a 1000 ft. 1500 m. altitudine. | |
| 388 | <i>Cynodon indicus</i> Willd. sp. Pl. 1262. 1872.
Gramine indica Garde de sonsp. Willd. Ind. 1872. 163.
Cynodon egypticus Enz. Hilt. v. 54.
Gramen dactyloides specie dicotomæ aristata Gram. Non Eng. 1872.
Gramen vacinum famina Hook. Arn. v. 1872. 163. sub Cynodon latifolia.
Gram. figura.
Habitat in Ruminis. | |

DigniaSiandiaGraminea352 *Cynodon dactylon*

Plurime cultillata Herb. Bong. & Rott. N. Ind.; 346.

Ara Batai

Habitat in

353 *Polliaea*

S. S. " 2 & "

E. corymbosa Willd. sp!

Habitat in

Mucronatum

Habitat prope

Descripsimur gramen ab ophiis cymbis partim.

Hi

Polliaea

Habitat in Campania umbrosa

354

Polliaea

compr. Z

Willd. sp. N. 465. Herb. Bong. & Rott. N. Ind.; 354.

0. " " V. V. * le Bocadis sp. i.

355

Polliaea

symmetrica

Habitat in Melville sylvio.

356

Polliaea

materna

Habitat inter Campania organ.

357

Kordia

origine Willd. sp. N. 47. Des. Willd. 1802. Hort. Kew. 5. 178.

Kordia kordia Willd. Bong. & Rott. N. Ind.; 358.

gen. univita

gen. et sp. Kordia

sp. Bongalensis

Cultus in Asia Gangatit sylvio.

MagniaRistiana

358

AJV

* * * * tf* —

albus

359

Erica

rotundifolia

in folia Hort. 16. 166.

subsp. fragilifolium.

360

Eriocaulon

rotundifolium

nomin. ex prima Gymnospermae sita a procedente de dicto

nomin.

361

Eriocaulon

angustissimum

Habitat in locis foecis siccioribus

362

Ore

rotundifolia

Habitat prope Calcutta.

In procedente hort. sylvio diversum.

Caryophyllace

363

Vesperina

rotundifolia

Linn. Kungsh.

Rhamnoides

officinariae, Gordonie

Habitat in Mysore siccioris

Lippman

Tierwelt

Congressional

363

Mollugo pentaphylla Willd. sp. #57, - young and numerous; young ones in bottom 3-5' from base of hill along fields where water may collect, flowers, fruit, leaves like No. 2, but

Wines can also promote gastrointestinal health by reducing the incidence of

Scutellaria galericulata L.

anthon umbonifera-t, A. u / ^ *anthon*, *Matrigelatina*. p. 122.

May 15, 1934.] (A)

Habitat in open flower-rich areas.

De more fortis typographi, in charactere apud omnes plantarum
incolit urbem aquilem primogenitum, ut in Herbario
Linnæo legitur, unde dubitamus & „ synonymia Willdenowii „
G. Linnæus-Herbarium lib. 10 p. 100. 1753.

Homoparental Recombination arte secundum huncmodum est haec
planta; secundum Barnemannum partem diversificata, a fratre
natum cum foliis brevibus oblongis.

35

Mollugo stricta Willd. sp. Nov. est agnita ad synonymum *Plumbago*
ad *Plantae Normanniae gallica* s. Linnae. Apicula forte
divisa?

Alaine multifolia floribunda glabra e sâm Bengalensi foliis
in numero decimotribus, flore minore Rhts abh. 21 May 1857 sp. 2
Habitat in India gangotren.

Teleandela

Arenoporia

Rublacea

3M- *Rubia cordifolia* Willd. sp. Pl. 2: 608. Invent. Hort. 8, 806. Herb. Kuntze, 243.

Rubia M.+Z (in Works Songs 16, Reg. No. 1125, 1913)

Audia cordata Thunb. f. *sparsa*

~~11-11~~ * Kampf: Tschau's Lands 912.

Munijsta Nepalensis — — — — — **IL** found
Habba?** Vipala vallis spontanea

365

Rubia chrysocarpa

On slate rock. May 1, 1885.

Chrys. Insel. Molluscs 14 p. 5; 2073 specimen in loco n. 608. ad
Mediterraneum relata, sed forte est *Mediterraneum* bivalvium
sicut in Thibet et menses terminatos apud Indos pugnare in eam
et eorum rara Mungista.

56

Spizella breweri

Hermione pusilla. Pohl. £[•]••; •^{*}.

** lois Mittela signoribus.*

Menogynia *Tetrandria* *Rubiaceae*

- 357 *Spermacoce torta* sp. nov. senviceti. Rock. Pl. Ind. 357.
Habitat in Magadha
- 358 *Spermacoce seabrae* Hook. & Arn. Pl. Ind. 377 in Willd. sp. Pl. 572. vel
Berg. Meth. vif. 3187 varietate synonyma. Notabilis: ips. t. 76.
Habitat ubique fere in Libia
- 359 *Spermacoce multifida*
sp.

- 360 *Spermacoce laevigata* sp. nov. Zaburgia
Galeopsis zygomatica; folio oblongo, floribus rosulis. Burm. Flora Zab. 113 t. 66 p. 38, variegam in Encyclopedie ad L. Meyeri et al. relatione flor. violaceo.
Habitat in Campepe orientalis collis.
- 361 *Spermacoce pilosiflora*
Habitat inter Campepe orientalis et Ceylonum
- 362 *Spermacoce nemissata*
Habitat in Campepe orientalis gradus
- 363 *Spermacoce sessilis* Rock

Pleuronella folia - w^a^s^-t^

- 364 *Spermacoce tenuis* Hook. & Arn. Pl. Ind. 357.
Planta bracteata latiori longiori lato angusti mucronata; folio
lanceolato acuminato longius distans; foliis terminalibus parvis strictis ramos
vibes in umbellam digerit. Nutt. Smalb. 175 t. 254 p. 3, vel has vel similis
herbae in Encyclopedie vif. 3189 in Agrostem racemosa relate
sit. Inter in herba prope Caloceraea betonica et amara.
- 365 *Spermacoce occultata*
Habitat in Campepe orientalis undas.
- 366 *Spermacoce multiflora*
Habitat in Indis Annamitis et in Campepe orientalis et in
Ceylon orientali
- 367 *Spermacoce sumatrensis* Willd. sp. Pl. 570 in Willd. vif. 10 Rock

Monogynia

35.
Stereoidea

Rubiaceæ

56 JOURNAL

Habitat in *Mimosa* oriental.

- 381 *Ixora obtusiflora* 9. 11 a. *Thon*
Ixora oblonga Hort. Cag.; R. Br. & Thon; 1826.
 Habitat in hilly parts of Malabar.
- 382 *Ixora longiflora* Willd. Sp. Pl. 1827.
Bauetta longiflora Willd. Sp. Pl. 1827.
 Habitat in *Cinnamomum montanum*.
- 383 *Ixora parviflora* Hort. Cag.; R. Br. & Thon; 1826. f.
 Habitat in Malabar.
- 384 *Ixora elongata* R. Br. & Thon; non var. in Hort. Bengalensis non rotundiflora
 sive quae nomine habet appellatione
 Khongta Simice.
 Habitat aliisque in *Cinnamomum montanum*; sibi in formate et ligata. 4,
- 385 *Ixora undulata* Hort. Cag.; R. Br. & Thon; 1826.
 Chita Khongta Simice.
 Habitat in *Clavigaster cylindrica*.
- 386 *Ixora coccinea*
Rauviosia Simice
 Habitat in *Nipala inferioris* collibus.
- 387 *Ixora longifolia*
 Habitat in *Cinnamomum virens* Cag.
- 388 *Ixora paniculata* Willd. Sp. Pl. 1827.
Ixora paniculata Willd. Sp. Pl. 1827.
Syzygium intermedium Spathi sanguineum pro foliis virginibus.
 Per tonduzum Malabarum R. Br. & Thon; 1826. 22.
Bretta Hort. Malabarica.
 Habitat in regno Barmano et *Cinnamomea*.
 Haec est non Panica intermedia R. Br. & Thon; 1826. 22. nonque
Trinervia glabra R. Br. & Thon; 1826. 22. nonque ut *Barmanea* 22.
Trinervia longituba subspicatum (J. Buchholz) Schult. & Schult. ex *Myrsinaceae*.
 et alterum ut *Myrsinaceae* Schultes ex *Myrsinaceae* ex *Myrsinaceae*
 in *Thon* Zygophylloides et foliis que in *Thon* 22. 22. 22. 22. 22. 22. 22. 22.
 fructuosa ad cerasum cum floribus ***->>> 22. 22. 22. 22. 22. 22. 22. 22.
- 389 *Ixora pubescens*
 Hab. U. t. in Cam. < 4-m at. *Nipala inferioris*
- 390 *Ixora Muricata*
Asperula muricata R. Br. & Thon; 1826.
Muricata n. sp. Nipala.
Flacourtiaceae.

Monogynie ^L

Mandria — Rubiaceae

Habitat in Nagalha et Nipale inferioris montibus.

- 391 *Pteroga* [—]
Rubiaceae
Habitat in Nipale et Bengali.
Habitat in Sikkima austro.
- 392 *Cyperus* [—]
Poteriaceae
Qui habitat agrotum Indiae) Bengalimissem.
Habitat in Sikkima austro.
- 393 *Cyperanthus* ^{Bisi}
Bisi ^{Sindicae}
Hab. ::/i<".u & *
Inertia floe mon. & L. fu* jty Ot*

- 394 *Ypsilanthus* [—]
Habitat in Nipale inferioris agro.

- 395 *Phoenicella* [—]
Habitat in Nipale et Bengali.

- 396 *Adonis* ^{U-} Aca Cucina et Nagalha nubibus et nivis.

- 397 *Erodium Cheloneum* ^A
Gentianaceae
Hab. Gentiana indica, agrotum, nula quadrata, fructuosa, rufa
Andhra, ratis fibrosa. Mon. No. 27 1863
Chelonei Sindicae
Habitat in Nipale inferioris agro.

- 398 *Scirpus Chrysostachys* ^B
Habitat in Nipale et Cambaya graminis.
Necesse est mon. Bremius ex monogramma super cito latitudine
loci spectat ad monogramma simile. Ab his diffit. 8.6" i.
monogramma habet. 8.12" i. 8.4" in alijs aliam difficit.

- 399 *Carduus Stellatum* [—]
Linnaceae sublatum No. 6.7.1. No. 1; 4167
Hab. 4^; . / / - v-^; >^
ad hoc forte spectat monogramma non modo quod ab aliis 8.097
estimatur?

- 400 *Plantago* ^{Nepalensis} Herb. Bengali. No. 1; 421.
Nepalensis Sindicae
Habitat in Nipale.

- 401 *Callicarpa longifolia* Linn. Neth. 5.68. Willd. sp. 9.661.
Callicarpa laevigata Herb. Beng.; 10. No. 6.5.62; 14.09.
Cultus communis Sikkima Herb. Beng. 12.23.
Habitat in Bengal orient. <. > m tabacum.

- 402 *Callicarpa macrophylla* Willd. sp. 10. 629. No. 10. 629. sp. 14. 32.
Beng. Beng. et Calcutta; 14.09.
Habitat in Bengal orientalis dolio.

Monogynia Tetrandria Gentianaceae

403 *Collomia cana*, Kotschy sp. Willd. p. 41. Pl. 12. Nobilis 1862.

(*Collomia tenuistosa* Benth. 1862. Sp. 15. 12).

Mauritius Kotschy 1862. p. 123. t. 3. 28.

Doda (magno) fortior carnata et foliacea

Elegans Novaezealandiae

Habitat ubique in silva collibus nisi in Hafgale, Salava,
Carnala, Nepala

404 *Collomia (Caja) arborea* Rupr. Pl. 12. 1862.

Balsamus ester silvestris Kotschy 1862.

Khaja Bengalensis

Habitat in *Cananga odorata* Balf.

405 *Collomia longistylis*

longistylis Kotschy

Habitat in Hafgale inferiori.

406 3 *Oberonanthus indicus* Willd. sp. Pl. 24. 1862. Nobilis 1862. Sp. 15. 12.

Alpinus 179. f. 4. 44

grossulus —— Kotschy 1862.

Habitat in India humida vulgaris.

sanguiflora angustifolia —— villa superiore f. 200. Lee.

oblonga est ab India occ. Barron. F. 1. 1862. s. 1862. s. 1862.

versicolor plantae est 1873. 6.

407 *Buddleia Nudica* Kotschy 1862. Pl. 12. 1862.

Habitat in India Montibus deplorabiliens et videntur raro.

408 *Buddleia interrupta*

Habitat in India Gangotri ab. Nepala.

Hesperiaceales

409 *Thyspa bicoloris* Willd. sp. Pl. 12. 1862. 'f. ^ m * ! *' *gasteria* Linn. 1862.

1895. f. 3. Rupr. Bong. 1862. Kotschy 1862. 4492.

angara Bengalensis, qua 26 *leptophylla* Rupp. 1862. Co.

Habitat in Europa stagno

Cracca

410 *Ladinaea diffusa* grande liquore foliis lanceolatis capitulo pedunculato,

folia densissimis brachioribus levata. Sp. 1862. exclusus synonymus *curvula*.

pentadactala. *Ladinaea parviflora* Rupr. Pl. 12. 1862.

fusca *vergophylla* Linn. 1862. f. 201.

Ladinaea sp. 1862. Pl. 12. 1862. f. 1. 1862.

L. heterandra Barron. 1862. f. 272.

superba *diffusa* Willd. sp. Pl. 12. 1862. Barron. 1862. *multicostata* R.

Bryonia. s. 1862. f. 4982.

Lycocnemis indica, synon. glabra; flor. flor. villosa angustis.

Stellata Barron. 1862. f. 4982.

Monogynia

Alexandria

Oscaria

Litomachia villosa non *Poppon*, fls. luteo-minime, albo-purp. ex frag.
bullockii aromatissimum $t^{***} \pm jm > wa^t/t^* t \sim \sim$ Abn: 235
u*.w&U *tftwff/rtiL&y,* *td~/•*

Lysimachia nov. ^, f<4 var. humilis Makoyana,
HAB. 1444 XANTHI H. MAKYANA

via ignoramus quoniam certe ignoramus, immo quoniam certe ignoramus
pentaphelatum referenda, hacten nostra planta similiter?

112

- 441 *Cyperus difformis* Hort. Berg. W. a. Hortulanus, ex ciliis non ramoso.
Cyperus latifolia Willd. Sp. Pl. 87; 656 velutinae non villosa
 et glabra Rheed.

Tenax corymbosa major Hortobambus 656 t. 166, p. 3** ram in
 Robt. Bkt. 1875 s. 26. tam Miriam Patti Hort. Mal. v. 14. p. 80 non
 juncea Willd. t. 413.

Chunambu JS << ^ ^ ^ M. Mal. v. 21. p. 112 que glauca. Robt.
 Bkt. 1875 s. 26. cum sequentem plantam

Habitat in Indice summis frequens.

442 *Cyperus latifolia* Desv. Benth. p. 38. Supr. p. 114. ciliis non villosis
 nisi forte Hortobambus v. 14. t. 166. velutinae non glauca. Robt.
 Bkt. 1875 s. 26. astaci Hortobambus v. 179. p. 179. p. 1.

Habitat in Campania orientalis sylvis.

443 *Periflorens* Buer Af. p. 31. Supr. 1875. sed non C. rotundata Robt. Bkt. 1875
 planta glauca.

Rivulus corymbosa minor. Hortobambus 596. t. 166. p. 2.

Miriam Patti Hort. Mal. v. 9. p. 83. villa V. 61.

Habitat in Campania summis.

444 *Cyperus aquosus*

Paniculata (agea glomerata) Bengalenium in Tigrura
 Habitat in Bengala orientalis sylvis.

445 *Cyperus trilobatus* Desv. Benth. p. 31.

Folium capponis Robt. Amb. v. 450 t. 166. p. 2. non C.
 carnosus Robt. Bkt. 1875. p. 37. que Tijori valle Hort. Mal.
 v. 9. t. 65.

Habitat in Campania orientalis sylvis.

Siliic capponis foliata acicula, internum cornuta est rotunda
 Willdenowiana.

446 *Cyperus pentaphyllum* Willd. Sp. Pl. 87. p. 237.

Willde. Tijori valle Hortobambus v. 186. t. 2. s. 1. sequentem a Robt. Bkt.
 relate.

Habitat in Campania pagi.

Natio an a sequente unters disting.

Monocotyledonae Dicotyledonae Vitis

417 *Cyperus lancularia* Hork. Bengt. N. Rock. Fl. Ind. p. 630.
Habitat in mangroves.

Resevoir area precedente satis distincta.

Salicaceae

418 *Ammania rotundifolia* Hork. Bengt. ^{^{:s<<Z%p<£}} Fl. Ind. p. 647.

Habitat aliqae in Indice prates.

419 *Ammania obovata* major et minor.

Habitat in foce et stagnum rives.

420 *Ammania debilis* Willd. sp. Pl. 1, 678. Hork. Rock. Fl. Ind. p. 647.
j. 528.

Habitat in foce aquae.

421 *Ammania simplex*.

Habitat in Mittile et foce aquae.

422 *Ammania multiflora* Hork. Bengt. N. Rock. Fl. Ind. p. 647.

Habitat in foce.

423 *Ammania octandra* Willd. sp. Pl. 1, 679. Enchanted. Ind. p. 325.

Hork. Bengt. N. Rock. Fl. Ind. p. 647.

Habitat in Dravida, solitae in horto prope Calcuttam botanico.

424 *Ammania viscidula* Hork. Bengt. N. Rock. Fl. Ind. p. 647.

Ammania viscidula Burm. Pl. Ind. 38 excoecaria synony. Linnæi
Lathyrum anthoxanthum simile. Lathyrum sativum Hork. Olin.
26, quod in Manb. 172. nominatur Lathyrus anthoxanthus
Linnæi camillus alpinatus accessus. Plantæ caustica Asia
orientalis, Kulanross Malabaricum. Nasica paniculata
Mangani officinarum Linnae.

Habitat aliqae in Indice rives.

425 *Ammania prostrata*.

Ammania viscidula L. Ind. Melli, 181.

A. viscosa Willd. sp. Pl. 1, 679. Burm. Pl. Ind. 38, t. 15, f. 32.

Ammania viscidula orientalis galli lateri flore Horka
carbolario viscidula Pohl. >.*£• JS-t/94./i2t

Pala Syrena Hork. Malib. 165, 173.

Geethya Phale Konice.

Habitat in Magatha et Gangava, et in Camunda.

426 *Ammania rosae* Burm. Melli, 181.

Ammania rosae Hork. Bengt. N. Rock. Fl. Ind. p. 648.

Habitat in Camunda.

427 *Ammania pentandra* Hork. Fl. Ind. p. 648.

Habitat in Indice gangolica.

Elaeagni

428 *Spiraea myrsinifolia* Lour. Melli, p. 102. (Spiraea Myrsinifolia) chamaecistus

11>tt</it, 1 * . 4 & et *Ammanilla dentatum* album

Lour. spiraea dentatum Hork. Pl. Ind. p. 648.

Spiraea alba Willd. sp. Pl. 1, 681 nucleus isodem synonymis

Hork. Pl. Ind. p. 648.

Monogynia

Tetrandria

Salicariae

Lindl. wood Buchananus. Myrsinaceae

Chionanthus lanceolata Voss

Habitat in corvata montibus, solitariae et hec propter
tempore. In figura squalida glabra Rumpfium foliis gressu
pinnatis depinguatur.

439

Elaeagnes conferta Hort. Bonj. Reichenb. p. 662.

Ova placentae seu leptoidea linearis orientalis orinosa, tenuis
et longa foliacea, subte angustata et pinnata ex inven-
tione Huds. Amath. 180.

Rothschii Bonplandianum

Habitat in sylvis familiis orientalis montosis

438

Elaeagnes orientalis Willd. sp. pl. 1887. Hort. Kew. 2. 271.

Habitat in Commixta occidentali

Thymelaea

431

Cassia scandens Hort. Bonj. -fJ Reichenb. 281.

Cassia Malvifolia * . viV*-^A-^ Reichenb. 281.

Daphne monostachya Willd. sp. pl. 420

Schrenk Valli Hort. Malv. 1846.

Habitat in Magnolia montibus.

Proteaceae

432

Reiniera eximia Linné Euv. Stell. 10. 721.

Zona Difesa

t&S/sis***. SL — 4 ^ mealias sylvis.

Aroidae

433

Peltos spinescens

Peltos pinnatifid i < s > < & 4 Bonj. 53?

Peltos heterophyllum Reichenb. 457.

Dracontium pinnatum Willd. sp. pl. 288. Gramm. 385. Sch. 293
Hort. Kew. 2. 226. Encr. Hort. 1. 6122.

Indragiriense, magindana, giganteum, radice longa
repente, Burn. Thes. Zeyf. 34.

Dracontium foliis sagittatis, pedunculis petiolatis que
aculeatis Lin. H. Zeyf. i' JIf.

Habitat in Commixta sylvis.

Myrsicaceae

434

Rivinia laticarpa

Lat' Bonj. Lindice

Habitat in Magnolia iudicis ad Gangem

Caryophyllaceae

435

Baffonia rotundifolia

Habitat in C. **! rugosa et Nephala inferioris hirsuta

Tetragynia

Boraginaceae

436

Bolinia procumbens Hort. Bonj. Reichenb. ^ * ! Miller. « y ^

Tetragynia Tetrandria. Boragineæ

372 *Liner. Muth.* 54, 66. *Burm. Fl. Ind.* 60.

Coldenia Lin. *H. Zeyl.* 69

Nom. Civit. & vel *Peregrina officinalis galanica procumbens*, *Chama-*
cipoi foliis et fructu floribus purpureis. *Burm. Fl. Ind.* 59, 60.
Fruitu fructu *Bismagurion laticephalus costatus*, *billis rotundis,*
foliis holubis sessilis. *Houtt. Alm.* 563, *Plat.* 6: 66 f: 6

Habitat *solitariae in Indice ramentaria.*

Bhamni?

437 *Mycindra Sila Roma*

Olea sivica *Copr. Fl. Ind.* 105

Kori Velli *Arch. Mal.* 10, 1536. *similia si diversa*
Sila Roma *Bengalensis.*

Habitat *in sylois Campana orientalis*
flore non vito.

438 *Meg. rotunda* *Willd. sp. Pl.* 71, *Thunb. Fl. Jap.* 77 et *Ind. Muth.* 14: 67

Mex. assatica *Willd. sp. Pl.* 71, 700

Habitat *ad Campana borealis pagos.*

439 *Locowia ihioides*

Languri *Minthes*.

Habitat *in Nephala inferioris montibus.*

Nisi ob stylorum quatuor, semibusta quam Phamnis affinior.

Torebinthaceæ.

440 *Aubertia* ^{***} ^{**} ^c *Crotona piperita*

Tajbo *Bengalensis.*

Habitat *in Campana boreali*

An huic conpare figura nitida *Post. Fl. Ind.* 1: 439!

441 *Aubertia* ^Z ^A ^{..} ^{f?}, *for*

Timbar *Minthes*

Habitat *in Nephala superioris sylois*

442 *Aubertia* *et Crotona?* *Bajamundia*

Figura *Shelae* *Post. Fl. Ind.* 1: 439:

Crateroma *Willd. sp. Pl.* 665.

Bajar *Vardi* *Bengalensis.*

Habitat *in Campana orientalis montibus.*

443 *Crotona* *flavifolia*

Habitat *in Campana et Nephala floris.*

Flore non vito. *Nashi* *an a decimale diversa;*

444 *Potamogeton maritimus* *Willd. sp. Pl.* 71, *Ind. Muth.* 14: 67? *Ranga Amara.*

Habitat *in hinc jas. tunc floris et aqua stagni a manu raro-*
rum.

445 *Potamogeton pusillum* *Willd. sp. Pl.* 77, *Ind. Muth.* 14: 68?

Habitat *in jas. et fontane.*

446 *Potamogeton* ^f *"*

Potamogeton *fluitans* L.

Post. Fl. Ind. Muth. 14, 524.

Habitat *in floris Campana gazet.*

Pl. 70: 1: *Ind. Muth.* 14: 67? *Lydia* 626?

Post. Fl. Ind. Muth. 14: 523.

Tetragynia

Sectundaria
Naiades

- 447 *Potamogeton virginicus* Lour. Benth. v. 31. Pl. 14. t. 82. M. 1865.
; 315. *Potamogeton tenuissimum* Rost. Pl. 15. t. 172.
Habitat in Indice Gangotri fluvii e mari raro.
- 448 *Potamogeton interius* Aubl. Pl. 15. t. 167.
Potamogeton rotundus Linn. Benth. v. 25. t. 149. Sept. 1865.
Habitat in aqua fluvii.
- 44? *Potamogeton lucens* Willd. Pl. 14. t. 22. Benth. v. 18.
- Habitat in Indice Gangotri fluvii.

Odagia

- 450 *Myciobollem inicum* Willd. ff. 175. 1807. Benth. v. 17. t. 69.
Myciobollem tuberculatum Rost. Pl. 16. t. 374.
Myciobollem Rost. Pl. 15. t. 11.
Habitat in laghetto stagni.
Succedit foliorum rami minus divisi.
Habitat in polyle stagnos.

Pontandria

Monocormia

Boraginaceae

- 451 *Heliotropium indicum* L. C. Presl. Pl. 17. 1874. Benth. v. 25.
Pl. 15. t. 10. <**+. S/< sub. 40. sculus pyrenaeus 2. plantae
Americanum. glauca libera
Heliotropium Linn. Pl. 15. t. 72. included in the species.
Monocormium, Mayr, boissieri folie, flore albo. Burn. t.
Rost. Pl. 15. t. 100.
Bona Policia Rost. Mal. p. 95. 1868. pertinax P. Amst.
conjugante cum planta Americana scutifolia et P. Amst.
minus fore botanica adhuc sequuntur.
Thlaspi monocormum Rost. Benth. v. 17. t. 69.
Haliotis (conchilegum) elephantinae Benth. v. 17. t. 69.
Haliotis (conchilegum) elephantinae Benth. v. 17. t. 69.
Habitat abeone in stenice ruforis hercynianis.

- 442 *Heliotropium malabaricum* Benth. No. 111. Holz. v. 18. t. 691. Benth.
sup. v. 26. item sub. *R. coronantianum* p. 2. et Willd. ff. 16. v. 27. t.
Heliotropium coronantianum Rost. Pl. 15. t. 10.
Nepeta mukhi (serpentina) Benth.
Habitat in Haga-ka af yangem.

- 453 *Heliotropium malabaricum* Willd. ff. 16. v. 26. Benth. v. 26. t. 692. t.
Heliotropium europeum Burn. R. p. 40. t. 109.
Nepeta phuli (sahentis flos) officinum Benth.
Habitat in Haga-ka abris.

- 454 *Heliotropium manjolicum* Willd. ff. ?&1. v. 26. t. 693. Benth. sup. ^ij
Habitat in Indice arenosis.

Monogynia Pentandra Boraginaceae

455 *Heliotrichium revolutum*.

Habitat in Magadha rupibus.

456 *Anchusa polygonoides*

Habitat in Mithila apriis.

Anchusa heteromorpha Blatt. Abn: 30, Phyt: 275; Schlecht.

homolepisimia, in minor rupibus senior.

457 *Cynoglossum diffusum* Hort. Bengal.

& rarer formi.

Præfice facie annua.

44&tU *Præfice Gangotriensis*

458 *Cyno* ^{1st _{2nd} *Præfice*}

Præfice in Mithila rupibus.

459 *V* *Præfice*

Præfice (*præfice pulchrum pitem*) *Bengalensis*

Præfice Kuntiae

Habitat in subies Gangotriensis.

460 *Trichodesma indicum* Brown Nov. Vol. 25, 49666

Borago indicum Linn. Pl. Ind. 61 Willd. Sp. Pl. 776. Schlecht. 296

Hort. Bengal. Martelli, 156. Ill. Gen. 1296, fig. 3

Borago cylindrica plus angustifolia ex crests in S. T. 171.

Boraginoides angustifolia flor. pallidior. Nov. Fl. Thar. Trop. 42.

Anchusa degeneris præc. Kuntiae orientalis herba quadrangularis

Blatt. Abn: 30, Phyt: 275; 3

Habitat ubique in India.

461 *Trichodesma Zygandica* Brown Nov. Vol. 4990

Borago zygandica Burm. Pl. Ind. 61 Willd. Sp. Pl. 777.

Hort. Bengal. Martelli, 156.

Borago zygandica maxima floribus ex corollis albitinctibus

Burm. Fl. Zeyl. 48

Anchusa buglospoides lithospermiflora ex insula Johanna

Heck. Mant. 31, 6225, fig. 6

Habitat in subies montibus visionibus.

462 *Tournefortia virgata*

Tournefortia sericea Desv. Blatt. 1925 Trop. Tana. Sem. sp. 1425!

Lithospermum virgatum Hort. Bengal.

Habitat in Bengal orientali montosis.

463 *Corolla*

Litsea Kuntiae

Habitat in posita typis

Nemis ana subsequenti ali. de cuncta

464 *Corolla* Babur.

Ranunculus *elatior* Abn: 306. Phyt: 275. *w/* ² *præfice* in huc. Martelli, 48, 2

Tutem *brevicarpa* Schlecht.

Kousali *Bengalensis*

- Monogyne* *Pintandria* *Boraginea*
- Babogar Kindee
 Habitat in Campepe et Mithila sylvestris agrio.
 Nescio an a precedente satis distincta?
- 465 *Cordia Siccata* Gangoltemum
 Habitat in Angra agrio.
 Nescio an a precedente satis distincta?
- 466 - *Cordia Paracorea*
 Kara Katinga Kindee
 Habitat in Magadha occidentali
 Nescio an a subsequenti satis distincta?
- 467 *Cordia obliqua* Willd. sp. Pl. 3, 1072
 C. granaria Hort. Bong. 17
 C. indica Linn. Willd. 1864, p. 9
 Arborglutinosa Hort. amb. 1861, 155, 1997
 Habitat in Campepe orientalis sylvis
 Nescio an a precedente satis distincta
- 468 *Cordia polygama* Hort. comp. 17
 Solitaria in horto prope Calcuttam botanicae ad Dianeta
469. *Cordia angustifolia* Hort. Bong. 17.
 Kiri Kiley Comatice
 Karavati Comatice
 Habitat in Indra missione. sed in Carnata Deccan. Mayadev
- 470 *Chetia patanga*
 Kalka Rangga Kindee
 Habitat in Magadha Mithila cum agro.
 Nescio an a sequente satis distincta
- 471 *Chetia? Robusta*
 Kalka Kindee
 Habitat in Magadha sylvis
 Nescio an a precedente satis distincta
- 471 r *Chetia? lani* Hort. Bong. 17. Willd. sp. Pl. 3, 1077. Videlicet
Chetia lani cymosa. Linn. Willd. sp. 1864.
 Solitaria in horto prope Calcuttam botanicae in Andhra
- 472 *Chetia? aspera* Hort. Bong. 17. Willd. sp. Pl. 3, 1077. Roth. 1800, 2, 10. Linn. Willd.
 sp. 1864, p. 2
 Habitat in Indra australi.
- 474 *Chetia serrata* Hort. Bong. 17.
 Rossone in Tripura
 Bejal in Malda
 Bhaj in Campepe orientale
 Kalka Gaya (Sylhetis area) in Campepe orientale }
 Tangt Ranggo (Unter Kubo infusione) Kindee }
 Habitat in Indra Gangotica.

46

Monogramia Pentameria Boraginea

475 *Echites punctata*

Chitengchikt montanorum Bisch.

Habitat in Nepale in prioris montibus.

Reporta est planta, quam e specimenibus dicatis, Dr. Minus
Plants transmisso, Christiana serratum nominavit Schleicher
se plantam, quam in loco botanico prope Calcuttam ex sertum
nominavit Hortulana, ipsa e Tripura transmisit, et est a planta
Nepale diversa.

Pimulaceae

476 *Androsace rotundifolia* Linn. Noth: Sp. Pl. 2: 52.

Habitat in Ceula et Mithila boreali

477 *Lysimachia nemorum* Willd. sp. Pl. 2: 86.

Suri Phul Bengalensis

Habitat in Camphora borealis sylvis.

478 *Lysimachia obsoleta*

Habitat in Mithila sylvis.

479 L<ht4U4+Juj a

Habitat in Ceula sylvis.

480 *Magallia latifolia* Willd. sp. Pl. 2: 83. Inv. Noth: in 356. Herb. Noth: 5: 317.

Habitat in Mithila arvo.

ysj'Uco rea

481 *Villarsia viscosa*

Menziesia viscosa Hook. Bot. Bagn. 13.

Tijara fit ambel Noth: 5: 317. C. 129.

Nymphaea indica minor floribus cum reticulis foliorum reticulatis
rassemblatis Hook: ab " " / ** Kgl. 156 509, 12.

Habitat in India stagnis et fossis

482 *Villarsia crassica*

Menziesia crassica Hook. Bot. Bagn. 13. Miller 94: 16, 88. agavea cyanozoma

Rumphii.

No. 100. crassica Hook. Am. 6: 123. C. 129, 130.

fossis

483 *Villarsia foetida*

... rotato subcordatis, corollis in trios folios. Hook. Bot. Bagn. 13.

Nymphaea indica subcordatis foliis minor floribus formicatis. Hook. Am. 6: 12.

Nelot. ambel Noth: 5: 317. C. 129.

tinari Bengalensis Habitat in Indica stagnis et fossis.

484 *Gentiana verticillata* Hook. Bot. Bagn. 21.

Gentianella (S) Inv. Noth: 5: 66.

bacca hyoscyfolium Willd. sp. Pl. 1: 120. Inv. Noth: 5: 22.

Gentiana vitturaria Indica orientalis hyoscyfolia floribus 4-5 mm
verticilli densis stipatis. Hook. Am. 6: 124 f. 7.

Habitat in terra fragi somancon.

T
Monocotylia : *Pentandria Gentianae*

485 *Cirraria contamoides* Hort. Bong. 16.

Habitat in Mithila et Magadha pasturis aridis
Plumbaginaceae

486 *Plumbago zeylanica* Hort. Bong. 16. Brown Nov. Nat. 1, 226. Willd.
 sp. Pl. 337. Hort. Kew. 3, 322. Burm. Fl. Ind. 4, 2. Tern. 10, 1, 269.

Plumbago zeylanica, foliis splendente, gymnostri, floribus
 Burm. Theor. Kogl. 197.

Echinophora latifolia, Nervis floribus umbonatis, spicata,
 minor Hort. Alomiae.

Zumba fasciata Hort. Mal. 2, 15, 128.

Habitat usque in India

487 *Plumbago rosea* Willd. sp. Pl. 336. Burm. Fl. Ind. 6, 2. Encycl. Ind. 1
 4, 269. Hort. Kew. 3, 326.

Plumbago zeylanica, foliis splendente gymnostri, floribus
 Burm. Theor. Kogl. 197.

Rabie sessiliflora Hort. Bong. 16, 253. t. 168.

Echinophora latifolia spicata major, Nervis floribus,
 Malabaricus Hort. Alomiae 132.

schottii Godrej Hort. Mal. 2, 17, 619.

Habitat usque in India

488 *Plumbago rosea* Hort. Bong. 16
 (litur in horto prope Calcuttam botanico siccante
 recessit)

Convolvulaceae

489 *Volvella paniculata* Hort. Bong. 16. Encycl. Ind. 6, 2. 17, 5, 52

Fol. abhilita in Magadha
 Theona in Caste Jainice

Habitat in Magadha et Caste siccatis

490 *Torenia paniculata* Hort. Bong. 16

Karavi Bengalensis

Habitat in India Gangeticae sylvarum in angustis
 Magadha.

491 *Torenia rotundifolia* Burm. Fl. Ind. 6, 241. Willd. sp. 17, 362. Encycl. Ind.
 4, 269. Hort. Bong. 16

Ressit in horto prope Calcuttam botanico, foliis indigenis.

q* < *Convolvulus heterophyllus*

Convolvulus heterophyllus Burm. Fl. Ind. 7, 5, 50, fig. 2. Encycl. Ind. 4, 528.

Convolvulus indicus L. typicis dentatis foliis Bongonis albo-

vario, sordido-colorum representibus, floribus thimbo-

per cibham florib. et in collo et white albinibus. Fl. Ind. 1
 55? Burm. Theor. Kogl. 739

Ancient cult. Hort. Ind. 1, 1, 27

48

Monogynia Pentameria Convolvulus

Zwinghami subsp. *zwinghami*
lanceolata officinaria *lanceolata*
 Habitat in arcis. *Magnolia elatioribus*
 forbi, gossypii, montanorum frequentibus et ruris non raro
 Non per ratiota in ante reporto.

493 *Convolvulus patulus*
 Habitat inter *Magnolia* & *Oxygenia*

494. *Convolvulus fastigiatus*
hirsutus officinarum *hirsutus*
 Habitat in Cœstis

495 *Convolvulus Ramondiae*
Ramponii officinarum *hirsutus*
 Habitat in *Magnolia*

496 *Convolvulus spicatus* *Linnæi* Leth. 14, 569
 Habitat in campis. *Magnolia elatioribus*

497 *Convolvulus spicatus* var.
 Habitat in Cœstis.

498 *Convolvulus tenuiflorus*
Lobkovicia *tenuiflora* Kotsch. Bong. 18
 Habitat in *Cornuta* ruris, unde summae & hortum prae-
 ficiuntur. *Calystegia* *hirsuta* hortis solitus speciosa.

ADD \$****& *calystegia* *pratensis*

in *Cannula* ruris & *gymnostachys*

500 *Convolvulus Benthamii*
Benthami Taf. 401, tab. 186, t. 14.

Habitat ubique in *Luzia* humectis.

501 *Convolvulus rotundatus*

Habitat in *Cœstis* sylvis.

502 *Convolvulus ligustris* P. Willd. sp. Pl.; V. J. Conf. 520.

Calystegia *lanceolata* Linnæi Leth. 14, 472.

Calystegia *minor* *faminea* Kotsch. Umbra 62, t. 103.

Habitat in *Cannula* ruris

Obione *panniculata* Burm. 1758, 2, p. 102. # nupina

503 *Convolvulus lobatus*

Lobata *montana* *hirsutus*

Habitat in *Nephala* *inferioris* *collibus*.

504 *Convolvulus barleroides*

Habitat in *Cœstis* sylvis

505 *Convolvulus subaspidis*

in *Souari* *Canaria*

Habitat in *India* ruris

506 *Convolvulus majorius* Linnæi Leth. sup. 15, 474? non Willdenowii qui Taf. 101
 hort. Mal. 1819. *C. malabaricus* Kotsch. Bong. 18 de non Linnæi
 Colitur in horto fratre Calvertum botanico i. Cannula.

- 507 *Convolvulus quinquenervis*
Habitat in Greta sylvis.
- 508 *Convolvulus Malabaricus* Willd. sp. M.; 257 Benth. & Hook. v. 5, p. 527.
Katta Keleng Noot. Natl. sp. 105, t. 111.
Habitat in hilly montane.
- 509 *Convolvulus confertus*
Habitat in Mithila sylvis.
- 510 *Convolvulus capitatus* Willd. sp. M.; 257 v. 527 v. 2 Beng. 13.
Lettomia strigosa Noot. Beng. 13.
Gomma tamngolia Burm. Rhat 50 varclus Dillenii obovata
Pan. Natura Bengalensis.
Habitat in Bengal orientale.
- 511 *Convolvulus capitellatus*
Habitat in Nagalha 30 Gangam.
- 512 *Convolvulus aggregatus* mihi, v. non Lourteau
Lettomia aggregata Noot. Beng. 13.
Colitur in horto prope Calcutta botanica e. Bengal.
- 513 *Convolvulus neovossii* Benth. 15, 522.
Lettomia neovossii Noot. Beng. 13.
var. vira Syringa Noot. Benth. 39, 125, 654.
Habitat in Delta gangatic
C. neovossii Burmanni (B. 522) bracteatum vegetans
- J/4 *Convolvulus splendens*
Lettomia splendens Noot. Beng. 13.
Convolvulus virgatus Retz. Fl. Ind. 28, 29, f. 1.
Colitur in horto prope Calcutta botanica e. Bengal.
- 515 *Convolvulus Turita*
Turita surinamica.
Nihal Sarabandi officinarum Indice.
Habitat in Nagalha dumerilis
- 516 *Convolvulus Turpethum* Linn. Moll. 1580 Willd. sp. M. 35 Noot.
Beng. 4. Burm. Fl. Ind. 45.
Ex foliis cordatis angulatis caule membranaceo pubescentem
Linn. Fl. Ind. 74
C. zeylanicus alatus, maximum foliis hisciconvolutis similibus
angustis. Burm. Fl. Ind. 71. Fl. Ind. 12.
Turpethum surinam, s. album, Plost. Mart. 53.
Habitat in Indice dumerelli.
- 517 *Convolvulus marginatus*
Habitat in sylvis inter coticie Gangolias.
- 518 *Convolvulus gangeticus* Noot. Beng. 13.
Habitat in Gangi's prope Calcuttam sylvis
- 519 *Convolvulus sinensis* Benth. Moll. v. 537.
Habitat in Bengal dumerelli.

- Monogynia Pentandria Convolvulaceæ
- 520 *Convolvulus biflorus* Willd. Sp. Pl. 1: 157. Conf. 500.
S. levis var. *biflora* Aubl. & S. 53?
- Habitat in Campania orientalis sylois
- 521 *Convolvulus sinuatus* Willd. Sp. Pl. 1: 158. In: Meth. 1: 538. Aut. Rev. 1: 332.
Spiraea sinuata Hout. Bong. 18.
- Cyathium major*, folia sublobata canticulis glomeratis inservit sylois. Aut. Rev. 1: 332.
 H. Doy. 75?
- Argemone officinum* Benth.
- Habitat in Methilia et Maypha domesticis.
- 522 *Convolvulus galathaea*
 Habitat in Campania orientalis sylois
- 523 *Convolvulus trigonus*
 Habitat aliisque in India sepiibus
- 524 *Convolvulus sublobatus*
 Habitat in Bengalie orientalis acutinolis.
- 525 *Convolvulus flavius* Willd. Sp. Pl. 1: 152. var. *synonyma*? Tourn. Aut. 1: 150 & 151.
 Habitat in Campania orientalis sylois
- 526 *Convolvulus biocolor* Willd. Sp. Pl. 1: 157?
- Habitat in Methilia domesticis.
- 527 *Convolvulus galadana*
 Chelidonium in Asia Minor sicca Willd. Sp. Pl. 1: 157. subdimidiatilla in
 America crescensque. *Spiraea heteromalla* Linn. 1: 102. & *Convolvulus*
heteromallus. *Spiraea cretacea* Hout. Bong. 14.
- Nile diarijala* plantæ
Kala-karla (figura non) common. *Spiricum* Benth.
- Habitat in India sepiibus.
- 528 *Convolvulus quadrangularis*
 sublobata in Methilia
 (var. *orientalis* (figura Benth.) in Creta) } Benth.
- Habitat in India Gangatica sepiibus et sylois.
- 529 *Convolvulus angustatus*
Spiraea angustata Linn. Meth. 1: 152
Spiraea angustata Benth. Sp. Pl. 1: 159. *synonyma*
 Habitat Pachia Benth.
- Habitat in Gante sepiibus.
- 530 *Convolvulus quadriflorus* Willd. Sp. Pl. 1: 159
Spiraea quadriflora Linn. Meth. 1: 15. H. Bong. 14
Brennandiana folia amplissima Blatt. Aut. 1: 152. 153?
 Munda nello Hout. Aut. 1: 152.
Rosa Kuhni Bengalensis
 Habitat in India sepiibus et sylois.

- 51
- | <u>Monogynia</u> | <u>Pentandria</u> | <u>Convolutaeæ?</u> |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| | | |
| 531 | <i>Convolvulus</i> Pers. (a) Willd. sp. Pl. 875 et Bartram. M. 248. var. <i>variolosa</i> | |
| | <i>Syngenesia</i> Auct. in Hort. Bot. Reg. 14 | |
| | <i>C. maritimus</i> L. var. <i>Uloth.</i> sp. 550 | |
| | <i>C. folios lobatis</i> , Linn. R. T. Eng. 75. | |
| | <i>C. maritimus</i> Tournieris folio crasso, coriaceo. Bartram. Pl. 875. | |
| | <i>C. marinus minor</i> Hook. & Arn. 522. | |
| | <i>C. maritimus</i> L. subsp. <i>calothallus</i> & <i>Massangitana</i> , folio in terminali
sinuata. Pl. 875. Ann. 18. Phys. 524. sp. | |
| | <i>Thunnera</i> Dumb. Hort. Bot. 18. sp. 627. n. | |
| | Habitat ubique in India littoralis mari annas. | |
| 532 | <i>Convolvulus sepium</i> Willd. sp. Pl. 875. Encycl. Bot. 149. 567. Bartram.
H. Ind. 48. <i>spinosus</i> synonymous <i>Bartramii</i> , sic haec ibidem cum
<i>Convolvulus pentstachys</i> folio, flore prægnante, ut videt Linnaeus
(R. Eng. 575). Hort. Bengal. | |
| | <i>Ipomoea aquatica</i> Linn. Encycl. 18 | |
| | <i>Nesum</i> ^{sciwt} Hook. & Arn. 524. 6115. pl. | |
| | Bal. 4. 147. 622. sicc. Brown. Nov. Not. 42. | |
| | <i>Lathyrus officinalis</i> Linn. | |
| | Habitat ubique in India stagnis et fossis | |
| | sic a sequente convolvulus habens, et alijs membranis callositate | |
| 533 | <i>Convolvulus palustris</i> | |
| | <i>Sophor. baeticæ officinarum</i> Benth. | |
| | Habitat in India Gangotris stagnis | |
| | W. 20. 20. a præsente corolla alba, calyx levigatus dislocata. | |
| 534 | <i>Convolvulus laciniæ</i> | |
| | <i>Dendrogya (laciniæ) Benghalensis</i> | |
| | Habitat in Campania annis. | |
| 535 | <i>Convolvulus blakae</i> | |
| | <i>Mabir (guenoncum) Benth.</i> | |
| | Habitat ad jordanum floridam in caeci | |
| | similes sed in omni parte major quam plantæ depesta in
plate Phys. 6: 20. p. 22. gen. Convolv. lat. Encycl. 147. 562. | |
| 536 | <i>Convolvulus Tridentatus</i> Willd. sp. Pl. 875. Hort. Beng. 12. 20. 20. | |
| | 339. Encycl. 147. 562. | |
| | Violentia tridentatus Benth. R. Ind. 7: 6: 16. p. 2. | |
| | <i>Oncozylanicus</i> , gracilis, tenuefolius Benth. Pl. 875. 72. | |
| | <i>C. minimus</i> , præmature, aristella folio, barbulae ad iuncum
gracilioris, summa opice triangulatis Pl. 875. Phys. 147. 562. | |
| | Indra Clad. Hort. 147. 562. 66. | |
| | Habitat in Mayashan annos. | |
| 537 | <i>Convolvulus citrullinus</i> Hort. Beng. 12. 20. 20. 147. 562. Willd. sp.
Pl. 875. Encycl. 147. 562. | |
| | <i>Convolvulus similis</i> Bignon, alio foliis villosis in India orientali | |

57

Monogynia Pentameria Convolvaceae

Pelt. Phyt. 125, p. 338. folia similis sed flora non huius.

Habitat in horto prope Calcuttam botanico & Dravida.

- 538 *Convolvulus pentameria* Willd. sp. Pl. 186. Hort. Bengal. Enc. Meth. 152, 1865.
 Hort. Kew. 1866, ab Burnett sed et velutina typonymia cumibus nupta Raji.
 Palibosacea Hort. Bengal. 1866, altera Palibosacea ab hoc nomen
 describitur in offic. At.
- Habitat in India sepius
539. *Convolvulus tenuifolius* Willd. sp. Pl. 186. Enc. Meth. 152, 1865.
 Habitat in area of Mithila borealis pectoris.
- 540 *Convolvulus digitatus* Willd. Bengal.
- Habitat in horto prope Calcuttam botanico & Dravida.

- 541 *Convolvulus pentaphyllum*

Specm. M* Lepid. 1 Willd. sp. Pl. 186. Hort. Bengal. Enc. Meth. 152
 Burn. 1866, 152.

Specm. foliis palmatis, floribus aggregate. Burn. Zeyli.

O. galbinae breviter, foliis petioles apicis in modum emarginata profunda
 lacinias divisi. Burn. Zeyli.

Willd. galbinae Hort. Kew. 1866, 152, 1865.

Habitat in Mithila borealis

Bengalica

- 542 *Datura stramonium* Willd. sp. Pl. 186. Enc. Meth. 152, 1865.

Datura stramonium

Habitat in Mithila anterior

- 543 *Datura pastinaca* Willd. sp. Pl. 186. Enc. Meth. 152, 1865.

Hort. Bengal. Burn. 1866, 152.

Datura nigra et rubra. Hort. Kew. 1866, 152, 1865.

Laminae angustissimae, petiolatae, sinuosa, pallida, parva, strobilo columnaris,
 aristis simplici, stylis acutis, capitulis. Hort. Bengal. 1866.

Kita (nigra) Datura stramonium et Bengalenium

Habitat ubique in 1866, 152, 1865.

- 544 *Hyoscyamus* Willd. sp. Pl. 186. Enc. Meth. 152, 1865.

Habitat in Ceylon anterior

- 545 *Rheubarbarula*

Rheubarbarula Bengalenium

Habitat in India Bengala raseens

India, Ceylon, Malabar, Sikkim, etc.

- 546 *Rheubarbarula* Willd. Bengal. Burn. 1866, 152, 1865. velutina

typonymia ab Forskalan referenda

Pl. semperf. 1866, 152, 1865. velutina Rheubarbarula synonyms

Alkekengi semperf. 1866, 152, 1865. velutina, sicc. 1866, 152, 1865. X* <

Alkekengi semperf. 1866, 152, 1865. velutina Rheubarbarula synonyms

Sagittaria officinalis Willd. 1866, 152, 1865.

Habitat ubique in India anterior.

- 53
- Monegynia Pentandria Solanæ
- 557 *Physalis pulcherrima* Brown Nov. Bot. 1867
Kepurisiana Kort. Rong. 16.
Alicacabrus indicus minor Kort. Amb. 6: 61. f. 26. pl. 1. m. 1. 18. *Thlaspi*
Ent. Mitt. 4: 182.
Solanum vesicarium, *indicum* *indicum* Kort. al. 353.
Ba Mota *Gonotoma* Kort. Mitt. 4: 140. f. 27. m. 1. 18. *Thlaspi microcarpum*
Willd. sp. Pl. 3: 1824, et *Enc. Mitt.* 4: 182.
Sparaga Bengaleseum
Ray Bhakta *Hinckle*
Habitat in India Gangotri horti obstante.
- 558 *Physalis minima* Kort. Rong. 16.
Ban (*spontanea*) *Sparaga Bengaleseum*
Habitat in anga Madras.
- 559 *Physalis angulata* Kort. Rong. 16. Mitt. sp. Pl. 3: 1822. Enc. Mitt. 4: 182.
Alicacabrus indicus major Kort. Amb. 6: 60.
Indra Madras Kort. Mitt. 4: 139 f. 28. m. 1. 18. *Thlaspi pulcherrima*
Enc. Mitt. 4: 182.
Bhakta Hinckle
Habitat in India Gangotri vallis.
- 560 *Physalis angulata* (B)
Ph. chengatifolia Willd. sp. Pl. 3: 1822.
Locc. (indigena) Bhaktaparinicea
Habitat intus Mithila Corasanam.
- 561 *Capsicum baccatum* Willd. sp. Pl. 3: 1822. Kort. Rong. 12 Enc. Mitt. 4: 182.
Kort. Amb. 6: 60.
Capsicum baccatum Kort. Amb. 6: 22. f. 24. f. 25.
Solanum modernum Linn. orientis perenni, foliis parvulis, foliis
erectis dimidiatis, sursum glabratibus Kort. Amb. 6: 22.
Cultivar in India Gangotri
- 562 *Capsicum annuum* Willd. sp. Pl. 3: 1822.
C. frutescens rubrum Kort. Rong. 17.
C. major rubrum Kort. Amb. 6: 24. f. 26. f. 26.
Solanum modernum fructu profunden lobulo oblongo cingulat ob.
lato Kort. Amb. 6: 22.
Vallia (sp. Willd.) Kort. Mitt. 4: 16. 1825.
Cultivar in India Gangotri
- 563 *Capsicum minimum* Kort. Rong. 17.
Cultivar in India Gangotri
Ob. unicolor tantum (aprius speciem vibi praebeatissimum,
multique alia varietates sunt inter se affinitates quam gressu-
lere in Europa hortis cultas)
- 564 *Solanum pseudofloridarium* Willd. sp. Pl. 3: 1822. Enc. Mitt. 4: 182.
Solanum hypopercisum Z. Sp. Willd. 2: 14. 207.
Bracon amoris alternum Kort. Amb. 6: 16.
fungali (zylosteis) Agave officinarum Hinckle
Habitat in arboris, et Ciliace in allagada hortis.

Moneynia Pulvinaria Solanace

- 555 *Solanum nigrum* Hort. Bengal. Enc. Molt. Suppl. 16, 741
 - *Nigra* (nigra) Tappari Bengalensis
 - *Bora* (nigra) Bhutmarai Sindicae
 - *Habitat ad pagos India Gangotri, Saccus nigra*
- 556 *Solanum nigrum* fructu luteo
 - *nigra* Burm. Fl. Ind. 55.
 - *nigra villosum* Willd. sp. Pl. 1, 1835. Hort. Beauv.; 2991
 - *villosum* Desv. Molt. in 289. Suppl. 16, 749.
 - *inertium* Desv. Molt. Suppl. 16, 749.
Sanguineum Hortensie, sanguineum simile laevis auriculatum 249
Nelum Tepuana Hort. Molt. 1, 165 t. 73.
Bhutmarai Sindicae
Habitat ad Indiam Gangotri pagos.
- 557 *Solanum nigrum* fructu rubro
 - *nigra* Hort. Bengal. Enc. Molt. Suppl. 16, 741. W
Habitat ad Panampti pagos.
- 558 *Solanum Noratita*
 - *Naratita* Bengalensis
Habitat in Campestris viciatis cyano.
- 559 *Solanum adularina*
 - *adularia* Hort. Bengal. Enc. Molt. Suppl. 16, 741.
 - *luteum* Burm. Fl. Ind. 55. ~~et aliis~~ synonymous
Gambira Jones ex Malabar resounding 250
Adularina Hort. Amb. sp. 88 t. 25, 21
 - *laeve* Bengalensis
 - *Alingka* et Phoolwangs Sindicae
Habitat in domo in qua erat Indiam pagos.
- 560 *Solanum aculeolatum* Willd. sp. Pl. 1, 1835. Hort. Molt. Suppl. 16, 746. Hort. Bengal.
 - *glabrum* Hort. Bengal.
Cultiv. in horti prope Calcuttam botanica. Manuscrip. insulic.
- 561 *Solanum pilosum*
 - *pilosum* Sindicae
Habitat in Mithila borealis ruris.
- 562 *Solanum torva* Willd. sp. Pl. 1, 1835. Molt. Suppl. 16, 741. *Takonata* synonymous?
 - *laeve* Molt. Suppl. 16, 741.
Solanum pilosum Burm. Molt. in 289. *sanguineum* synonymous?
Habitat ad pagos prope Calcuttam.
- 563 *Solanum nigrum* & Linn. Molt. Suppl. 16, 742.
 - *longidigyna* Willd. sp. Pl. 1, 1836. *caerulea* Thunb. *longipes* Hort. Bengal. 400
longum botanic. Hort. Amb. sp. 88 t. 25.
laeve Bengalensis
fructus segmentibus longi angustissimis rotundis subglobose. India ab

- 56
- | <u>Monogynia</u> | <u>Pentandria</u> | <u>Solanacei</u> |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| | <i>fructuosa olivacea</i> | |
| | <i>Solanum malongena</i> Burmannii (P. K. Sch.) dicotoma | |
| 564 | <i>Solanum surinamense</i> 8
A poliflorum fructu inservit P. K. Sch. 220. Hyg. 6226 fig. 2.
perforatum in Encyclopedias (vol. 15, 712) & Lecomte folio
centrale rotundum
<i>Baromia signa</i> (Solanum microcarpum) Baizou Nindia.
Colletus ubique in India;
Utrum sibi Baromia signa (562) foliis crenatis | |
| 565 | <i>Solanum surinamense</i> 2 fructu rotundis, planta subciliata,
Manih Baizou Nindia
Colletus in India. | |
| 566 | <i>Solanum esculentum</i> 8 Engelm. & Gray. 1872.
S. malongena Koch. Rong. 16
Solanum fructu rotundis Ternifolium apiculatum P. K. Sch. 38
perforatum cum Nila. Baradina fructu oblongo conjugante,
Solanum spinosissimum fructu rotundis P. K. Sch. 380.
Nam Baizou Bengalensis.
Colletus in India
Fructus major quam in solano 571 | |
| 567 | <i>Solanum concolor</i> C.
Nani (cocygeta liberum) Bhangta Nindia
Colletus in India
Utrum sibi Nani Bhanglae inservit. | |
| 568 | <i>Solanum esculentum</i> 8 Engelm. & Gray. 1872.
S. calyculata antarctica, foliis ovatis integerrimis crenatis.
Pur. P. K. Sch. 38 velutina Ternifolia synonyma.
Sporadicum magnis fructu ex albo et alto pubescens
rotundis, foliis et calycis spinosis. Nutr. Sch. 379. Hyg. 6226 fig.
Nila Baradina Koch. Sch. 216, 217, 218
Jel (rotunda) Bhangta Nindia
Colletus ubique in India | |
| 569 | <i>Solanum concolor</i> P. K. Sch. 1. Nutr. Sch. 216, 217, 218. radice synonyma
Rukonotis inservit.
S. longum Koch. Rong. 16
S. paniculatum fructu oblongo Nutr. Sch. 380
Baromia Baizou Nindia. sibi 666.
Colletus in India | |
| 570 | <i>Solanum geylaniense</i> Busch. Nutr. Sch. 1. 1875. Hyg. 6226.
Kanta Baizou Bengalensis.
Subtilis ad Indica Gangalicae pagis
synonymi simillimum. | |
| 571 | <i>Solanum concolor</i> Busch. Nutr. Sch. 1. 1875.
Tinianum spinosissimum, flora Geylanica fructu crassis
rotundis, Peira magnitudine, non de Roricha distans. Nutr. | |

573 *Pontederia* 239 ex eius post synonymis Breyeri et Hartmanni
Schundt et Chandra Hort. Blatt #4& A 57 pugnans a Plakuntis
non 566 conjugata

.&&'&<£-/J. Regelae vel hortis,

verso a precedente satis distincta?

574 *Plannum basiocarpum* Desv. Neth. Lips. 774
Hort. Berg. 17

sh Shinowii maxime tormentosum Hort. Akad. 387

Anafelphantis) Schundt et Chandra Hort. Blatt #456: 56, pugnans

a Linnae et Bremannus (P. subtilis) ad Sferos relata.

Zhou ff~* am (elephantis plannum) Bremannorum.

Habitat in Asia et Campana desertic.

575 *Plannum violaceum* Desv. Neth. Lips. 65, 763, non Brownii.

Limbatum Desv. Blatt. 50, 386 ex his synonymo Hartmanni. Neth. Lips. 45, 116,
1162 ex eius synonymis Roberti et Dilloni, Hort. Berg. 17

Leante aculeata hirsuta, foliis angulatis ciliatis, integerrimis, sinus
alarginis cretis, palpibus inornatis. Linn. Pl. Trop. 96 ex his
synonymis Roberti, Dilloni, Regel et Hartmanni?

et pubescens, villosum, foliis cordulatis, mollescens subtus ciliatis,
sparsis floccos liberas seruatim. Brem. Flora Trop. 250 53 102.

Schundt et Chandra Hort. Malib. 67, 1126.

H. Zhou ff~* Bremannorum

Regelae Bengalensis.

Habitat ubique in pagos India optia et intra pagum

576 *Plannum paucinerve* Willd. sp. Pl. 106. Desv. Neth. Lips. 65, 744. Hort. Kew. 502
Hort. Berg. 17

sh Shinorum profunda laciniate foliis subtus longioris et transversa
Pintoi et al. Phyt. ex eius synonymis.

W.n.c. non Hartmann Bremannorum.

Habitat ubique in vicinis Indis et Indra. **. j. ~ 4th pagum.

Mysinae

577 *Ardisia parviflora*

Blattia glabra Thunb. sib. loc. Lin. Lond. 17, 303 Desv. Blatt. vi 625+

Hort. Berg. 17 1122

Mauritius (Parviflora rivularis) Regelae Bengalensis.

Habitat in Campana orientalis aridosis.

578 *Ardisia decurrens*

Kem.-ma.-rep. Bremannorum

Habitat in Campana orientalis aplois

leptophyllum sinuatum

579 *Ardisia nana* Colbranii

Gitter in horti proprie plantam botanicas Malacca

praeceps sinuatum planta in December ab his Tabernaria foliis
aliquantulum diversis.

58

Monogynia Pentandria Mycorrhizae

578 *Ardisia umbellata* Hort. 209 p. 6
Habitat in hoto prope Calcuttam botanicae et seminaria.

579 *Ardisia Dama*
Dama Bimba

• Giufc***?*t yj^Ct^i /--- prioris rivulus

580 *Ardisia Dora*

Dora Bengalensis

Habitat in canypha orientale sibis umbrosa humida.

48* *Ardisia Scara*

Kat spicata, "Scara Bengalensis"

Habitat in canypha borealis aquosae.

582 *Aegiceras majus* Willd. sp. Pl. 1882. t. 10. Hort. 209 ex clavis

17 nitens synonymia?

Alizophora cornuta Dcarm. R. Ind. 103.

JL y i" » A**tm*t ~ c cornutum Hort. Amb. 197. 6377

Bonla - Khazan Barranorum

Habitat portatum. Lutum in algosae estu inundatis.

583 *Franseria picta*

Par Kesi Bengalensis

Habitat aliq. in Canypha

584 *Phragmiphyllum peruvianum* Hort. 209 p. 12

Beta Bengalensis

Habitat in Canypha orientale

Eicca

585 *Eccotyle Monita*

Eccotyle Hort. Bengal.

Eccotyle in Chiraro } Bengalensis

Kantia Kesi in Canypha }

Habitat in Bengal orientale

586 *Eccotyle ramentacea* Hort. 209 p. 12

Conf. Eccotyle nemoralis Willd. sp. Pl. 392.

Habitat cum praecone

587 *Eccotyle Virgilia*

Eccotyle Kesi

Habitat in Nephala inferior

Campanulaceis affines

588 *Sphenoclea johannae* Garde de omni 113. 209 p. 12. Willd. sp. Pl. 392. 209 p. 12.

Bengalensis indicum Sweet 1823 character. anom.

Orientalis multiplante aquatica, India orientale, floribus paucis

caule in capitulum elongatum glomerato capitulo foliis crassis lith. Hort. 112.

Bengal. Hort. Mal. 18. 67. 636

Habitat in habitat aquosae

- 59
- | | | |
|--------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------|
| <i>Monocotyled.</i> | <i>Pentandria</i> | <i>Campanulaceae</i> |
| 589 <i>Campanula gracilis</i> Brown Nov. Nat. 566
R. de Josselin & Rott. Bong. 16
Habitat in Bengal orientalis inundatis | | |
| 590 <i>Campanula gracilis</i> varia
lobata vel sublobata Kuntze
Habitat in Mithila boreale et Nepale inferiori | | |
| 591 <i>Campanula gracilis</i> fasciata
Habitat in fasciata | | |
| 592 <i>Campanula gracilis</i>
Burm. Kukuronga Amherst | | |
| Habitat inter Magadha et Mithila cyathum. | | |
| 593 <i>Campanula gracilis</i>
Habitat in ripis fluma humidis | | |
| 593 <i>Lobelia triangularis</i> Rott. Bong. 16
Habitat prope Calcutta in nullis | | |
| 594 <i>Lobelia triangularis</i>
Habitat in terris ha orientatis aquatis | | |

r - 2 ^ ^ ^ , \$mm#*fjj* . ^c ^ ^ ^ ^ u ^ ^

Nov. Benth. 22. 23. Rott. Bong. 16

- ans. Benth. 22.
- Globularia in hortis prope Calcutta sola ***** <-V*ii<-*, -
- 595 *Lobelia Globia*
Lobelia globosa (L.) Schlecht.
Habitat in Mithila et Nepale inferiori; his locis nullum in brooks.
- 596 *Scorzonera Taccada* Rott. Bong. 13
Taccada Benth. 278
Lobelia Taccada J. Gmelin de 1768, 177, 6826 fit
L. Stevini Burm. 1762, 176 exiles Stevini synonyms.
L. pentandra foliis rotatis oblongo-triangularibus Lin. Pl. Leyd. 1753 exiles
Stevini synonyms.
Arbo or illa marina lactescens Taccada cocca, genita foras
magitudines incarnatae Strati Burm. Pl. Leyd. 1753.
Sagoforum littorum Rott. Amherst. 116, 2359.
Tuberosa frutescens hygrometrica Schlecht. 264.
Pala son bella Nekemam Rott. Malabar 1762 639?
Habitat in litoria maritima
- Plantae nostrae figura Rheubarbari descriptio Rumphii
variae representatae.

Caprifoliaceae

- 597 *Sonicaria ovalis*
Habitat in Campestris inundatis.
- 598 *Hedera taurinensis* Rott. Bong. 16, 179 Bas., Ind. 179 431

*Monogynia**Pontandria**Campanulaceae*

- Aralia digitata* Kort. Bong. 22
Symplocos urjala Juss. Planta 222.
Marasmius Lour. Bo Tengh. 624.
Abelmoschus Itta loca, rumin. *Tarobanthina* Simonsen
 juncea Burm. Zeyl. 28.
Unguicularia Kort. Malabar 53. t. 22.
 Habitat in *Trapa*.
Lingua hetera in *Cannula* *Bengalensis*.
 Habitat ad *Bengala* orientalis pagos.

*Vites*661 *Vitis latifolia*

Habitat in *Cannula* sylvis et dampnis.

- 662 *Vitis indica* Willd. sp. Pl. 3. 800 ex eius synonymis *Draconis*, *Mauris*
 et *Hakmonotis*, in *Malabar* 223. 107 quodcumque synonyma, quiplementa, e
 quo descriptio describatur, Americensis est. *Malabar* Willd. t. 11. H.
 M. Zeyl. 1. 6 citatur; Kort. Kew. 7. 87. *Planta* Nutt. Phyt. 2. 249. pl.
 viti a nostri diversa Burm. Pl. Ind. 621.
V. Polii cordatis dentatis subtus villosis, roris resupinatis. Bur.
 Bo Tengh. 99.

V. Polii specie hila sicc. non levigata, Burm. Pl. Ind. 220.
Sedum *Vallis* Nutt. Nutt. Pl. 2. 162.

Habitat in *Cannula* sylvis.

- 663 *Vitis pentagona*
 Habitat in sylvis ad *Smilacina*.

Nescis an satis a proximata distinata.

664 *Vitis obtusifolia*

Panic *Lato* (*agrestis* *florulae*) *Rufa*

Habitat ad *Magadha* torquentia.

665 *Vitis pedata*

Ciparis *pedata* Kort. Bong. 11. Burm. Nutt. 2. 20. Nutt. 3. 1. 10. 2. 629.

Leptophyllum *Kanigii*, ut a *Roxburghii* sive

Lambium *canadensis* Burm. Pl. Ind. 702. sicc. 816.

Adonis *quinquefolia* *canadensis* Simonsen, ex insula

Glossum Kort. Arnalphi 116.

Belitza *Tajore* *Vallis* *Cori*. Nutt. Pl. 2. 19. t. 12.

Habitat ad *Besia* et intera et ultra *Ganges* asturias.

Genus *vitis* *malica* et *Vitis*

666 *Licaria herbacea*

Gorarii *velutina* *Gorarii*

Amorphia (*angustiorum* *fructus*) *Officinarum* *Hindiae*

in *Regadha* *Montibus*.

- 667 >, Y, ... / * ^ (i) *Leptophyllum* *Pl. 1172* Kort. Kew. 2. 80. Kort. Bong. 188.
Leptophyllum *Cori* Bong. 181.

Leptophyllum *gymnorhina*

Leptophyllum *gymnorhina*

Leptophyllum *gymnorhina*

Leptophyllum *gymnorhina*

Leptophyllum *gymnorhina*

4r^--^<^&^"

Monogynia *Pontandriac* *Rib.*

Natura exot. Mat. 813.048 hypericum ad cratium flumen
a Willmowic relata, sed leua est potius aquatica.
Habitat in fumaria orientalis sylois.

608 *Leca macrophylla* Hook. Beng. 18.

Habitat in Melica sylois.

Melica

609 *Cedrella? Roma* Hook. Beng. 18.

Tigd Bengalium

Habitat aliquo in silice.

610 *Cedrella? Roma*

Roma Bengalium

Habitat ad Camphora pagos.

Melica

611 *Communum sinense* Hook. Camb. 8.8. 1795. Hook. Beng. 18.

Afghan. Sui Matt. cap. 243. 368 sub nomine cernuum etiam, sive
minime 618. f. 2. Herbarii Ambiensis, que *Communum japonicum*
representata.

Plor. pinnata Pers. Plumb. 18. t. 67 f. 2. inclusa synonyme *Rosa hybrida*,
sive *Rosa Malib. 616. Willd. Sp. Pl. 18. 93.*

foliis in horto prope Calcuttam botanica et Cinea.

612 *Communum bengalense*

Habitat in Camphora orientalis sylois.

Nescio an a precedente diff. distingatur.

Ferebinthaceæ

613 *Mangifera pinnata* Pers. Willd. 18. 677

Entandrophragma Hook. Ind. 18. 100. perporum coniunctionem cum
Syphonia Hook. Hall. non raro plures, nite 1098.

foliis in insula Java M.

614 *Crucis* ... sylois

sylois in Camphora orientalis sylois.

Phellota fols. ~ ± { *Crucis orientalis* } Bengali. imm.

Habitat in fumaria sylois.

Burseraceæ

615 *Embelia scandens*

I. o. i. ev C ***, l. n. *Embelia orientalis* sylois

Fructum non vidi. Habitat omnino Embelia. y. < 1000 m. annus

(H. 610. 613) sylopteris.

616 *Embelia dentata*

Habitat in Camphora botanica sylois.

Hab. et habitu hinc simillima habet Colebrookeian. 201. Basili. Lond.
21. 182. 184. ut rufa dicitur, non cum *Mangifera* (H. 613) ut finit. et ob
cylindrospatulas inveniatur. Sepals proximis.

Monogynia Protandria Rhamnus

- 67 *Elaeodendron villosum* Boiss. Ann. 2-2196
Habitat in Campea borealis sylvia.
- 68 *Elaeodendron glaucum* Bur. Melli. Sp. Pl. 172. 182. Herit. 307-12.
Abutila clausa Willd. Sp. Pl. 1893. Exs. Melli. Sup. 22734
Succowia glauca Bur. Melli. Sup. 2. 188.
Habitat in Indica sylvia sylvia.
- 69 *Euonymus gracilis* Hook. & Arn. 18
Habitat in Mongolia orientali.
- 70 *Euonymus Fortunei*
Thunke. Kuntze.
Habitat in Nepala superioris montibus.
- 71 *Ventilago dentata* Bur. Melli. 225. 232.
Na-hua Samanorum.
Ding-dieh-ting } Linnice.
Wabta-fitti } Linnice.
- Habitat in montibus India et Sina articulatoribus.
- 72 *Celastrus paniculatus* Willd. Sp. Pl. 173. 182. Exs. Melli. Sup. 2. 188.
Pang-may-farnata
Habitat aliquo in India sylva et sylvis.
- 73 *Celastrus Malacana*
Malakan. Sintice.
Habitat in Sikkima sylvis.
Parum a precedente diversa.
- 74 *Celastrus verticillatus* Hook. & Arn. 18
Kibole Kassine
Glistur in loco prope Calcuttam botanico. Nepala
- 75 *Celastrus montanus* Hook. & Arn. 18
Glistur in loco prope Calcuttam botanico. Dicella
- 76 *Rhamnus circumflexus* Willd. Sp. Pl. 182. Exs. Melli. 225. Hook. & Arn. 177.
Lindley. India orientalis cordata lvs. foliis pinnatis parvis
cylindricata Willd. nom. nud. 227. 232. 236. 246.
- Habitat in Indice. adiutoria domestica.
- 77 *Ligustrum mazatlanum* Bur. Melli. 224. 232.
Malum indicum fructu majora Herb. Ann. 4. 17. 22.
guiba indica. spinosa. foliis pinnatis longiora. Herb. Ann. 179. 200.
Thea Lour. 132. ciliolata. Herb. Reg. synonyma
Cara (magna) Boga Linnice
Colletor (?) Megapha pagos
Vie culta a Tigris. Kastinola.
- 78 *Ligustrum remondi*
Kungli. Sintice.
Habitat in Nagasha montosis.
- 79 *Ligustrum oxyphyllum* Willd. Sp. Pl. 182. Exs. Melli. Sup. 2. 192.
Habitat in Campea boreale.
- **> %Ktím* *latifolius*. Herb. Bong. 17
Glistur in loco prope Calcuttam botanico.
Necesse a sequente diversa.

Monogynia Pentandria Rhamna

635 *Zizyphus angosa* Desv. Meth. 65: 29.

Fructus bisexuatus, gineas foliis densispinis levioribus apicis. Plast.

Thm: 199, Krypt. 19, f. 7.

Fruitu intice congl. foliis gineis, puncta minus tubo. Plast. Thm: 199.
Habitat in Bengale orientali.

Nescio an a precedente satis distincta.

636 *Zizyphus Burman*

Burmanistidae

Habitat in Malabar sylois

637 *Zizyphus Benthin*

Benthiki Benth.

Habitat in Mysore montibus.

638 *Zizyphus Oenothera* Willd. sp. Pl. 1805. Linn. 1806. Linn. 1808. 38.

Zizyphus cordata. Hort. 1807.

Fructus petiolaris appressus subpuberulus, aculeis solitariis carent, foliis
semicordatis subline levioribus Linn. Krypt. 1808.
Fruitu excentra, mucro foliis, infra crenis, florib. Burman. Krypt. 1808. foliis
symploca pluribus.

Benth. Lind. Normannorum.

Habitat in Asia apibus ab arboreis vel frumentis.

639 *Zizyphus junculosa*

Habitat in formosa bonariae sylois

Gemmis officiis

640

Lacca la. Rott. 1808. 61: 92. Corchorum in Malabarico 100 cm.

Its Syrup. Rott. Malabarico conjugato.

Leda (Lha) Sita Benth.

Foliar in Indica Rott.

641 *Sympodium formosum*

Salpab. (Spiraeia) in Malabar.

Ina Nira in Mysore } Benth.

Foliar in Indica Rott.

642 *Sympodium purpurea*

Florib. montanorum. Benth.

Habitat inter. Nipala inferiori sicc.

643 *Sympodium tenuifolia*

Bent. Rosacei Bengalensis

Habitat in Campepa sylois.

Melacea

644 *Viola pinnatifolia* Willd. sp. Pl. 1805. Bur. Meth. 1808. 1st. Reg. 19.

Viola pinn. (Concanensis) gummifera rotunda. Plast. 1808. 19.

Habitat in Malabar bonariae sylvis.

Viola pinnata affinis.

645 *Viola* £-*; —; diffusa. Linn. Meth. 1808. 1st. Reg. 19.

Pontandria Ceranis affinis

Burm. Fl. Ind. 176. Hort. Beng. 14.

Nola foliis lanceolatis confortis aduncatis, cuspibus poni aquatilis
Linn. Syst. Pl. 318.Aubertia zyzanoides, foliis latioribus, Aromatico Dicata, venae non
Tect. 223 ex Linnaeae auctoritateViola surata, Massagatensis, lacinia foliis rotundatis immissa
Hort. Am. 388. Physiol. 180. f. 11

Habitat ubique in India arietice aquatili.

Amaranthaceae

642

Polygrapha corymbosa Lamarche Tabb. Encr. 189.

Pintilia Linn. Hort. v. 63

Achyranthes corymbosa Willd. Sp. Pl. 1785; Burm. M. L. 64.

Selous corymbosa Hort. Beng. 14

Ceratata foliis oppositis linearibus, panicula, cibotoma, Linn.
H. Vogl. 108. quodad sponsonyaParonychia foliis ad gemulas confortis auctio, floribus similatis
Burm. Theb. Vogl. 1845; 65, 66Alychnia affinis herba subice, polygonace ramosior, foliis
crescentiis motis & statim ambientibus, coma paleacea, flore
albo, litoris annis striata Hatt. Abn. 13. Vogl. 1845; 66, 67. M. L. 118
Habitat in Indica arenosis.

643

Polygonum palustre Lamarche Tabb. Encr. 189.Amaranthus indicus angustifolius spica rigida alba, Burm.
Theb. Vogl. 18

Kalon Malossina Hort. Mal. 2 181. C. 657

Habitat in fluvii fauces riper arenosis

644

Polygrapha punctata

Habitat in canalis subice subulosa.

Pantagonum in Mayapada vici, non nihil varia ab illa in
Chera inventa, Nescio an ex ea P. corymbosa distinata.

645

Duringia obtusifolia Hort. Vogl. 17. Burm. M. L. 64

Achyranthes amaranthoides Burm. Hort. 1845

Ossia baccata Willd. Sp. Pl. 1782. Burm. Hort. 1845

Ach. suricata Burm. Theb. 63

Blitum frutescens Hort. Amb. 2 235. 183. f. 1. perfidum a Willd. nom.
cum Achranthe alternifolia Linn. in conjunctione
Habitat ubique in India arietice.

646

Duringia cordifolia

Habitat in Ceylonica orientali

Nescio an a presenti distinata?

647

Alternanthera triangularis Burm. Hort. 1845

Achyranthes triangularis Hort. Beng. 19.

65
Monogynia *Pontederia* *Amaranthaceae*

Sohyanthes Tierscav. Desn. Neth., p. 582.

Micromesia sepiaria Willd. sp. Pl. 1, 1209. Hort. Koenig. 66. Name Reichenb. 66.
Gomphrena caule Reichenb., pl. 1, 1209. *lanceolata* Reichenb. *sepiaria*
var. *caerulea* Lindl. Pl. Leyd. 116.

Cestrum Linn. Hort. Amst. 23, 37, t. 15, fig.

Achyranthes Macropatatum fl. angustis ex aliorum limit.
foliis ad rosas ciliatis Plak. Amst. 27, Pl. 5, t. 132, p. 61.

Amaranthus humilis, Macropatatum, capitulis candidantibus
foliis molli. Plak. Amst. 27, t. 133, p. 61.

Chlorophyllum Hort. Mal. 92, t. 18 figura male, unde forte a Linnaeo in
Pl. Leyd. 116 differet.

Nicotiana Bengalensis.

Habitat ubique in rubore Indico humi siccis stagnis et fossis.
Necio annua sub his synonymis duarum tantum specierum, quarum una
(a) in rubore, altera (B) in agnis primum?

648 *Achyranthes* nationis

Trans Bengalensis.

Habitat in Indice Ganglico stagnis et fossis ruginis.

649 *Achyranthes obtusa* folia surubello, 1, 105 ex his Hakeuntii synonymo.
Achi aspera Hort. Koenig. 36.

Achi insica aspera Burm. Pl. Ind. 63 ex his Hakeuntii synonymo
Achi caule crevtae B. Linn. Pl. Leyd. 117.

Amaranthus spicatus, Zygiamium foliis obtusis. *Amaranthus* dicots
descritus similis. Burm. Pl. Leyd. 16, t. 15, p. 13, quod ad descriptionem
figura omnium ad hanc tabulari spectare viseretur
Amara spicatus fornicatus, 1, 106 majoris crevtae foliis, ruginis
perenni. Plak. Amst. 1.

Codarii Hort. Mal. 92, t. 178.

Habitat in Indice rubore.

650 *Pupalia* scandens

Habitat in Mittilia typis arboris late lignis

651 *Pupalia* Rama

Burma officinariae Indice

& angustifoliae

longipetala

Habitat in Nagatha domato.

652 *Pupulia* ciliata

Achyranthes ciliata Burm. 1, 149.

Achi alternifolia Hort. Berg. 14. non Willdenowii.

Habitat in Mittilia

653 *Armenia* Tenuale

Achyranthes lanata Desv.: Meth. 652.

Utricularia lanata Willd.: Sp. Pl. 3: 1224.

Achi canale creste, spicis ovatis lateribus, calycibus lanatis
Linn. H. Log. 106, quod ad synomynum, et character & cuncta
cretae inoptatae.

Phenopodium incanum racemosum, foliis majoris minori
opposite. Burm: Theor. Log. 60, t. 36, f. 1

Amaranthus indicus verticillatus albus foliis longioribus incanis
Huk. Abh. 57, t. 74, f. 6.

Sohem Rula Herb. Malabar. sp. l. t. 2 quæ stellata Amaranthus
Khanda Shari Herb. Malabar.

Habitat in Indice ruderis subrigue.

654

Aerva lanceifolia

Achi lancea Herb. Song. 12.

Lancifolia phyt. officinorum. Hindiae

Habitat in India Gangarum ruderis.

655

Aerva tomentosa Desv. Meth. 13: 46.

Achi alpinae rotundifoliae Desv. Meth. 13: 468.

Achi lanata Herb. Log. 17 exalata & rotunda Linn. synomynum.

Utricularia javanica Willd.: Sp. Pl. 3: 1225. Herb. Kew. 12
Ariene javanica Burm. H. Log. 22, t. 64, f. 2.

Glossia foliis lanceolatis tomentosis obtusis, spicis confortatis
staminibus lanatis Linn. H. Log. 106.

Amarant. spicis foliis. Salvia maritimi nostri Linn. H. Log. 12

Amaranthus albus Jangtien, Salvia angustifolia, panicula
conglomerata Huk. Abh. 26. Phys. C. 10, f. 6.

Habitat aliquo in India optia et intra Gangam ruderis.

656

Glossia angustifolia

Habitat in ripis fave florii arenosis.

657

Glossia argentea A. Willd.: Sp. Pl. 1: 197. Ene. Meth. 2, 26. Herb. Song. 12.

Burm: P. Lat. 62. Herb. Kew. 9, 87.

Tijera Belutta bicolor. Manion et Tijera Belutta Alba
Manion Herb. Malabar. 7745, 80.

Suriyalo officinorum. Hindiae.

Habitat in India ruderis.

658

Glossia marginata Willd.: Sp. Pl. 1: 198. Ene. Meth. 2, 26.

G. argentea Desv. Meth. 2, 26.

G. albida Willd.: Sp. Pl. 1: 197.

G. pyramidalis Burm: H. Log. 5, t. 89, f. 1.

Belutta tijera manion Herb. Malabar. 77, 6132.

Tijera officinorum. Hindiae.

Habitat in Madagascari ruderis.

659

Glossia cristata Willd.: Sp. Pl. 1: 198. Ene. Meth. 2, 26. Herb. Song. 12.

Kew. 9, 87. Burm: P. Lat. 62. et forte Cassinea cyathodes

Monocotyled.PentandriaAmaranthaceae

[^] / . ^ : a cestrum Burm. Fl. Ind. 657 p.

Amaranthus vulgaris Lodd. London 236. t. 86.

Messerschmidia in Gossypium

petiolaris Gangollium.

foliata in India, *praealtum* *Gangollium* *hortis*.

spicae multitudine, *flora* *coerulea*

² *flora* *flava*

³ *flora* *rubra*, *caulis* *subcaulis*

⁴ *spica* *erecta*

⁵ *spica* *comosa*

⁶ *Glossia* *coerulea* Korth. Bong. 17

660 *Glossia* *canina* Korth. Bong. 17

Glossia *canina* Willd. sp. Pl. 117. 117 87 Bong. Meebold. 232.

Habitat in Indis. *Gangollium*

Nicotianaceae

661 *Mirabilis jalapa* Willd. sp. Pl. 113. 209. et Bong. Meebold. in 382. *natans* *synonymus*

Rumphia et *H. Lippmanica*, Kort. Nov. 382. Kort. May. 16.

Mirabilis *panamana* Thunb. Nov. 253.

¹⁸¹⁰ *Anis* *Malabarica* Korth. Nov. 159. t. 75

foliis *aliquo* *in* *India* *hortis*

Rubiaceae

662 *Dentella rotunda* Willd. sp. Pl. 1, 97. Bong. Meebold. 41. 274. Leyte. sp. 660.

¹⁸¹⁰ *Ille* *longistylus*. Kort. Bong. 15.

Identibundia *rotunda* Lax. Mitt. in 182. et Burm. Fl. Ind. 38. C. 21. f. 2. *ovalis* *synonymus* Schlecht. ad *Portulaca* *meridionalis* *peritoma*, ut 1802 monoth. *Portulaca* *mant. 185.*

Crusta *alla* *parvula* Korth. Amb. 232. t. 70. sp.

Asini *Spergula* *lida* *orientalis* & ». *Cm**+&₄*OL*₁*GF*+₁'. * . ^ y ^ -C. *ulus*

anthers *staminulus* *reflexa*, *adorsum* *petiolem* *angustatum* *explic*

Platt. Nov. 10. Bong. 188. f. 6.

Habitat ad *Indies* *vis.*

663 *Dentella bifida*

Habitat in *Campania* *orientalis* *aguosis*.

Charactere praecedente *discreta*, sed habitat *Ophioglossum* *pinnatum* *viscidum*.

664 *Dentella primaria*

Habitat in *Campania* *orientalis* *collibus*.

665 *Ophioglossa* *synonyma*

Habitat in *Campania* *orientalis* *cypris*

666 *Ophioglossa* *villasa* Korth. Bong. 65.

Habitat in *Tripura* *austro*

667 *Ophioglossa* *fili*

filis *montanorum* *Burdia*

Habitat in *Nepale* *in* *foris* *montibus*.

Monogynia

69

PentandriaRubiaceae*Tiliac. Hinch.*

Habitat in Camrypa et Mithila sylvis.

670 *Antora Tiliac.*

Rousettia multa Herb. Bengal.

Tilia montanae Hinch.

Habitat in Nafala inferioris sylvis.

671 *Bartica? retusa*

Habitat in Camrypa orientalis montibus.

672 *Muspinda pubescens* Herb. Kew. 1871.

Tilium principifolpe latifolium Herb. Antic. 1882.

Bella Herb. Antic. 1871; Kyzanisnumnum 1870-71.

Tiliaceae relata.

Habitat in India sylvis.

673 *Muspinda Bosnicia*

Muspinda frondosa Herb. Bengal. exstincta synonymo. Rhod. 182.

Burm. Fl. Ind. 182. exstincta Burmanni et Rhod. synonymo.

Tilium principifolpe angustifolium Herb. Camb. 1811. C. 181.

Tiliaceae Hinch.

Habitat in India sylvis.

Muspinda Bosniaca Thes. Zieg. 1851. 1. 76. fl. exstinct. Agapanthus.

Linnæi, a procerante dinovar.

674 *Muspinda corymbosa* Herb. Bengal.M. glabra. Tiliac. sp. 1898: quæ plantæ est India orientalis,
et non angustifolia, quæ plantæ est Americana.

Peltier in horto prope Calcuttam botanico in India plantans.

675 *Gnaphoma excelsa* Herb. Bengal.

Blaekland Hinch.

Habitat in montibus India orientibus.

4ft' x 9^~ S*~ rata

Asok montanorum Hinch. ad aliora est. herb. pectinata
et hoc quoque rata est planta (N° 909).

Habitat ad Emosi tabies in Nafala, Mithila, Cosala.

676 *Asoca stricta*

Randia stricta Herb. Bengal.

Habitat in India sylvis.

677 *Asoca acuminata*

Opimion inter plantas siccata innotescitum invesi.

678 *Webera corymbosa* Herb. Bengal.

Peltier in horto prope Calcuttam botanico.

679 *Webera panicaria*Dana hanga Hinch. inde folia non rotundum Ben. Kara, et
Mal. sp. t. 22 in plantam officinam impositum vidi. 183.

Habitat in Nagashia sylvis.

- W
- Monogynia Pontandria Rubiaceae
- fflf* S. '?' > *la montana*
- S' ~~L~~'*** Jt-m* *Gymna orientalis montibus*
- 681 *Randia tricocca*
Koyea Bengalensis, qui non nomen sequitur imponunt
 Habitat in Campeche diversiter.
- 682 *Randia Malabarica* Desv. Neth. sp. 22.
Ron kara Hort. Calcutta 696. sp. 679.
Koyea Bengalensis
 Habitat in Campeche orientalis diversiter.
- 683 *Randia alpina* Desv. Neth. sp. 22.
Gardinia alpina Desv. Ang. & Willd. sp. Pl. p. 223. Hort. Kew. 1792.
 a Nam Ramanan
 Habitat in sylvis Indiae subtropicae australijs.
- 684 *Randia circosa*
Bequaertia corymbia Gaita: de Lom: 1877 p. 352
Granata malus Zygomatica spinosa Burman Hort. 1817?
Malus formica Kyttonensis spinosa Blot: 1803. *Malus Granata*
Zygonensis aculeata Blot: 1803. *Laurifolia minor* ap. Java
 Mant. 15 ad Alm. fol. 10. linearis seferior, qua ultima tamen post Garcia
 Mangostana, Noot. Malabarica periferam citat. Bissarren. Koyea Bengalensis.
 Habitat in India Gangetica diversiter.
- 685 *Gardenia Donia*
Moniya in Mithila
Dwarka { *Hindia*
Kachar { *Magadha*
 « rf stat in India Gangetica sylvis.
- 686 *Gardenia latifolia* Hort. Ang. & Willd. sp. Pl. 1820. Hort. Kew. 1822. sp. 670.
 ap. Hindia
- 687 *Gardenia 6* *viscosa* Hort. Ang. &
 Habitat Tripuca austriaca
- 688 *Gardenia acuminata*
 f^* "#SmpLm MW *la sylva*
- 689 *Gardenia*? *Burho*
 Habitat in Mithila sylvis
- 690 *Tangueria heterotaria*
Ulkata officinarum Hindia
 Habitat in Magadha diversiter
- 691 *Tangueria aquatica* Willd. sp. Pl. 976. Des. Neth. sp. 22.
Tangueria spinosa Hort. Ang. &
Koyea Bengalensis
 Habitat ubique in Indiae ad agnum marginis
- 692 *Hamiltonia pentiessa*
 Habitat in India Gangetica subtrop. et costit. diversiter. *Correa* a
 Correa Hamiltonia dicotoma Hamiltonia Villanovii diversiter.

- 70
- | <u>Monogynia</u> | <u>Pentandria</u> | <u>Rubiaceae</u> |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| 693 | <i>Hamiltonia arborea</i> | |
| | Brahma-monticolum. Nudicae
Habitat in Nepala infiorit mon - £**** & *. | |
| | Fructus ex sequenter | |
| 694 | <i>Hamiltonia scandens</i> Hort. Bengal. | |
| | Habitat in India Gangotria sylvis
Nonne speciem hanc optime, quam floribus aliisque
L. scandens, caput in Rossia et in Europa officinalis fit,
nonne stereocarpum gracissimum spirant quod in calice
ejusdem generis officinalis euopeus erat. | |
| 695 | <i>Amelia incisa</i> | |
| | Habitat in Campania orientalis non Cina
Cote ejusdem generis cum Herba Angel. Alio Amelie | |
| | Malabarica | |
| 696 | <i>Jasminum Bambosae</i> | |
| | Bam Dholuya Bengalensis | |
| | Habitat in Campania orientalis sylvis | |
| 697 | <i>Pavonia fatua</i> Willd. sp. Pl. 1819. See. Methy. 299. Syb. 649;
Hilg. t. 166. f. 8, Hort. Beng. 15 | |
| | Jasminum folidum Burm. Pl. Ind. 75.
Jasminum glaucocephalum folidum Japanicum Burm
Hedw. Leyb. 17. ptyram & Linnae conjugatum cum
Jasminum latifolium Chopharii amboinica | |
| | Crovolulus folidus Hort. Amb. 2. t. 16. & antemalae
Chini. Bengalensis. | |
| | S. astivale | |
| | Miski Naraceae | |
| 698 | <i>Soripta fatua</i> Willd. sp. Pl. 1819. See. Methy. 299. Hilg. 649.
Lyptium japonicum Thunb. pag. 92 t. 7. | |
| | Come Jome vel Manica Romana Amer. Est. 780 | |
| | foliata in India Gangotria hortis sed nullata in India
spontanea | |
| 699 | <i>Coffea Bengalensis</i> Hort. Beng. 15. | |
| | Coffea indica Burm. Blatt. Syb. 649. | |
| | Habitat in Bengal amarantis | |
| 700 | <i>Coffea arabica</i> Willd. sp. Pl. 1819. See. Blatt. 649. | |
| | Bon vel Bon in regno Aegypti Egypti potum nona copiante
Thunb. Blatt. 649. Hilg. t. 272. f. 6 | |
| | foliata in India pluribus locis | |
| 701 | <i>Psychotria? chlorantha</i> | |
| | Habitat in Campania orientalis sylvis. | |

- 71
- | <u>Monogynia</u> | <u>Sontanaria</u> | <u>Rubiaceae</u> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------|
| 703 <i>Psychotria fusca</i>
Sukhumi Bengalensis
Habitat in Parvula montis monilis. | | |
| 703 <i>Nuclea longiflora</i> Pers. Meth. sp. n. 83
Folia lanceolata latifoliae Hort. Camb. n. 22. f. 24. p. 1
Habitat in Campha orientalis sylva. | | |
| 704 <i>Nuclea cordifolia</i> Willd. sp. Pl. 1. 929. Exs. Meth. sp. n. 63 Hort. Camb. 14.
Habitat ubique siccis in India sylvis. | | |
| 705 <i>Nuclea parvifolia</i> Hort. Bengali Willd. sp. Pl. 1. 929. Exs. Meth. sp. n. 63?
<i>Nuclea orientalis</i> Gardn. Sem. 1. 187. f. 8. Indus synonyms
Spina campanulata
Habitat ubique in India arboris sylvis
Ex Rostburgi ipsa sis hanc epe plantam quam vobis nominauis
<i>N. parvifolia</i> . | | |
| 706 <i>Nuclea? orientalis</i> Hort. Kew. 1. 366.
- <i>N. cabambae</i> Hort. Bengali
- <i>N. purpurea</i> Willd. sp. Pl. 1. 929.
- <i>N. ciliifolia</i> Sm. Meth. sp. n. 35.
<i>Ephalanthus chinensis</i> Exs. Meth. sp. 70.
- folia opposita - Linnaeanae.
Parvulus rarus et parvifoliae Hort. Camb. n. 22. f. 25. p. 10
Katon Tepana. Hort. Camb. n. 22. f. 25. (Sphaeranthus arborescens integrifolia) 701.
Kalon Kintia et Bengalensis
Habitat in India arboris. | | |
| Sunt ad idem cum sequente genere pertinet: Arbor noctis son
Parvulus latifolia in Hort. Camb. n. 22. f. 25. definitione. | | |
| 77 <i>Columba noctivaga</i>
Arbor noctis in Parvulus phoenicea latifolia Hort. Camb. 22. 72. f. 12
Kalon Kintia et Bengalensis
- folia campanulata
Habitat in Bengala et Regni Rajensi pagis.
Fructu laevata Nuclea dimid. | | |
| 708 <i>Morinda uiridis</i>
Parvulus Kintia (Sphaeranthus arborescens integrifolia n. 701). Kintia.
Habitat in Majapahit syllo. | | |
| 709 <i>Morinda gracilis</i>
Parvulus Kintia.
Habitat in Mittila syllo. | | |
| 710 <i>Morinda squarrosa</i>
Parvulus Kintia Bengalensis
Habitat in Campha syllo. | | |

MonogyniaPentaphyllumRubiaceae

- 70 *Morinda bracteata* Hook. Bong. 6.
Lauentia angustifolia Hook. Bong. 15. & 195
 £ *4* *andamanica*, *stems in hort., prope Calcutta*
botanica
- 72 *Morinda officinalis*
Ma chikha (var. amara) Bengalenium
Habitat in India Gangetica sylvis
 " *Speciosa* Dronia polia (Carter)
- 73 *Pacouria Cutara*
Gubane Bengalenium
Habitat in Camrypa orientalis sylvis
Quoad genus non ab haec specie diversa Norburgi
- 74 *Nabeina gangatica*
Crispa pinnaeum Willd. sp. Pl. 5. 1805 vel inde Rumphii Spec. 195
C. diffusa Hook. Bong. 191
Chamneus in *Myrsinella prope Gangetica sylvis pro*
convoluta, p. in floribus, & *Myrsinella* Fluct. 2. 18. 1811.
Plants 1-15 ft.
Habitat in India Gangetica dumosa.
- 75 *Strychnos potatorum* Hook. Bong. & Oliv. Neth. vii. 696. Hook. Bong. 257
 Willd. sp. Pl. 5. 1805
Ma mala Bengalenium
Habitat in India sylvis
Dubius Willdenowianus *planta Rosbergi sicut non illa*
Nostrig. est Actaea, ut non dubitabat Rosbergius
- 76 *Melastom monogynum* Hook. Bong. 257
Fruitis subfusco-purpureo-salteri Hook. Bong. 15
Habitat in montibus Camrypa sylvis
- 77 *Alyxia chinensis*
Gymnophyton Montanum Hook. Bong. 19.
Colitur in horto prope Calcuttam botanicorum hortu
Bengal.
- 78 *Celica Theotria* Willd. sp. Pl. 5. 1805. Hook. Bong. 257. Neth. vii. 67.
 sp. 252. Hook. Bong. 191
Habitat in Mogulha horto
simillima recte planta, qua, ciliatura alata, in horto
prope Calcuttam botanica Colitur, ut perhibent Drachman
plantam ex scriptis suis antiquis hunc esse cognitum
- 79 *Celica Mallam* Hook. Bong. 257. H. de sonne 2. 192. Willd. sp. 252. non 193
 f. 252
Celica Mangha Hook. Bong. 15. 65.
Mangha orientalis angustifolia, officinali conformis, limes
nucleo continuo Fluct. 2. 18. 1811.

73

Mongydia Pentandria Aporinea

Odallam Hort. Mal 15, Pl. 6, fig.

Habitat in ripis estuariorum cassiope vel igne, per Indiam.

72 *Echiveria pulchra* Hort. Cogn. 18.

E. foliomon nervis transversalibus Lam. Fl. Ind. 1882

Manghas lacustris, foliis 3-5 cm. long., paniculatis, florib. in flor., *Mangha* *Brasil* *suile*, *renata* Burm. Theb. Kew 15, t. 79 fl. ex aliis synonymis pluribus

Manghas syringifolia, *lacustris*, *renata*, *Jasminiflora* et alii Rumph. 247
Politae in horto prope Calcuttam Botanico et Regio

73 *Hemidiodia acuminata* Hort. Kew 15, Pl. 10, Hort. Regio 26

C. acutifolia Sm. Neth. Syst. 16, 667.

Rubia Burm. R. Ind. 62, *indica* Cattabai et *Hemidiodia* *synonyma*
Ros convoluta Hort. Amur. 25, t. 32.

Habitat in tempore praeuentum, India et intra et extra Gangam.

74 *Vicia parviflora* Willd. Sp. Pl. 132. Hort. Kew 15, 57.

Piparia cornuta var. *diphyllum*, *indica*, *stigma* ad alia non
speciebus similis, Hort. Amur. 386.

Sapindus Indicus, *diphyllum*, *stigma* Sm. Hort. Fl. 139, pl. 7.

Habitat in Mithila et Megatha humidis vallis.

75 *Tuberamontana coronaria* *flore pleno* Hort. Fl. 20, ex aliis *Nerium*
(Hort. Mal 15, t. 52) *synonyma*.

Nerium coronarium Willd. Sp. Pl. 15, t. 256 *indica* *synonyma* *superadriaticum*

Jessamine reglanicum, *folia oblonga*, *flore pleno*, *bloma odoratissima*
Burm. Theb. Kew 129, t. 69

fruticum indicum *odoratum*, *variantha* *folia*, *album*, *flor multiplo*
rosa, »J&a~-*U<&~*, jtL *&L 187, *exclusa* *Remondii* *synonyma*.

Ros Manilkormis *Barbula* 15, t. 32.

Nandi Soutan major *Costulata* 5, 106, t. 66.

Tigridia *Indica*

Cleistus sibique in India hortis

76 *Tuberamontana coronaria* *flore uniplo* Hort. Fl. 20, Ex Aliis 275
Hort. Kew 15, 72.

Nerium divaricatum Willd. Sp. Pl. 15, t. 1230 *vide* 725.

N. folia lanceolate-*ovalis*, *ramis* *coronata* Lin. Fl. Ind. 1033 *valde*
synonymo *Harmanii* *floribus innotescens*.

Jessamine malabarica, *aurantia* *folia*, *flor* *pentaphyllo*
alba *propinquissima* Fluct. Fl. 196.

Nandi Soutan minor Hort. Mal 15, t. 55.

Kanta Bengalensis in Camryea

Politae in India ad rario.

77 *Tuberamontana nigra* Hort. Fl. 20

T. orientalis Brown Kew. Hort. 4681

Monogynia
fr

74
Pentandria

Apocynaceae

Tallornifolia Willd. sp. No. 1226.

Nerium diversifolium Miller sp. Pl. 125. vols. 72.

Apoxyrrhynchus tuberosus (Linn.) Stev. *Syzygium seminibis*
Hippocrate, floribus amplius albidis. Burm. *Hedysarum* fort. foliis ligulatis.
Ceratostema Pala Hort. Malabar. 32. t. 46.

Aut. (Monteher) Tigr. Bengalensis in Flora Bengalensis

Habitat in *Grewia orientalis* decimoterc.

7J4

Ibernomontana recurva Hort. Beng. 20.

Thespesia Linn. Hort. Beng. 2. 721

Ophiopeltis silvestris Hort. Camb. in via diversum.

Habitat in *Fagara australis* et *Mallotus* syb.

7J7

Nerium odoratum. Presl. Neth. 16. 56.

N. oborum Willd. sp. Pl. 125. Hort. Beng. 8.

N. oleander Linn. Hort. 167.

N. foliis lanceolatis linearibus, Linn. Hort. Beng. 108.

N. angustifolium, floro rubente, odorato, rosso. Burm. *Hedysarum* 166.

N. indicum angustifolium, floribus odoratis simplicibus, flab.

Hort. 2. vols. 252.

Habitat aliquo in India hortis et ad pagos, dimidiosum

infrequenter

7J8

Nerium Correa

Dark' Koraiva Kintice

Habitat in montibus Magadha sicciori

7J9

Nerium tenetorum Hort. Beng. 17.

N. indicum, stigmas angustiss., erectis, longis genibus. Burm. *Hedysarum*

Hort. 167. t. 77, per herbam a filio ad *N. antiguatum* estatis,

Bara Dushiga (Magna laetifica) Bengalensis 722.

Habitat in India aridioris syb.

7J0

Nightea carita

Hedysarum Hort. Beng. 4. 68?

Nerium tomentosum Hort. Beng. 18

Apoxyrrhynchus arboreum Indio orientalis laurifoliat, rotato

Conarinis flore, fragrantii stigma seminibus longis penicillibus

populis insolatis Clark. Hort. 16.

Nelumbo Pala Hort. Malabar. 5. t. 2. 4.

Adhuc *Nerium* Bengalensis

Habitat in India humilioris syb.

to^A

S%

mettia tenella

Habitat inter *Grewia* orientalis sicciori

7J1

Corettia capa

Tijela pujhal Willd. Hort. Mal. 22. t. 155

Bara Dushgi Kintice vols. 729

Habitat in Magadha montibus.

7J2

to^A

Corettia grandiflora Hort. Beng. 20.

76

Monogynia Pentandria Apoineae

hirsutum Bengalense.

Habitat in sylvis humidiis solis et ratis montium tribus austriacis et Nohala inferioris.

734 *Ceritis latifolia*

Ceritis kaka hirsutum Huds. 765 at 61 Eas. Kothi. Syb. 607

Java Ad. Bengalense.

Habitat in terrucis orientalis sylois.

Nec satis similes figura in St. M. quinta, et omnia in figura recta nisi folium, quod forte e junione plantæ desumptum, quum ego fructificantem solam vidi.

735 *Ceritis antidysentericum* Hort. Rong. 20

Naricum antidysentericum Willd. sp. Pl. 36, volvulus Burmanii exapt.

Sedago Pala Horti. Huds. 85 647 si non eadem sive similissima sive 736.

Lind'Kueri in Camrypa *Bengalense.*

Duthya in Matia *Bengalense.*

& tkC4t». India sylois.

736

Sedago Pala Horti. Huds. 85 647 solitare et praeclarum.

Habitat sibique in montibus Indiae australibus.

737 *Ceritis contracta*

Habitat in Camrypa boericis annulis.

738 *Ceritis sonneratii* Hort. Rong. 20.

Ceritis in horto prope Calcuttam botanicas et annulata.

739 *Ceritis Pala*

Ceritis Pala Hort. Rong. 20

Pala Horti. Huds. 85 645

Naricum lactescens Malabaricum maximum probat byllanum;
polyanthum, flore minime recognoscendote, rizis allinante, rizinis
propinquilibus longissimi Bragovic apud Durum. Pala. 62.
Challin Bengalense.

Habitat in India australibus praeclarum et praeponens.

740 *Chenocarpus latifolia*

Habitat in Camrypa orientalis sylois.

741 *Chenocarpus frutescens* Hort. Rong. 69

Ceritis frutescens Hort. Rong. 20

*Apocynum frutescens Willd. sp. Pl. 1/2** ^f^T^ X, y, z,) ^ .. i ..*

Quiricaria galanica Linn. Hort. 107. 68

Apocynum floribus fasciatis Burm. Shw. ; ~ } 611. f. K. adha ^
synonymis varis

Habitat in India sylois et sumatis subigne vulgaris.

742 *Chenocarpus? inflata*

MonogyniaPentandria Procinae*Buhites malabarica* Donn. Nott. 1788.*Pala Ulla*, Herb. Malabar 19. 1808. *Platynia tectorum* Dcnnr.
Habitat in Camruha orientalis sylvis.*Smilax officinalis* Linn. *Platynia* Herb. Ind. v. 16. f. 12.743 *Coccinia trichotoma* Linn.*Malva Pal ulla* Hort. Malabar. 19. f. 10.

Habitat in Camruha orientalis 19. 1808.

Cormen ex foliis. *Ulla* Hort. Malabar. huic congenere.DigyniaAsclepiadaceae

744

Pergularia ovaliflora Herb. Kew. 16. 1823. *Smilacina* Linn. 18. 1823. *Hort. Bengal.* 18. 1823. *Smilacina* Linn. 18. 1823. *synonyma* a Herb. Malabarum pro. Herb. Amboinensis
Gymnadenium ovaliflorum Linn. *Smilacina* Linn. 18. 1823.
Zos siamensis Herb. Amboin. 18. 1823.

foliis in Hortis India et intra et extra Gangem.

745

*Pergularia viscosa**Lithophragma**Tarachanti* Chitrea *officinale* Benth.

Habitat in India Gangotri deserto.

746

Pergularia glabra Willd. 18. 1823.*Schizostylis dialytomea* Herb. Beng. 22.*Sollaria pergularia* Benth. 22. 1823.*Zos pergularia* Herb. Amboin. 18. 1823.

Sphaerocarpus diversus ex foliis. Nut.

Habitat in lignis in India sylvis et huc.

Cormi rotundiflora. aliquid praecedente via pertinent.

747

*Pergularia Calycinum**Talgyna* Kuntze

Habitat in Agavea infuscata sylvis.

748

*Pergularia ciliolata**Schizostylis ciliolata* Herb. Beng. 20.

Habitat in India deserto.

749

Pergularia? confusa Linn.

Habitat in Camruha orientalis sylva.

750

Gymnadenium rectilobatum -*Gymnadenium rectilobatum* Willd. 18. 1823.*Phragmum reticulatum* Willd. 18. 1823.

DigyniaPentandriaAsclepiadaceae

- Kaka Koda Hort. Mal. i, 8, t. 88.
- 751 *Cynanchum? linearium*
Asclepias linearis Hort. Bengal.
Solitus in horto prope Calcuttam botanico sumptuosa.
- 752 *Cynanchum? lingua*.
Asclepias lingua Hort. Bengal.
Habitat in Aca, unde plantas ad hortum prope Calcuttam transire ad.
- 753 *Cynanchum? scandens*.
Asclepias scandens Hort. Bengal.
Habitat in Provincia australi.
- 754 *Nieroloma? Didaria*
Didaria? Bimbia?
Habitat in Magadha montibus.
- 755 *Nieroloma angustifolia*
Habitat in ratis formans florii arvensis.
- 756 *Prithloa manillana* Willd. sp. n. 1826. molles foliis petiolatis et Memphis
17 junciperinae.
Habitat Calcutta Hort. Mal. i, 8, t. 88.
- Habitat in India Gangetica sylvioprogenia.
- 757 *Gaura obovata*
gaura Bengalense.
Habitat ad asturias Gangetica.
- 758 *Erythrophora? fasciculata*
Habitat in Mithila sylvis.
- 759 *Erythrophora? rotundifolia*
Habitat in Campania orientalis montibus et campis elevatis.
- 760 *Erythrophora viridissima*
Corona viridissima Hort. Amb. 1866. 17. 10.
Habitat in Campania orientalis sylvis.
- 761 *Parthenocissus hispida* Willd. sp. n. 1827. Soc. Bot. u. 1837. ex hispidis lyngyiensis
Pursh Leyl. et Burmanni. Rorom. Flora 70.
Asclepias Alessiana Willd. sp. n. 17. 70.
Aporogaea gomme scandens sp. India orientalis. Hookerian. 17. 6. 289.
f. 2. 28 minima 1. 338. 2. 2. 289. @ uncinoplantum relata est.
Angeja Patrae Hort. Mal. i, 8, t. 101.
late Indica (temperate latitudes) officinaria. Bimbia.
Habitat in humilis Magadha sylvis.
- 762 *Planta praeudentia officia terminalis*.
- 763 *Periploca? silvestris* Willd. sp. n. 1828. Soc. Bot. u. 1837.
Habitat in Campania orientalis arvensibus.

Dennia
11/76

78

Pentadiaceae

Araliaceae

Comidendron insigne Hook. f. sp. 75.

Periploca pseudoura Hook. Berg. 22 aduersa syn. syn. A. N.

P. ura Willd. sp. Pl. 3, 1250

Cynanchum venitium Linn. Millig. 225. 2. 950. ^{Var. antica non Linn.}

P. foliis cordatis acutis glabris sp. binom. ^{var. antica} H. Vogel 186.

P. foliis angustis, acutis, glabris Brem. Thon Vogel 186. f. 6

Amata Muell. Officinorum. Simarice.

Habitat ad lignos in India.

E' Bozingi me sic dico epe. P. venitium Koenigii et cote est Daumanni plantae qua pro R. indica Linn. nata est et
alio est diversa a P. venitium plantae.

165

Cynanchum venum

Habitat in Panayra borealis aridissimis elevatis.

166

Cynanchum? astheneticum

Asclepias asthenetica Hook. Berg. 22 Willd. sp. Pl. 3, 1270. ^{var. antica} Linn.

f. 224.

Asclepias sinensis sinensis var. pratincola Brem. Hes. Vogel 186.
Linn. H. Vogel 690.

Plant. Mant. t. 326 f. 2 propriae & propriae plantae, quae
diversissimam plantam t. 239 f. 2 spectat.

Habitat in Sikkimese hucus inter et extra Ganges.

167

Cynanchum pallidum

Habitat tenuicula. Hook. Berg. 22.

Periploca tenuicula Willd. sp. Pl. 3, 128. foliorum plantae 116. n.

Koenigii nominata, ut a Reichenb. credimus.

Kalliga Lata Nimbire.

Khagabangti (capra mamella) Bengalensis.

Habitat in India Gangatica.

168

Cynanchum auriculatum

Habitat in Mithila aridissimis.

169

Hoya sordiflora Brem. Nov. Holl. 459.

Asclepias solitaria Willd. sp. Pl. 3, 129. Aut. Gang. 22. Linn. ¹²²⁴

Ascyrum trifolium Linn. Holl. 214. foliosus. Rump. 2. 2. 199.

Walla Kolla Kudi Herb. Mal. 25. t. 15.

Habitat in Campana et Nepale superioris sylois.

170

Hoya lacuna

Yar (alba) Lekun officinarum Nimbire.

Habitat ad circata montium pedes.

171

Oxyteloma? canescens

Habitat in rupiis somnis flumis agilliosis.

172

Oxyteloma rosea

Periploca concolor Willd. sp. Pl. 3, 128. ^{var. antica} Linn. Holl. 2190.

79

Digynia Pontandria Asclepiadaceae

- Asclepias rosea* Hort. Bong. 28*
- Aescynum madagascariense* angustifolium, ramosa flore
amplexicaulis variolosa Blck. Annals Bot. 35, p. 6
- Habitat in dampeti subice maritimis.
- 773 *Gomphocarpus?* laxiflora.
Habitat in Casala sylois
- 774 *Gomphocarpus volubilis*
Asclepias annularia Hort. Bong. 28?
Aba Kodien Hort. Mal. 14, p. 37
Bera Indigo Binhodes
Habitat in Uttaula sylois
- 775 *Calotropis gigantea* Hort. Kew. 4, 78
Asclepias gigantea Willd. sp. Pl. p. 214 Hort. Bong. 28, Bannar 35, 116, 70 exaltata
Affini synonyma
Asclepias gigantea B. Burmann 110
Acc. folia oblongo-ovalibus ampli-glandulosis Lin. Th. Leyl 112, exaltata
Affini synonyma
Aescynum subicum, *maximum*, floribus magnis, lanatis,
obsoletis Rhamn. Theor. Leyl 184, varia opacum
Messersii Hort. Acad. 1824, 526, pl. 1.
Aescynum erectum varios latifolium hispidum, flore rosaceo,
amplexicaule purpureo-purpureo Blck. Annals Bot. 35, sive Phil. 6, 176
propositus ad plantam Africanaum pertinens.
- Spec. Hort. Mal. 14, 53, t. 136*
Abutea sempervirens
Habitat in subice arenosis planta multijuga.
- 776 *Calotropis indica* flore albo.
Asclepias indica flore albo Hort. Bong. 28
- Aescynum subicum*, *sylvestris*, *modestum*, *ciliatum*, *sinuatum*
hispida, floribus ampliis albis, Rhamn. Theor. Leyl 184 purpurea
int. Cal. Rhamn. ciliata, ad *Nerium oleanderum* Linnus
(Th. Leyl 119) U4^Kt
- Bel Eriu Hort. Mal. tf/¥j4*\$r****~* & Philonotis (Ann. 35) ad
C tam Africanae rebata,
& \$''*'' hortis subice varius.
Hera procedentis varietas.
- t /tf£>/i^***** & */ 6?-i.;f u?i^ 'jity* < & ~*~* i

Asc. gigantea
Habitat

planta arenosa

DigyniaPentandriaAraliaceae

- 778 *Calotropis Asia*
Aralia foliis oblongo-ovalibus ampliis acutibus latis
Zegl. 132 inclusis syconiis
Atti Hindius.

- 779 *Sarcobatus carinatus* Wall. in Cels. Asiaticus.
Bauler in Angir } Bengalenium
Moberell in Bangal }
Habitat inter Delta Gangotri
Gentianaceae

- 780 *Saxifraga pulchella*
Habitat in subice sylois, sibi in Anga, Granata, Nephala, Gang

- 781 *Saxifraga Chinata*
Borsa (Magna) fiorata officinum. Montes
Habitat in Nephala superiores montibus

- 782 *Gentiana riparia*
Habitat inter muscas in rupi Karaiani fluvii

Convolvulaceae

- 783 *Hydroclea zeylanica* Willd. sp. H. 1327 Hort. Bang: 21
Stell. javonica Linn. Meth: 215 Zegl.
Nama Len: R. Zegl. 132
Stell. aquatica Linn. H. 1327 Zegl. p. 31
Anagallis zeylanica, aquatica, foliis longis et angustis. Linn. Meth
Zegl. 19
Kline seronica y. Linn. foliis blid. Kline seronica Kline
Flor. 22. Pl. 4. t. 1
Habitat in subice stagnis effusis.

Rubiaceae *quadrina sylois*

- 784 *Mitchella oliverianoides*
Vahlia oliverianoides Hort. Bang: 867
Habitat in sylois, Nephala siccitibus

- 785 *Mitchella glabra*
Habitat in Cassia sylois.

Oenagro

- 786 *Veronica viscosa* Hort. Bang: 26
Violeniaria Digyna Willd. sp. H. 1326 Linn. Meth: 215
Habitat inter Nagashu Dyzam.

Rhamnaceae

- 787 *Bhesa Moja.*
Bhesa Moja Bengalenium
Habitat in Gomphrena orientalis. Nephala

- W
- | <u>Digynia</u> | <u>Pentandria</u> | <u>Aralia</u> |
|----------------------------------------------------------------------------------------------------|-------------------|--------------------------------|
| 789 <i>Cyperus Phana</i> | | |
| <i>Phloea (pava) Phayna in Matica</i> | | ^{^Jf&y~&~t^A} |
| <i>Kona-Kaul (acanthum flos) in Cam</i> | | |
| <i>Habitat in Songha, vici in Tripura, Camrups, Matica.</i> | | |
| <u>Umbellifera</u> | | |
| 790 <i>Hydrocotyle asiatica</i> Willd. Sp. Pl. 1: 1262, Hort. Beng. 26. Novem. R. S. 76 | | |
| <i>Hort. Kew. 4: 118 Sm. Mett. 1: 152 Illig. Gen. 1: 188, f. 2.</i> | | |
| <i>Apy. foliis reniformibus venatis. Lin. 2: Pl. 2: 118.</i> | | |
| <i>Apy. gallica. Apy. foliis Rauw. Thes. Leyd. 1: 122</i> | | |
| <i>Pes aquinus. Hort. Amst. 2: 105. & 149, f. 1.</i> | | |
| <i>Canarula ciliata umbelliferis accutis. Chaltonii minima flos</i> | | |
| <i>Chaltonia minus Blatt. Alou. 3: 16. Phys. 1: 166, f. 5.</i> | | |
| <i>Chacon. Hort. Mett. 4: Pl. 6: 46.</i> | | |
| <i>Thuntoni Bengalenium</i> | | |
| <i>Habitat in India Gangatica sumitrensis.</i> | | |
| 791 <i>Hydrocotyle rotundifolia</i> Hort. Beng. 82 | | |
| <i>Apy. maculata Willd. Sp. Pl. 1: 1262</i> | | |
| <i>Habitat non praeconite</i> | | |
| 792 <3Ah <i>Hydrocotyle steizosa</i> | | |
| <i>Habitat in Camrups orientalis sylvis</i> | | |
| 793 <i>Cordiastrum sativum</i> Willd. Sp. Pl. 1: 1262, Sm. Mett. 1: 102. Illig. Gen. 1: 194, f. 1. | | |
| <i>Shaniya. Kinsice et Bengalensis</i> | | |
| <i>Solitus in India Gangatica arvi vulgaris.</i> | | |
| 794 <i>Pucciniam. Phana</i> | | |
| <i>Speli Bengalensis Hort. Beng. 82?</i> | | |
| <i>Phana Kinsice</i> | | |
| <i>Habitat in Mithila et Cossala apud.</i> | | |
| 795 <i>Phellanderia deficiens</i> | | |
| ts4o^*&£*i' C^*r**v**y^A ad rupas fluviorum ... r + tt jij. is. | | |
| 796 <i>Phellanderia stolonifera</i> Hort. Beng. 82 | | |
| <i>Phoa foja in Bengalensis</i> | | |
| <i>Habitat in Gangatica humantibus</i> | | |
| 797 <i>Cuminum Cyminum</i> Hort. Beng. 26. Willd. Sp. Pl. 1: 1040! | | |
| <i>C. Cyminum (P. Linn.) Mett. 1: 826?</i> | | |
| <i>Phoa Kinsice et Bengalensis</i> | | |
| <i>Solitus in India Gangatica arvi vulgaris</i> | | |
| 798 <i>Anomia indicum</i> Hort. Amst. 2: 272 | | |
| <i>Liquiritium Ajowan Hort. Beng. 82.</i> | | |
| <i>fojina. Bengalensis</i> | | |

DioicaPentandriaUmbelliferae

Colete aliique in India Gangatica annua.

- 799 *Anemone dasycarpum* Willd: Sp. Pl. 292. Descrip. loc. Ind. Sept. 1806
cum foliis pyramidalibus et alaternatis. Blanckea, ad figura in
Hab. Pl. 173 (f. 1) quae posteriorum representat, valid est diquaque
figura (f. 14 p. 1) quae forte est *Anemone dasycarpum*

Liquetium diffusum Hook. Bong. 22

Anemone major exotica, foliis per anthonum elegantiter incisis
Hab. Pl. 25 t. 14 f. 2

Can. Nodosa Bengolensis

Habitat in India Gangatica annua.

- 800 *Aframontia Blanckea* Willd. Sp. Pl. 1806. Descrip. loc. Ind. Sept. 1806

Can. foemina

***JU** in Bengal ^ rubens

Velutina genus sic e subgenere disceret.

- 801 *Afrium involucratum* Hook. Bong. 22

Lovistium indicum Hook. & Arn. 7. 269 t. 32 p. 3.

Roxoni Bengolensis.

Atarselli (a Leptilonum Petasatum) Hindice

Blitum in India Gangatica hortis.

- 802 *Anethum lora* Hook. Bong. 22

Saphha Bengolensis

Colete in India Gangatica hortis

non multum a Foeniculum disceret.

- 803 *Anethum Pannorium* Hook. Bong. 22

Mauri Hindice

Colete in India Gangatica hortis

Perianthia granulata disceret.

- 804 *Bupleurum riparium*

Habitat in Gentianis ripis ad humidi posita

- 805 *Fetamangoi montanorum* Hindice

Habitat in Monti Apurimac

Amenatica

- 806 *Ulmus integrifolia* Hook. Bong. 22 Descrip. loc. Ind. Sept. 1806

Bahya Hindice

Habitat ad foesta posita aliique in India sylois.

Chenopodiaceae

- 807 *Chenopodium Chamissoi*

Chamri Hindice

Habitat in India Gangatica cultis.

- 808 *Chenopodium Gauthierii*

Gauthier (fascic.) Bahya Hindice

DigyniaPontandriaChenopodium-Atriplex

Habitat in Ma-asha rubra.

809 *Chenopodium* ^r _{4C} *rumicinum*Lal (rufinum) *Bathya Bengalensis*Habitat in India ^{g. * 4} *rumicinum* et rubra spontanea810 *Chenopodium album* Kort. *Beng. 16 Willd. sp. Pl. 1382. Enc. Math. 1968.*
Batai Hindice

Festuca in India Gangotri hortis, siccus salgaris. In horto, prope

Batai botanica ab Europa veniente prohibita, sed hoc adhuc.

A subsequentem primum dicessum

811 *Chenopodium bham* ^{AM.} ₇Bhamun *Mathya* ^{A.} *Rengi* [•] _L ^{*} _A *m*Batai (Europeanum) *Batai* Hindice

Colitur in India Gangotri hortis, siccus salgaris.

812 *Chenopodium gallicum*Jhale *Bathya Bengalensis*

Colitur in India Gangotri hortis, siccus salgaris.

Nescio cum pro ^{<Z+J} rante ratis distinctione.813 *Chenopodium recuperans* *Enc. Math. 196.*Atriplex bengalensis *Enc. Math. 196.*Ab: *atriplex* *Willd. sp. Pl. 1380. Hort. Koenig. 196.*Lal (rubrum) *Bathya Bengalensis*

Colitur in India Gangotri hortis, siccus salgaris.

Fragaria814 *Salsola kali* *Willd. sp. Pl. 137. Enc. Math. 196.*

Kunika (salina) Hindice

Habitat in Campis prope Agram salinis

sic a subsequenti quo ad genus dicessum.

815 *Batai bengalensis* *Kort. Beng. 21.*

Batai vel Batai Hindice.

Colitur in India Gangotri hortis, siccus salgaris.

816 *Basella alba* *Willd. sp. Pl. 1346 exclusis Phabenetii et Pl. myrtifolia synon.*

Bai Hindice

Gan-thain *Barmanorum*

Habitat in India sepius spontanea, siccus hortis collina.

817 *Carex caryophyllea* *Enc. Math. 32. Willd. sp. Pl. 454.*

\$ & L: 3#Zp£//f,A~~~ -XC-rX^d'4t,1*r*-fiiJLft+^.+x ^ ,#

Syngenesia

Lianaria

Gesneriaceae & allies

shakan pui Rindie

India Pui: Bengalensium

glossa in India hortis, also cultiva-

Caryophyllaceae

818

Pet+uts M+m?, Coll. r^o Melli sp. Pl. 1808, values synonymous. This
Leyte ad Mallegimion strictum protemente. See. Coll. n. 266. Hort.
Rec. 4174.

Mollugo spicula Burm. Flora 31 t. 5, f. 4

Kleine India quadrifolia et quinquefolia florulis longioribus
patentibus incidentibus Huk. Amur. Phys. C. 186, f. 5.

Kai-pu Tsova Hort. Mal. n. 47 t. 26.

Kan-ga-hu. Burmanorum.

Jima Rindie et Bengalensium.

Habitat aliquo in India rufens, flor. glauca non sanguine

819

Pharnacium Mollugo apetalum.

Habitat in Campefa

f* / . + A * 4 » * m ** ~ > & > ~ * & ' ~ * r

820

Pharnacium rigidum

Habitat in Magadha ruforis

Parum a duabus precedentibus diversum

821

Pharnacium glaucescens

Ph. pentagynum Hort. Ruy. 2221

Brain. Kink. Burmanorum.

Habitat in Ara et Campefa arois

822

Pharnacium triflorum

Kleine Makonaghataana Galia folia florulis communi

petiolo terminis Huk. Amur. 21 Phys. C. 186, f. 3.

Habitat in ripis formantibus floribus anomalis

Torebidaeacee

823

Anacardium latifolium Linn. Melli. 1897

semicarpus mucifolium Hook. Ruy. 221

Abela Alabid, et Bengalensium

San-ho-de-rah Burmanorum

Habitat aliquo in India anterioris sylvis.

824

Aleuris Ghina

Ghina Bengalensium.

Habitat in Campefa borealis sylvis.

825

Aleuris Ghina

Ghina Hort. Ruy. 29

Kalesiam Hort. Mal. n. 47 t. 53

gigul Bengalensium

Podela crenata

Habitat aliquo ad India pagos.

TrigyniaPentandriaPotrifoliae826 *Globularia cuneifolia*

N. Kuntze Hort. Bong. 22

S. canadensis Burm. N. Kuntze 77 ex aliis synonymis vide 665.
Habitat ad Campepa fagos.Portulacae827 *Tamarix tenerrima**Tamaricetum Indica orientalis* Bolyanowski summa nomina Cyprofori
Nik. Kuntze 177.Habitat in fluviorum India minorum rupi arenosis, sive in
caerulea et Magadha.828 *Tamarix articulata* Willd. sp. H. 1198 Benth. 565?

Phas. Hindustan.

Habitat in rupi Jomanis Gangis et Brahmaputre arenosis incisa
Capitula breviora, ciliis forte e Willdenow AHA ^ + * £ * . rd*****.829 *Tamarix indica* Hort. Bong. 22

Phas. Bengalenium

Habitat in rupi abh. IHVT- " i^w/iJc,- arenosis.

830 *Tamarix Phares*

Phas. Hindustan.

Habitat ad Corri rupi prope Jomanum fluvium

TetragyniaConvolvulaceae831 *Coccolulus alatus* Burm. Nov. Bot. 3. 839. Hort. Bong. 12. Kuntze 177.

Burm. Pl. 177 ex aliis synonymis Plaktonia posterior, Lycia Rajae

Coccolulus hispanicus Willd. sp. H. 5. 27. Sennaroth 12. 1882 ex aliis synonymis

Burmianum priore.

Coccolulus foliis subrotatis obtusis petiolatis, rulo diffuso, pedunculis

trifloris Lin. B. Kuntze quod ad synonyma, excepto

Burmianum priore, non flores quadriflvi.

Non hirsuta, non in foliis alterius floribus solitariae cum aliis 3 sub H. C. fil.

Coccolulus missouriensis Benth. non Burmianum, hirsuta aliis foliis Phil. Amer.

16. Phil. Kuntze ubi errore collatorum sub nomine, sicc. «'»* JV^I «M /4—*<&£**•

Kotschy Gaudi Hort. Ital. sp. 1866.

Burseriana officinariae, Ambigua

Habitat ubique in India, alioribus

PentagyniaPortulacaceae832 *Gisekia attenuifolia*

Habitat in Magadha arid.

833 *Gisekia angustifolia*

Habitat in Guri et Agra campis sterilibus

834 *Dulacharia ammonioides*

Bergia ammonioides Kuntze Bong. 34

Pintagynia

Rubiaceae Portulacaceae
Lobea verticillata Willd. sp. pl. 2: 432; description non bene quatinus.
Phytolacca Linnae
Habitat in boscois Indie Gangotica inundatis.

Cyperaceae?

- 835 *Drosera Barnmanni* Desv. Meth. 300. Willd. sp. pl. 2: 152. Herb. Beng. 22.
Drosera rotundifolia folia orbiculata Lin. Staph. 120. estinus
synonymis nisi Barnmanni omnibus
D. rotundifolia Baum. Pl. Ind. 72. epulosis bona et non bona
synonymis.
Ros. solis foliis cren. radicum in orbe dispositis ex. missa
Lig. 217, t. 94 f. 2.
Habitat ubique in India campis.

Polygonaceae

- 836 *Sinum neotropicum* Willd. sp. pl. 1533. Herb. Beng. 22.
Cultus ubique in India Gangotica arvis.

- 837 *Sinum semitigynum.*

Habitat in Camrupe sylois.

- 838 *Sinum trigynum* Herb. Kaw. & Th. Herb. Beng. 22.
Habitat in India Gangotica sylois.

Malvaceae

- 839 *Conocarpia ciliolata* Willd. sp. pl. 163, 184. Encycl. 9: 69. Ills.
Gen. 631. Herb. Beng. 22.
Bestiania alba Herb. Amb. 15: 105. t. 119.
Habitat in horto prope Calcuttam botanico. Mollana.

RoxburghiaMonogyniaGutierrezia

- 840 *Achras difusa* Willd. sp. pl. 11: 4; 223.
Alloca. Balata. Desv. Meth. 300.
Intricaria malabarica Desv. Meth. 300.
Hemisphaeris Kanta Herb. Beng. 26.
Maayt Kara Kanti. Mal. 20. t. 25.
Koklone. Bengalensis.
Habitat ad Bengal pagos.

Barberidaceae

- 841 *Barbora asiatica* Herb. Beng. 22.
Habitat in Nafala desertis.

- 842 *Beobasis pinnata* Herb. Beng. 22.
vii in horto Nafala B. Manikura transmigrat ad hortum prope Calcuttam botanicum.

Tiliaceae

- 843 *Filipendula aurantiola* Herb. Beng. 22.
Euaranta Desv. Meth. 300.
Sinomia bifoliata Eng. Meth. 15: 81. Colligan 6: 213, f. 8. Willd.
sp. pl. 11: 47. Herb. Beng. 22.

Lemania trifolia Rinn.: Pl. Ind. 182. t. 34 f. 1.

Habitat in Bengal forest variae.

844 *Loranthus buxifolius* Pers.: Neth. 14. 600. Ill. Journ. L. 208 f. 2. Kotsch. 9. 224.
Habitat in India lotus vulgaris et variae.

845 *Loranthus heterotrop.* Hook. Bong. 25

L. elaeagnis Willd. sp. Pl. 4. 125. Des. Neth. 14. 997

Viscum Taxifolium Hook. Neth. 14. 998.

Habitat in India vulgaris.

846 *Loranthus globosus* Hook. Bong. 25

Habitat in *Cannabis sativa*

Silacea

847 *Burmannia bifurca*

A. disticha Hook. Bong. 25

Habitat in *Arundo agnae*

848 *Trilepidantia canina*

Ghemerion cyathinum Blanca. *Molinia folia*, *procumbens* Thunb.
Khosa Kavira. *Thunbergia*

Habitat in montium in Magadha eadiis.

849 *Trilepidantia willaris* Willd. sp. Pl. 4. 25. Des. Neth. 14. 372. Hook. Bong. 25

Ghemerion phalangites, *Molinia patens*, *minima*, *procumbens*,
cultorum, *quercicola*, *arcticum*, *flavum* Thunb. Kotsch. 185. Hyg. C. 14. 372

Nic. Pelti. Hook. Neth. 14. 372.

Habitat aliisque in Sibria agnae.

850 *Pontederia dilatata* Linn. *longifolia* Desv. *lanceolata* Bonn. Nutt. 14. 25. Nutt.
long. 22. Des. Neth. 14. 526.

In dicit, pro *Scirpus*.

Habitat in Sibria et intra et extra Gangam agnae.

851 *Pontederia lacustris*

P. cordata Rinn. Pl. Ind. 6. 10. *caerulea* synonymis, *flavescens*,
americana, *fructuosa*.

As / J £ ^ * w ^ teOk ^ < * yf * ~ ~ .

852 *Pontederia alba*

Shiri Raj officinalis Thunberg.

Habitat inter Magadha organa.

853 *Pontederia vaginalis* Willd. sp. Pl. 4. 22. Desv. Neth. 14. 526. Nutt. Bong. 25. Des.

Pl. Ind. 6.

Kas palaes. Hook. Bong. 25. 578. C. 76 f. 2.

Caringale Hook. Bong. 25. 578.

Habitat in India agnae.

MonopeltisPsiandiusSilvana

- 854 *Anomella canina*
Habitat in cibis aduncorum fungicorum caespice
- 855 *Pancratium cyathostachys*
Sri Lanka montanum Sindica
Changza Thampe Sindica
Habitat in Nepeta infunis sylvis foliis in Angsha hortis.
- 856 *Utricularia Reticulata*
Cotiga montanum Sindica
- 857 *Gloriosa superba* Willd. sp. Pl. 193. Bas. Melli. 10. 123. Illig. 6347. Hort. Bang.
14. Aut. Kew. 4. 267. Bonn. Flora. 12.
Gloriosa Linn. St. Engl. 12.
Methonica gloria, foliis exsertis floribus pubescens sylvis
Burm. Nat. Reg. 17.
Methonica Malabarica, Nangala Tylorandrum, Schlech.
Alm. 169. Pl. 116. f. 3.
Mandoni Hort. Melli. sp. 107. C. 67.
Habitat aliquo in India decimelle humidissime umbrosis.
- 858 *Hypoxis decipiens*
Cucullia recurvata Hort. Bang. 24. Hort. Kew. 4. 223.
decipiens Bengalenium
Habitat in Bengala orientalis sylvis montosis.
- 859 *Gothyllum fusiforme*
Cucullia brevipila Hort. Kew. 4. 223.
L. 14. Hort. Bang. 24. Aut. 12. Chirurgia (lesus) sive medicina
viva a 3 — ^ — s. Methonici, quae Cucullia amara Roberti
ut synonymous Rumpfii in Hort. Bang. 12. folio 10.
Habitat aliquo in Indice aridis.
- 860 *Aphytobius clavatus* Hort. Bang. 24.
Bengala Rassum (sylvestris - Linn.) Sindica
India Gangotria missouriensis
- 861 *Phalangium alatum*
Pococki. Ins. Melli. n. 265.
Aethericum tuberosum Hort. Bang. 24.
Habitat ^ J^ M. ~ orientalis of Nepeta infunis sylvis.
- 862 *Slateria repens*
* *Cowallia japonica*; Thunb. p. 440. 14tf&k 1,..
Ins. Melli. Ins. 265.
Monas Kampff. Amer. Ins. 222.
Habitat in t~y*-~ sylvis montosis.

Monoecia Hicoria Siliceae

- 865 *Scilla denudata*
Scilla denudata Hort. Beng: 26?
 from Rassun Bengalensis
 Habitat in India Gangatica aenosio.
- 866 *Scilla lantica*
Scilla lantica Hort. Beng: 24?
 Kansri Sindie
 Habitat ad montium in Magadha ratis
Asparagi
- 867 *Asparagus adscendens* Hort. Beng: 24.
 foliis in horto prope Calcuttam botanico e. exata.
 nescio an a sequente distincta.
- 868 *Asparagus solubilis*
A. aculeatus minor sanguineus Matheropatana, Willd. & Kn.
 34. 16, f. 4, perforam a Burmanno & ad brasiliensem ante eucte
 relata.
 Habitat ubique in India domesticis plantis aulgaris.
- 869 *Asparagus racemosus* Willd. sp. Pl. i. 152. Hort. Beng: 24, Hort. Kew: 45378.
 Madras Kalangur Hort. Cal. 2. 19. 12. perforam ad 8. sanguineum
 foliis solitariis relata.
 Habitat ubique in India domesticis.
- 870 *Asparagus foetidus* Hort. Beng: 25
 Itahari Sindie.
 Kherile montanorum
 Habitat in Mithile et Kihale inferiori domesticis
 nescio an satis ab aliis foliis distincta
- 871 *Dracunculus* Willd. sp. Pl. i. 153. Hort. Kew: 227. Hort. Beng: 26. ex his
 synonymo Memphis qui statim .. ^
D. terminalis Willd. sp. Pl. i. 153. Bas. Melli: 325.
Alteca chinensis Bas. Melli: 77
Terminalis domesticus alba Hort. Amboina 796: 247a
 Bjal Chatak Bengalensis
 foliis ad Bangala pagas fuligineaentiae, nescio nonam.
- 872 *Paeonia angustifolia* Hort. Beng: 26.
Paeonia Ene. Melhi: 45. 326?
Terminalis angustifolia Hort. Amboi: 28. 81. 6. 35
 foliis in horto prope Calcuttam botanico e. Moluccis.
- 873 *Paeonia nemorosa* Hort. Beng: 26. Hort. Kew: 45. 376. Bas. Melli: 46
Paeonia ensifolia Willd. sp. Pl. i. 156.

MonogyniaHecazandriaAphragi

X

Glaciolus adoratus intius Herb. Benth. & Hook. f. 1856, 378

foliis in loto prope Calcuttam botanicae designata.

873 *Teca integrifolia* Willd. Neth. 1851, 378

Majal-Ganj Bengalensis

* i/T. lat in Camrypa orientalis Africoid.

Fernula873 *Fernula vel Rostellaria moniformis*

Habitat ubique in India aridiss.

874 *Fernula lepifera* Willd. sp. pl. 1851, 378. Neth. 1851, 378

Habitat in ripis foecis glomiosis apud amit, Pluvium.

Palma875 *Calamus extensus* Herb. Beng. 733*Calamus Rotang* Willd. sp. pl. 1851, 378

Tijori Tijori Herb. Mal. 24, 125, 126, 127

Gorak Beta \sim *r* Bengalensis.

Habitat in Camrypa sylvis et domatis.

1* 876 *Calamus latifolius* Herb. Beng. 733. *cal. rot.* 7m~**£ Herb.

Mal. 24, 125, 126, 127

Burkuti Beta Bengalensis

Habitat in Camrypa orientalis y

877 *Calamus J>tff/^/r'trrf***, **.*&4*&/, r4?£ sun Phanice \downarrow *r* hispana, ant. h. -W* sunfoliis spinosum Olygonale angustis foliis *laximaculata*

Herb. Benth. 376. Myrt. L. sp. pl. 2. Pukkura Beta vel Beta

Bengalensis

dUu&£*\$ JL*

a aqua.

878 *Calamus Garula*

C. pungensius Herb. Beng. 733

Gurul Beta Bengalensis

Habitat in India domatis.

879 *Laccalia peltata* Herb. Beng. 733

Kump in Udupura

Burkuti in Camrypa

Habitat in Bengalensis orientalis monteoss

Gymnospermae880 *Bambusa Macra*

Bambus fag. Senn Neth. 1851, 378

Arund. arb. exstans Herb. Benth. 1851

Makala Bambus Bengalensis

foliis in Bengalensis sepiibus.

91

Monogynia Hexandria Gramineæ

881 *Bambusa toros*

jaoya Bans Bengalensis
foliis in Bengala sepiibus.

882 *Bambusa maxima*

B. maxima Bur. Moll. vij. 704.

Arenaria arbor maxima Herb. Ann. 10. 12.

Kohoya Bans Bengalensis

Habitat in Camrypa borealis sylvis.

883 *Bambusa caerulea*

Bambusinaea Willd. sp. Pl. 185. cylindrica synonymis a Hort. Malabarica, e
Kora Leylanica, et forte alii nonnullis

Bambusinaea Mart. Moll. vij. 705 cylindrica synonymis duplae cuius et forte Bremann.

Nastus Ill. Jon: 1866. pl. 2.

Arenaria arbor caerulea Herb. Ann. 10. 8.

Kara (Magna) Bans Bengalensis

Habitat in sylvis Bengalae austalis sylvis subtropicis.

884 *Bambusa lancea*

B. stricta Hort. Bong. 55?

Tanai Bans Hindiae

Habitat in sylvis Magadha montosa.

885 *Bambusa spinosa* Herb. Bong. 55.

Arenaria spinosa Linn. sp. Pl. apud Monach. 18. 2.

Arenaria arbor Linn. H. Leyl. 47.

Arenaria umbra, robusta, maxima, corolla spinosa, velutina, pubescens

Burm: Thes. Leyl. 35.

Arenaria arbor, fructuosa, foliis lato, 4. aculeatis 25-30 mm. longis, hy. pedunculis 30-40.

Bham Bans Bengalensis

Folios ad basi angusti carinatis in sylvis præstantibus hinc austalis frequenter.

886 *Bambusa cana* Herb. Bong. 55.

Arenaria divisa cana sa foliis spinosis sparsim capillis ciliatis

Hab. 3 months 10. 1850. pl. 20

Digynia

887 *Oryza sativa*

Karava Hort. Bong. 55 in nota?

Kali Ban Hindiae

Habitat in Magadha inundatis spontanea

888 *Oryza sativa*

Goli Bham Bengalensis

Habitat in Melia et Camrypa Magnis spontaneis.

Monogynia

92

Dioscorea

AT

Bihor Shan, qua annata tempore solitum, ap. ab haec dicere, nisi
exist. tenui. in plura longitudinaliter supinante.

- 884 *Oryzae coriacea* Herb. Beng. 27
Anali Bihari Bengalensis.
Habitat in rupis altioribus gangetianum. canis montana.
- 890 *Oryza montana*
Habitat in montosis fungo ventilo cibibus spontanea.
- 891 *Oryza ciliata* a
Anali Bengalensis.
Habitat in rupi gangetianum. cibis spontanea.
- 892 *Oryza ciliata* b
Bengal ghas Andam.
Habitat in Cauda steppis spontanea.
- 893 *Oryza filiformis*
Habitat in Nipala inferioris cordiculis spontanea.
- 894 *Pennisetum aristata* Herb. Beng. 26
Pteromogiton indicum, folia nuda, partim integrifolia, partim pinnatis
Plak. Kauli 115
Nestalli Paller Herb. Mal. 22. f. 12
Habitat in India steppis et foefis.

LeylandiaTrigyniaPolygonace

- 895 *Polygonum conicum*

2+m/f A, Herb. Beng. V

Habitat in lata Gangeticae rupi flrn. aridiss.

(R*) *Polygonum rotundatum*

Habitat in Gangetica.

- 897 *Polygonum oblongolobum* Willd. sp. H. 26. Herb. Kauli 115
Syphathrum antipodum simile. *Saxifragatum* Link. Plak. Am. 225. Amalthei 12. 27
Bon Palung vel Non Falki Bengalensis.

- 898 *Polygonum avicinaria* Herb. Beng. 26. Herb. Kauli sp. 16. f. 116.
Desv. 37. Ind. 85. Herb. Kauli 322.

Acalypha avicinaria utriusque Indiae summa Plak. Am. 8.
Kalka Bengalensis.

foliis, abique in India Gangeticae aridis.

Apharagi

- 898 *Kagellaria cunea* Herb. Kauli sp. 38. Herb. Beng. 26. Willd. sp. H. 26.

& *. ***<•&>, -*. f>S46, /?***. H. 26.

Lachnum jobi graminis foliis in capitulo desinentibus
See. Trop. 116.

- 93
- Polygonace Alexandria Asparagi
- Polygonum levis* Hook. f. & Thoms. 119. 228 fig. 2.
Venice intium Schott. folia moniliata in cymosum decurrentia,
 fructu parvo coronato? Hook. f. & Thoms. 119.
- Habitat in dampello India pauciflora

- Polygonace Hydrocharidæ
- 900 *Ottelia uliginoides*, Persoon apud Burm. Method. Ind. 225.
Gunnerium inticium Hook. Bengal. Willd. sp. 10. 42. 476
 folia cordata. Linnaeus: Pl. 222.
Sagittaria affinis Malabaricae. Integrum folia floribus ex alto trifoliatis
 Hook. Beng. 326.
- Ottelia* *uliginoides* Hook. Malabar. 95. t. 66.
- Parsiala, & Panikela (aqua Musa) Bangalensis.
- Habitat in India stagnis.
- 901 *Ottelia uliginoides minor*
 Habitat cum precedente
- 902 *Ottelia septemloba*
 Habitat in Cocala stagnis.

- Alismatace
- 903 *Nisma stellata*
 Habitat in Camrupe aquosa
- 904 *Nisma pubescens*
Sagittaria cordifolia Hook. Bengal. 65.
 Habitat in India Gangeticae stagnis
- 905 *Nisma?* *apetala*
 Habitat in Magadha stagnis
- 906 *Nisma pungipetala* Willd. sp. 10. p. 278. Sinu. Roth. p. 575?
 Puniki Bangalensis.
 Habitat in Camrupe stagnis.

- Chelidoniace
- 907 *Asclepias secunda*
 Habitat in Camrupe orientalis sylois.

- Asclepiadace
- 908 *Asclepias* *Italia*
 Bohemia Navarina
 Itali Bangalensis
 Habitat in Nepala et Camrupe sylois.

- Leguminosæ
- 909 *Fouussia Assoe* Hook. Bengal. 79.
f. pinnata Burman. 103. Hook. f. & Thoms. 119. 228 fig. 227.
 Rajgan Hook. Malabar. 103. t. 15.
 Coka vel Rasska Bangalensis. 103. 157.
 Habitat in temple et in sylois India umbrosa.

HypoleuciaAroidaceae910 *Calathea ovata*

Habitat in India nictatans gigan. foliis in hirs.

911 *Houttuynia cordata* Willd. Sp. Pl. v. 2 p. 290. var. *hirsuta* Blume, p. 228.
L. 1860. Fl. N. Ind. p. 288.

Habitat in Campanula hirsutissima

OtlandiaWT"Moraceae912 *Ostokkie ciliata*

Habitat in

913 *Ostokkie strobilosa*

Habitat in Mittilia graminosiss.

rescis am salis a precedente distincta.

914 *Ostokkie campostachys*

Habitat in Campis Campanula orientalis graminosiss.

915 *Ostokkie terminalis*

Habitat in Campanula hirsutiss.

916 *Ostokkie systemaria*

Habitat in Campanula cylindromontana

Elaeagnaceae917 *Combretum nanum*

Habitat in sylvis Mittilia et Cosala arboribus.

918 *Combretum madagascariense*

Makala lat. Rand., Ratis Hindiae

Habitat in ripis Megadha et Crata evanesc.

919 *Combretum pilosum* Hort. Bong. St.

Habitat in Sikkima ante specimen ad R. Smith nomen.

pu *Combretum paniculatum*

Bengalensis

Habitat in Megadha orientalis montibus.

9" *Combretum acuminatum* Hort. Bong. St.Habitat in Sikkima ante specimen ad R. Smith nomen
Præcipue affinis.J* *Combretum Malabaricum*

Malabarica angustissimum

Habitat in Campanula orientalis sylvis

Myrsinaceae920 *Myrsinella racemiflora* Mart. Mill. in Fl. Ind. classis monogyn. n* > **

M. tinctorium Willd. Sp. Pl. v. 2 p. 327

Kaziranga-maram Hort. Mill. & T. L. D. 1879, polygam. in Campanula sylvis

(In) +3 Im—*— parviflorum velutina

MonosporniaOctandria

Thulki vulgo

Nilkao affinans

, ^ ^ u a ^ Mayusha 4y & - ^

- iU *Jambolifera pubiculata* Willd. sp. 9. 833: Organyas Arb. Soc. Lin.
 Lodd. sp. 222: exclaims synomys. Horti Malabarici cui stamine grecum
Cyniosma altissima Gaertn. de Som., 28. Exs. Willd. sp. sp. 637?
Jambolifera Linnae H. Leybold exclaims synomys?
 Ruenet Hort. Malabar. t. 6.
 Alphulli Bengalensis.
 Ad dU lat in Camruka orientalis montibus
Ferdinhardia vel forte Lovantia

^ j y <* />/^<>- ** M J ^ W

Loranga lata Bengalensis.

Silius in Camruka lutes

- 967 Amyris summa & *+**,'€#*r-4 S?+~.fr
 Colit in horto prope plantam botanicae a Sumatra.

- 967 Amyris 1^ ^ ita Hort. Beng. 28.
 Colit in horto botanico prope plantam.
 Nescis in a sequenti distincta

- 968 Amyris gracilens

Rikat Narsing Bengalensis.

Habitat in Camrypa borealis sylvis.

- 969 Amy. similis

Bando, rikul (miniam fructus) mont.

Khagat-nasi 4<*+~~, J~ | vulgo { Minikia

y Habitat in sylvis Miftila et Vipala Scionibus.

Melia

- 970 Meliaceae punica .#. <,,, SfttAd & *£ :: Si Hatti sp. 506

Gramine Cistrovum parvifolium ^ oblonga 1492 coll.

Gamut

Damus } Bengalensis

Orchakov

Habitat in asturiorum Ganglicorum vallis.

- A / Meliaceae punica

Angkil Minikia

Habitat in Mayusha sylvis

- 972 Guarea Alliaria

Alliaria Herb. Am. 1820 t. 114

Ranunc Poma (ali: *^{..}, g+*~) Bengalensis

Habitat in montibus Camrypa borealis sylvis.

- 973 Guarea paniculata Herb. Beng. ft

Habitat cum precedente.

- 96
- | <u>Monogynia</u> | <u>Octandra</u> | <u>Melia</u> |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 934 Guarea Gobora | <i>Gobora phangyata</i> (St. in confluente) <i>Bengalensisimum</i>
Habitat in Campea orientalis montibus. | |
| 935 Guarea Gotadhora | <i>Bora Gotadhora</i> <i>Bengalensisimum</i>
Habitat in Campea orientalis montibus. | |
| | <u>Perebinthacea?</u> | |
| 936 Dodonaea Chamaenorium | <i>Dodonaea angustifolia</i> Hort. Beng. 29.
<i>Laevisca</i> Swartz 14. 292; et Willd. sp. Pl. 14. 3867 exstincta propter
synonymis ad plantam Americanum glomerulosa.
<i>Caryophyllaster lobatus</i> Auct. Bot. Ind. 10. 1050
<i>Symploca India orientalis</i> Chamaenorii splendens folia
Hort. Kanti 185, Plgt. t. 67, p. 2.
Habitat in locis Indiae australis aridis. | |
| | <u>Sapindaceae</u> | |
| 937 Omphelia biserrata | Habitat in Campea orientalis sylvia. | |
| 938 Syzygium Damara | Damara ssp. <i>Bora</i> <i>Bengalensisimum</i>
Habitat in Bengal orientalis domus. | |
| 939 Syzygium verticillata | Cultiva in horto proprie Galantian Botanicoe. Holmiae. | |
| 940 Syzygium Litchi | <i>Syzygium Litchi</i> Hort. Beng. 29
<i>Litchia</i> Gaertn. de sonne 1. 397. t. 142, f. 2.
<i>Litcheria</i> Jussieu Tres. 16. 112
<i>Monongyna</i> Litchi Willd. sp. Pl. 14. 3867 exstincta synonymis Linnae
ex Auct. Bot. Ind. 10. 1054, Dymortier Nob. nov. Lin. Sonc. 1. 222.
Arbor India foecunda laevius folia, fls. albo-purpurei, fructus
Hort. Kanti 203
Cultiva in India Gangotris Horto. | |
| | <u>Syzygium</u> | |
| | <u>Syrf.</u> | |
| fit | <i>Syzygium trijuga</i> Hort. Beng. 29 | |
| | Cultiva in horto proprio Galantian Botanicoe | |
| ft) | <i>Syphindes marginatus</i> Willd. sp. Pl. 14. 3867 exstincta * A | |
| | r. 1. Beng. 29 | |
| | Arbo. Indice | |
| | Habitat in pluvialibus pagos | |
| 9** | <i>Syphindes marginatus</i> variolosa | |
| | Habitat in Cicala- | |

- Monogynia Cotyledonia Sapindus
- 945 *Sapindus laurifolius* Willd. sp. pl. 9: 469. Burm. Neth. 17: 662.
Sapindus laponaria Burm. H. Lindl. 9: cycladicis. proctae id Kämpfer,
 synonygium omnibus
Louphas Lin. H. Tzyl. 6038
Saponaria arbor, galapica, trifolia, semine Lupini Burm.
 Thes. Cycl. 240? cycladicis recte Platanellii synonyma
Saponaria Herb. Amb. 17: 134.
Pocrensis Burm. Hort. Mal. 10: 43. f. 10
 Habitat in Indies australis Sylvis.
 Folia pinnata non ternata ut colvirent Linnaeus et
 Burmannus senior, dubitantes ergo Botanicos illustres citare.
 946 *Sapindus*? *montanus*
Syntalia longip. Hort. Beng. 291.
Hantabitas Hindice " " "
 Habitat in Camarpas et Nepale inferiores monticulis
 fructus an a subrogante distincta?
 947 *Sapindus*? *Argia*
Asogi Hindice
 Habitat in Indies sylvis
Karpas florae negus fractum vidi's præcivium simillimum.
- t₄*** <A^A 17 fasciatis
- Habitat in Nepale superiores montibus
- 949 *Sapindus longipalpus* Willd. sp. pl. 19: 469? Burm. Neth. 17: 664
Centia Burmanianum
 Habitat in Camarpas orientalis sylvis
- 950 *Sapindus*? *alternipalpus*
 Habitat in Popu et Camarpas siccioribus.
- Tecogynia
- 951 *Cardiospermum halicacabum* Willd. sp. pl. 19: 467 et Hort. Kots.
 17: 624 omnia sea characteres specifica Burm. Neth. 17: 667. Genus
 6: 317. Hort. Beng. 29. Burm. R. Lindl. 90.
Cardiospermum Lin. H. Tzyl. 142.
Cos indicum ampliore folio, panca majori Burm. Monograph. 76
 Neth. Alin. 122.
Halicacabas persicinum Kochi Amb. 17: 62, f. 24, fig. 2.
Utricia Hort. Mal. 17: 53. f. 28
 Habitat in Indies cultis.
- Polygonaceæ
- 952 *Polygonum* / * pit mea
Bengala Hindice
 Habitat in Indies cultis sylvis ad aquam non evaginans.

- Succowia* *Octandra* *Polygonace*
- Polygonum minor affine.*
- 953 *Polygonum quadrifidum*
Habitat in Campanis aquatis.
- 954 *Polygonum tanacetum* Host. Bong.: 29.
Varietas flora albida.
Habitat in Costales stagnis.
- 955 *Polygonum tanacetum* flora rubra
Habitat in Costales stagnis.
- 956 *Polygonum orientale* B. Host. Nov.: ij, 410.
Polygonum orientale indicum Willd. sp. Pl.: ij, 667 excludit
Rzedii synonymum.
- Polygonum orientale* Brown Nov.: Hol., ij, 420
Habitat in rupibus Campanis arenosis
- 957 *Polygonum tenuissimum* Host. Bong.: 29. Willd.: sp. Pl.
ij, 667. Linne: Host.: ej, 163?
Persicaria Maderaspatana, longiore foliis hirsutis Blak.
Alm.: 298. Blak.: 1: 210, f. 7 ochreus Hosti Malabaricus synonymum
Habitat in Stagnis et fossis prope Calcuttam.
- 958 *Polygonum* VfrAfg a 1444+** fluviale
Habitat in fluviis Costales Manoramus.
- 959 *Polygonum avicinale* Willd. sp. Pl. ij, 669. Bong. Hol.: ij, 165.
Polygonum elegans Host. Bong.: 29.
Polygonum vulgare simile *Maderaspatanum*, *Convolvulus*, *Mala-*
barosum Blak.: Amalath.: 175.
Mata sat Dufay
Habuit in Magadha durat statim «Wistale»
a Bandhutte officina *fcu *•- JiZ***
- O. Malabarica id id
Habitat ubique in Indice ruderis, roborum arboris.
- 960 *Polygonum flaccidum* Host. Bong.: 29
Persicaria minor, longioribus et angustis foliis ** «je < £
Blak.: Amalath.: 163, t: 436, f. 1.
Pan. - Marial (Hydro-piper) Hindica
Habitat in Costales stagnis
Pan. eae plantam quam * > * i4+*f A. sanguine, f. nomine
In & t. a latum coriaceo
- 961 *Polygonum Biscutatum*
Persicaria minor multicaulis ex India Crocodilorum
Blak.: Amalath.: 163, t: 436, f. 5.
Biskatali Bengalenseum qui idem non in al-
lo MM speciem (866) proponit inf. annual.

99

Irigynia Oelandrea Polygonace

- Habitat in Camrupa orientalis aquosis
Crocotitorum insula nipi land cognata
- 962 *Polygonum glaucum*
Priscaria pusilla sinuosa, angustissimus foliis, spica rara,
gracili. Plut. Amalch. 1665. 636, f. 6.
Habitat inter Camrupae orientalis Ryggen.
- 963 *Polygonum glycyphara*
Harr**/** s*. (me*.) rufa orientalis
- 964 *Polygonum Manzanae*
Habitat in fluvio AtSte. Manzanae.
- 965 *Polygonum Rapte*
Habitat in fluvio Costale Rapte.
- 966 *Polygonum stagninum*
Bis Katala Bengalensis, quod idem nomine in altiorum
speciem (962) impunitur
Habitat in India Gangetice aquae
- 967 *Polygonum Bishire*
Pelletta Madela Muscae Herit. Mat. 4ij, No. 1. 76 proponens
pro P. barbata vitata, vido Pro. Mat. 4j, 162.
Bish^{4M} / Hindice
Habitat inter Mithila y-f*^
- 968 *Polygonum trigonum*
Agrostidium rectum sinuante, Concolorile minoris foliis ad
caulinum nodos appendicibus foliis auriculata Plut. Amalch.
86, f. 397, f. 6.
- Habitat in Camruy, * < orientalis aquosis.
- 969 *Polygonum herculeum*
Habitat in Camrupa aquosis
- 970 *Polygonum panduriforme*
Horneriza Bengalensis
Habitat ad Camrupas pagos et in locis circumfluentes
sequentis simillimum.
- 971 *Polygonum chinense* Linn. Mat. 4j 150. vel 2. f. 1. ; A. Muu-
bergi — synon? Willd. sp. 4j 655. Herit. Herit. 4j 650
Burm. 4j Indog. t. 30, f. 3.
Habitat in India Kandolit.
- 972 *Polygonum perforatum* Linn. Mat. 4j 152. Willd. 4j 66. Herit.
Beng. 4j. Burm. 4j. Ind. 4j 31, f. 2. evoluta Plut. syriacus
Kanta Sula (sparsa umbellata) Bengalensis.
Habitat in Karpures et Camrupae damplos humidis.
- ft yu *Polygonum horridum*

Virginia Celandria Polygonaceæ

Nikas Bengalensis

Habitat in copice et lacunae silvis foecis ad agmina raro.

- 974 *Polygonum sagittatum* Willd. sp. Pl. 4, t. 453! Enc. Mett. 17207!
- Foliotricho similis angustiora folia convoluti modo scandens
planta Mariana, caule spinulis deflexis tenuius obsoito
Plnt.: Mant. 74, t. 597, f. 5! In qua terram aperte est
Mariana nascitur Marilandia vel polis maritimi Pacifici insulae?
- 975 *Polygonum divaricatum*
Habitat in Cameropoe orientalis montibus.
- 976 *Polygonum rugosum*
Habitat in Cameropoe orientalis domatis.

Euryandria

Dioscoregynia

Lauraceæ

- 977 *Lauroxylon cinnamomum* Willd. sp. Pl. 4, t. 577, exclusus Rheubar. syno.
L. cinnamomum Burm. Mett. 17208! Hort. Kew. 4, 427, Encycl. Pl. Ind. 91.
L. cinnamomum latifolium Hort. Beng. 172.
L. polystachys Blongii Trinervis; basi rufocaudentibus
Lam. H. Leyb. 61.
Cinnamomum folia late ovata fungiforme. Baum.
Hort. Leyb. 62, t. 57 exclusus Rheubar. synonymous.
Cepha cinnamomea Neck. Abh. 58
Habiles in Bengalica hortis & Ceylona.
978 *Laurea Ternala* Hamilton comment in Hort. Kew. 187
L. laurina Hook. Beng. 38.
Lafisia cinnamomea Stevallio folia ignobilior, cuius
folium est Malabathrum vel Ternala patrum
angustipolium in officinis frequens Plak. Am. 89.
Taj Bengalensis
Cultus in Cameropoe hortis.
979 *Laurea Ternia* Hamilton comment in Hort. Kew. 187.
Taj montanorum Kuntze
Habitat in Nepale inferioris montibus
980 *Laurea donarium* Hamilton ubi supra
L. japonica Hook. Camb. 66, 671
Taj kamei montanorum Kuntze
Habitat in Nepale media montibus, prope fundum et pum
981 *Laurea glabra* Hamilton ubi supra
Habitat in jugis horti superioribus prope Tidam. Cultus in
hortis Cameropoe nonnullis.
982 *Laurea Bijolghota* Hamilton ubi supra
L. malabathrica Hook. Beng. 38
Bijolghota Bengalensis
Habitat in Cameropoe sylois ad Tidam.

Monogynia Eucalyptoides Lauraceae 4*rn

- 983 *Laurus ligustrina* Hamilton sibi empta
Borneo montanae Lindley
Habitat in iugis Emede superioribus prope Cosane
- 982 *Laurus nitida* Hort. Gray: 30
Colitur in horto populo Calcuttano botanico e Summa A\$
- 983 *Laurus Cinnabarinum* Willd. sp. Pl. 477. Ex. Coll: iij: 655
- 985 *Laurus Colitibacum* Hort. Gray: 30
Laurus Cinnabarinum Willd. sp. Pl. ij: 477. Ex. Coll: iiij: 644
Cortex *Coryphylloides* Herb. Comb: ij: 65, t: 14
- 986 *Laurus obsoleta*
Habitat ad Camrupa borealis pagos
Pro altera lauro hic praefermisse vide 2261
- 987 *Laurus glaucescens* Hort. Gray: 30
Ovula *Bengalensis*
Habitat in seculata cyclis
- 988 *Laurus Champea*
Machilus angustifolia Herb. Numb: viij: 64 t: 2f. f: 1
Laurus Nobis Koenig. Ann. Bot. 9061
Korkha Champea } *Bengalensis*
Champea Pala }
Habitat ad Camrupa pagos)
- 989 *Laurus* *Bombycinum*
Colitur in Asam ad Bombyces Nagas dictas atenuatas
- 990 *Laurus* *Donggulatum*
Machilus fuscina Herb. Comb: ij: 69, t: 14, f: 13
Habitat ad Camrupa pagos
- 991 *Laurus* *salicifolia* Camrupa
Hare Langkar *Bengalensis*
Habitat in Camrupa montanae
- 992 *Laurus* *oleifolia* Nepalae
Habitat in Nepalae cyclis
Purum a subsequente discer
- 993 *Laurus* *caniflorata*
Shikha ghatri montanorum Lindley
- Habitat in Sikkim cyclis

Aralia

- 995 *Glossyina palmata* Hort. Gray: 33
Chelidobates montanorum Lindley
- Habitat in ripis Tripura et Nepalae in formis montosis

Hoyagynia

Messmeria

- 995 *Bulomia umbellata* Willd. sp. Pl. ij: 691. Ex. Coll: ij: 655, 1879
Pl. Spec: t: 324. Herit. R. ij: 637. Smith H. Brit. j: 636

no6

102
Hegagymnia *Mismoides*
 Habitat in aquis lictis stagnantibus.

***—£*A

*Oaks Bengalensis**Oaks Hindice**Habitat inter Indias Gangaticas Oryzam etiam**Pecanaria**Monogynia**Leguminosae*

997 *Bauhinia reflexa* Hort. Beng.: 31 sed non Encyclopedie
 Karyam Hindice
 Habitat in Indias Gangaticis montibus

998 *Bauhinia Bacuria*
 Blakemore Bengalensis
 Habitat in Cœnus rufus orientalis sylva

999 *Bauhinia paniciflora* Hort. Beng.: 31 sed non Blakemore Willd.
 sp. Pl. p. 503, vel Encyclopedie (supr. p. 598) cuius caules forte
 scandent.

1000 *Bauhinia racemosa* Griseb.: Willd. p. 590 Hort. Beng.:
 0/ Willd. sp. Pl. p. 503.

*Mahola Hindice**Maholi Bengalensis*: vide A 1007*Habitat in Indias Gangaticas sylvis.*

1001 *Bauhinia leucostachys* Willd. sp. Pl. p. 503 Brem. Willd. p. 392 et Lam.
 Labiat. qd exiliis Phlebotomus synomimus Hort. Pl. **A
 B. foliis cordatis subtrotundis bliniis rotundatis Lin.
 S. Hort. 16: exiliis Phlebotomus synomimus posteriori ab
 B. foliis subtrotundis glabro floriferente Strutis, Brem.
 Griseb. Linn. 46. t. 36 exiliis synomymus ad Arborum S.
 Picardie specie libris
 Mandarin grecia species sive cantharis Hort. Linn.
 Alm. 221

***** *Bauhinia Rosea* Hort. Willd. p. 63 f. 35 cum commento non
 Nauo (sylocotis) Sampanga (somatica)

Habitat in India hortis rariis sive in aqua stagnante

1002 *Bauhinia lumbilis* Linn.
 Tachina officinarum Hindice

Habitat ad Indias Gangaticas prope sibi in aqua stagnante

1003 *Bauhinia acuminata* Willd. p. 63. Hort. 22. f. 100 p.
 392 Brem. \$ Ind. qd exiliis synomymis Bremii et Bremis
 P. Brem. / , " loc. * > / . acuminata

Monogynia *Decandria* *Leyminosae*

- 1003 *Monogynia latifolia* Linn. Schultes & Schultes ex Stevns. Syng. no. 5
Baccharis *glabra* Mongeanae non prostrata Burn. Fl. Ind. p. 15.
oelensis Stevns. et fort. oelensis. sp. non synon.
- Morinda* *tarica* Species Hook. & Arn. 250
Tobella *Glauca* Horb. Kalt. p. 68. t. 28.
- Kanekoa* *Bengalensis*
Maria *Plumosa* *Baccharis* non prostrata
- Habitat ad India pagas temple vide 1003, 1006

1004 *Brachinia* *flavescens*

Tubera *ligustrinorum* *Bengalensis*
Habitat in *Aegyptia orientale* montibus
Mexico ex a recentante dicossa?

1005 *Brachinia* *canescens*

Kanekoa *ligustrinorum* *canescens*
Habitat in *Begonia* *sylvestris*

1006 *Brachinia* *attafolia* non vis in certis sum. non ha. st. A. canidae
ex a recentante dicossa.

Habitat ad *Careya* pagas vide 8^o 1003, 1006

1007 *Brachinia* *blanca* Hook. Bengal.

In *Nicotia* *Bengalensis*, vide 8^o 1008
Habitat in *Bengala* *sylvestris*
sic a subsequentem floram color. dicossa.

1008 *Brachinia* *purpurea* M. & V. sp. H. 200. no. 1006; 290 Hook. Kew. 20. 1805
Beng. 21 Burn. C. Ind. 96.

Mandava *seconda* Stevns. tib. 1200 fl. 1000, 1000
Acetosella *hololeuca* Stevns. Hook. Kew. 20. 1805

Kanekoa *flavescens*

Habitat in India pagas
sic a recentante dicossa color. dicossa.

1009 *Brachinia* *variegata* & Hamilton Commelin ex Schult. & Schult. 1797

Succowia *folia* sp. R. & S. Hook. Kew. 20. 1805 & Invent. 1805
290 Burn. C. Ind. 96.

Mandava *prima* Stevns. Hook. Kew. 200.

Chloronna *Mandava* *prima* Hook. Kew. 20. 1805

Sal *Kanekoa* *flavescens*

Kanekoa *carpatica*

Habitat ad India temple et pagas.

1010 *Brachinia* *variegata* & Hamilton Commelin ex Schult. & Schult. 1797

Brachinia *folia* sp. H. 200 & 1000 Hook. Kew. 20. 1805 & Invent. 1805

Sal *Kanekoa* *flavescens*

Habitat ad India temple et pagas, 1000

104

Mouquinia Davallia Lemnaceae

O/

- Brachinaria* Sanders Willd. sp. Pl. 1823. col. 280. synonyma Nominata. Linn.
Linn. 1823. ex *Brachinaria* synonyma priori. var. *Brachinaria*
C. angustifolia Hook. Bong. "7
Colomia lingua. Kotsch. sub. 1821.
Naga now cult. (Soyanto) (Guate.) Arch. Natl. 1821. 18. 1821
Naga Bol (Ceratopteris pinnatifida) Montaneum. India.
Habitat in Nihala inferioris montibus.

102. *Bartsia* Dicke

Chikha Dicke

Habitat in Sanguinea et Maydica montibus

103. *Bartsia* Boott

Host montanorum. India.

Habitat in Nihala inferioris montibus.

104. *Passia* Abresc. Hort. Gen. 1823. Hort. Bong. 1823. Willd. sp. Pl. 1823. J. C. Pres.

Abresc. sp. 1823. ex aliis synonymis. Linn. & Leydig quod *Elephantopus*
Leydenensis.

Senecio quadrifolia. sitqua plana, lirata, flore roseo
sanguineo. Donon: Theb. Leydig 1823. 1827. ex aliis synonymis.
Senecio vulgaris Madagascariensis. ex Holubilla oligophylla
glabra. florum pedicelis ad foliorum rostrum rotundata.

\&, #L* jf.'r JU HpAM

icon

105. *Peltia cerasifolia*

Habitat in horto proche Fabriktum botanico,
minimis a terra Hollandia missis.

106. *Peltia bicrenularis* Hook. Bong. 1823. Hort. Gen. 1823. Willd. sp. Pl. 1823.
ex Bonplatti; 663.

Habitat in horto proche Fabriktum botanico, admodum
recensit, forte tenui & fusa.

107. *Peltia lobata* Willd. sp. Pl. 1823. Hort. Gen. 1823. Willd. sp. Pl. 1823.
Hort. Gen. 1823. Hort. Bong. 1823.

Hook. Bong. 1823. Hort. Gen. 1823.

L. pubescens Boott. 1823. n. sp.

*L. foliolis decum parium l. solatis, glandula levis
oblonga* L. 1823. Leydig 1823.

L. ciliolata Donon: 1823. Leydig 1823.

L. multifolia Hook. Arch. 1823. Leydig 1823.

L. levis Donon: Theb. Leydig 1823. 1827.

L. ciliolata Donon: 1823. Leydig 1823.

L. multifolia Hook. Arch. 1823. Leydig 1823.

L. ciliolata Donon: 1823. Leydig 1823.

L. multifolia Donon: 1823. Leydig 1823.

Muscicordia Dicapnia Semenivosa

• Ha-ye-huk Barmanorum.

Habitat ubique in India subcord.

Pet. mutton subcord. lenticularis, vel charact. stabilem,
inter tr. Kochengi species incerta non potui.

1118. *Gilia herpetica*

Calata Willd. Sp. Pl. 114, 122 Lin. Plath. 1, 605. Herb. Nov. 45 297. Herb. Bang. 21.

Corolla herb. Amb. 33, 618.

Lab. merton (Corolla rosaceo) Bengalensis.

Habitat ubique ad Indica prafas.

Character C. bracteata (Willd. Sp. Pl. 114, 125) cum nostra. planta
metens concurrit, quam character calata.

1119. *Gilia formosa*. ** > * Lin. Pl. 120 Lin. Plath. 1, 605 Willd. Sp. Pl. 114, 125

Herb. Bang. 21.

Calata fimbriata (Succowia lobata) Sindica.

Ab han. gut Barmanorum.

Habitat in regno Burmanico et in Magadha; in prairie ante indigena
in positione ob ramosse prope aquatica, et ad Europa ab aliis.

1120. *Gilia auriculata* Willd. Sp. Pl. 114, 124 Lin. Plath. 1, 609. Herb. Nov. 45 26

Globosus, foliis petiolatis parvum obtuso obtusa standardis suborbitalis
pluribus, alae pedicellis coniformibus barbatas Lin. Pl. 1, 611.
Loba foliis tridigitatis cuneis ad folium aliis foliis
et subrotundis obcordatis cuneatis Willd. Pl. 1, 61 Plath. 1, 61, f. 6.

• (Gilia) Pr. ben. + + Barmanorum.

Habitat in summis vallis arisionibus, prae-^C / A. - n. at. ba

1121. *Gilia glauca* Lin. Plath. 1, 667

ab presens. Willd. Sp. Pl. 114, 126. Herb. Bang. 21. Herb. Nov. 45 27

Willd. Vagin. Herb. Plath. 1, 614, 62

Summita formosa.

Habitat in formosa vallis.

1122. *Gilia sinuata* Herb. Bang. 21

Ha-ye-l Barmanorum.

Herb. et ali pagi. 600.

Herb. Bang. 21

Notes. 1. leprosa foliis tenuis. ~~2. tenuis~~ #. - > / - . day

1123. *Gilia pumila* Willd. Plath. 1, 666

• herbaria. Herb. Bang. 21

Minima haec. Calyx rotundus, paucilobatus, aliis foliis

iglobis * * , + * — aliis foliis oblongis aliis foliis tenuis 21. Plath. 1, 61, f. 6.

Habitat in Magadha non raro.

1125. *Gilia angustifolia* Willd. Plath. 1, 667. u. subcordata synony.

Aliis * * foliis oblongis aliis foliis

MonogyniaDicotomiaSagittariae1036 *Caffia Americana*

Acacia inesta Hart. Bot. of 1866-71 Imperforata foliacea.
angustiora planata. Americana conjugata, rufus figura in blatt.
Hight & 1873 p. 2 discolorima
Habitat in Campeche collibus glaciatis et Banga rives annis
Bresie cum in subsequente ante distincta.

1037 *Caffia sensitiva*, Hook. Beng. 32

Habitat in Mallotus sylvis
Contra cum precedente.

1038 *Princiania pulcherrima*, Hook. Fl. 1824 Nootkang. 22. Malabar 227.
Burm. Pl. 149.

Casuarina pulcherrima Willd. sp. Pl. 149 531.
Cresta paronis flore elegantissima variegata Monnier Rayh. 179
fascia paronis Hook. Camb. 1831: 20, Imperforata Burmann. 227
Liquor rotula, et inde forte a Villanova et in Eupithecia varia
Acacia orientalis glaciata, glauca foliis, rufis annis ad genito
Abundans spinis genitiliis cunctis plust. Plust. Ann. 5. adum. officinum
debetur diversa.

Acacia gloriae spinis carnis. Ann. 226.

Liquor. Monnier Hook. Mal. 227. 226.

Habitat in Indica sepiibus et Lohis frequentes, ad cunctam.

1039 *Casuarina oleophorina*, Hook. Beng. 32.

Kakawathra Trop. H. Royal 4957

Acacia zygomatica minus bristola, florente latice exornata
adspicit, oblonga acuminata, antroscopic, nigra, florente globosa
longipinnis Burm. Pl. 149. Rayh. 47.

Kuchayi, Amal Kuchayi seu Jan Kuchayi, Bengalensis
Lacca adha Harwansorum

Habitat abique in Indica dimidicacione solo, sed in Indi
curida, Katsia, Atiga, Magatha.

1040 *Casuarina parvifolia*

Amal Kuchayi Bengalensis

Habitat in Campeche sylvis

1041 *Casuarina sepiaria*, Hook. Beng. 32

Catena Buchananii Myrs. 1. 2.

Acacia gloriae f. thonae, minus ciboriibus luteo-argenteis
Imbroy trifoli minoribus Plust. Ann. 81

Habitat in formata sepiibus.

1042 *Casuarina microphylla*

Habitat in Campeche sylvis.

1043 *Casuarina pubescens*

fa oceanica

¹⁰⁷
^ ~f-*-&f'. fes*7, f&f*i.*

Leguminosae

Taiji changia, vel chinensis Lindley

Habitat in Malabar, Bengal, Ceylon &c locis.

1036 Cassia

Moll. 242. Nott Aug 30

Kort kew. sp. C. Bonn. 22. Ind. 99

C. acutifolia Roxburgh, foliolis marginat^{p* Ji}, filamentis l... *t v in H
Loyl. 158. cyclatica synonymis Dalai, C. bent. Rajast. phasianum
Leguminosae saffronum Hort. Burm. 1820

Acacia major Linnaeus Zeylanica Pausanias dicta Acacia Thas. Loyl. 2.

A. gloriosa Zeylanica Linnaeus. Imperialis, sive gl... ^-<<-<r-/. *ftu-j

Zeylanica s. Togianica Kort. Moll. 242

Ba kuei Bonjolensis

Habitat in India sepiibus,

1035 Casuarina monophylla

Guildardina hirsutula Willd. sp. Pl. 1836. Sunt Moll. 242. Ind.

acuta var. hirsuta Moll. Nott. Mal. 242. Ind.

Hagmanthus (Tigridia angustis) Aitken

Habitat in Malabar Ceylon

1036 Casuarina Nuga Nott. Kew 242. Ind.

Guildardina Nuga Willd. sp. Pl. 1836. Sunt Moll. 242. Ind. Kew 99

Varicellaria Lindl. 1837. Apud abid notam in Nott. Mal. 242.

Acacia ^A gloriosa - A. nitosa foliis, filamentis, rachis & axis laniugineis,
quando internodia strobilo curlo distichalis decurrens inflorescens
Burman Thas. Zeyl. Philib. Alm. 18. Mant. 1. plante penultima
- fct*- + ty

nam, strob. 40-60 dm. 94 et 158.

com. hirsuta, hirsuta Willd., vel hirsuta Moll. Nott. Mal. 242. Ind.

Ba kuei una Borneanorum

Habitat in rives Indus Maritima canescit

1037 Guildardina bonducilla Willd. sp. Pl. 1836. Sunt Moll. 242. Ind.

Moll. 242. solanis forte Nam. Olearia et Bonducum synonymus

Zeylanica Bonducilla Nott. Kew. JJ

justini, - multibranchede ab 1000. Loyl. 158. Inde

forte Nam. synonymus

Inde mai - sublindneri 649 et 158

aculei 400 tuberculata

Nala Nangal

Nat. Kedija Ceylon

Ba kuei Borneanum

Nat. Inde in Indus decurrit.

Rutacea

1038 Rutaceae

Zeylanica Morionya Nott. Kew 152.

MonecyniaDecandriaRutaceae

108

- Apirantia Moringa* Nork. Beng. 32
Moringa Mac Kerst. 184. 1872
Nittha (dulcis) Sojana Binnels.
 Dan. in loc. Burmanorum
Peltos abique (in India pagas)

1039 *Moringa sylvestris*

- Katu (sylvestris) Moringa* (synonymum Dan. in loc. 184)
Katu (conica) Sojana Binnels.
 Habitat in *Magnolia sylvis*, artus in *Zophia multistriata*.

1040 *Ruta Chalapensis* Willd. Sp. Pl. 9. 542. Encr. Neth. 225. Nork. Beng. 32. 33.

- Peltos in *Magnolia hortis*.

1041 *Stribulus lanuginosus* Nork. Beng. 32. Miller. 184. 188. Linnaeus C. 184. 188
S. foliolos pinguis perim Linn. R. Teng. 188
S. terrestris zeylanicus, canticus villosus, fructu acuminate Binnels
 Nork. Teng. 226. 227. f. villosus Thunb. by synonyms.
S. terrestris India orientalis, foliis vicis subtus villoso villosus
 Nork. Amalthe. 232.
 Habitat ad India pagas solo articulo
Malpighiaceae1042 *Garcinia racemosa* Muell. Sp. Pl. 9. 150. Nork. Beng. 32. Nork. Beng. 32.

- Lima* Neth. Suppl. 4. 187.
Molina racemosa Linn. Neth. 16. 227.
Banisteria uncinaria Nork. Neth. 1. 187.
Urticea Madabala Gartner. de son. 189. 1811 p. 4
Banisteria longilobis Binnels. Neth. 1810. *cyathia* by synonyms,
Platynotus, in *Platynotus tabulae* 33, *giganteum* numerous
 non rotundata, quid engoditi solit. *Platynotus*, per Neth. 1822 p. 182
Acet longolobis, *hauvines folia* fructu *tergoides* Binnels
 membranoso extantibus alato Neth. 1810. Neth. 1822 p. 182
Lida-pom Nork. Neth. 1822 p. 182.

- Madabala* *Lata* *Bengalensis*
 Habitat in India sylvis

1043 *Garcinia oblongifolia* Nork. Beng. 32

- Peltos in loco prope plantam botanico e China

Sapindaceae1044 *Harwickia binata* Nork. Beng. 32

- Carachia* (arkata et) *Tammarum* Buchanan. Myrs. 2. 222.
Nira-*Hya* *Silingatum* L. Id. 2. 22

- Habitat in *Abies articaria* montibus viti in *Cornuta* et *caerulea*.

1045 *Hippocratea Thunbergia* Nork. Beng. 32

HemogyneDicandiceTribanthaceae

Silanus Sherifera (Benth.) Hort.: *Geographical Catalogue* p.
Dipoda Narra (*Therifera nobis*) Casuarina.

Chalake Samolosum.

Habitat in montibus Indie asperioribus.

Hoc ecale non fortibus, qui nos adorabant genii et
 Romani antiqui. De hodiernis haec adhuc dubi-
 tudinem, et id ecale astundit, quod dicitur Phoenicius
 "nunc compertum habeo non unam esse Theriformem arti-
 calem, immo rursus esse hanc Lachrymanam, ut de Sylpharum"
 dicunt, unius specie propria, sed communemque
 plurimis articulis." Mant. 177

1046 *Garrya punctata* Hort.: *Beng.*: 35

Sorbus spinosa Malabarica Caledonica dicta Rigi Park: *Alm.*: 355
Cela Caledonum vel Koton Sabina Hort.: *Mal.*: 10, 69, t. 33

Man Concordia

Habitat ubique in Indie montibus.

1047 *Garrya*? *Pharhad* Hindice.

Habitat in Cicala syph.

Fructificationem non vide. Habitat praecedente.

1048 *Garrya* *Kengkia* Hindice

Habitat in Cicala syph.

Fructificationem non vide.

1049 *Garrya*? *Xhamas* Hindice

Habitat in Cicala syph.

Nominis qualiter praecedentes saltem distincti; quod
 ad genus Schima provinciae confitum Schima Sabina.

Muranica et Melia

1050 *Aetoxys indica* Hort.: *Beng.*: 35.

Habitat in Carnata.

1051 *Bergenia* *Integerrima* Hort.: *Beng.*: 35.

Ban *Kensha* in *Dipuna*

Ban ** - ~ * ~* / & *lai* } *Bengalensis*

Khukhi in *Cannapa*

Habitat in Indie sanguinea humidiori et Nopale domini
 Ad idem forte cum praecedente genere forte pertinet. *Boylea*
Koenigii non nihil diversum.

1052 *Cookia punctata* Hort.: *Beng.*: 35. *Willd.*: sp. *St.*: 35. *Lin.*: *Math.*
 n. 327. *All.*: gen. t. 364. Hort.: *Beng.*: 35.

Cochlearia in *becte* *prope* *Calcuttam* *botanic* e. *China*

- Monocynia* *Ducardia* *Aurantia et Melia*
- 1055 *Cannumium japonicum* Hort. Arb. v. 90. t. 17, f. 2 bona
4, < v my* cyatica* 9-* : * / Etfi ** *, Jfe, •• & • for: 1: 352, N2
 Willd: sp. Pl. v. 5, t. 1 cyclodes synonymus Linnae et Hor-
 manni Hort. Kew. v. 36.
 Clem. Bahas Hindice, nonne ex Angliae coruscans
 (China Rose) corrupcione.
 Cultus in Nagadha hortis, nullibi in India spontanea
 Rosa a Goettgea descripta (detinens v. 76) tam perfecta.
- 1056 *Cannumium javanicum* Hort. Arb. v. 27. t. 17.
Murraya cyatica Hort. Blay. 32
Chalcas paniculata Desv. Holl. v. 689 perferam a
 Willdenowia ad Murrayam cyaticam suam rotata.
Chalcas Cannumium Brown. H. Ind. 1014.
 Habitat in India cyatis spontanea, in locis
 edulis rufonis satis frequentis.
- 1056 *Limonia pinta phylla* Willd: sp. Pl. v. 572. Hort. Kew.
 v. 43. Hort. Berg. 32. Desv. Holl. 147, 1640.
 Habitat in domis in India umbellif. vulgaris
 Vix ejusdem cum subsequenti generis, qua primaria
 est Limonia *tj/ie eae.
- 1056 *Limonia acidissima* Willd: sp. Pl. v. 572: et Desv. v. 11.
 v. 577. et Brown. H. Ind. 100 cyclades Brownii
 et Rumphii synonymi quorum posteriorum a
 Linnaeo in flora Zeylanica non citatur.
Limonia crassula Hort. Kew. v. 43 Hort. Berg. 32. Desv. Holl.
 147, 1640. amicifolia Rumphii perferam pro L and prima habitat
 tenuis foliis pinnatis, rachis membranosa interlata, pinnis
 sessilibus solitariis Linnae H. Ind. 172 cyclades synonymous Nam
 cum illa Browniana.
- Limonia* * * * Malac., tyloctes, Zeylanica fructu paucitate Brownii
 Theb. Zeyl. 112. cyclades synonymous. Mus. Zeyl. p. 63. Rumphii,
 Browni, et allionum forte nonnullorum.
- Malesia *Limonia sancti* foliis Zeylanica, fructu minima,
 concreta magnitudine amicto Hort. Blan. 239. Blant. 123
 Tropico Batou. Narzana Hort. Malaia 21. t. 16
 In nat. thal. Borneanorum
- Habitat in India aridioris subtropicali et mala granger.
- 1057 *Veronia elephantina* Hort. Blay. 33
Acisiphium Hort. Bl. v. 33. 11. perferam a bottimeri cassi
 cum praecente conformatum.
 Cal. Ind. Hindice et Bengalidium
 Habitat ubique in India sepius

- 11
- | <u>Messerschmidia</u> | <u>Dovandra</u> | <u>Aurantia et Melia</u> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------|
| 1158 <i>Sorstenia glabrifruga</i> - Nort. Bang. Willd. sp. Pl. 2, 157. Bonn. Bot. Disp. 12, 572. | | |
| Rohm. Kinde. | | |
| Habitat in Sikkim Montibus asperioribus. | | |
| 1159 <i>Sorstenia? setophylla</i> | | |
| <i>Photaphilus montanorum</i> Blomius. | | |
| Habitat in Kepala inferioris Montibus. | | |
| 1160 <i>Melia? integrifolia</i> | | |
| Habitat in foliis Kepala inferioris et Garakta hemicaudata. | | |
| 1161 <i>Melia Agardachha</i> Nort. Bang. Willd. sp. Pl. 2, 159. Bonn. Bot. Disp. 12, 573. Nort. Kew. 45, 32. | | |
| <i>Melia folia pinnata</i> Lin. Pl. Leyd. 162. | | |
| Agardachha folia glandato - 4» WP^> ff**. tm X^4M6/F, | | |
| Mia. Malabarica folia e. Malabarapatan. Nut. Mus. 229. Myrt. 231. | | |
| Aralia Japan. Hort. Malabar. 17, pl. 52. | | |
| Habitat ubique ad India pagos. | | |
| 1162 <i>Melia Agardachha</i> Willd. sp. Pl. 2, 158. Bonn. Bot. Disp. 12, 572. | | |
| M. Agardachha Willd. sp. Pl. 2, 158. Nort. Kew. 45, 32. Nort. Bang. 22. | | |
| M. folia duplex pinnata Lin. Pl. Leyd. 162. | | |
| Agardachha (Ag. - obo) Bonn. Pl. Leyd. 162. | | |
| foliis ad India arbor rariis, habitat in Kepala. | | |
| 1163 <i>Melia Agardachha</i> Bonn. Willd. sp. Pl. 2, 159. Bonn. Bot. Disp. 12, 573. | | |
| M. impennivora Willd. sp. Pl. 2, 159. | | |
| In foliis duplex pinnatis ex lino. Pl. Leyd. 162. incl. ss. synonyme Raji. | | |
| Agardachha fructu polyturne Bonn. Pl. Leyd. 162. incl. synonyme | | |
| Kukandia et c. forte Raji. ad Agardachham pertinere libet. | | |
| Habitat ad India pagos. | | |
| 1164 <i>Melia sapota</i> Nort. Bang. 22. | | |
| Melia composita Willd. sp. Pl. 2, 159. | | |
| Habitat in formata occidentale. | | |
| 1165 <i>Lundorum subtemum</i> Willd. sp. Pl. 2, 156. Bonn. Bot. Disp. 12, 572. Nort. Bang. 22. | | |
| L. domesticum Nort. Bang. 22. Kort. Bang. 22. | | |
| Folios in horto fratre talentum botanico. Salicaceae. | | |
| <u>Melastoma</u> | | |
| 1166 <i>Melastoma</i> < * # * - W * | | |
| Habitat in formata orientalis ex lino. | | |
| 1167 <i>Melastoma Malabarica</i> Willd. sp. Pl. 2, 152. Bonn. Willd. 2, 152. Nort. Bang. 22. Kort. Bang. 22. Bonn. Bot. Disp. 12, 573. Kort. Bang. 22. Kort. Bang. 22. Kort. Bang. 22. | | |
| Rumph. syn. synonim. | | |
| M. folia lancea *£4y* 1 m. subsp. grac. *pm***~i> | | |
| ex lino synonim. Kort. Bang. 22. | | |

MonogyniaDicandiaMelastomaceae

Melastoma quinque-nervia, Linn. major culmis ciliatis villosa,
Burm. Thes. Leyt. 1805, 73 exsiccatae Schmid et Moens synonyms
Cistus Cham. Schlechteneras ex. album orientale pentamerous foliis
trinervibus ferruginea et petioli laminae villosa Lat. 18. Fl. Ind. 18. 63.
Glossy Kewale Cor. 18. Bl. 18. 9. 63.

Kuntze et Thunberg Bengalensis.

^ 26 Jan / 4** manum.

Habitat ubique in locis Indiae siccioribus.

Margell

1168

Jussiaea sphacelata Willd. 1805 Nov. Bot. 177.

Jussiaea sphacelata Willd. 1805 Nov. Bot. 177.

* *Jussiaea sphaceloides* sponte heterotrichia lementis folio longioribus
Linn. Fl. Ind. 18. 9.

Kirkinda Neom. Leyt. 177.

Nicotianalis (Corambe) Kotsch. Bl. 18. 9. tuberosa foliis angustioribus
Raja et Gymnadenia ad Lychnocodia Sennar pinnatis exsertis
nam a Neumann (Ker. Leyt. 18. 9.) relate.

Habitat ubique in India stagnis.

1169

Jussiaea angustifolia Willd. 1805 Nov. Bot.

Habitat in Campestris orientale sphaer.

herba ex a subsequenti circosa.

1070

Jussiaea villosa

Jussiaea suffruticosa Gartner de Simon 18. 9.

Acetosella villosa Linn. 18. 9. 1824 ex. peregrina a
Neumann (Fl. Ind. 18. 9.) ad *Jussiaea stricta* relate.

Habitat in Campestris et Margathae.

Pinguicula affines

1071

Agallochium officinale Linn. 18. 9. villosa synonyms Ampullaria Kotsch.

Ambig. 18. 9. Malabarica (Aquilariaria malabarica Willd. 18. 9.
Fl. 18. 9.) shortante.

Aquilaria Agallochium pinanense Primarium et amboinum
Kotsch. Amb. 18. 9. et 19.

Sinkor et Kipina Comp. Gen. last. ^

Agar et Agal 18. 9.

Habitat in C. .

1072

Trapa

Raja 18. 9. trapa

Habitat fir aff. rufa 18. 9. monstrosa

notes 1873 Riffort marinae & prosta 1874, 1875

1073

de

Marinae marina Linn. 18. 9.

Mesoxyclea Davuradice Hypolepis affinis

Cocconia rotunda Willd. Sp. Pl. 3: 629.
Anisinda Hort. Malabar. 182. t. 49. Hort. Flora 39.
Kanjil Bengalensis
 Habitat in Indra Gangala Sylva.

1774 Tomyda pinnata

Cocconia elliptica Willd. Sp. Pl. 3: 628.
Anisinda lanceolata Sw. Hort. f. 102.
Koniyal Hindiae
 Habitat in Mayadeva et Muthala sylva.

1775 Tomyda glabra

Lohajun Hindiae
 Habitat in Mayadeva Montes.

Elagonia

1776 Elagonia rotundata Hort. Beng. 33.

Habitat in Anga et Mayadeva montibus

1777 Conocarpus longifolia

Habitat in Cestia montibus, et in Jomanis slovatis.

1778 Conocarpus acuminata Hort. Beng. 34.

Pha XB

? Habitat in Mayadeva montibus

1779 Conocarpus torta

Pha Hindiae

Habitat in Anga et Mayadeva Montes et in Jomanis rupiis.

1780 Conocarpus latifolia Hort. Beng. 35.

Pha Hindiae

Habitat in Mayadeva Montibus.

Sophora

1781 Cysta agrestis Sw. Hort. 4: 506.

Spiraea decumbens Hort. Beng. 33.

Habitat in Conocarpus montosis.

Rhododendron

1782 Rhododendron paniculatum Hort. Beng. 33.

Patas

Grewia (Bengalica cum Rosaceae Hort. Beng.) } Rhododendron in Asteraceae

Baccharis typographica A. Nels.

Habitat in Cestia pege inferioribus.

1783 Rhododendron laevigatum

Sorbus montanorum Hindiae Hamilton Agar 97.

Dicroidiaceae - Rhodostrephaceae

Habitat in jungis Punicae superioreibus, siccis siccis perennans
Cypri. & Cynophyllum Linn. Neth. 587 et R. ferrugineum Linn. Neth. 1532

- 1084 *Photolobium Benthopatium*

Silvagro-pati montanorum Sindie. Hamilton. Neth. 587
Habitat cum praebonite

DioscoreaceaePotulaceae

- 1085 *Trientalis? Govinda*

Govinda officinariae Sindie.

Habitat in Magadha arvis et villa siccis.

- 1086 *Trientalis obcordata subsp. Hort. Beng. 32*

Lahgatha-puma officinariae Sindie.

Habitat in arvis Magadha elevatis

- 1087 *Trientalis? obcordata alle Hort. Beng. 32*

Lahgatha-puma officinariae Sindie.

Habitat in villa Magadha hortis spontaneis.

Vicissitud. Genit. cum praebonite.

Caryophyllaceae

- 1088 *Saponaria perforata Linn. Neth. 587 Hort. Beng. 32*

Kanya - Khungali Sindie.

Habitat inter Indus Gangotica Trilemma

Var. sunt variolata 1, 2, 3 magnitudine praeponit distinctor.

- 1089 *Dianthus glaucus Brem. Neth. 587*

Saparam off. ^{i***%cmfl}um Sindie.

folius in hortis Magadha

- 1090 *Dianthus kleinianus Willd. sp. Pl. 67* Sankt Peterburg 1816

88 Hort. Beng. 32. Durm. Pl. Ind. 105

folius in India Gangotica hortis vulgaris.

Cistaceae

- 1091 *Hydrangea Elagulia*

Plagula Novarensis

Habitat in Nipala media

PolyscopiaeMalpighiae

- 1092 *Cytisus elatior monogynum Hort. Beng. 63 Linn. Neth. 587*

Eudicotomyl. Biles Enc. Hoff. 4893?

plantulum nigrum Dicocca Malabaricum Nuttall. 187

Anthonoth. 187 sed minus t. 682 f. 1. et 2. quare prior habet

calyxem superum, posterior corollam, in qua calyx.

Nobis nubes pruni cyathis folia (conimariis punctis levigata,

Polygynia Decandra Malpighia

ap. lignum latitud. apud St. Paul's Island, Malabar, in altitudine 6000 ft.

Dioscorea (Cannabaceae)

Habitat in India, anatolico-syriac

Succulent green Malpighia affinis; in foliis raro Polythysallis grisea?

1093 *Cyathoxylon*; *Alefeldia*

Habitat in *Cannabia orientalis* Sylva

Tiliaceae

1094 *Coccoloba scandens*

Habitat in *Cannabia orientalis* Sylva

foliis foliolatis monandrophyllo Herb. Bang. 26. with stamina distincta.

1095 *Acarhae parvula* Willd. sp. H. 3.75. In altitudine 620. Ill. Gen. 133.
Koch. Flora 185. Herb. Bang. 36. Brown. H. 2. No.

Acarhae folissimum agillis fructuans libet formis oblongis, acute angustatis lvs. H. 3. L. 1.75.

Punica *Mellatum* angustifolium Herb. Ind. 105. L. 1.80.

Malus *Indica*, foliis tenua vittatis, fructu acete, flavo, pentagonio,
silicato, floribus rubris summi. H. 2.5. L. 1.85.

Malus *indica* portis angustis caruncula dicta Koch. Ind. 205.

Crambula *Malabarorum* *Tomaratonga* Blatt. 4. Flora 136.

Tomaratonga Koch. Mal. 14.

Hamatringa *Indorum* ubique

Habitat ad *Indica* pagos.

1096 *Spondias* *Amara* Sm. Ind. 26.

Spondias *langifera* Willd. sp. H. 3.75. certius luna. X, r^, ;,

lombalam Koch. Ind. 3.9. l. 1.80 peripham a Pahawalay. (Hank. 106)

cum planta *longissima* confuncta, et a *Rungia* cum (intendit
suo) Koch. Ind. 3.102.) ante subsequentem botanicorum monographiam
Amra Bengalensis.

Habitat ad India pagos.

1097 *Buchanania* *tomentosa*

B. latifolia Herb. Bang. 38.

Nom. & *** <+> */<> *Cannabis*.

Habitat in *Cannabis* et *Cesala* Sylva

1098 *Buchanania* *angustifolia* /**-/-/* /j+* 3.22

Linn. Nam *Burmamonum*

(paropus vel *ghinda* = *Burmanum* *Cannabis*)

r- habitat in India Sylva.

Tempervidae

1099 *Colydon* *shingyella* Herb. Bang. 26.

116

Polygonaceae Dicordia Sempervivaceae

III. Motchur Sindicae

Coldies in Mithila hortis.

- 1108 *Cotyledon laciniata* Willd. Sp. Pl. 1770, 401. Bong. 116.
Ind: 116, exilis Flukaneta synonym. Hort. Gron. 28, Not. Bot. 116.
Planta annua, hortorum 175. 197.
Habitat in somatis India aridioribus.

Caryophyllaceae

- 1101 *Bergia articulata* Willd. Sp. Pl. 1770, 401. Bong. 116

Bergia capensis Linn. Meth. 244

Sorophularia affinis, sideritis folia Malabarica canto foliis
striatis, floribus parvis, plurimis ad nodos rami aculeo adhuc longi
ibus Fluct. Amalthea 190.

Habitat in Bengala aquosis.

- 1102 *Spergularia trivalvis*

Habitat in Magadha

- 1103 *Stellaria Muurmuri*

Murmuriya Sindica

Habitat in Campepx et Mithila non

semillimas, si salto disseca, Aliae media.

- 1104 *Arenaria coraria*

Kakya Bengalensis

Habitat in Matisia pagi

Ha a frumento nisl petalis integris distinguenda.

Peranice

- 1105 *Oxalis pusilla* Solmsley ad. loc. Sin. Lond. 4. 203. 6. 122. p. 6

Oxalis connivula Dcun. 18. Ind: 107, exilis synonym
Amur, Royenii, Chusii, et Morrisonii, Hort. Bong. 38

Oxys flore luteo, vulgaris, minor, Zeylanica Burm. Hort. Zeyl. 179 exilis Flukaneta synonyma

Oxys lutea indiana Herb. Amb. 2. 277

Kian-kia-han (petromum aiba plant) Barmanum
Habitat in India minor et rufina

- 1106 *Oxalis sensitiva* Willd. Sp. Pl. 1770, Burm. 17. Ind: 107, Bong. 31, Linn.
Meth. 245.

Oxalis pedunculata multifloris foliis immunita. H. Zeyl. 152

Oxypodium, Camarinki foliis, floribus luteis Burm. Hort. Zeyl. 178
Arka Suton Herb. Amb. 2. 200. p. 2

Memora humili India orientalis, amplioris paniculata Camarinki
foliis, floribus coronariis flaves lutes rufi eleganter striatis
Picta Amb. 252. Mant. 13

Tibet Halli Hort. Malabar. 22. 6. 119

Habitat in Indie syloid.

- Monocotyledonae Dodecandrae Apotheceae
- 117 Catellaria
- Oralis pectinoides* multijugis, fls. pinnatis, sp. L. & Leyl 180^o
Habitat in India s. K. T. I. Sylhet.
- Dodecandrae
Monocotyledonae
Sukholtia
- 118 *Peltia latifolia* Willd. sp. Pl. 182. Ind. Noot. Beng. 180^o
Arbor Indica ex gr. foliis sunt lauri siccatae, apicibus rotundis
cavithes rotundis ab angio venosa, fructu amygdalae ex rizomatis
alium ex primis ad varios usus plumbatis. t. 202
Habitat in India sylvis
- Cyperifoliae
- 119 *Rhizophora mangle* Noot. Beng. 36
Gorak. Bengalensis.
Habitat in astuciorum Gangeticorum ripis.
- 120 *Rhizophora mangle* Willd. sp. Pl. 182. Ind. Noot. Beng. 180^o. Brown. M. 182.
Sipore Kandul Noot. Kal. vi 62 t. 35
Pain leit tan Parmanorum.
Habitat in rupis Indice inundatis.
- 121 *Bruguiera gymnorhiza* Lour. K. L. 182. C. 182. Rumphii synonymis
duobus ultimis.
- Rhizophora gymnorhiza* Willd. sp. Pl. 182. Noot. Beng. 36. Brown. M. 182.
122. Gontor de sonis, 2/3 seculis variabilibus, et sp.
Mangium column. Noot. Beng. 182. t. 68
Kandul ad Kandul Noot. K. L. 182. t. 35 et 36. Nam, proponam Plakans
cum planta Americana quae radiculis conjugabatur, unde varii
fakra Bengalensis.
- Habitat in Indice rupis mare inundatis.
- Capparidaceae
- 122 Crotona Nivida.
- Crotona Nivida* Burm. Robt. 182. cestans. Pseudonette Compositae et
Burm. synonymo
- Crotona incisa* Lour. L. Leyl 182. Malvaceae. Blagavii, Ramei,
Rame et Raji synonymo.
- Nivida Bur. Malvaceae 182. proponam Annas, et conjugata
cum planta Americana cui siccata est a Willdenovis
(sp. Pl. 182) cum *Crotona religiosa* Forst. cui bracte glabra.
Annas Nividae.
- Habitat in rupi floriorum Indicorum depressis
subsequent semillima. Planta fructu hirsuta diversa a planta
Canariensis foliis minus elongatis staminibus paucioribus.

Mnogynnus

Dodecandra

Cappuccino

210

- 1113 *Cratova unicocularis*
Burm. Bengalensis.
Habitat in *Grewia* ad pagae.

1114 *Cratova adora*.
Cupparis trifoliata Hook. Burm. Shubh. Nirvala Hook. Malabar.
Ternura Minima
ka-shak. Narmanorum.
(X) hilt y. India montanae
Parum a subsequenti diversa.

1115 *Cratova religiosa* Willd. Sp. Pl. 1825 et loca illa ^vu ++ ~**.
ame. *r. ^*! *! 3 r. f. bona.
Habitat in locis *Grewia* elevatis.
Aurantia

1116 *Aegle Marmelos* Hook. Burm. Shubh. Methi Synt. 102.
Cratova Marmelos Willd. Sp. Pl. 1825 et loca illa ova. Name
III Ind 109.
Caffinga wt. - X^, X 23.
Cydonia ovalis que Marmelos nob. Burm. Hook. Zeyl. 1825
Bilacca Tilloe Hook. Ant. & 197 t. 8.
Oenocarpus trifolia, *fraxinifolia*, *fructuosa*, *multiflora*
Cydonia amara Hook. Alm. 123. Phyt. & 90 f. 5
Coralium Hook. Mal. 195 t. 2.
Varietas flore quadrifida
Habitat in *Silia* *Gangatica* pagae.

Fistulaceae.

1117 *Tulipa Conica*
Kunth Champa Bengalensis in *Grewia* vidi 1205, 1263.
Sita-ghas Bengalensis in *Tripura* australis.
Kai Dupa (*Styrax* Thun) Tulava
Habitat ad Tulava vici, et in Bengal orientalis sylois.

1118 *Oxyporus indicus* Burm. Methi Synt. 14257
garcinia fructuosa Hook. Burm. exanthemata *Litsea* vidi
Arbo. Munto dika Hook. Ant. 125.
Arbo. indica *gummifera* *fistulosa* *fructuosa* *bulbosa*, rotunda, *cordata*, *magnifica*,
- *oblonga*, *parviflora* *lanceolata* Burm. Hook. 2 *rapax* cum
Careapunti *Asclepias* vidi. Hook. Mal. 42 et Hook. Ant. 1263 *tomentosa*
corolla *cum* *arborescens* *combustus* *reducens*.
fistula confunditur?
Gutturosa? *spurgo* *Calostoma* *monocellaria*.
Synony. "MWNI" X' *lora* a *linnea* ad *Garcinia* *rotundifolia* *relata*,
hanc.

1119 *Oxyporus pingue* ^faa
Oxyporus celestica Guillaum. Synt. 1557

119

Monogynia Dodecandra Guttifera

Muricostoma celebicum Hort. Bot. 134. t. 40?

Habitat in Nagodha Syria

1120 *Oxyacanthus leptocephala*

Leptocephala Bengalensis

Habitat in Corrypa orientalis Syria

Pass non videt.

1121 *Giacinia* Cava Hort. Bengal. 42.

Cava *Bengalensis*

Kewa *Myrsinaceae*

Habitat at Trissura et Cameraria pagas.

Nunc non nihil affine *Syzygium cornuum*. Hort. Bot. 134. t. 30.

1122 *Panicaria paniculata* Hort. Bengal. 42.

Colitur in horto prope Calcuttam botanicae usque raro.

1123 *Panicaria pedunculata* Hort. Bengal. 42.

Thaikol *Bengalensis*

Colitur in horto familiari car. $\frac{1}{2}$ m. alt. ... f x * ^ ^ ,

1124 *Xanthochlamys ovalifolia* Hort. Bengal. 42.

Colitur in horto prope Calcuttam botanicae Ceylon.

Tiliaceæ

1125 *Triumfetta pentandra*

Habitat inter Nagodha Ziam.

1126 *Triumfetta indica* Guer. Neth. 423. 425.

Triumfetta annua Willd. Sp. Pl. 6. 805. Hort. Bengal. 422. Hort. Bengal. 42.

San Rabai *Bengalensis*

Habitat in Bengal orientale

rescisus an salita subspicante distincta.

1127 *Triumfetta angulata* Guer. Neth. 426. 42

Triumfetta Bertramia Hort. Bengal. 36. et Hort. Kew. 134. colvis

Parikhia synonyms ad nosnam pertinentes et Willd. Sp. Pl. 6. 805

colvis *frquinii*, *Peltacanthi*, *Burmanni*, et *Triumfetta synonyms*

Bertramia <, „, 38 Leyb. 174 *exclusis synonymis* *Burmanni* et

Plakmeli ex *Amalthea*.

Lophola *brevi* W *mis* *tetraspermos* *Ribesii* *foliis* *lineis* *orbis*

SSJ *bus* *ab* *foliorum* *sorte* *luridis* *et* *simil* *sofutibus*

Plakmeli 386. Phyt. 6. 41. f. 5 *ad* *foli* *petiolatum* *sorte* *numis* *cuneata*

Habitat in India Gangotica

1128 *Triumfetta trilocularis* Hort. Bengal. 35.

Habitat prope Calcuttam

1129 *Triumfetta rotundifolia* Guer. Neth. 423. 425.

Triumfetta orbiculata Hort. Bengal. 36.

Habitat in Ceyl.

L

Monocotyled.Dicotyled.Portulacaceae

- 1130 *Portulaca lavis* Habitat in India aridioris cōfīca:
Habitat in India aridioris campis, viti infante & Nagasha.
//<*
Portulaca cristata

- Portulaca pilosa* Kort. Bengal
Habitat in Nagasha montosis.
1131 *Portulaca merrikiana* Willd. sp! H. 55 cm. Ind. Nellore 1500, North Kaveri,
42. Koraput 35

Ningaloka Linn. H. Leyl 6187 sicc. (gemmae) Deccan 182
Portulaca minima Rigoles, Nagashita dicta Deccan H. Leyl
147 excludit synonymi?

Portulaca foetida India montata Nagashita, flava flava tetrapoda
Port. 185

Nala Nagashita Nobillaria 61. 1. 14 pergamum in Encyclopediam ad
Edinburgian repertoriū, etea Willdenowia ad Ch. depropan
Habitat in India ad nata

Salicaria

- /ffl *Salicaria longiligula* Beng. 38 Nellore H. 1825 Deccan 182
Salicaria glutinosa Deccan H. 1825

Dhavi Hindiae

† <w ** > * < ' < 1 ^ ^ - nubivibus

Trigynum 4e.

- //M *Croton oblonga* fruita monstrosa
Götter in y Nagasha hortia
Euphorbia

- 1135 *Euphorbia fusiformis*
Pal. (fusiforme Euphorbia) strobilus non re ginea
radix truncum subterraneum representat.

Habitat in Cossala et Nagashita cyathia

- /m *Euphorbia gracilata* Willd. sp. 51 6189 Deccan H. 1825
Habitat in Ningashita ruboris

- 1137 *Euphorbia graminifolia*
Dhavi officinarum Hindiae
Habitat in Nagasha ruboris

- 1138 *Euphorbia rocca* Willd. H. 51 6189 Deccan H. 1825
Lato luteo officinarum Hindiae
Habitat in Nagasha ruboris

- O/ *Euphorbia oleata*

- //U *Euphorbia* v6* AUU** invenit *»#4U

Trigynia

Pf

DodecanoriaEuphorbia

Syphoboea hymenophylloides Burm. f. sub 112 nomen synonymum H. Leyd.
Hort. Kew. 162

Thysanocarpus sinensis var. *sinensis* subsp. *flaviflora* alba umbellata annua et
subtuberosa Blatt. Alm. 372. Thyl. t. 113, f. 2 sinensis non nihil a planta
Burmanni (Herr. Leyd. 638 t. 62 cum qua a Willdenowis conjugatur, et
<t*** est prototypus *Syphoboea hymenophylloides* R. Leyd. 198.)

Habitat in India russica.

1161 *Euphorbia indica* B.

E. parviflora Buer. Mitt. tf*U?

Habitat in India Gangetica dumetariae caule scandente

Kasic simillimum *Tithymalus erectus* floribus carioribus, foliis elongatis,
glabris integris, Burm. Hort. Leyd. 224 t. 187, f. 2 at flores in plantae
Burmanni in corymbis paniculatis, foliis integriformis.

1162 & *4 *Euphorbia indica* B.

E. chamaesyce Hort. Beng. 35?

Chota Kher (Khamman) (Chota Khurree) Hindice.

Habitat in Magadha russica

Rescis in rase in haec et praevalens annua!

1163 *Euphorbia capitata* Burm. Hort. 162

L. %< H. M. 16. 18. 39 num. Blatt. 1/2. Hort. Beng. 35.

L. inermis foliis oppositis ovalibus serratis, / terminalibus paniculis
capitatis axillari bracteatis. H. Leyd. 197

Tithymalus botrysoides, Leydianus multilobatus prolixus Burm. Hort. Leyd. i**t>

Clada exserta. Blatt. 18. 19. 22. f. 2.

Tithymalus botrysoides major zeylanicus procumbens foliis et multilobatis
villoso Blatt. Alm. 372.

inter Tropicos in russica

a *Euphorbia* diverso, mitte, *Thlaspi* *Thlaspi*

foliis primo erectis, tenui-serratis, secundum

1164 *Euphorbia* in draconcubillis Burm. Hort. 6. 225

Draconis Hindice

Habitat in Magadha russica

DodecanoriaPolygyniaPaedias

1165 *Monoptilon frigidum*

Habitat ~ Bangale mentalis, foliis et aris intermixta.

1166 *Monoptilon monostachyon* Burm. Hort. 3. 216 hyp. 409. H. Leyd. 197 f. (276, fil. 812)

f. H. 927 Hort. Beng. 25. Hort. Kew. 4. 321

PolygoniaDiodiaNoides

Polygonia *Messerschmidiana* *Houttuynia aquatica* *fluminensis*,
deno Plck. Amath. 1771
Pavia *Kelinga* *Houttuynia* *fl. Ind. proferam a Houttuynia* (Amath.) 79
cum *Ars quadrata* conjugata
Habitat in aquis India stagnantibus.

1147 *Axonogiton crispum* Willd. sp. H. 492. Burm. Neth. Supr. 509.

A. undulatum Herb. Beng. 38

Polygonia *angustis* *flaventibus* *erigatis* *flos* *collariformis*,
Tunc Plck. Amath. 1771

Lignosus *duplex* *varicatus*

A. crispum *majus*

A. crispum *minus*

Habitat in *Muthla* et *fosca* *fluvii* *tunc* *fluentibus*.

RorididMonogyriaHydrocharides

1148 *Euryale* *forficata* Herb. Kew. 45. 296. Burm. Neth. Supr. 2575

Anneslia *spinosa* Herb. Beng. 38

Makhana in *Tripura*

Nikori in *Kamrupa* 3 *Bengalensis*

Habitat in *Bengala* *orientalis* *stagnis*.

Myste

1149 *Lumbanga* *serrulatipes*

Lagarostemnia *graniflora* Herb. Beng. 38

Lugabunga

Sauvagesia { in *Tripura* } *Bengalensis*

Ghokas *salem* *campanula*

Habitat in *Tripura*, *Bamboo*, *et* *rigida* *infructescens*, *globo*,

1150 *Lagarostemnia* *Regina* Willd. sp. H. 4. 178. *solitaria* *graniflora* Raji,

Alashii et *Lamariotii* *L. linnéi* *synonymum* referenda. Herb.

Beng. 38 Herb. Kew. 45. 103.

solitaria *Bengalensis*

Habitat in *Asia* et *Bengala* *orientalis* *montibus*, *foliis*
et *India* *Gangetica* *urba*.

Adambo *erb.* *Malabar* t. 282. est *pratica* *lutea* *Nambae*
t. 28, *Kamina* habet *quinq* *stria* *filosa*, *ut* *quae* *igitur* *a*
nosta *planta* *diversa*.

1151 *Lagarostemnia* *parviflora* Herb. Beng. 38. Willd. sp. H. 4. 179.
inc. Neth. Supr. 45. 235?

Adonis *Makraspatana*, *Mali* *Limonea* *stipa* *pubescens*
calycato, *villus* *analis* *obtusa*, *et* *calyx* *elegans* *dentata*
Plck. Amath. 22. C. 1869. f. 142

Menziesii Persandia Mortii

- Habitat in India montosis
zelaga globosa Fructus (Gardn. de sonis 25.) lucidus valde
 similes, sed segregantur. Folia adutiss. nobis vides, an inde blanda
Poelburgia diversa, qua eadem cum *P. kotschyana* raro ridentur?
 Nam autem potius representat *P. kotschyana*. C. 33 f. 5.
- 1152 *Sonneratia apetala* Herb. Bong. 38. n.
 Kam - ba - la, Burmanorum.
 Habitat in Rong - et Regni Paganis risis canais aqua immota.
- 1153 *Sonneratia acida* Herb. Bong. 35. 17. ill. sp. 25. p. 999. Lin. 401, p. 29
 Subtilis caudariae Gardn. de sonis 10. 29. t. 75. p. 2
Myrophora caudaria Burm. Fl. Ind. 46
Mangium caudariae Herb. Bong. 35. f. 74
 Platte Herb. Malabar. 21. f. 40
 Lan - ba Burmanorum.
- Habitat cum precedente.
- 1154 *Eugenia spicata* Engelm. & Gray. 17. 1866.
E. bracteata Herb. Bong. 37. { L. malaccensis
 1 4, ^ , ^ ^
 1 ^ / ' . ^
 quinquefolia oblonga petiolata vel 8. 10. l. 10. 12. 14. 16.
 quinquefolia oblonga petiolata vel 8. 10. l. 10. 12. 14. 16. 18.
 Burm. Fl. Ind. 166. pl. 330.
- Habitat in India austrocal.
- 1155 *Eugenia jambos* Willd. sp. H. 1853. Burm. Fl. Ind. 12. 1854. f. 12. et
 Burm. Fl. Ind. 11. 12. solitus synonymus *Baccharis* et *Ramphus* herb.
hemiceras Herb. Bong. 37. ali. non forte hypoleuca *Grewia ligustrina*
Eugenia folia integrifolia, pubescens a modo, integrifolia Lin. 3. 29 f. 12.
 <**/rs A*<-&6^ j&tstti mesophilla forma, oblonga, glandula dicta
 Burm. Fl. Ind. 125.
Grewia malaccensis fructuaria, non glandularis Burm. Fl. Ind. 126.
solitus synonymus & B. P. et Ramphus.
Malacea delandii Herb. Bong. 37. f. 17.
- Habitat ubique ac India pagat.
- 1156 *Eugenia malaccensis* Willd. sp. H. 1853. Burm. Fl. Ind. 125.
 Burm. Fl. Ind. 12. solitus synonymus & *Thec* Tuyt. ab ei synonymus &
 Herb. Bong. 6. 35. ab ali. non distincta, planta deliciosa. Herb. Bong.
 45. 186. Herb. Bong. 37.
Eugenia folia integrifolia pubescens ramosa inflata Lin. H.
 Tuyt. 187. solitus *Guamanai* syn. synonymus.
Jambu v-*4*-> fCmu. etc * Herb. Bong. f. 12 { j 2
 Nati Schambu Herb. Malabar. 29. t. 4. dim. 28.
 Gletum in India prope vegetates Europa.
- 0 4. >*S in Herb. Af.

124

Monogynia Isonandria Myrtle

- Sister in horto botanico prope Calcuttam, non nomina in catalogo
non inservit.
- 1158 *Eugenia laevigata* Roxb. My
Arbor rubra secunda Roxb. Amb. 176. 1833
Sister in horto prope Calcuttam. Botanicae non nomina in catalogo
non inservit.
- 1159 *Calyptrotheca costata*
Koenig. Hinckie
Habitat in Mithila sylvis.
Arborescentia officinalis arbor rubra prima Roxb. Amb. 176. 1833
- //So { *Calyptrotheca*, cuneata
Eugenia cuneata Roxb. Bong. 371
Roxb. } = *Bengalensis*
Habitat in Camphora orientalis sylvis.
- 1161 *Calyptrotheca Tatue*
Tatue Hinckie
Habitat in Megatha sylvis
- 1162 *Calyptrotheca grandis*
Eugenia cymosa Roxb. Bong. 199.
Jambosa cerasina Roxb. Amb. 182. 1831
Kara (magna) jam *Bengalensis*
Viri in sylvis Ass. Tripura, et Camphora.
- 1163 *Calyptrotheca obtusifolia*
Eugenia obtusifolia Roxb. Bong. 37
Sister in horto prope Calcuttam botanico ex Antonio
- 1164 *Calyptrotheca Duncæ*
Dunka jam Hinckie
Habitat in Megatha sylvis
- 1165 *Calyptrotheca tenuis*
Arbor rubra prima Roxb. Amb. 176. 1833
Jangali jamum Hinckie
Habitat in Mithila sylvis.
- 1166 *Calyptrotheca capitillata*
Kath Jamum Hinckie
Habitat in Megatha sylvis
- Myrtle affines
- 1167 *Mangium tomentosum* Roxb. Bong. 2176
Dhela Hinckie
Habitat in Megatha sylvis.
- 1168 *Rosea ana precedente diversa*. Laut folia habent majora, apice
nitida, plantae subtili clota
Dhola Gausai Hinckie
Habitat in Megatha sylvis

Monogynia?Megatalium nitidumK & ug & ++¹ *herbataleum* Willd. B. 1753.*Bengalensis* Forssk. Fl. Mdd. 1: p. 174.

Hans Kuntze Articulat. v. 25. 1893.

Onatali Bengalensis

Habitat prope fluvium Ganges.

Petala nihil septem, stamens 16, sed saepe tamen 14.

in plante Forsskali petala 5, stamens 1A 1B, plante Phoenic.

/* & * 14 stamens 14. Non speciem dissimilatum induit.

Rosaceae?1770 *P* ¹ *deciduum*

Habitat ad Gangesis hortis pagis.

Hic velut similis *Ranunculus* Reichenb. foliis lvs. lvs. 10.

st. 1. 1. 1. tamen petala 4, raro 5, Zanthox. Ruprecht.

Foliosi ab utroque dissimili domine irritato.

1771 *P* ¹ *Decidua? Pania?**Panica montana* L. ^f **

Albert in Nepale montibus.

Flora non vid.

1772 *Decandra spicata**Lagenaria laurina* Willd. Sp. Pl. 96.*Pyrenocarpus* Lin. St. Leyl. 609 excluso > JIJ *Notu* horticulturalisfyft? *spicata*

Laurea serrata floribus spicatis ex glomeratis prominentibus

Anom. Lin. St. Leyl. 946.

Champtia ad *Bonggraa* Bengalensis.Non *Natalacanna* (ambulana) ad *Argentula* (coronaria) (ambulana).

Habitat in India sylvis.

1773 *Decandra racemosa**Ricantia aluminosa* Gu. Mitt. 1861: 3. 659 exinde Rumphius

4 synonyme longitab.

Sambucus racemosa Hort. Bengal.1800 " *heredita* Burm. Fl. Ind. Leyl. 28*Bhagungri* Bengalensis.*Lobata* sanguinea*Lash* Minzic.

Habitat in India Gangatica sylvis.

Pentaphyllum1774 *Asplenium japonica* Willd. Sp. Pl. 18. 1800. Linn. 1800. Linn. 1800. Schmid. 1800.

206 Hort. Beng. 18 Hort. Kew. 1826.

Cyma Koenig. Am. Ed. p. 200.

- Pentagynia
- Tetrandria
- Rosacia
- Arbo sinicus Reichenb. folio cotonneus laevigatus Blattk. Smarrelli
16. t. 274. f. 2.
- Habitat in India Gangeticae, Cestine & China
- 175 *Mespilus bengalensis* Hort. Beng. 29.
- Habitat in Kippore australis sylois.
- 176 *Pyrus nepalensis* 30.
- Habitat in Nepala sylois.
- Polygynia
- 177 *Glycyrrhiza pinnata* Willd. Sp. Pl. 1: 1132. Hort. Beng. 156. Illigem 1: 442.
12. Hort. Beng. 282. Hort. Beng. 29.
- Hab. a Kipli, Kanchanap. Am. Indi 178
- Habitat in horto botanico prope Calcuttam & China.
- 178 *Rosa palustris* 31.
- Rosa involucrata* Hort. Beng. 36.
- Rosa songolensis*
- Habitat in India Gangeticae, palustre sis.
- 179 *Rosa moschata* Desv. Neth. 1: 293. Hort. Beng. 283. Willd. Sp. Pl. 1: 1078.
- Golab Kintice
- Habitat in India Gangeticae hort. of flora, ex quibus domum
spontanea præsiduum extra hortum.
- 180 *Rosa Galia* 32.
- Kot galab Kintice
- Habitat aliisque in India hortis
- 181 *Rosa chinensis* Willd. Sp. Pl. 1: 2. 1773. Hort. Beng. 36.
- R. campestris* f. *canescens* Blattk. 282.
- Habitat in horto prope Calcuttam & China.
- 182 *Rosa Camperflora* Hort. Beng. 28. 1778. Willd. Sp. Pl. 1: 352.
Hort. Beng. 28.
- Habitat cum precedente.
- 183 *Rosa multiflora* Willd. Sp. Pl. 1: 1177. Hort. Beng. 28. 1778. Willd. Sp. Pl. 1: 352.
Hort. Beng. 28.
- Kunja Sintice
- Habitat in Megala hortis
- 184 *Rubus Jokelii* 33.
- Rubus parviflorus* sibi nosus foliis alteris non resonibus, invenimus
Hort. Smarrelli 156.
- folia (nigra) Jokelii montanorum Kintice
- Habitat in Nepala montibus
- 185 *Rubus paniculatus* Hort. Beng. 35.
- R. propinifolius* Smar. Neth. 1: 262?
- Habitat in horto botanico prope Calcuttam, sed nescitior.
- Rubus semitomentosus* de diversis *Rubus Moluccanus*
parvifolius Hort. Smar. 1: 88. t. 47. f. 2 ad *R. parvifolium* foliis

PolygyniaTetrageniaRubaceæ

- subsp. *tomentosa* Carl. Hort. & Millenaria sp. Pl. 1883) exstinctus. *Nobium*
multi sunt filii nigræ de filiis tate allam fecit monitionem *Bryophyllum*.
 1186 *Rubus moluccanus* Willd. sp. Pl. 1886 Enc. Method. v. 257
Rubus moluccanus latifolius Herb. Ind. v. 85. t. 67, f. 2
 Habitat in Campea.
 1187 *Rubus nigropilosa* Bur. Method. v. 348, Willd. sp. Pl. 1886
Rubus leucopyrus Herb. Bong. 32
 Habitat in Campea orientale
 1188 *Præcedens* varietas floris subsp. *tomentosa*
 1189 *Frageania*? *indica* Herb. Kew. v. 27. 3. Method. Bong. 29
Lachertia fragiformis
 Jatuk-muni. *Bengalensis*
 Habitat in Nopale et Indie. J. A., f. $\frac{1}{2}$ * /**>*« ift\|+***<*".
 1190 *Cornus*? *lancea* Herb. Bong. 56
 Habitat in Campea et Nopale rupis arenosis.

- 1191 *Ventilla Ruthenica* Willd. sp. Pl. 1886 Enc. Method. v. 256?
 Habitat in Magadha et Cossale rupis arenosis

V. PolyantriaHeteronymia

1&446fc>rt

- 1192 *Capparis purifolia* Bur. Method. v. 60.
 Habitat in India Gangatica sumatra.
 1193 *Capparis horrida* Willd. sp. Pl. 1886 Enc. Method. v. 606.
 Habitat in Campea sylvis.
 Præcedens minima affinitatem facinuntur.
 1194 *Capparis heterocarpa* Herb. Bong. 51.
 foliis in horto prope palauum botanico e Donaqua
 1195 *Capparis sepiaria* Burm. Fl. Ind. 116. Willd. sp. Pl. 1886
 / . 1&1£>J, £0*. Herb. Bo yVjA
 Linsula *spinae foliis*, *spinae foliis*, *spinae foliis*
 Cossale v. 27. t. 338, f. 10.
 Habitat ubique in India solo rupibus arenosis
 1196 *Capparis glabritic* Herb.
 vfr. *glabritic*
 Habitat in rupis Sumatra u. cossale t

Hydrocharidæ

- 1197 *Aegiphila esculenta* Herb. Bong. 54
Chenophaea Nauphati Burm. Fl. Ind. v. 256 ~*
 foliis subcordatis. *Bengalensis*
 Habitat in Bengala stagno.

- Monocotyledonous Polyandria Hydrocharioides
- 1198 *Nymphaea cyanea* Hort. Bengali
Sora blandi Bangalensis
Habitat in India Gangatica stagnis.
- 1199 *Nymphaea vermicularis* Hort. Beng. & The Bot. Mag. 172. Hort. Kew. 179.
Nymphaea indica, tuberosa, foliis petiolatis ruminatis foliis
inservit. Burm. Fl. Ind. 177. colchica synonymum
Theophrasti, Roberti, Sommeri, Monst. et aliorum forte non
Nymphaea bennica Hort. Beng. 179. (sic)
Hort. Kew. 179. & t. 26. per Horan. a plebeianis (Kew. 179.)
Salic Bangalensis, sed hoc nomen genericum est.
Kensal Rindica
Habitat in India Gangatica stagnis.
- 1200 *Nymphaea cubana* Hort. Bengali Hort. Kew. 179. 192.
Habitat in India Gangatica stagnis rotundis
N. cubana in Encyclopedie (Lafosse 1783) folia est angustae
glaberrima per hibonites quam in Horto Kewensi folia
subtus pubescens, at item (See Andrews Repository) et
in Horto Kewensi, et in Encyclopedie citatur.
- Diphyllocaules
- 1201 *Proprietas dubium* Hort. Beng. & Willd. Sp. Pl. 1786.
Bilob. Post. (European Peperomia) Bangalensis.
Habitat in Malabar hortic.
- 1202 *Peperomia* J 5 ^ ^ ^ j & ^ ' & iy. Stfa Ztijt' ffe**!
- Golala Bangalensis
Habitat in Campepe hortic.
Diplos et varietas angustifolia nonne et latifolia.
- 1203 *Argemone mexicana* Hort. Bengali Willd. Sp. Pl. 1786.
Habitat in Scirpus ubique aquatifica planta.
- O&
- 1204 *Shorea robusta* Hort. Beng. 179. Gartner de sonne 179. 180. 181.
Valice chinensis Willd. Sp. Pl. 1781
Songkaya Rindica
Sal s. fojal Bangalensis
Habitat in India Gangatica pellonantis.
Diplos et varietas in planta florente non distinguuntur
A. fructu rubro.
B. fructu luteo.
- 1205 *Valice canaca*
Valice lancolata Hort. Beng. 179.
Kamal Champa Bangalensis vire 1786 et 179.
Hedysarum (syrrhulus) valicea formata.
Habitat in India montibus, nisi in Tigris austriacal formata on longi

MonogyniaPolyandriaTiliaceae1206 *Borria ammonilla* Hort. Bong. &c.Cult. ... Aucto prope Calcutta botanicorum ceylona.
Tiliaceae1207 *Bombax ceppifolium* Willd. sp. Pl. 11. p. 32. ex aliis synonymis Planchonii, ad Dcng 52
Bombax ceppifolium Gaertn. Hort. 19. 852.*Princox longa* Burm. Thes. 1. 165. ex aliis Planchonii synonyma.*Dylon* Willd. quinqulobis acuminate subtiles tomentosae. Linn. 201
Lapl. 222 ex aliis Planchonii synonyma.*Kotonia* folia quinqüifolia, arborescens, flore glauco, semine
tomentosae Burm. Thes. Reg. 186.Betta Tulu vel Beta Tortosa cornuta Buchananus Mysore. 1855.
Galgal Hinduee

Habitat in Syria India aitionibus

1208 *Elaeocarpus* Prinacinae*Elaeocarpus serrata* Hort. Bong. &c.*Ganitrum oblongum* Ptilulikan Hort. Ind. 19. 163.*Pseinkara* Stoh. Mat. 2. 57. t. 26 performatum Planchonii (Plant. 175) ad sorbi granatum specieum relata, exigua figura maxima,
monte forte typographi, disticta (diam. 35) in Phyt. 6. 356 f. 1 sed haec
granatum fastidium potius representat. Linnae, inayet,
Pseinkara cum planta Burmanica tetrapetala perheram
conjugata est (Pl. Reg. 206) His ratus abicit postea Linnae
(Burman. 1. 162. 1. 163) *Ganitrum* Burmanni (Burman. 1. 162. 1. 163) descripsimam plantam Quartum deponit,
ac simile dicente dentatum Frosti, subiecti nomini *Elaeocarpus*
serrati Lamarckius (Burman. 1. 162) ex plantae, quam deponit
cavat, (Ill. for J* 473 f. 1) a **A** **L** **L** dicere est nomine
quod Elaeocarpus serrati infelix nictat ad Rhesus monachus ne amandi
foliis. Hinduee

Habitat adiacet ad India pagos

Hucus generis species vis nisi muciforme distinguenda.

1209 *Elaeocarpus ganitrus* Hort. Bong. &c.*Ganitrus* Sphaera Frosti de son. 32. 274. f. 12. p. 5 ex aliis synonymis
Burmanni et Linnei.*Ganitrus* foliis majori Hort. Ind. 19. 162. t. 161, perferantura Linnae. Burmanni foliis, et aliis non sphaerae
Gibratkhi Bengalanum.

Habitat in Ganitrus solois.

1210 *Elaeocarpus ganitrus* Mittilica

Habitat in Mittilica borealis inter monticulas

Tuncum non nisi, de officio igitur ad huc dubit.

Monopygia Polygyria Siliaceae

tf/r *Elatocarpus gracilis*

Gutierrezia longiligulatum

Habitat in Campea sylvis

132 *Grussia carnea*

Kashmir Hindoo

Habitat in Majapha sylvis.

133 CrtSt, •, t • locca P " & ' ty* nescio quo nomine in catalogo habet. Non long. hab.

J^A, A / . 4* <- ad nonum itum multum abeque in Mf. impedit.

Habitat in Soga sylvis

nescio an ex vegetate satis distincta

134 *Grussia Siliofolia* Willd. Sp Pl. 482. Encycl. Bot. Suppl. 15. 865.

Micraea latiflora Burm. Bl. 112

Micraea latifolia willm. conforti. Nicholson. Encycl. Bot. Suppl.

288 pugnacum = *Lamiastris* (Bur. Bl. 112: 23) *Adonisianum* n. sp.
non rotata.

Kashmirensis Burm. Fl. Ind. Kogt. 42. vidi. idem nomen propter

Habitat in Indica Gangetica sylvis. B. 13/147

135 *Grussia aspera* Hort. Beng. 42.

Cultiv. in horto prope Palauum botanico. Dacca.

/T/t *Grussia asiatica* Hort. Beng. 42.

Kashmir Hindoo

Habitat ad India Gangetica pagos

136 *Grussia asiatica* a

Grussia adiantina Willd. Sp Pl. 482. Encycl. Bot. Suppl. 15. 865

Chota Kashir Hindoo

Cultiv. ad pagos Majapha.

137 %JU4*t4X. O4*'</**-* V

Phospha montanorum Hindoo.

Habitat in Nepala inferioris

138 *Grussia asiatica* y.

Kashir Hindoo

Habitat in Cossala sylvis

/SP *Grussia asiatica* *** tA

Kashir montanorum Hindoo.

Habitat in Palpa montibus Nepala inferioris

nv Grus. v., *Mallconia* Willd. Sp Pl. 482. Encycl. Bot. Suppl. 15. 86

Habitat in Campea orientalis sylvis

139 *Grussia pilosa* Bur. Bl. 112: 23.

Grussia apicaria Hort. Beng. 43

PolyanthusSiliaceae

Grewia foliis sublanceolatis Lour. Pl. Leyd. 326 per peneam in off. Plant.
conjugata cum *G. orientale*, mi. foliis petiolatis uniflori; et a *Middletonii* cum
G. orientale, cui folia obtusissimata, basi glandulosa.

Arbo Walmonya et Manbya dicta Burm. Pl. Leyd. 36.

Par Paroca seu Corvaki Hort. Mal. ex 91. c. 15 Pl. Am. 28 My 4000 f. 14.

Mengli ou po

Gara Mala } Binsice
Kaka Mala } officinaria

Pathra Bengalensis

Habitat in India sylvis et latibus.

1223 *Grewia Salpata*

Sol Patta Bengalensis

Habitat in Ango dumetis.

1224 *Grewia sonatilis*

Gorkhoo vel Gorkhoo Binsice

Habitat inter Magadha mts.

1225 *Grewia salcoria*

Sulkhori montanum Binsice

Habitat in Nepala inferiore

sequentem levissima.

1226 *Grewia longifolia*

Habitat in Mittilla sylvis

Nescio an a praestante dicto distinguita?

1227 *Grewia Araria*

Ashariya Thaman Kewise videlicet 1226 precordem nomine genere.

Habitat in Magadha sylvis.

1228 *Grewia suffruticosa*

Habitat in India Gangatica campis

1229 *Grewia rigida*

Grewia rotundifolia non. Mittibup. 4. 588?

Banti Binsice

Habitat in rupi formans argillosis aridis.

1230 *Grewia Nola*

Nla la Burmanorum

Habitat in India ultra Gangam dumetis

1231 *Grewia decemangularis* Hort. Bengal.

Grewia apicis Hort. Ind. 20 (synon. 78 f. 3) vel *Lecocq. acutangulum*
(ex. Mitt. 414) spectat.

Monogynia

Polyandria

Filiaceæ

Habitat in sevis *Magnolia* elevationibus
necis in a subsequente soli distincto.

133

Monoecia Polygynia Tiliaceae

1278 *Cochlosia Marca*

Horma 1, *Bengal*, ** & * + * (*)

foliis inter familiis olivae

1289 *Loranthus pruni*

*t^m**, *foliis* *lanceolatis* *Bengal*, *Bengal*, *et*

foliis *in* *hostis* *fructuosa* *Baccharis*

Sorbus *et* *Gymnospermae*, *et* *spicaria*

1248 *Ternstroemia serrata* *Nat. Beng*: 60.

Oxula Bengalensis

Habitat *in* *Khata* *et* *familiis* *sylois*

1261 *Ternstroemia Fagana*

Gagan Kinsice

Habitat *in* *Scutellaria* *Podala* *sygentibus*.

Magnolia

1242 *Ochna nana*

Habitat *in* *locis* *India* *borealis* *maulti* *arborum*

1263 *Ochna Phambacea*

Ochna squarrosa *Nat. Beng*: 42. *Malabar* *Fl. & Pl.* 107 ad locum

synonymus *Burmansia* *et* *Planchonii*,

Arbutus *foliis* *Oriji* *fructibus* *Bengal* *lakides*, *Malabara*
sita. *Burm. Fl. Beng*: 32. *ad* *cote* *non* *Jabotapita* *cinamonifolia*
floribus *spicatis* *ejusdem* 123, 81, 56.

Kanak Phambaka *Bengalensis* *nida* 125, 187.

Habitat *ad* *familiis* *pagos*.

Digynia

Pannunculaceae

1264 *Leptilonium Agni* *Enc. Mett.* p. 213. *Willd.* sp. 107. *Fl. & Pl.* 125. *Nat. Beng*: 23

Night — *M* — *Kinsice*

foliis *in* *litorea* *et* *Mangrova* *arboris*.

Pentagynia

1265 *Nigella indica* *Hork* *Nangatta*

Nigella vegetans *Enc. Mett.* sp. 107. 97

Nangatta *Kinsice*

Kala Jiri *Bengalensis*

foliis *in* *India* *gangetica* *agris*

Polygynia

1266 *Pannunculus indicus* «V*V¹» *Nat. Beng*: 23

PolygyniaPolyandriaPanunculaceae

Habitat in hypofluminum subiacens deserto.

1247 *Balha? Bicoma*

Bishona vel Bikhmontanum Kuntze Hamilton-Nepal 99.

Habitat ad rupes ricas.

1248 *Balha? Verisia*

Nir Bish vel *Nir Bikh* montanum Kuntze Hamilton-Nepal 99.

Habitat cum præcente?

montanorum unus haec pro rupiis subita triaria color atque
alter autem sequentem afficit. Flores non vidi.

1249 *Balha? Babaa*

Koboya Bish vel *Bikh* montanum Kuntze Hamilton-Nepal 99.

Habitat cum duabus præsentibus.

Cedo hanc epi cerasum radicum. Subit tamen am. Rupi non vidi.

1250 *Clematis ganiana* Kort. Bengal 43.

Ecclite in horto prope Calcuttam botanicoe Javira.

1251 *Clematis Badia*

Subit Lata fluvia.

Habitat in rupi scalo humido pro rupibus secundis.

1252 *Clematis Calcar*

Subit Bengalensis.

Habitat in cantha dumosis.

1253 *Stragone geylanica* Kort. Bengal 43. Milt. Pl. K. & 187.

Clematis geylanica Burtt Milt. Sup. 4. 397 in my note.
Synonyma: *Buciammi* prior.

Stragone cirrhosa sub hylle fl. Milt. Engl. 1880 values synonyma
duplicata.

Plante foliis gommatis ex opacis longis petiolis inter lata
folia capitulo donatis sum. Fl. Engl. 1880.

Surya Ban solis (solis rotata rotula) Bengalensis.

Habitat in Turba et ultra Gangem am. nullus.

Calyx quatuor usq. rupi nullus.

1254 *Stragone lobata*

Habitat cum præcente.

Hydrocharidæ

1255 *Nelumbium speciosum* f. Milt. 44 Pl. 3. 1250 Kort. Bengal 432.

Nelumbo nucifera Gaert. Milt. 44. 452. Sup. 4. 76. 77. Milt. 45. 1.

Nymphaea Nelumbo Burm. Pl. Ind. 11.

Nymphaea foliis antiquo integris x lata. Engl. 152.

Nymphaea glauca lata palustris paucis, petiolum
laticis amplius, petioli spinosis flore rosaceo purpureo. Kort.

- Polygamia Polyandria Hydrocharidæ
- abn. 257. Mant. 138. & 332. f. 1.
- Sympetrum Malabaricum* Nastortii insicci cinctato fllo
tessere viridis utris periculis spinulis armata Hort. Fl. 127. p.
Tamar. Hort. Nat. 26. 59. t. 30.
- Patmarvel Pala Bengalensis
Habitat in Indice stagnis.
- Magnolia
- 1256 *Dillenia speciosa* Willd. sp. Pl. 12. t. 128 Hort. Bang. 63 Hort. Kew. 325.
Burm. Fl. 159.
- Dill. " elliptica* Willd. sp. Pl. 128. Burm. Hort. 222.
- D. indica* Burm. Fl. 158
- Lophostoma* Hort. Bang. sp. 180. t. 45.
- Malus rasa* Malabarica Apalta dicta Fl. Kew. 124. malus synonyvale
Apalta Hort. Malabar. 39. t. 38.
- Chalco. Bengalensis
- Habitat ubique in India locis.
1257. *Dillenia aurea* Burm. Hort. 145?
- Shango. Hindia
- Habitat in Mithila borealis gloris.
- 1258 *Dillenia pilosa* Hort. Bang. 63
- Caine Khi. Bengalensis
- Habitat in Campea Montibus
- 1259 *Gliconia pentagona* Hort. Bang. 63 Willd. sp. Pl. 12. t. 122. Burm. Hort. 159.
- Hort. Kew. 325
- Habitat in India extremitate Ganges Montibus.
- 1260 *Nicelia Champaca* Burm. Hort. 149. Ill. gen. 6493 Willd. sp. Pl. 12. t. 124.
- Hort. Kew. 325. Hort. Bang. 63 Burm. Fl. 124. Nicelia Linn. Trop. 124.
- Abies procera* Ruprechtia dicta, floribus longis latiss. rosatis.
- Champana Malabarica Pan Tulu Sustanna Duvan Fl. Trop. 32
- ***, y, flos ex flora nova Hort. Bang. sp. 126. 67
- Leofore abr. m. ~ Ji & folio large Hort. abr. f.
- "Champaca Hort. Mal. 131. 19.
- Kampha Hindiae et Bengalensis.
- Habitat ad Inde pagos.
- 1261 *Nicelia lactea*
- Champaca domestica* alba, ^ abr. Bang. sp. 200.
- Lod (lutea) Champaca Bengalensis
- (florae ab Ciliaceis in Campea, ut probant ab Indiis in pagos alata)

Polygynia Polyandria Magnolia

1263 *Nichelia Tela* Hamilton. Nipal 27
Tila thuniper montanorum Horreca
 Habitat in Nipala sylvis.

1263 *Magnolia pumila* Hook. Kewig. 22. Hort. Beng. 43
 foliis in horto prope Calcuttam botanicas Chinæ.

1264 *Mag* ~~^/r^:r'~~
 foliis in horto prope Calcuttam Chinæ.

Anona

1265 *Monnieria rotundifolia*
 Habitat in Campana 6 sylvis

1266 *Uvaria amicaria*
 Bangdar-kala (amicaria Musa) Bengalensis
 Habitat in Campana orientalis sylvis
 altera est Bangdar-kala cuncte sylvis, utique
 Musa Musaria Rumphii affinis.

1267 *Uvaria graniflora* Hort. Beng. 43
 Uvaria graniflora Burm. f. sp. 279
 Uvaria amicaria Hort. Beng. 43 pro granam ad granum pro latitudine rotata
 Bangdar-kala Bengalensis inde 1266
 Rukta Pitt. Kew. *

Habitat in India Gangatica montibus.
 1268 *Uvaria uniflora* Burm. f. sp. 279
U. oblongiflora Hort. Beng. 43
 Uvaria rotunda Hort. Kewig. 27 t. 667
 foliis in India Gangatica Horto & China.
 Tilia in ramulis bifaria foliis pinnatis omnibus
 similius unde Uvaria rotunda probabile.

1269 *Uvaria pulchra*
 Habitat in Mogador pagi.

1270 *Uvaria suberosa* Mill. sp. Pl. 1267 no. 100. Kew. sp. 47. Hort. Beng. 43
 Habitat in Nipala inferius sylvis.
 A fructuante sp. non nisi arboreo divers.

1271 *Uvaria hispina*
 Habitat in Bengalum
 Habitat in Malabar sylvis.
 Fructuante affinis, fructuante non non vidi.

1272 *Uvaria gracilis*

Polygynia *Polyandria* *Anona*

Habitat in Cambaya orientalis Sylois.

Mensis ana segmenta diversa?

1273 *Clomia nigra*

Arbor nigra paniculata Hort. Ambo. 18.11.116 f.2

Dijon Paul Hort. Malma. 6.162

Giran Sindiae viti 1276

Habitat in India atra et inter Jangam Ghissale amara

Mensis ana paucisegmenta diversa?

1274 *Uvaria? Pida*

Cleota Gundlai (parva rufa sive) Sindiae

Habitat in Mittala Sylois.

Præcedente similis præstificationem non videt

1275 *Uvaria stenis*

Ganthay

6/.

Habitat in Mayapura cunctosis

1276 *Uvaria Sian**

Sian Bengalenseum viti 1273

Habitat in Mittala Sylois.

1277 *Uvaria Tham**

4*-A- (dentata) Heroy

Zelosmia Kieran

Habitat in Mayapura et Guler Sylois.

1278 *Uva long ca*

De mInA Complicatum

Habitat in Gallia Campania pagi carini prope castren

Klinamia

Gymnosperma

Labiatae

1279 *Ajuga decumbens* Benth. & Jff. 183 Miller. 44.11.1871. Inedit. Jff. 1881

Ajuga repens Hort. Cogn. 562

Habitat in forensi Mittala et Nepale

1280 *Tournefortia Holosericea* Hort. Berg. 64

Habitat in forensi ruboris

1281 *Acromiles rotunda*

Ajuga disticha Hort. Berg. 64

January 4th

128

Dicrania

Luzia

Moneses glandulosa Burm. f. Linn.

Moneses floribunda Blatt. foliis absonatim glandulis pilosis
involutis longioribus Linn. f. Zeyl. 1812.

Habenaria shortiana Schleicher filiis (Linn. 1812) sp. n.

~~synonym~~ *Streblanthus synonyms*, perheram his. *Glossamia*
Streblanthus specie, statum sua. Nether Zeyl. 1812.

Corticea acicula, *Nipota* foliis floribus bracteis, petiolis purpureis.
pink. Blatt. 1812.

Zykladen Koch Willd. 1781. 18.

Mata Bengalenium in Katura

Habitat in India rufa.

1282 *Asisanodes fruticosa*

Aryza fruticosa Koch Bent 1812. ~~exclusa~~ synonym.

Habitat in Campea formatae excede reponit.

1283 *Mentha suaveolens* Koch Bent 1812

36 - late Bengalenium

Habitat in India Gangetica rufa.

1284 *Mentha integrifolia*

JL : *Rathnath Bengalenium*

Habitat in Campea orientalis

Ha. plinta (1283/1284) sic cum *Mentha canescens* profunditer
ad novum genus potius referenda.

1285 *Mentha aquatica* Willd. sp. Nov. pro *Mentha aquatica*

Burmanni synonym.

Mentha f.

Habenaria 1282-1283 *western* synonym.

perheram sole a *Bunastum* Kochi quidam congenera.

Habenaria foliis l.

Habenaria foliis l.

Terraria 1284-1285 (Thes. Zeyl. 1812) rubrum est non

whittemorei var. 1282-1283. Ita quo dico et inde

synonym.

1286 *Mentha* f. *Wolffia* 1284.

Habitat in aqua.

1287 *Mentha* f. *Wolffia* 1284

in aqua.

- 120
- Gymnophorina* — *Dioscorea* — * 4irV^
- Solutio in India gangatica hortis inter dura.
- 1296 *Phomia* lobulata
lobula officinum Lindley
Habitat inter eas in Magadha montibus
in arboribus praeminentibus hortis autem in montibus.
- 1297 *Laurus* zeylanica Brown. Hort. Kaki, 1814 Hort. Rangh.
Phomia zeylanica Willd. & H. C. 1814 Hort. Kaki, 1814 vol. vii p. 107
Lamphai et Phuketia Hort. Rangh. Brown 1814 ^
Leomurice folia laevioribus calvioribus obtusis acutis
ect dentatis latae & rugosae exinde obovatus umbonatae.
Laurus angustipolitana glabra zeylanica, flore albo Brown
Hort. 1814
- '^k^,: India secoebria**
- 1298 *Laurus*? obliqua
Hort. pinnationis Hort. Rangh. 1814 pl. 11. fig.
Cumba Hort. Cal. 1814 pl. 91.
Habitat in India et inter et contra gangam et riu.
Ruthora secoebria, foliis uniloculariis.
- 1299 *Laurus* Jema
Phomia excentrica Hort. Rangh.
Jema Lindley
Habitat in Magadha aviis
India ana pinnatis
- 1300 *Ponotis* nephifolia Hort. Rangh. 1814
Phomia *
Hort. Rangh. 1814
Habitat ad India paga
- 1301 *Ruscum* Bantulasia
Hort. Rangh. 1814
H. corolla lobum lata oblonga integerrima lata
lata ad item genuo rotunda integerrima lata
H. lata 30 et Ruscum folia Hort. Rangh. 1814
Hort. Rangh. 1814 — cymum pedicellare Hort. Rangh. 1814
- K *Dioscum* citrofolium a
Dioscum monstrosissimum Pitt. of Rangh. 1814 in horto
Lutine
Basilic lata integerrima lata oblonga 1814
Can Thalat lata integerrima lata oblonga

111

Gymnospermae Dilynniae Labiatae

Habitat ad India pagos spontaneum.

1353 *Corynnum atomatum* B.

Corynnum corynoides Lodd. Rang. et Soc. Melli, 1886 exclaims Gymnosperma
Kiermannii (?) sequentem portamento
Corynnum sonatum Lodd. Rang. 1886
Patala Tertaria Lodd. Mal. 177 f. 86
Gangapuri (Salvi) Bengalandium

1354 *Corynnum geotropinum* Lodd. Rang. et Soc. Melli, 1886 exclaims Gymnosperma
Kiermannii (?) sequentem portamento
Corynnum sonatum Lodd. Rang. 1886
Patala Tertaria Lodd. Mal. 177 f. 86
Gangapuri (Salvi) Bengalandium

1355 *Corynnum hispidum* Buc. Melli, 1886.

Corynnum hispidum Lodd. Rang. 1886
Corynnum pectinatum, *obconicum*, *obconotropinum*, *latifolium* Brem. Thos. Zieg.
176 t. 8 f. 1 exclaims Gymnosperma Phacelia
C. indicum Schleim Herb. Ind. 263
Corynnum obconotropinum calyculis ad verticillares secundum tridentibus
abique petiolatis. *Mehraashatana* Plak. v. 1m. 313, Hyp. 1. 28 f. 5.
Alaud. Tertaria Lodd. Melli, 177 f. 86
Patala Babui Tertaria Bengalandium
Gangapuri Kiermannii
Gangapuri Kiermannii
Gangapuri ad sinistram petiolatum

Recent in Magadha

Indica quasi vicin praeuersus et subsequens in unius specie.

1357 R. *Corynnum hyperboreum* Lodd. Rang. et Soc. Melli, 1886

> o/c'retmm, rrf£*d^y Utum Lodd. Ind. 263

Kohli Kiermannii

Habitat ad India Gangalika pagos.

1358 *Corynnum hyperboreum* Lodd. Rang. et Soc. Melli, 1886 of 177 f. 86
foliis in horto fore Calcutta botanico. Bengal.

1359 *Corynnum sonatum* Lodd. Rang. et Soc. Melli Kiermannii Gymnosperma
Melli. Up. R. 1886

Corynnum sonatum Lodd. Rang. et Soc. Melli 1886

Nala Tertaria Lodd. 177 f. 86

Talow Bengalandium

Sarjat, foliis glaucis angustatis Krishna Talow

intermittens Rama Talow

*Gymnospermae**Didynamites**Labiatae*

Habitat in hortis abigeni, et ad siderem Gangotri temple,
ubi inter denum Vishnu solentis sacra est plantae.

- 130 *Pogonum cristatum* Herb. longit.

Pogonum glabratum, *Acuminatum*, *Indicum* Burn. No. 296787962.
Habitat in Graecia

- 131 *Pogonum villosum*

Mirya montanum Linnae

Habitat in Middle Asia in Crataegi tylos.

Inter *Potentilla* species, sicut *in Potentilla* *Bronnii* the name
habet cum tribus sequentibus plantis concomitans est.

- 132 *Pogonum villosum* flore albo.

Habitat cum precedente in facula.

- 133 *Pogonum rigidum*

spicata montanum Linnae

Habitat in Nipala inferiore ad fluviorum rives.

- 134 *Pogonum longiflorum*

SA^& in Mogadha $\frac{1}{2}$ V¹ montibus urticis

- ir *Pogonum ? grandis*

I. ^U+t pilosa Herb. Amb. 860:22 f. II

Phanera sanskrita

Morphaea officinale Linnae

Habitat in locis Mogadha elevatis

Planta Rumphii assertio nostra ex ea non adhuc

est certa congrua cum hac et duplo sequentibus in yugone

habitu semivirga formam Tumba Herb. iU- . 693. »

Nepeta malabarica Willd. &c

- 135 *Pogonum capillaris*

Habitat in præcipitate oracula \wedge t+ lobis.

- 136 *Pogonum capillaris*

Habitat cum precedente

- 137 *Polygonum*

Habitat ad fontes, Nigritia cultiva.

- 138 *Polygonum scutellare* Herb. long. 45 aplice nomine *Scutellaria*

Cesarea Willd. Holz. 506.

Polygonum scutellare Willd. fl. 140. 17. Herb. long. 45.

Purpuraria Willd. p. 185.

Uapana rubra Herb. amb. q. 291. t. 10

Habitat in horto fratre Valentini botanico e. silvano

GymnospermaeDicynamiaeLabiatae1320 *Plectranthus monadelphus* Forsk. Flora Bengal.*Plectranthus Forskolaie* Willd. sp. Pl. 169.*Germannia Forskolaie* Bonpl. Suppl. 7682.

Gitter in herba Botanica prope Calcuttam & Carnatic.

1321 *Plectranthus aromaticus* Forsk. Flora Beng. 45, excluso synonymous.*P. capsifolius* Willd. Sp. Pl. 169.*Germannia capsifolia* Desv. Blatt. Suppl. 7682.*Germannia tartarea* Bonpl. Suppl. 3872.

Patalchotta Hindoo.

Gitter in India rarer, herba non aromatic.

1322 *Germannia salicifolia*

Habitat in formaque et. Mittella sylois satis similia.

1323 *Sutellaria Indica* Forsk. Flora Beng. 45, excluso synonymous.

Gitter in herba prope Calcuttam in botanica e. Moluccis.

Plantae Willdenowii, gena in Rukensatu, resultante distinguere.

valle diuina - resoluta sub sequente dato distinguita!

1324 *Sutellaria ratiensis*

Habitat in formaque graminosca.

Præcipue rimes affinis

Selaginaceæ1325 *Gleichenia hypoleuca* Forsk. Flora Beng. 45.

Sagato montanorum Hindoo.

Kuntze Phœnix.

Lipotii Naturae.

Habitat in montibus ad Indiam gangolicam & jumaliam.

1326 *Gleichenia ternifolia* Forsk. Flora Beng. 45.

Habitat in formaque montanulae montibus.

AngiospermeæVerbenaceæ1327 *Crotonium superbum* Forsk. Flora Beng. 46.

Foliale superba Willd. sp. Pl. 359. Suppl. 169. 1675.

Cina lykostachys Bonpl. Suppl. 155. ali. pycnanum.

cum seoplulari conjugantur.

Habitat in India rarer.

1328 *Kostinger coccinea* Forsk. Flora Beng. 46. Bonpl. Suppl. 169. 2.

Tantillium rubrum Juss. annales du Mus. 169. 76.

Tolmiskiodia sangathica Willd. sp. Pl. 169. 2. Forsk. Flora Beng. 46.

Habitat in India gangolica montibus.

- | <u>Angiosperma</u> | <u>Dicotomia</u> | <u>Lecanaceae</u> |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 1329 | <i>Lantana trifolia</i> Herb. Bengal & Nootkae, 23. Hilli. Ch. 115. 315.
foliis in vte prope Galanthus». **£?** ex America. | |
| 1330 | <i>Lantana Jacobaea</i>
<i>Lantana alba</i> Willd. Sp. Pl. 1. 160
Jacobaea Linnae
Habitat in ripis fonsimis florib. angustis. | * |
| 1331 | <i>Peltaria scabiosa</i>
Habitat in summis ad floris fructuatis. | |
| 1332 | <i>f.,</i>
Pemna hispanica Hort. Bangal.
Habitat «Si—» ^{lumine} 4 ^{lumine} . | |
| 1333 | <i>Pemna</i> ⁻ <i>& suffruticosa</i>
Habitat in fores tibus. | |
| 1334 | <i>Pemna</i> ^{sp.} ^{** t}
Gangshiran Montanorum Henrici.
Ginger et Charchet Henrici
Habitat in Nipala inferiori et Mayatha collibus. | |
| 1335 | <i>Pemna integrifolia</i> Willd. Sp. Pl. 2. 202. foliis opacis nigritate obsoletis
plantam subsequentem.
Habitat in forentia orientalis tibus. | |
| 1336 | <i>Pemna integrifolia</i> Boni. Melli. 18. quia Guiana sita est
Biemphali (Herb. Amb. 15. 299. t. 114). diversa visatur. | |
| 1336 | <i>Pemna</i> ^{sp.} ^{accinosa}
Integifolia Hort. Bangal.
Invenit Melli. 18. | |
| 1337 | <i>Pemna</i> ^{sp.} ^{accinosa}
Pemna Pemna Herb. Amb. 15. 202. perh. non Willd. non
Guiana (Hab. 15. 202. t. 114) coniunctio
sic (parva) Gangshali Temporenum.
Habitat in forentia tibus.
foliis latae (t. 15. 202.) non rotundis non sessiles
non petiolatis. Non sphaeroides non rotundato-
globosus. foliis rufis nigris tenuis, non foliis foliis
ad plantam digentes exstincti. | |
| 1338 | <i>Pemna</i> ^{sp.} ^{accinosa}
Pemna Pemna Herb. Amb. 15. 202. non in predicto.
non plantans | |
| 1339 | <i>Pemna</i> ^{sp.} ^{accinosa}
Lampronia leucostictella
Habitat ad forentia tibus. | |
| 1340 | <i>Pemna</i> ^{sp.} ^{accinosa}
Pemna Pemna Willd. Melli. 18. 303. | |

^im^!j^w^<!!!-

2415
Diodyanthus

Verbenaceae

Bhukdhati Banglensisium

Habitat in *Ficus orientalis* sylvis.

- 1359 *Brenneria scorifolia* Willd. sp. Mijs. exclusa of *Scorodanthes*
folia Stellatae Linn. Willd. & Dc.

x. WW < * > 25

Ophiodes Herb. Bong: 66

Habitat above in India Gangotri

Spinecentrum non vidi, sed Corbigny's description non man
epe plantam.

- 1360 *Chlorodendron Spicatum*

'ijig t^ir & **' Her. Bong: 66

Gates Banglensisium

Habitat in *Ficus orientalis* sylvis

Hac arte pertinet ad inter primam siphonanthi indica
sob. sed non vidi non erat siphonanthus, quem siphonanthus
flosceri reponi. A. floriferum differt siphonanthus tuba corolla
longior.

- 1361 *Chlorodendron? inerme* - aperte de dom. 1376 t. 67 Brown Nov. Pl. 511
Her. Bangal. Prod. Kew. 1866

Tethmaria eximia Willd. sp. R. 14553 her. Willd. mijs. & T. B. 1866

— *eximia* monographia R. 14562 exclusa Neumanniana
fusca flosceri Her. Bong. 1866, t. 66.

Neumanniana similis *Aegiphilia arborescens* Schlecht. Kew. Ann.
257 Phyt. t. 211, p. 2.

Nic. Vogel Her. Malac. 97 t. 62

Habitat in astroviorum Ganglionorum sylvis.

Non varietatem plantarum Phakmaria synonymous. catua non ad
varietatem foliis caulis pertinent. A praecedente plantae ita
siphonanthus indica (sob.) quid ad genus non discernere.

- 1362 *Chlorodendron phlomoides* Willd. sp. R. 14561 monographia Her. Bangal.

Tethmaria eximia R. 14561 / 1866 p. 66

Bangal. Banglensisium

Alpin. Flora

Habitat ad India Gangotri Boga.

Quia varietates notab. Corbigny, MM* non vidi
hinc representat figura.]< f < t * < ia' concreta foliis & ramulis
axillaris conflatis. Quibus praevidit his plantis confor-

- 1363 *Chlorostoma leucostoma*

AngiospermaeDidynamiaZedonaceae

Volkameria herbacea Hook. Bengal.

Habitat in Nepala

Squente valde affinis.

1364 *Eleocharis scorpioides*

& *Typha latifolia* Hook. Bengal. n. nom. in Willdenowii p. 152.

Typha Teka Hort. Malabar. sp. proponit a Blutnerio

(Nels. 26) cum plantis Americanis et aliis forte spiculis con-

similiis montanorum Hindiae.

Bulbs Valdar Dasyalundium

Habitat ad sybarum marginem in India.

1365 *Cyperus rotundatus* Willd. Sp. Pl. 152. Burm. Fl. Ind. 177.

sd. var. non me. Meth. v. 166.

Habitat in Campania orientalis montibus.

1366 *Cyperus scorpioides*

Volkameria scorpioides Hook. Bengal.

Phragmites montanorum Hindiae.

Habitat in jugis Smaki insacionibus.

1367 *Cyperus galactites*

Galactites officinarum Hindiae.

Habitat in Kanyaktha hortis.

1368 *Acorus viscosus* Linn. Meth. Sup. 1082 et Nat. Gen. in

83 var. Acharia synonymo.

Volkameria infuscata Hook. Bengal.

Blunt Ampullaria.

Luzula Barmanorum

Habitat antiqua in lisis India umbrosa.

Paragu. Hort. Malib. 1862. habet folia superiora ad
profundo cordata, integerrima.

1369 *Cyperus equisetoides* Willd. Sp. Pl. 142. Hort. Malib. 1862.

Villameria Kamppie Hook. Bengal. Meth. 46. H. 14. 237.

Plantes agrestis Hort. Malib. 1862. C. 49. perporum in Villameria

sp. Pl. 186 cum Paragu. folia integerrima congruunt, et

2. sive cum Volkameria Petasitica (n. Meth. 46. 237)

cur folia ovata non cordata, flores ex floris virgineis
libat.

Habite ad lacryma temple & flore glaucis.

1370 *Gmelina arborea* Hook. Bengal.

Eugonomia catalpa Burm. Fl. Ind. 136.

AngiospermaeDitynamiaVitexaceae

Syzygium Linnae Burmanni et Blattii, quod praevenit.

Infra rotulae, hanc forte potius spectantem.

- 1357 *Vitex sinocapitata* Willd. sp. pl. 15: 392. Coritam in 57° N. Lat. Aug. 1857
Enc. Mett. 55: 874.

Habitat in Indica sylvis

*Nic similius, sed flor exsertus, non rotulatus in 35° 18' 05"
propteram a Willdenow ad Herbarium factum relata.*

- 1358 *Vitex acuminata* Brown. Nov. Pl. 5: 221.

Capitulum non ultra herb. Rub. 15: 28. 6. 1857

Bengalensis

Habitat in Comida montibus sylvis

- 1359 *Vitex Bobala*

Bobala Bengalenium

Habitat cum praevenienti.

- 1360 *Vitex pubescens* Willd. sp. pl. 15: 393. 1800, n. c. 1800

Syzygium Linnae; aut flor pinnata

Enc. Mett. Beng. 46.

Habitat in aridis sylvis inter et ultra Gang.

*Necis an satis ab hac a distincta. Vitellaria multilobata
qua laton. Malabar. Herb. Cal. 2. 6. 1857*

- 1361 *Vitex alata* Herb. Beng. 46.

Maii - spon. Herb. Malabar. 1857.

Bedula Bengalenium

Habitat in Tropica & tunc

Necis an a subseqente deo distincta.

- 1362 *V. v. Morava*

Morava

Habitat in Mayatha montibus

Præveniente

- 1363

Syzygium acuminatum Brown. Nov. Pl. 5: 222.

fructibus

Nova Hollandia et Sikkim

- 1364 *Myrsinæ Capitata*

Myrsina tomentosa Herb. Beng. 46.

Linn. H. Leyl 57 ex aliis ignotis more I

præconibus.

Myrsinæ album Herb. 46: 18. 6. 1856.

Angiospermae Didynamia 1. Myoporina

Diphala Hort. Mal. 18. 95 t. 65, pro parte a Houttuynia et Lannea
cum Annonacis orientali confinata.

Le mok ruk-wan. Burmanum.

Habitat ad littera maxime cunctas in vallis et valle et vallis Gangam.
Arborescens foliis subtus tomentosis non vidi.

Bignoniaceae

1365 Mallotostachys Hort. Mal. 18. 116 t. 382. non Blatt. 10. 150.

Bignonia tuberosa. Hort. Bengal. 7.

Habitat ad Chola temple et in regno Peguensis.

1366 Bignonia Ghonta

Ghonta Bengalensis.

Habitat ad Camputa temple.

1367 Bignonia (Belonensis) Hort. Bengal. 7. Blatt. 10. 114; 304. non Blatt. 10. 155

Padri Hort. Mal. 18. t. 26! non a sequenti discorsa est plantae Blatt.

Habitat in Sifura.

Nescio an a sequente diversa.

1368 Bignonia folia

Parijat et Kolar Bengalensis.

Habitat in vallis Indiam Gangolicam orientem versus et
apenninum singulis.

racemosa distincta; adiutor non est Padri (Hort. Mal. 10. 155)

et ill. racemosa; capitulo, apiculatus

1369 Bignonia

Bignonia suarolens Hort. 10. 147

i. 5. Bignonia Bengalensis

Habitat cum precedente

1370 Bignonia

» i/r. V. Hort. Bengal. V

Rubra flos

foliis latis et apiculatis

fructificationem non vidi

1371 Bignonia solieri

foliis latis pagis paucioribus non vidi, foliis paginis
paucis et ipsis foliis mollescere non illata.

1372 Spathodea? compa moulata

Bignonia solieri. Hort. Bengal. 7.

Folio in horto v. Glaucium botanicum e pagis

- Angiosperma Dioscoreaceae Dioscorea et Zingiberaceae officinalis
- nominis, statu malleo habet duplum.
- 1370 *Chelone glabra*
Habitat in Europa orientalis siccis.
- 1371 *Chelone rubicunda*
Habitat in Europa orientalis siccis.
- 1372 *Chelone latifolia*
Habitat in Europa orientali montibus.
- 1373 *Sesamum oliferaeum album*
Sesamum orientale Hort. Bangal. Hort. Kew. 52. 802
____ *subsecundum* Hort. Amb. v. 206.
____ *multicoccum* Hort. Amb. 244.
Sobit Ila (Cantab. *sesamum*) Hort. Malabar 105. Cotta
Sobit Kintice et Bengalensis
Kuan Burmanorum
Colitur ubique in India acri.
- 1374 *Sesamum oliferaeum nigrum*
Sesamum indicum Hort. Bangal. Hort. Kew. 52. 1006. fig. Kew. 89. 742
____ *laciniatum* Willd. sp. Pl. 339. 472
____ *trifoliatum* Miller. Gen. Plant. v. 1. 176.
____ *nigrum* Hort. Amb. v. 206, cyp. 92.
____ *altissimum folium trifoliatum orientale semine obscurae* Willd.
Pl. 344
1375 *i%L*. Hort. #*** 1417. 655
Krishna Sobit Bengalensis
Colitur in India acri.
- 1376 *Sesamum oliferaeum nigrum* florae monstratis regulari, portante
Sobit jata Kintice
Shanitut, Magadha acri.
- 1377 *Sesamum orientale spontaneum*
Habitat
Sesamum tantum oblongum (deum) recte, seminum annuum
pater (the) orientalis
Sesamum digitate manipulat.
____ *arina*
- 1378 *Umbellaria?*
in Europa orientalis humida
- 1379 *Umbellaria Monocotyl*
in cum præsente
- 1380 *Rosaria Rumphii*

Lugisantha Diternonia Sophularina

Inter specimen locata nonnulla, a Roxburghio collata, inventa
est haec planta sub nomine Torenia asiatica, non Torenia
esculenta Willdenowii Roxburghius nominabat in hinc tamen
unde verisimiliter planta res sit, gratiosa veronicellae multe simillima.

1383 Torenia? lutea

Habitat in Campanula orientalis umbellaria

Ramosa in filamentis longioribus aliisque difficiunt,
mille summa cum minime, oblongum calatum, ciliata.

1384 Torenia? lucida Linn. yfrty-^ 1385 f. 1; fa ^/Xp 256?

527| Habitat in Campanula orientalis aquatica

5^o nro ab calyp ab ut t, Ax ciliata

1385 Aconia asiatica Linn. 703. Mill. Gen. Ed. 22. p. 56. %u * . . . ****, et
tu 7 . . . Robt. J/ £***, * + Hickenstii synonymo

Thians Hort. Beng. 45.

Kakapu Hort. Mal. 10. 1: 53

Habitat in Campanula orientalis

1386 Torenia pariflora

Habitat in Campanula orientalis graminosus

1387 Torenia trichotoma

Habitat inter Magadha Cyperi

1388 Torenia lucida

Gratiola lucida Mill. 8. 512. Hort. Beng. 2. Pl. 1. H. 6. 11. 185

Gymnarr. s. s. S. 1. R. 1. 133.

Cut. alle minor Hort. Amb. v. 49. t. 6. 190. f. 3.

Stems subtile borealis ritis.

Fls. Roxburghium glabrum, mille, ... ^

1389 Torenia nivea

Habitat in subice aquo humido et plan. <.v*.

1390 Torenia alba

Habitat in Mittika aqua

1391 Torenia erecta

Habitat in rupi Magna ha. ciliata

1392 Torenia ericoides

Habitat in bosco et Campanula aquatica

1393 Torenia cordigera Linn. Mill. Synt. 25.

Habitat in Mittika inundata

1394 Torenia angustipolia

Habitat inter Mittika aqua

Angiospermiflora Didynia a+t4G? Syphularinae

- 1395 *Tromia* f. ^{Gibba}
 Habitat in Altilia rubra
 Ob filamento longiora non ramantacea, ad tuncrum glandulatum,
 post segmentum fortis locis debuit?
- #>y *Tromia* ^{hirta}
 Habitat in Camrypa orientalis montibus
- 1397 *Ambulacia*? ^{terrea}
 Nela-kola Linn. Bl. Zeyl. 1866
Sympopus palustris a specie gallicana, vixen. Tigris. Ann.
 Trop. Zool. 122.
- 1398 *Ambulacia*? ^{acuminata}
 Aegiochus
 Habitat inter Canna legato hypanale
- 1399 *Ambulacia paniculata*
 Habitat in Camrypa orientalis aquosa
- /& 1400 *Ambulacia patula*
Hemidiodia aquatica Willd. Sp. Pl. 115. 366. Ind. Natur. 11: 425.
 Habitat in aqua borealis stagno
- 1401 *Ambulacia flava*
 Habitat in cypri foliata canosa
- 1402 ^{*t} *Ambulacia cimiciformis*
 Habitat in Camrypa orientalis canosa
- 1403 *Ambulacia oblongata*
 Habitat in Camrypa orientalis aquosa
- 1404 *Ambulacia softilis*
 Habitat inter Camrypa orientalis Oryz.
- 1405 *Ambulacia lutea*
 Habitat in Canna aquosa
- 1406 *Ambulacia heterophyllo*
 Columna phylla Lodd. Ray. 47.
 Habitat vallis
- 1407 *Ambulacia* Linn.
 Rai
- 1408 *Ambulacia*
 Habitat
- 1409 *Ammiaria* ^{angustata}
Hemidiodia camphonata Willd. M. 1825 — H. H. 184268
 indossa [—] **A** » ^{II} *Amiaria* Ghovadola Koenig.

Angiospermae Dicotyledoneae Synthetopetalinae

Habitat in camphora orientalis arborescens inter Bryozan
 At hoc diversissime Machilis mentha Linn. Hegel (42) & <*
Gymnopholus hermannii, et inter Labiatae versicolor.

1408 Ambulia capitata

Habitat in montibus camphora orientalis.

1409 Ambulia rotunda

Crotonum ambulicium Coch. Nat. 2 6248, fig.

Habitat in Mugadha ad Hymenocallis Gracilis,

1410 Gaura Bruniæ

Brunia indica Linnaeus 453, Suppl. 698 n. 830.

Potentilla mimima agrestis Tengula dicta Sum. Hegel 197
 Lin. Hegel 618. vide 1433.

Alsinoe Potentilla repanda flos longo pedunculo incidente ex
promontorio Camerun Nat. Nat. 92

Bramickort Nat. 4 97, t. 14.

Coronaria tinctoria

Habitat ad pantes ad hortos India irrigandas offerens.

1411 Capraria humifusa

Habitat in Mitchella graminoides

1412 Cekoria rigidula

Habitat in camphora et Mitchella graminoides

At hoc floribus non distincte gossypium Coch. Nat. 13, t. 68.

1413 Cichorium incisa

Habitat in Mugadha agrestis agrenum

1414 Cichorium dentata

Cichorium India orientale shukura saturnia foliis dentatis
lutea, calycibus florum magnis triangularibus Nat. Nat. 15, t. 1396, fig.
affert ulum florum color.

Habitat in Mugadha arvis elevationibus

1415 Cichorium officinale

Habitat in Mitchella coronaria graminoides

1416 Cichorium euphorbioides Villars t. 69, 2372 Linnaeus Nat. Nat. 13, t. 25.

Kulu Reichenb. Nat. Nat. 139, t. 667.

Habitat in Mitchella coronaria arabis.

Phytia planta a rostato differit latis cordatis sylvestris
integris oblique plantam subsequentem.

1417 Cichorium Mosoni

Angiosperma Didynamia Beghtalarinae affines

1430 *Argemone abbreviata*

Habitat in Bengala paucis

1431 *Argemone elongata*

Habitat in Bengala paucis

A duabus praecedentibus nonnihil diversa planta
Chantii, qua Argemone indica

1432 *Anisodus oblongoides*

Habitat inter Mittile Oryzae

1433 *Distichlis glomerata*

Habitat in Megatha aquosus

Planta et Beghtalarinat Kanthaceis affines

1433 *Ceratandra glomerata*

Habitat in Campea et Mittile ruboreis.

1434 *Ceratandra oliginosa*

<:\$<*&<> uliginosa Willd. Sp. Pl. 1872. In: M. H. 2: 362.

Habitat in locis Mittile inundatis

1435 *Ceratandra triflora* o

Ruellia triflora Lodd. Berg. 46.

Bana Nafissa in Tripura

Kala apus Calcuttam ^{Bengalensis}

Habitat in Bengala aquosus.

1436 *Ceratandra triflora* ?

Habitat cum praecedente

1437 *Ceratandra longifolia*

Ruellia longifolia Lodd. Berg. 46

Puntiqa Bengalensis

Habitat in foecis Bengala desertonis

Acanthaceae

1438 *Ruellia* pl. a

Abita &%4

Habitat in ~~the~~ & ^{the} Megatha solo missis cylind.

Propriis foliis rotundis plantae cui corolla hypocrateriformis.

1439 *Ruellia* N. pl. ^{*5} b

N. b. b. b. Kuntze

Habitat in Smoki inferioris rupibus lumen
sequentia simillimum.

1440 *Ruellia deflexa* Lodd. Berg. 47

Am. gutt. Kuntze

Habitat in Indie sylvis montibus superius insulae.

Una cum praecedent et subsequente fortinat in genere ^{deflexum} ^{et} ^a ^{deflexum} (Non Mol. 1, 678) definitione.

- 156
- | <u>Angiosperma</u> | <u>Didymocia</u> | <u>Acanthaceae</u> |
|-----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| 1441 Ruellia tenuis | Habitat in Margarha caposis
Præcorditibus durabis quod ad genus affinis. | |
| 1442 Ruellia? obvata Herb. Beng. 46 | Ruellia diffiformis Willd. sp. pl. 49: 782 line. Neth. v. 145.
Neruballii Herb. Ind. 4: 89 t. 46.
Habitat in Tropica Australi.
sequentem quod ad genus affinis. | |
| 1443 Ruellia? quadrivalvis | Habitat in herbis Margarha. Mangiferis.
Præcorditibus durabis quod ad genus affinis. | |
| 1444 Ruellia? ciliaris | Habitat in Camphora graminos. | |
| 1445 Ruellia? Nagashana | Nagashana (coronaria) (var.) Stevns.
Habitat inter Margarha. G. f. g. f. f. £ ***£? | |
| 1446 Ruellia? colorata | Habitat in Camphora sylvis ad riuulos
Quic forte quod ad genus affinis Premna ciliata subsp.
Herb. Ind. v. 32 t. 13 f. 3. | |
| 1447 Ruellia fusig | Kushii Bengalensis | |
| 1448 Ruellia Sonichangae | Habitat in Sikkima | |
| 1449 Ruellia secunda Willd. sp. pl. 49: 872 line. Neth. v. 145. | R. japonica Herb. Beng. 46.
Talla Whistali Herb. Mal. 4: 85 t. 45.
Habitat in formata et Chrea sylvis. | |
| 1450 Ruellia Nethiae | Bam. Nethiae (zygotecum) (animum) Hainanum Flora.
Habitat in Margarha.
Rupes randa abiesis (natale) Cheki (Herb. Ind. v. 32 t. 46)
præcorditibus durabis quod ad descriptionem: sed in figura folia, molle hirsuta,
et capsula nimis aquosa; recte tamen planta est uliginosa, et
propria structure similes. Herbarium. Herb. Ind. v. 32 t. 22 f. 1 | |
| 1451 | ip. 37. Herb. Beng. 46.
Ran. ^, jöt est. 1000. Cimb. No P4/, HS * • 32! | Bengalensis |
| | Si. est. in Nethiae et Margarha sylvis soli in siccitate.
In fructuosa plantis vis diversa, secundum | wonchee |

187
Argyrescima *Didymaria* *Acanthaceae*

1453 *Puellia? imbricata* Hook. Beng. 46.

Althaea imbricata Brown Nov. Nat. 476.

Habitat in Bengal.

1453 *Puellia? disticha* a.

Habitat in Camphora sylvis planta antemuris.

1454 *Puellia? disticha* b.

Habitat in Camphora sylvis, planta anomalis.

1455 *Puellia? costata*

Habitat in Mithila et Gola sylvis Smotri vallis anomali, et in Tripura montibus.

1456 *Puellia? radicans*

Lophidagathis cristata Willd. sp. Pl. 1878. 1879. Hook. Beng. 45.

Usbayai Nentice.

Habitat in Magatha et Ganta apica.

1457 *Puellia? tenuirostris*

Habitat in Ganta sapozi.

1458 *Puellia hartertii*

Near Nentice.

Habitat in Magatha sapozi, et colitus in hortis.

1459 *Barleria cristata* Willd. sp. Pl. 1878. Hook. Beng. 45. Hook. Kew. 1879.

Colitus in India hortis.

1460 *Barleria canula* Hook. Beng. 45.

B. strigosa Willd. sp. Pl. 1878. Smoth. Lyp. 1882?

Colitus in horto prope palauum botanicum

subsequently simillima.

1461 *Barleria mitratalis*

Non Shikya montiborum Nentice.

Habitat in montibus Smoti inferioribus Gentianae rotundifoliae pluvium

1462 *Barleria*

Hook. Beng. 46.

JU*»_ f&t*uC At44*RAH, (a) A. VtA.

Sal. fs4t in India 0 anglica hortis

onitis Willd. sp. Pl. 1878. Smoth. Lyp. 1882. Brown. Kew. 1882. Hook. Kew. 1882.

Barleria H. T. Willd. sp. Pl. 1878. Smoth. Lyp. 1882.

Bsp. integrifolia. Smoth. Lata lobata Lin. Pl. Zool. 1833.

Abutilon " " Sm. Brown. Pl. Zool. 1833.

Lycsteria " " Abutilon "

Melampyrum rognata 4 strobilatana " Sm. Sm. Sm. 1833. Pl. Zool. 1833.

Myrsinaceae. fat.

Gilia. Scleria Hook. Kew. 1882. 1883.

Anoikis

171

Diagnosia - Searthaea

Lelystadse Baroness

Habitat abigen in agribus Asiae australibus

- Angiospermae Didynamia Scrophulariaceae
- Habitat in campis Indiae aridioribus
Burmansum sicut pectorat plantam ab Malabarum
sp. dicotomum, sed figura nostra plantam hanc non representat.
- 1472 *Blindia multifolia* Linn.: Meth. Ind. 50.
Blindia repens Willd. Sp. Pl. 23. 399.
Habitat in campis Indiae aridioribus
Blindia non glabra
- 1473 *Thunbergia angustifolia*
Habitat in cibos Campe orientalis
- 1474 *Thunbergia fragrans* Hook. Beng. 45. Willd. Pl. 11. 45; 385. Enc. Meth. 21. 107
Hab. Kew. 10. 58
Habitat in India austriacis cibis
- nomini specieum infelix, quin plante subince syngie foliis.
- 1475 *Thunbergia quinquangularis*
Kephnodes mortuorum Lindl.
Habitat in Sonorae jugis superioribus fundacione versus
- 1476 *Thunbergia multifolia*
Habitat in Campe et Natale cibis
- 1477 *Thunbergia grandiflora* Hook. Beng. 45
Basachium officinarum Lindl.
Habitat in India extra et intia Gangam discendit.
- 1478 *Thunbergia grandiflora* /
Habitat in Campe dum sita
- Tetradynamia
Siliculosa
- Cucurbitaceae
- 1479 *Thlaspi sativum* Linn.: Meth. 21. 522.
Lobidium, latum. Lab. Beng. 40. Kew. 10. 11. 420.
Platum Lindl.
Cultus ubique in India Gangam hortis.
- 1480 *Thlaspi sativum* spontaneum
Habitat in rive Gangis per Magadham fluvium
- 1481 *Cornelina brasii*
bekkens flora. Lab. Beng. 48.
Thlaspi officinarum Lindl.
Habitat inter Magadha Oryzum.
- 1482 *Tauschia apurensis*
Tauberi Lindl.
Habitat in rive Jamanis ^ »

Silvagene

Selaginaria

precipitate

Strophium zeylanicum Rumph. foliis solitariis, flor. flava,
foliis tenui. Bonn. Theor. Leyd. 217. t. 100, p. 2.

Papaver corniculatum acre singulari foliis. Malabaricum. Hort.
Amst. 260.

Lysimachia Hort. Malib. 93. t. 33.

Lysimachia in horto peple. Gmelinii Botanicae et Dracaenae.

1695 *Cerme* *icosandra* Willd. ~~pp~~ 558. Sme. Matth. in 315. sub Cerasi L. Hort.
Amst. Bonn. Theor. pl.

Cerme *icosandra* Bonn. Pl. 211. et Willd. pp. 558. p. 26.
non diversa, ut et *Cerme* *icosandra* Swartz. in 315 quod ad synonymum
nonnullarum ad plantas Louraini diversas per relationem.

Cerme *flavipes* ad scandens foliis levioribus Lin. Pl. Leyd. 240.

— — *icosandra* scandens, foliis pinnatis Lin. Pl. Leyd. 240.

Abraha *tenuissimum*, *y* *lanceum*, *trifolij* " *pentaphyllum*, *icosandra*
Bonn. Theor. — — — — — *icosandra* *Scamni* et *Leonardog.*
Linaria *zeylanica*, *pentaphyllum*, *icosandra*, *flor. flava*
Bonn. Theor. Leyd. 215. t. 93.

Ligustrum *alba* Hort. Amst. 282. t. 75. p. 2. non s. ut violent autem
Eucalyptodice, in figura & distinguere *Ligustrum* *alba* Rumphii, que
naturae est & *pentaphylla*.

Papaver *corniculatum* acre *pentaphyllum* *indicum* *flor.* ^A *lutea*
alio ^A *var* *flora* Hort. Malib. 93. t. 33.

Ranunculus *Armeniacus* *Burmianus*

Habitat ubi [✓] *lutea* *indica* *rubra*

1696 *Cerme* *pentaphylla* Willd. sp. Pl. 212. t. 56. Sme. Matth. in 315. Willd. Jan. 6. 1827. p. 1.

Toto Regno &c. Hort. Amst. 212. Bonn. Pl. 210. ex aliis *Scamni* synonymum
Conquistaria [✓] *pentaphyllum*, *flor. carnos.* minima non officinum
Bonn. Theor. p. 210. *indica* forte *Scamni*, *Scamni*, et *Parkinsoni*
Ligustrum *alba* Hort. Amst. 282. t. 93. f. 1. ^{Hydrophyllum}

Papaver *corniculatum* acre *quinquefolium* *Asyphyllum*
minus *flor. carnos.* non *flavum*. Hort. Amst. [✓] *R.*

Cera *Vita* Hort. Malib. 93. t. 33.

Habitat ubique in India missis.

1697 *Cerme* *flexedoriae* Willd. sp. Pl. 212. Hort. Amst. 212. Bonn. Pl. 212.

Strophium *indicum*, *flavum*, *foliis* *quadrangulis*, *triangularibus*, *solitariis* [✓] *minimis*
marinis. Bonn. Theor. Leyd. 216. *Asperum* ab autore cum *flavum* *Asphyllum*,
flavum *luteum*, *luteum* *lignosum* alle *Scamni* *synonymum*, in qua

S. L. Agassiz

(C)

PolygonaceaeCorniferae*Lunaria annua* concolor.Habitat in arid *Magnolia* depressis inter *Bromus*.AxonanthidaeTetrandria?Leguminosae& 98 *Famadihana orientalis* Gaudich. nom. n.*Famadihana* %, Sicc. 100% off. May 5, 1872, Kort. B. 100, 200 fm. 10.20 Kort. B. May 5, 1872. Ann. Pl. 10. sp. nov. *Hedysarum* D. plantae
Amaricium spec. n. ^g*Famadihana* Ann. Pl. May 32. — This May 22. Kort. B. 100,
90, 100, 120. Plant. Ann. Pl. 10. *calycinis* idem *Hedysarum*.Balon. Pelli. *Strobillaria*, p. 132.Habitat in begin *bambus* præges.PortulacaceaeIncubitoidea

499 rotundifolia

Habitat in *Magnolia* montanaeStoechidiaceae1000 *Maltheria Siphaca* Kort. Cong. 19. Wall. 40. K. 100. 120. 140. 160. 180.Habitat inter *saxa* in *Magnolia* montanae1001 *Maltheria rubra* Kort. B. May 19. Wall. off. Pl. 39. 50, 70. Kort. B. 100,

20. Kort. B. 100. 120. 140. 160. 180.

Maltheria glabra make correctly undulate L. A. May, 1868,
sparsa forte 2T* Malva in Kort. May 1869, 100, 120, 140, 160, 180.
Malva decolorans floribus purpureo-viridis non albita
Corm.Alcea gayi. ~ * ~ folio foliisque foliisque congruus
Corm. Ro. mannaAlcea infa. foliis longis molibus betonis formata
scabiosaginea ramentum lichenato Corm. Ann. Pl. 10. 120.
sparsa forte 2T* Malva in Kort. May 1869, 100, 120, 140, 160, 180.
Malva decolorans floribus purpureo-viridis non albita
Corm. utile concentrica, excentricaCeratonia arborea. Malva gallica villosa jucunda "A"
Denavit. Kort. Ann. Pl. 10. May 6. 100, 120, 140.

Habitat cum præcoertenis que nascit in lati distante.

Malvaceæ

- Pterospermae. Moraceae Malvaceae
- 1502 *Melochia conchoifolia* Willd sp. H. 1862 ex. Moll. in 82
Burm. Pl. Ind. 43. Hort. Kew. 1845. Not Bongard. Malva prole synonyme
Rheedii, sive ad hoc genus pertinente.
- Malva orientalis* stat. longior folia, flvae albae minimum capitulo
conglomeratis Hort. Fl. 1844, 15.
- Althaea persica* longiora Calonica folia floribus albae
persimilis, capitulo arete conformato. Hort. Fl. 1845, excludit
synonymis e Horto Malabarico.
- 1503 *Fistulosa catalpifolia* Benth. sp. 1,702 Hort. Bongard.
foliis in horto prope Calcuttam botanicas in America.

Labiatae

- 1504 *Malvaea integrifolia* Benth. Benth. in 209.
Lobessa tuberosa Hort. Bong. 1862 ex. Malva tuberosa syn. Hort. Malabarico
Orula Malvaca Hort. Mal. 1842, 43. t. 26.
foliis in horto prope Calcuttam botanicas ex. J. G. Smith

DicentriaTribi, , ^-€ BAX

- 1505 *Cinnamomum ciliatum*
i *communis africanaus* Desv. Benth. sp. 1862 sp. 1862
\$»^& C6£ in medicina Gaster de son J 274 t. 6 f. -
Habitat in Malabar it. „ A per desmoti.
Perin. Courig. Cat. Mal. 1843 t. 25 huic similis et non
cylindricum, & *communis pinnatifida* (var. t. 26 At 1862)
e nocturno cato decolorat.

- 1506 *Cinnamomum williamsii* Hort. Bong. 43.
foliis in horto prope Calcuttam botanicas ex. Williams
specimen solum s. vidi a H. B. Smith transmigrum
Misere in a precedente diaconus.

DodecandraStereculiaceae

- 1507 *Kordia* ex hiscita Hort. sp. 1862 sp. 1862 ex. Moll. sp. 1862
" *lancea* Koenigii montanorum Hindiae
Habitat ad montium rabiess in 1,000 ft. alt. in

- 1508 *Velutaria* Bong. sp. 1862
foliis laciniate calcaratum botanicas a. 2. glabratu
sive velutina allata

- 1509 *Velutaria* Benth. Willd sp. 1862 Hort. Bong. 1862 ex. 1862
Velutaria virens, t. lat. /££'; + 'Si;

DodecandraMonadelphus • Merculaceae

- Fruitos* ssp. *Herb.* *Asst.* v. 2. t. 7, f. 2.
Kleinhovia *abro* *India orientalis* *siliques* *varicosa* *et* *funicula*
in *mollis* *contortuplicata* *Herb.* *plu.* 10. *Heg.* t. 245, f. 2.
Sora (*Saura* *sin. nomen*). *Maori vel Sora*. *Marshall* *Adf.* 9185
Habitat *in* *India* *solo* *pinguine* *sylvis*.
In *isomibus* *alta* *silatis* *folia* *ovata* *canta*; *arabis* *subcordata*,
spicis *accesus* *laticornis*, *sublobata*.
- 1570 *Kleinhovia hospita* *Willd.* sp. *Heg.* 571 *Herb.* *Asst.* v. 2.
Kleinhovia hospita *Griseb.* *Blatt.* 145, 147. *Ill. Genit.* 726. — *?*
Herb. *Cey.* 42. *Burm.* R. *Ind.* 194.
Gutt.-maria *Herb.* *Asst.* 177, t. 66.
foliis *in* *horto* *prope* *Calcuttam* *botanico* *e.* *Malabarico*.
- 1571 *Sterculia urens* *Herb.* *Beng.* *Willd.* sp. *Heg.* 572. *Ind. Mal.* 196
 432. *Herb.* *Rew.* v. 339.
Telhai *Hantia* *—* *—* *—* *—* *—*
Habitat *in* *Magadha* *sylvis*.
- 1572 *Sterculia plattanifolia* *Willd.* sp. *Heg.* 573. *Ind. Mal.* v. 32. 196
Herb. *Rew.* v. 339. *—*
Habitat *in* *Gangetic* *sylvis*.
- 1573 *Sterculia villosa* *Herb.* *Beng.* 50
Habitat *in* *Triphura* *boreali*.
- 1574 *Sterculia alata* *Herb.* *Beng.* 50
Habitat *in* *Bengala* *orientalis* *montibus*.
- 1575 *Sterculia guttata* *Herb.* *Beng.* 50
Sterculia macrophylla *Ene.* *Blatt.* v. 2. 432.
lameona *per* *marum* *Herb.* *Asst.* 182, t. 66. —
foliis *in* *horto* *prope* *Calcuttam* *botanico* *e.* *Malabarico*.
- 1576 *Sterculia rubricauda*
Herb. *Beng.* *—*
Habitat *in* *Magadha* *e* *Montibus*.
- 1577 *Sterculia Balanghas* *Herb.* *Beng.* *Asst.* 182. *Ind. Mal.* v. 32. 196
Byron T. *Ind.* 34. *Sp. sicc. Burmanni* *synonymo* *primo* *et* *secundum*
elephantum *foliis* *spectabilis*; *multo* *nominis* *descriptio* *explic.*
non *Malabarico* 429. *vide* *subsequentem*.
Sterculia *foliis* *ovalibus* *integri* *miserrimis* *poliolatis* *folios*
panice, *latis* *lato* *lato* *Heg.* 352. *valde* *Burmanni* *synonymo* *expedita*.
Nom *gigantea* *Zygomatica*, *minor*, *littera*, *flor* *principis*. *Veraphas*
Zygomaticibus *Burm.* *Herb.* *Heg.* 170

165

Dodonaeoria Monodelphis Sternulariaceae

Companus minor Lodd. Comb. N. 1, 107; flores in forma grossi
Nux malabarica dulcata mucilaginosa flesca Hort. Alm. 265
 Habitat in horto botanico prope Calcuttam a Chinis.

1658 *Ficus* ^{lanceolata} Mill. sp. Pl. 91: 878 Ins. Melli 1912: 229.

VII

Stenocarpus ^{calanghas} Pers. Melli 1912: 229; ex alijs figura vix praeudentem
^{et angustifolia} Hort. Berg. 18.

Habitat in monte montibus impioribus et in Gennypa orientale
 169. *Heritiera* ^{frutescens} Buchanan apud Symes Barbapay & Alm. 1880 cum insone
 Mill. sp. Pl. 1912: 229.

971 —

Heritiera minor Hort. Berg. 1880. Ins. Melli 1912: 229.

Pelargonium ^{minor} Jardin: de Lins 4, 78 t. 98, f. 2, pergam in
 Hort. Kew. v. 339 cum Nagam Hort. Mal. conjugata

663.

Aleurites lotus Hort. Berg. 1912: 229 ad figuram et prae-
 dictum descriptionem tantum (vix signatum plantam)

25/

Abbas indica annua, nucleus amygdalii facile expeditus. Togt. 1907:
 Sympathies rosacearum foliolum petiolaris pungens amicti, flor. umbellata
^{nudicollis ad uniflorum floribus demandans}

mentif/

Bengalensis Paul. Alm. 1880 Namque que ad me adhuc est non Naturae
 (Alm. 25) et Rhetia Nagam quae in Bengal. amigdalu vici,
 semper ad semina Bengalensis.

Ka-na-za. Barmanorum:

Habitat in ripis Bengala et Pago astri inundatis

1659 *Lota?* ^{polyandra}

Limes lotus Hort. Berg. 1912: 229 ad descriptionem fitidum et
 flor. tantum vix plantam praeudentem.

Ka-na-za. Barmanorum, qui inter haec et praeudentem non
 distinguunt.

Habitat cum praeudente vici.

Salvaceous

1660 ^y ^{ma} ^{cordata}

Spinosa ^{decurrens} Hort. Berg. 1912: 229.

Habitat in fore ^{M 4} orientalis montibus.

1661 *Ponticulus* ^{phoenicia} Villa sp. Pl. 91: 727 Ins. Melli 1912: 229, velutina
 synonymia C. et P. Kotschy's utinam illa gen. 1578, f. 1 Hort. Berg.
 * .yi. Hort. Berg. ⁴ algastr: de Lins 4, 248 t. 113, f. 5.

Guttaria cylindrica, flor. ampla coquens fructu. Togt. 1907: 27
 Pl. 1. Melli 1912: 229, f. 3

r

Dodecandra

Monodelphidae

/&L** *was*

fc I^* *Handbook of 1938 E. 1000 ft.*

Habitat abique in India hortis.

- 1521 *Pterospermum acerifolium* Willd. sp. pl. p. 72. Benth. Ind. in Eng.,
Ill. Govt. 574 fig. Hort. Amoy 55 Hort. Kew. 194. Monatsh. Bot. 40.
Pentaphyllum Linn. Pl. Reg. 250
Habitat in India Sikkim.

1524 *Pterospermum acerifolium* Willd. sp. pl. 72. Benth. Ind. in Eng.,
cole non Encyclia (Eng. in Eng.), nigra attinge glabra
Brahm Chaitan Muntiac
Kanak Campa Bengalensis
Habitat in great boulders, Cithica in Nagasho et Bangala

1525 *Dombeya tiliifolia* Hook. Bign. 38. Benth. Ind. in Eng., sp. pl. 44. Benth.
foliis in horto prope Calcuttam botanicas. Monatsh.
Debito an Diacanthula diversa?

Polyanthia

- 1525 *Gymnopinus alba* Cryptogamia
Bonhax pentandra Willd. Sp. Pl. 69, 73. Inv. Herb. 400.
 <&*>; £3£#; «£tclusi» prole synonymis ad plantam
 Americanum pectantibus ut et Hudsonia lobularia, q. 6 Hort. Berg. 80.
 sibz pentandra Garcke de Bon. q. 245. C. 133. p. 17.
Dysoxylum digitata, caule intumescere H. Key 6. 220
Diospyros javana Hook. Ant. p. 192. C. 180
Pania = *Paniola* Hook. Mal. 45. 57. C. 43. 56. 56
 Arbor *Gymnopinus* Henic. Nest. Nati. C. 12. 2. 16. 16
 Habitat in India sylois rariis
 neque totum nisi habitat pectum, neque ubi sylois
 deducat, metat. Gartneria
 onica digitata Willd. Sp. Pl. 69, 73. Inv. Herb. 400. C. 11. Jan. 61
 588. top 18. 207. Hort. Berg. 52. Hort. Berg. 6. 195.
 Monsonia Radlk. Garcke de Bon. q. 245. C. 133. 17.
 Hospitalaria ad India nonnullas uides, vix at
 Aliakao, pluviales per annos usque ad annos aliante

1528 Holachia latifolia

McGillivray's Herk. Bony. 51.

flitter in hosts people fallen them botanize

A hortulanis pro domi rega tunc etea ostendit,
enore forte hominum. magnum. Roxburgius tamen

- 1529 Dombeyan tenuifolium or Malagasy Calanit
Vida horrida Nat Nov 88.
Ullas makarapatana, Meloaria angustifolia <sup>f&fE> Pictor ex

167

Polycentriat *Menadensis* *Malvaceae*

stems foliosum pedicello cuncto. Plak. Alm. 25 Phyt. 250, f. 5
perforans & Villenoides cum planta expensi conjugata
Nag-Bala vel Nag-Bariyara officinum Koenig.
Habitat in India Gangetica rident.

1530 *Sida Baricaria*

Bariyara Koenig.

Habitat in Magatha rident.

Nomen Bariyara, in Hoto Bengalensi Bariyala Wright,
ibi ad spicium subsequentem datus.

1531 *Sida cordifolia* Willd. ff. 117, 758. Sultani quod ad plantam Indianam.

In Malabar, 5 Sept.; 15. Nov. 1849, S. Rama. Plak. 47

Malva folia cordata eximata villous, floribus lateribus congestis

Linn. Pl. Reg. 255. exinde synonymous Plaknotii prionis

Malvina bicornis Ballotii folia Rama. Ann. Pl. Reg. 29.

Althea Madrenshiana subrotundata folia molle et brana
multipliciter siccæ seminibus ad apicem eximis Plak. Alm. 25
Phyt. 25, f. 8.

Water Meon Hobkettal, n. 11, 7, 6, 54.

Habitat in India rident.

1532 *Sida morifolia* Linn. Mitt. Suppl. 1, 5

Sida humilis B. Willd. ff. 117, 754. Hort. Reg. 48.

Alcea morifolia Sida orientalis @ flower sinus capitatis

singularibus parois Plak. Alm. 25. Phyt. 25, 127, f. 1. Linn.

Villenoides proicit, qua representat plantam Americananam

et inde forte Prayalopetriae autores legunt sive India

occidentalis pro auctoribus India orientalis quae in Plaknotis invicem

Habitat prope Calcuttam in rident.

1533 *Sida periplocaefolia* Willd. ff. 117, 755. S. Rama. Plak. 48. Suppl. 1, 5.

lob. Bays. &c. Hort. Reg. 199. Rama. Plak. 47

Sida folia cordata lanceolata eximata integerrima Linn. Pl. Reg. 255.

Abrutylon Periploca angustiorifolia fructu. distincto Rama. Pl. Reg. 25.

Alcea orientalis transonicis foliis majoribus alijs Plak. Alm. 25, 127, f. 7.

foliis in hoto prope Calcuttam botanico. demota

1534 *Sida seguinii*

lutea in hoto botanico prope Calcuttam lata eximibunda. Insula
Planaea varia latè lata eximis ex non-indigena

1535 *Sida tenax*

Habitat prope Calcuttam.

• V. A. - 1849.

*Polyandria**Monadelphia**Malvaceae*

Sida glabra —; — *s.*J.* Willd. nom. n.

Astilbe agrestis sive *mentziana* Hook. Ind. 1822

Habitat in *Bathla angustifolia*

1537 *Sida ciliolans* Willd. off. 1829, 381 has. lith. 1829, 18.

Acea Malabarica, Grisebach filia mollis et in corris tuberculata 1829

Sida Daga Hook. Ind. 1822, 169

Narikot Khasia.

Habitat in *Magnolia ciliolata*.

1538 *Sida hirta* Linn. Willd. 1829, 183 Willd. off. 1829, 381 non *sympetala*

Lomentosa Hook. Flora 18

Astilbe hirsutissima Hook. Ind. 1822, 169, 170 *valens* by non proponit

Acea affinis Retzii, *Astilbe dicta* filia mollis proponit
renaria, ciliolata lanuginosus Blatt. Alm. 17, Flora 1, 126, 150 non
prote *sympetala* non nullum.

Nakakot Khasia

Habitat in *Sindria ciliolata*.

1539 *Sida gracilis* Hook. Flora 18

Habitat in Ganges at Sonamie Sikkimensis.

1540 *Sida populifolia* Willd. sp. 1829, 187, 188 Willd. 1829, 187

Hook. Flora 18, 202.

Astilbe leucocarpa Hook. Ind. 1822, 169.

Acea nitens, *Astilbe dicta*, *sinensis*, *patidium*, *florula*, *geminata*
Blatt. Alm. 17.

Belgravea Hook. Ind. 1822, 188

Habitat in *Sindria ciliolata*

& *Sida polygonoides* Hook. Flora 18.

Cissus persica Retz. Ind. 1822, 183, 187 filia *florula* 1829

folia in *hookeriana* *glandulosa* — *Dinckei*

In figura Cissus caulescens filia *sinensis* in *multis* plantis
est ramos *glabros* peribet *ramificationes*, *stipulis* armis

1542 *Prunus cerasifera*

lignosa

Campfire

Bois. Batt. 1822, 1832 Willd.

1829, 1830 Hook. Flora 1822, 189

Fl. Ind. 1822

*iT*r*S*,,*<***, *Prunus cerasifera* *prickly* *parviflora*

partita *lenticellata* *lappacea* Bonn. *Thes. Fl. Ind. 1822*

small *lancea*

Fl. Ind. 1822

*ft** *interven* *Sindria ciliolata*, *Phytolacca sinensis*

Polyandria Monodelphous Malvaceae

temperat. subtrop. mol % C & B. Flw: 25.67 flz per annum, pro
C. sinuata citata

Malv. which R. nub. Burmanorum

Habitat ubique in India deserto.

1554 *Vicia sinuata* Burm. Pl. Ind. 149. Hort. Bengal 57

H. folia sinuata multifida villosa Lin. Pl. Leyd 117.

Malvina folia inferioribus multifidis, superioribus inaequiflora solitaria Burm. Pl. Leyd 150. C. 62. flz.

Lippia laciniata Hort. Acad. 313.

Aeon. indica pratinorum, folia in laciniis acutis diffinis
Hort. Mus. 15. Pl. Leyd. 6. 7. fl.

Habitat in India ruderis.

Planta in horts. regia Cabuliana. Botanico generalis johann.
Subles minor insana, Highlandica, adire diversa.

1555 *Malva ciliata*

Habitat in India ruderis et pragozatis in punctis et fructu
separati omnium forte efferv.

1556 *Malva rotundifolia* Willd. Sp. Pl. 478. Lin. Hort. 46, 782. Hort.
herb. 215. Smith Pl. Brit. 22. C. 62. Pl. Ind. 149. Hort. Bengal 57.
solitaria in India horts.

1557 *Malva verticillata* Willd. Sp. Pl. 478. Lin. Hort. 46, 782. f. vertic
ta dom. 6. 265. C. 116. Hort. Kew 22. Lin. Pl. Ind. 149. Hort. Bengal 57.
Malva chinensis var. ciliata floribus 2 anti-intervallata
semiverticillata positis Hort. sumatral. 100
solitaria in horts. regia

1558 *Althea chinensis* Fracm.

Althea rosea Hort. Bengal.

— — — B. Willd. Sp. Pl. 477.

— — — florosa Hort. Kew 22. 205.

Alcea sinensis Sweet. Hort. 76. Suppl. 6. 285.

Gol Taylor Linnae.

Gliber in Magdala. « ^L~??\$. .A.,, j ^ ^ii:

1559 *Polygonum virginianum* var. *hamiltonianum* Hort. Willd. & subdistr.
gigaspidium indicum Willd. Sp. Pl. 53.

— — — gigaspidium Hort. Acad. 6. 24.

— — — herbaceum L. Taylor subsp. latifolium culmante flore
pentaphyllum Hort. Acad. 6. 24. C. 152. flz.

Bengal Bengalensis

PolyandriaMandelliaMeloccaNon-han. Polygonaceae

foliis trilobis, in Indice exaltata.

1550 *Glycyrrhiza nigra* Linn.

Glycyrrhiza longiligera

foliis in Camerap. hortis rarae.

1551 *Glycyrrhiza nigra*

Glycyrrhiza officinalis Loh. Bangal.

foliis in horto prope Calcuttam botanico

1552 *Glycyrrhiza viridescens* Miki

G. hispidum Willd. Pl. 153 t. 10. Ind. Natura v. 18.

Hort. Acad. 10. 33 t. 12

Bhakai, Banga Hindie

foliis in hortis raro

1553 *Glycyrrhiza viridescens* var. rotunda

G. hispidum Hort. Bangal.

Bhakai, Hindie

foliis in Methila agnus

1554 *Hibiscus populneus* Gaertn. de cony. 200 t. 16 f. 3 non Linn.

Hibiscus populneus Willd. Sp. Pl. 153. Inventar. 154. 155. 156.

H. Ind. 155. exstans Burm. f. synonynus Hort. Acad. in 224.

Hort. Bangal. 51

Hibiscus foliis cordatis integerrimis lvs. dt. Zeyl. 258

Alcea arborea Linn. maxima, Petalo. foliis, floribus

flavescens Hort. Acad. 16

Ex Pariti. Hort. Acad. 51 t. 29.

Persea Bipal. Bangalensis

Habitat ad subita pagos, præsertim ubi levitati eam

habentibus unde hanc plantam aperte volunt cogitare leuat.

1555 *Hibiscus Novella*

Hibiscus liliaceus Hort. Bangal.

Novella Hort. Acad. 155 t. 73 perperam a Linnus. calix

ex Pariti (Hort. Acad. 51) conjugata

foliis in horto prope Calcuttam botanico. Melanesia

1556 *Hibiscus quadrifolius*

Habitat ad fluvia orientalis fluvios.

1557 *Hibiscus Rosaceus* Willd. sp. Pl. 153 t. 22 non Linn.

Tenuifolia synonyno nunc nomen Linnus inconvenit.

Hibiscus tenuifolia Linn. 153. 154. 155. 156. 157. Hort. Acad. 51

H. Ind. 155. foliis cordatis acuminatis serratis. Linn. Zeyl. 258

nolens synonyno superdicto

Hibiscus sinensis, fructu subrotundis, flave pleno Burm. Hort.

Zeyl. 158 f. 21 non Tenuifolia) velutis by synonyno noviss.

H. Ind. 155. foliis Hort. Acad. 51. 628

Alcea jasminica arborescens flave subcordatis simpliciis, et

Polyandria Monandria Malvaceae

77

- fl. 2000 m. midag.
 also with 5 lei
 ! of flower plane
 pale green
 from San "te unde nolle - Hora, (I, amica noninclusa)
 Kelt. per lotam & Wagn. by sol. A;
 1558 Hibiscus syriacus Linn. Moll. 1753. Hook. Rev. 1826. Kelt. May 18.
 Hibiscus syriacus
 Linn. Dent. Moll. 1753.
 ssp. officinale H. Nels.
 habitat in Magdalena hortis
 1559 Hibiscus hortensis Linn. Moll. 1753. Burm. 1762. J. ^JJ
 Hibiscus phoeniceus Bert. Brey. ex Willd. sp. Nov. 1805, cuius culpa
 exterior interior basior, ut in Phlomotrichum pugnac.
 Alcea fruticosa Malabaricus angustioribus foliis rigidis levior,
 sinuatae crenatis, terminali papposus Kelt. Am. 1805. Moll. 1805. foliis evanescens
 Chevall. synonyma, planta corollata
 Cineraria Herba-Blatt 1805. 1. planta = stria papposum a Willdenowio
 et in Cynos. /-AX- < ② Pentapetala phoeniceum relata.
 hortensis H. Nels.
 foliis lei.
 Roman phoeniceum digitatum, cum flore longe minimeque. Roman
 hortense bonum vide 1808.
 1560 Hibiscus tuberosus Willd. sp. Nov. 1805. Hook. Rev. 1826. Kelt. May 18.
 Hook. Rev. 1826.
 San Lukas officinale H. Nels.
 habitat in Crata area.
 1561 Hibiscus Lampa Willd. sp. Nov. 1805. Hook. Rev. 1826. TT
 San Lukas (Montaneum papposum) H. Nels. vide 1805.
 Tropaeolum (Digitatum) Montaneum H. Nels.
 habitat in Magdalena 10. Virella inferioris montana
 recessus in a segmento ab enigma satis distincta.
 1562 Hibiscus scandens
 habitat in f. ***pA**. » yloris
 1563 Hibiscus 'fat**- car. hor. Brey. ex Willd. sp. Nov. 1805. Linn. 1805
 foliis in rr*fr papposum f. STifit^ & -4m
 Hibiscus callosus * Hook. Rev. 1826. leonina hortensis de pennis
 lehmanii enumeratus inter species foliis integra
 Alcea Benghalensis Loddig. ssp. 1. foliis integra Hook. Rev. 1826. foliis
 integrata in horti prope Calcutta botanicis loco ubi omnia
 Leontini satis paucum fronte forte evanescens

172
Polyanthia *Monodophybia* *Malvaceae*1565 *Hibiscus metastabile* Willd. sp. Pl. 14: 57. Nov. Neth. 19: 223. Hort. Kew. 19: 226.

Hort. Beng. 53. Burm. P. Ind. 112.

Hibiscus horanii Hort. Amur. 27 t. 29.*Hibiscus arborescens japonica* pampinaria foliis, cunctis lacinias flore
metabili. Pl. et. Alm. 16.

Kina Pariti Hort. Mal. 19: t. 38. 32. 49. 66. 67.

foliis in India herbar.

1566 *Hibiscus antipolius* Willd. sp. Pl. 14: 59. Nov. Neth. 19: 226.
f. 2. Hort. Beng. 53. Hort. Kew. 19: 226. Burm. P. Ind. 113.*Hibiscus* foliis quinquangularibus acutis serratis, cuncte lacinias
floribus pendulis Linn. t. 100 proad 2. synonyma, ad dicitur
- aplois, foliorum proportionem, hanc optima*Hibiscus* subice cito foliis, flore amplexicaule quinque
singulis flore thecis. Pl. et. Alm. 15.

Katu (Bellon) Hort. Mal. 19: vol. Katu Bellon 1: 62.

Burm. Karpas (1560) Hibiscus.

Habitat in India arenosis.

in Kauca. Telapala Lin: P. Zool. 183. ad *Kotonia* Linn.
flos ample, flora tenuta, fructu pentagono late Burm. Pl. et. Zool. 18421567 *Hibiscus albus*

Brihadanti Kindeca.

Habitat in Magadha montibus.

1568 *Hibiscus spathaceus*

K. hirtum, Hort. Beng. 53. ad non Syncylophidion, vide 1579

Gantopura agrestis Herb. Bent. 19: 27.

Khuyle Kindeca in Pocora

, situm in caravata accidentali et formosa graminosis.

non hirtum ad hirsutum multo quam ad 1569 apertum.

1569 *Hibiscus t/i/ml**& Willd. sp. Pl. 14: 59. Nov. Neth. 19: 229. exalensis.

Yfij**^ synonymia H. 52. ad hoc inv. 1569. n. sp. 1570

Hibiscus petiolis rotundis obtusangularibus serratis ligulatis. Pl. Zool. 157*Kotonia* Egyptianum Semine massicato Burm. Pl. et. Zool. 158.*Geonoma* angustatum Herb. comb. 19: 35. t. 15.*Hibiscus* Egyptianus villosa Pl. et. Alm. 16.

^ Itaya .. <ft*> et / 61. 14. 26. 25

Habitat in India desertis.

1570 *Hibiscus canescens* * << Willd. sp. Pl. 14: 52. Nov. Neth. 19: 223. Hort. Kew. 19:

Hort. Beng. 53. Burm. P. Ind. 112.

72 r.

Monadelphia Malvaceae

Asteria indica, spinosa, profunde laciniate, ramosa, syconium heterogynous 155.

Herba coronarium domesticum Herb. comb. in 40.

Alea indica spinosa magna flor exaltata f. U* sunt Plast.
Alma. et aia diversa?

Alea americana folia cum pediculis spinosis, flora magna
Plast. Alm. 15.

Narinum Palla Hort. Nutt. 1856: 44. et calycinum?
foliis ubique in India ob foliarolam et contum
fructibus exaltatis.

sic a steribus sequentibus satis distinctus.

1571 *Hibiscus trionum* Willd. sp. Pl. 1857 Nutt. 1856. Hort. Berg. 51.
Hort. Rev. 1858. Brum. Phil. 152.

Hibiscus foliis pulvinis digitatis quinquepartitis laciniis levior,
latis crenulis aculeatis. f. *-t-p 154

Herba coronarium Gilvestris Herb. comb. in 40 C. 16.

1572 *Hibiscus trichos* Pers. Nutt. 1856.

1573 *Hibiscus trichos* Pers. Nutt. 1856. f. Nutt. 1856.

Habitat in India aenaria.

sic a precedenti vel subsequente nisi loco diversus.

1573 *Hibiscus trichos* Pers. Nutt. 1856.

1574 *Hibiscus trichos* Pers. Nutt. 1856. f. Nutt. 1856.

Habitat in horto prope Calcuttam Botanico - Officinali.

1573 *Hibiscus heterophyllus* Pers. Nutt. 1856. 219

foliis cum praedicti e. non Malvina.

San 'A-

nia Ramburra

Ram Ramburra. Nainika

Habitat in formans fluvii ripis.

1575 *Paeonia Donatii* Willd. sp. Pl. 1857 Nutt. 1856. Hort. Berg. 52.

Cultiv. in horto prope Calcuttam Botanico - Dr. Radhak.

1576 *Vicia glabra*

Habitat in Campania orientalis Montibus.

1577 *Vicia* - niana

Zingan Nainika

Habitat in Magadha Syria

1578 *Vicia Jit* Iwocanta

Habitat in Campania orientalis Montibus.

- 174
- | <i>Polyandria</i> | <i>Monadelphia</i> | <i>Maloacia</i> |
|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------|
| 1579 <i>Spilia Orba</i> | | |
| | S | |
| | Habitat in Grata sylvis. | |
| | Sectioe specieas, que hydus Malacae, est, non habet | |
| 1581 <i>Gymnia liliacea</i> | | |
| | Guyapati Hainan. | |
| | Habitat in Moptha sylvis. | |
| 1581 <i>Gymnia chlorocarpa</i> | | |
| | Guoshi (Gon-la) | |
| | Shengqiai Hainan. | |
| | Habitat in Inda orientis sylvis, illa in Gonala & Guale. | |
| 1583 <i>Gymnia hirta</i> | | |
| | Ariya Montic. | |
| | Habitat in Nithala sylvis. | |
| | Genera <u>Malacae</u> diversitas ab Indis affinis. | |
| 1583 <i>Gymnia philippina</i> | | |
| | Philippines Kirkpatricki Nephil 79. | |
| | Philippines Rontano - Hainan. | |
| | Habitat in Nephila sylvis. | |
| | Vescio ana subsequenti parte retinata. | |
| 1584 <i>Protonia integrifolia</i> Hort. Beng. 52 | | |
| | Mahasindala Bengalensis? | |
| | Hab. stat. Hainan. | |
| | Habitat in Bengal orientalis sylvis. | |
| | Vescio ana subsequenti parte retinata. | |
| 1585 <i>Camellia Chamotii</i> Bengalensis? | | |
| | Camellia Reei Wallach Inda asiatica, nom. n. f. *** ^L *** | |
| | vix retusa > " " | |
| | Habitat Sylala et Camryla orientalis montibus. | |
| 1586 <i>Smilax japonica</i> Willd. Sp. Pl. 14: 863. Cne. Mal. 149: 3. Hort. Kew. 1835. Hort. Beng. 52. Thunb. P. & | | |
| | In ad ambo Tschubakki Campp. Aman. Inde 150. | |
| | foliis in horto prope Calcuttam hortum 4 ^o China. | |
| | <u>Morti</u> | |
| 1587 <i>Urtica herbacea</i> Hort. Kew. 15: Hort. Beng. 52. | | |
| | Habitat in Inda Yangtzea gemmata. | |

175

Polyandria *Monadelphicae* *Mysticæ*

1588 *Bultonia racemosa* Tulp. Gen. Pl. 362. Encycl. Mett. 2. 255. Steyermark.
Beringtonia racemosa Hook. Bong. 52.

86 *Eugenia racemosa* Encycl. 2. 257. Willd. ff. 107. 225 at Bonn.
H. B. D. 18. virtus *Rumphia synonyma*.

41 *Eugenia folia exserta*, pomic ovata, racemo longiflora. Lin. H. B. D. 18. *Lamstroemia* Hook. Bong. 52. *Eugenia* *folia exserta*, *pomic ovata*, *racemo longiflora*. Lin. H. B. D. 18. *Eugenia folia exserta* cum plantis *Rumphia hispanica*, etc. *Platanthes* (Mant. 187) cum arbo, folio subtilis argenteo.
Kionggi Burmanorum.

Habitat in ratis India estre inundata.

1589 *Strawberrum acutangula* <€*£—»^J*p\$;^O*; &fj\$S

Beringtonia acutangula Hook. Bong. 53.

966 | *Luz* ^Jm. *acutangula* Bas. Mett. 45. 07. Willd. ff. 107. 225
excl. <*** *Rumphia* "P_{fr} ~ _v > L J

4 *Eugenia folia exserta*, pomic ovata terminatus, pomic oblongo
acutangulo abw. H. B. D. 18.

Bultonia *terrestris* alba Hook. Bong. 52. 108. *sympetrum* et
Burmannia et *Willdenowia* cum *lauraceo-natali* *theobroma-conjuncta*
Nucipomifera *arbo orientalis* fastigia ex cyprea, foliis paucis
longo costatis excoeca, telligono, summo apice (pomi in matre)
cubilato, nucleus exuberans angulosum involutum. Rumph.
Sijesia lamstroemoides Hook. Bong. 52. 108. 109.

Kionggi Burmanorum.

Iyal Bengalensis.

Habitat in India subt.

Guttiferae

1590. *Messia foeca* Willd. ff. Pl. *MI. Encycl. 4.-A., 46, 107 Bong. 52. 107

halophyllum *Nagaparum* Burman. C. Ind. 192.

Messia *folia lanceolata* Lin. H. B. D. 18.

Arbor Nagas seu *Terai* *Cote* Burman. H. B. D. 18.

Nagaparum Hook. Bong. 52. 107.

fastania *racemosa* Burman. H. B. D. 18.

Bellaria *Tejampatrum* Hook. Bong. 52. 107.

Kionggi Burmanorum.

Habitat in *Bhîr Gaoghat* et *ogni* *Pogonias* pag.

Brassicaceæ

Leguminosæ

Popovaceæ

- 176
- | | <u>Hedysaraceae</u> | <u>Diadelphias</u> | <u>Papaveraceae</u> |
|------|--------------------------------------------------------------------------------|--------------------|---------------------|
| 1591 | <i>Rumaria parviflora</i> Willd. sp. Pl. ap. 87. S. E. Smellie, fig. 2. | | |
| | Linn. S. R. B. 186. Hook. Gen. & Gen. 186. No. 12. No. 231. | | |
| | Habitat in Bengal cultus | | |
| | <u>Oclandriæ</u> | | |
| | <u>Crotophulariæ</u> | | |
| 1592 | <i>Polygala capitata</i> . | | |
| | Habitat in Mithila et foecula sylvis | | |
| | simillima, sed vis eadem, Kodaijiri Koch. Mal. 12. 167 | | |
| 1593 | <i>Polygala obcordata</i> ? | | |
| | Habitat in Mithila | | |
| 1594 | <i>Polygala tetraphloia</i> Willd. sp. Pl. ap. 87. S. E. Smellie, fig. 12. 205 | | |
| | Katica officinum Linnae | | |
| | Habitat in Magadha, Mithila et Nepala impensis sylvis | | |
| 1595 | <i>Polygala leucantha</i> | | |
| | Sorbus officinum Linnae | | |
| | Habitat prope Magadha Patram | | |
| | Tribus sequentibus nimirum affinis. | | |
| 1596 | <i>Polygala quinqueflora</i> | | |
| | Quingha (Shuli) quinque floris officinum Linnae | | |
| | Habitat in Magadha. | | |
| | Præcedentis et duabus subsequentibus nimirum affinis. | | |
| 1597 | <i>Polygala longifolia</i> Willd. sp. Pl. ap. 87. S. E. Smellie, fig. 12. 205. | | |
| | Habitat in Mithila graminosis. | | |
| | Duabus præcedentibus et subsequentibus nimirum affinis. | | |
| 1598 | <i>Polygala angustifolia</i> | | |
| | Habitat in Magadha. | | |
| | Tribus præcedentibus nimirum affinis. | | |
| 1599 | <i>Polygala tenera</i> | | |
| | Habitat in Mithila sylvis | | |
| | Subsequenti simillima. | | |
| 1600 | <i>Polygala acutangula</i> | | |
| | Habitat in foecula et foecula graminosis. | | |
| 1601 | <i>Polygala acutangula</i> floræ albæ | | |
| | Habitat in Mithila graminosis. | | |
| 1601 | <i>Polygala tenuissima</i> | | |
| | Habitat in foecula orientalis montibus | | |
| 1602 | <i>Polygala laetitia</i> | | |
| | Habitat in foecula orientalis sylvis. | | |

Ericandria Diodanthina Liquiniosa

1003 *Abeus precatorius* Willd. sp. pl. 1855, *aberrans* Rumphii synonymus
Kort. Bot. 1851, 381.

Glycine Abens. Pisoni, 1709, *exclusa sordem* synonymus.
Glycine folia pinnata conjugata foliolis pluribus varia oblonga
obtusa Linn. 1753 Leyl. 384 includes *folia* synonymis *varia*.
Probus incertus, *Abens* alpinus Linn. fructu coeruleo, manu nigra
notata Burm. See Leyl. 1753, *calycinis synonymis varia*
Rouxi Kort. Mal. 1851, 39, *leguminosarum plantarum Rumphii* & *Argentea*
Habitat in India domesticis.

1004 *Abeus precatorius* (S. angustifolius) Kort. Flora 1851, 54.

A. heimatoeas Sw. Meth. 3, 3. Ed figura in Siliques 616a p. 12
specie Americanam forte spectat.

Abus frutescens Kort. Comb. 1851, 1. 32.

Phaseolus arborescens statutus est solubilis major viridibus
fructu coeruleo sili nigra notata Philib. 1804. Phys. 1824, p. 5
(Linn.-ruah Burmanorum)

Habitat in India domesticis.

1005 *Abeus precatorius* (angustifolius) domine abbe Kort. Flora 1851,

Zen-ruah Burmanorum.

Habitat in India domesticis.

Dicranidia

1006 *Citorea Ternata* Willd. sp. pl. 1853, *aberrans* Rumphii synonymus
Linn. Flora 1851, 1827, 2. 556.

Habitat in Graecia dom. 100.

1007 *Citorea Ternata* Willd. sp. pl. 1853, *aberrans* Rumphii synonymus

Kort. Flora 1851, Kort. Bot. 1851, 300. Linn. Meth. 1851, 10, *jfm*, ~ *s*, 609, p. 51.

Fructus de som: 14, 321. 6149, p. 3. Burm. 1804. Linn. 1824.

Glycine folia pinnata Linn. [^] 2j *aberrans* Rumphii

Pse. carolinus Kort. Comb. 1851, 1. 31.

Pse. carolinus *flora carolinus* Burm. See Leyl.

Phaseolus indicus carolinus Linn. *hirsuta*, *flora*,

ommt le 1753. Kort. ¹ %S*ff}.

Florula ^m *#* *gymnosperma*

Habitat in India sepius.

1008 *Tunneida* ¹ *Pandana*

Pandanus Linnae.

Habitat in ⁶ *galla* *sylva*.

hispidi ^{“”} *allaya* (1806) *fructu incognito* Flaminius adjecta

1009 *Vinnida* *gymnosperma*

173

Dicandria Giadophila Leguminosae C

- Spp. habili Minibus
Habitat in Magnolia glabra
- 1610 *Butea superba* Hook. Bong. 53
Collier in Lote fructuosa foliacea botanicae & Dicandria.
- 1611 *Butea superba* Hook. Bong. 53 Hook. Kew. 222. Willd. 46. Blatt. 315.
Pseudobertia superba Desv. Blatt. 332.
Habitat in Indica amboinensis glabra.
- 1612 *Butea minor*
Habitat in Nephale inferioris montibus
- 1613 *Butea frondosa* Hook. Bong. 53. Hook. Kew. 222. Willd. 46. Blatt. 315.
Pseudobertia frondosa Desv. Blatt. 332.
Lysiloma monosperma Desv. Blatt. 332.
Hass Hook. Blatt. 49. 520, 55.
- Habitat in Indica glabra aliisque vulgaris arbor
- 1614 *Erythrina indica* Willd. sp. Pl. 45. 901. Caudell. 439. Hook. Bong. 53
syn. *Erythrina orientalis* Roxburgh. H. Ind. 175.
Lanth. folia tornata rante glabra lana. Blatt. 276. n. var.
Tamarindus Syntypes
Cochlearia Burm. See Bong. 76. Erythrina ad foliolum non
Americanum Tamarindus relationem.
folia litoria Hook. Bong. 53. 6. 76.
Rhamnus communis folia arbor spinosa onustata malo
obtuse rubente Hook. Blatt. 332.
- Morivora Hook. Blatt. 49. 6. 7.
- Habitat ad Indica hemisphaerica raga.
- 1615 *Erythrina tomentosa*
Habitat in "Agath" montibus
- 1616 *Erythrina racemiflora*
Habitat in Agga montibus
- 1617 *Erythrina* [>] _~ *Nahassata*
Nahassat. Lindley
Habitat in foliis. 1. 45.
- 1618 *Anacardium indicum*
Habitat in Camphora indicoides
Fruitis non sibi
concentrici membranis
Habitat in L. sypha orientalis montibus
- 1619 ^{*} *Anacardium glaucum*
Habitat non presentis.
- 1620 ^{*} *Anacardium glaucum*
Habitat non presentis.
- 1621 ^{*} *Anacardium glaucum*

Dicandia *Diadelphus* ¹¹⁹ *Leguminosae*

Citoker montanorum Bengalensis.

Habitat in Anga montibus.

1622 *Amorimus? album*

Habitat in *Corchorus sylvestris*.

1623 *Amorimus uliginosum*

Galeopsis uliginosa Kots. Rang. 53

Robinia uliginosa Willd. sp. H. 103. Martius 94. 227

Habitat in Indis rives uliginosae

Subsequently simillima.

1624 *Amorimus riparium*

Dubignya heterophylla Willd. sp. H. 1490; Reichenb. sp. 225.

No-gam me nak (rivers fluvialis nigra) Bengalensis

Habitat in estuariorum Bengal et Ganga rives

Præcedente simillima.

1625 *Amorimus pallidum*

Thalia Ganga montanorum Kotsch.

Habitat in Mayurka et Ghata inferioris sylvestris

1626 *Amorimus præcipitatum*

Chota tel Ganga montanorum Kotsch.

Habitat in Nipala inferioris montibus.

1627 *Amorimus obovatum*

On Rangoon

Habitat in Ghata inferioris et Tigris sylvestris

1628 *Amorimus? m. spum?*

Habitat in Ganga rive

1629 *Amorimus? canescens*

Chamaecytisus contra (flavus) Kotsch.

^{YwMsA} in Mayurka sylvestris montibus

1630 *Dubignya solubilis* Kots. Mysorensis, ad amoris pro nomine in
parte Bengalensis notitia.

Habitat in Corchorus Mysore Tigris sylvestris

Nomen specificum non retinendum, cum noster aliquis existet.

1631 *Dubignya canescens*

Dubignya canescens, folia Kots. Rang. 53.

Kongshon, Bengal

Habitat in Corchorus Bengalis sylvestris.

1632 *D. longia*

Verba late in Corchorus Bengalensis.

DescendensDiodellaiaLuminosa

Bang-Koo (dendrology) in Tropica Bengalum
Dundum

Habitat in Bengala orientalis sylois monosiae

1633 *Dalbergia sononis* Kort. Reng. 52.

Nat. Kali Kort. Nat. sp. 59 t. 22. sive *Dalbergia lanceolaria* Mitt.
sp. Pl. 15. 912. sive *Festuca solana* Lignosus orchis
floribus aliquid annuis ciliatis ciliis distincte ac
Materagatum Fluk. s. l. 22, qui forte ad denunciam
nonnullum spectat

Habitat in Bengala ad fluvium sylois

1634 *Dalbergia retinervia*

Habitat in Campea orientalis Montibus.

1635 *Dalbergia Monsita*

Monsita Bengalenium

Habitat in Campea orientalis sylois

1636 *Dalbergia* ^ly> *a* & * & *va

Khagplabi Hinice

Habitat in India Gangetica sylois, sive in Tunga & in
h. r*Ubis et ... Nagatha Montibus quodlib.

1637 *Dalbergia latifolia* Kort. Bon. 13. Mitt. sp. 8. 1800. Inv. Mitt. sp. 5. 1806.
Beti Kort. Nat. 2. 15. t. 56.

Black wood anglosum in Malyala, quod minime est
Monosia Lebeck, ut credebat auctor Bengalensis, in
Beti s. Mitt. (Nehuanus. Mysoore 44. 45. 502. 506) in Malyala
In pecto & carnoso (Mitt. 342) Tamilicæ

Rajur Gomny (Kort. 186) carnosa.

Sat Sala Hinice

Hab J&^JJ, s. s. in montibus.

1638

Sp. in Hinice Hamilton. N. 6. t. 67

Beti carnata Buchanan. Mysoore 186?

Sp. in ... 2. 6. 148

Habitat prope fluvios in India sylois

Reng. 52.

1639

Habitat in Insulae Malabaricae

Kris S. militaris ... *jE*po, in re jv + t^ Herb. Ind. 1806
1806 in ... - - - - - Coll. in ...

... affinis virens

1640

Pterocarpus t. b. - W * Mitt. sp. 10. 1806. Kort. Reng. 269.

Kort. Reng. 52.

Decandrios ¹⁷ Diadelfia Leguminosa -

1

- Pterocarpus Santalinina* Eng. Neth. 2, 727.
Santalum rubrum vulgaris Kerk. Comb. 4, 48.
Whanay Carinata Buchanans. Mycone, 182.
Pesae Linnaea
 Habitat in India montosis
 Subsequente nimirum forte affinitate
 1641 *Pterocarpus Tigraya*
Cijaya (aralia) Lala. Linnaea
 Habitat in Nagala interiori syllis
 Procrescente obsumum contecto dampnum affinitate
 1642 *Pterocarpus Massyatum* Hort. Reg. 53° Willd. sp. Pl. 44, 700. In Neth. 2, 22
Pteroc. bilobus Koehnei Bambiana.
Tigaya carinata Buchanans. Mycone, 25.
Tayza Chou Illust. 4, 262.
 Habitat in India montosis
 Planta quam in India australi vidi et quam cum primis
 in Koehnei Bambiana, anno 1856 contuli, foliata
 habitat ad apicem rami majori rotunda, ad tamen via diversa
 1643 *Pongamia glabra* ventralis
Pongamia Lamarck. Ill. Genit. 603, fig.
Galecupa arborea Hort. Bot. 63
Galeorgia arborea Willd. 44, 819, 901. Hort. Berol. 2, 28.
Galeidupa indica Müll. Neth. 2, 836 ex aliis Pongamia synonymo,
 unde nomen Galecupa sic sicut retinendum
Masolea accessus Malabarica statim foliis glabris monopinnatis,
 quaque latior. Baum. Plut. 2, 24. Phyt. 2, 34, p. 3.
Pongam Hort. Blatt. 2, 5, 53.
 Habitat ubique /V fa, India arbor subtropicalis.
 1644 *Pongamia angustifolia*
 Habitat in India inferiori syllis
 Misce an ob ^A foliis ^V longioribus & plantulis strobilis distincta
 1645 *Robinia Siderota* Hort. Reg. 55
 Habitat in Bengal
 1646 *Robinia Janga*
 Zara ^{longa} ^A Siderotum ^V Bengalonium
 Spiciflora }
 Habitat in formis variis sp. ^{longa} & ^{spiciflora} + foliis ob longis
 t^

1667 *Sesbania grandiflora* Hort. Kew. rff JO**Sesbania*; T+n&tf'one Ene. Neth. v. 127.*Aeschynomene grandiflora* (L.) Hort. Cognit. Ann. 2. 182. 182.*Brotella grandiflora* Willd. sp. Pl. 182. 182.*Turia* Hort. Ambl. 388. t. 76.affinis *Malabarica* retusa siliques majoribus
articulatis Her. Mont. 57

Agati Hort. Mal. 1. 98 t. 61.

Habitat in India pagis

1668 *Sesbania grandiflora* / **Aeschynomene grandiflora* Aubl. Hort. Cognit. 28.*Sesbania* Aubl. Hort. Ambl. 4/t 3

Habitat ad India pagos carius.

a. Siliques non articulatis (Hort. Ambl. 3. 122. {Ti} siliques articulatis

1669 *Sesbania egyptica* Hort. Kew. 30.*Sabice egyptiana* L. Mill. v. 12. indumento non pubescente siliqua herbacea.*Sabice* Sabice Loddigesii Cam. Phil. v. 2. siliqua herbacea siliques

Cavillae Sabice Willd. sp. Pl. 182. siliques spongiosae siliques membranaceae.

Sabice ex siliqua Taylor. Burm. Thes. 2. 14. pergamum a. Ramea (R. Zeylan. 198) cum a. sphaera conjugata

lunaris siliques generis ^ 2 / ^ sphaericis Burm. Thes. V** * 23. t. 24.

ciliatus varis lymphozymis et praeditus Burm. Thes.

Sphaera niger Hort. Ambl. 3. 56. t. 26. pergamum a. Wilsoniolo.

ad. siliques spongiosae siliques articulatis

Glech. Sabice. Egyptiace foliis serratis. Naturashatana

Vahl. Pl. 182. Pl. 6. t. 15. fit pergamum in subsericea in
encyclopedie conjugata

Glech. siliques Malabaricasis Hort. 3. 122.

Keranga Hort. Mal. v. 49. t. 127. pergamum in Malabarica et

encyclopedie ad Coronilla vel sibice aculeatum relat.

Randa-ga-goi Burmanorum

Habitat aliisque in India sylvis seclusa subtrop.

in ipter. Aeschynomene Sabice Linnai carnis herbacea

ciliata angustata Sabice Gagea Egyptiaca siliques articulatis

G. B. Pl. annon. ultima siliques ciliata cum Aeschynomene sphac.

Planta siliqua legumina articulata! Numerous leguminosae

conspicua in planta burmanni foliis latis ut ex ipso ione ma-

patis, ubi racemosum nonnulli quengiplosi.

Dicandia *Diaphania* *Leyconiaea*

1650 *Sesbania aculeata* Rott. Kew. IV. 306.

Sesbania aculeata Swartz v. 128. exclusus synonymus Rhediis et
Rukkensteini posteriori: quod non in Phyt. 16: 46, p. 2. Abint. 163, p. 2
definitum, et forte *Sesbania elliptica* representat:
Cononilla aculeata Willd. sp. Pl. 42: 67. exclusus synonymus synon.
memoratus, et Burmanni primum

Aeschynomene spinulosa, Körb. Ency. 50

Galega intica, fontanieri. spinulosa, aliquis angustior, longissimis
foliis ministris Burm. Theb. Vogel. 102

Coleosia intica angustifolia, floribus laticis aerea parte diganta
pernotatis Rott. Abn. 112. Phyt. 6: 163, p. 5

Habitat in Magnoliae inter Cypriam Cajan.

1651 *Sesbania*? *fontana*

Kondira Bengalonium

Habitat in Camysa aqua

Plantam vidi in India australi via diversam, licet
folia habebat omnino glabra, quaenam *Sesbania* erat.
Cordia speciem non vidi, et plantae est Aeschynomene
aspera similissima?

1651 *Aeschynomene punctulata*

Hedysarum Noli Tali Rott. Bangal., exclusus synonymus Körb. Noli
tali nomen specificum determinatum est.

Rott. Noli Bengalonium

Habitat adique in Indiæ aqua.

1652 *Aeschynomene tuberosa* Swartz. Meller. IV. 228. Rott. Kew. IV. 327 Willd. sp. Pl. 16: 164.

exclusus synonymus Remphii: ad *Sesbaniam ellipticam* pertinente.

Hedysarum lagunaria Rott. Bangal.

Noli Tali Rott. Noli in Ceyl. Imperio a Rottbergio dependentem statu.
Rott. Bengalonium

Habitat in India gangotica aqua

Ross et Leguminas gram in Rott. Malabarici p. 162. Minora, et
descriptio carnis ad hanc plantam certissime spectanti.

1654 *Aeschynomene aphana* Willd. sp. Pl. 16: 168. Swartz. Meller. IV. 222 Rott. Kew. IV. 327. Rott. R.

Aeschynomene Rott. 396. exclusus synonymus Lourmanni 2^o. Burmanni 2^o, et

Hedysarum annuum, Major, Vogel

Zeyl. 119. exclusus Lourmanni et Rott. 2^o synonymus.

Orobrychis annua galericata Minora foliis diligenter articulatis aperis
Major Rott. Abn. 263

Dicentriac184
DiadelphiaLeguminosae*Sola Bengalensis*?

Habitat in India quies.

- 1655 *Smithia sensitiva* Willd. sp. Pl. 39. 1806. Ind. Meth. 322. Ill. Govt. 683, f. 1. Name
Kort. Kew. 10. 236. Kort. Bang. 56.

Habitat in India herbaceo

Genus circulatae. Neque distinctionem, ut et sequente pall. emi.
legumen intra calycem quinquefidum. plantam in jube,
minutis sequentes, gomma laevia vel Christae dictum recipi-
-cans florileg.

- 1656 *Hedysarum comosum* Willd. sp. Pl. 39. 1806. Ind. Meth. 2. 237.

Kerria pectoralis Willd. Sp. Pl. 4. 1748. Ind. Meth. 2. 243.

Kort. Kew. 10. 237. Kort. Bang. 57.

Habitat in Mithila locularis sylvis.

- 1657 *Hedysarum adhaerens*

Habitat in Campanula sylvis.

Præstante omnillionum, sed foliaceum pubescens hirsutum.

- 1658 *Hedysarum cornutum* Willd. sp. Pl. 39. 1806. Kort. Kew. 10. 369. Ind. Meth. 2. 285.

Kort. Bang. 57. Burm. Fl. Ind. 169. t. 55.

Habitat in Campanula sylvis.

- 1659 *Hedysarum laevofoeas* Burm. Fl. Ind. 169. t. 52, f. 2

Hedysarum laevofoeas Willd. sp. Pl. 39. 1806. Kort. Kew. 10. 345. Ind. Meth. 2. 212. Kort. Bang. 57.

Habitat ubique in India

foliola in Willmonovii planta nuda, non dubitato.

- 1660 *Hedysarum pulchellum* Willd. sp. Pl. 39. 1806. Ind. Meth. 2. 245. S-A 1^ act Kort.

Kew. 328. Kort. Bang. 57. Burm. Fl. Ind. 169.

Kerria folia terminali, foliolis striolatis commissimis crenatis aliis aliis

lun. Pl. 292.

Kerria trifoliatum foliaceum, folio et foliolis inter densipolio
redundata abducens Burm. Fl. Ind. 169. t. 52.Orobanchis indica triphyllas, foliis amplioribus rotundatis
angulis procul in spicam longam ex alis inter bina foliola
circinata recte conniventes, recubentes Plak. 3. Ind. Meth. 2. 245.

Mougl. qd. Flora (vidua lacerta) Mariana, non diff.

Habitat in India dumulis aridioribus.

- 1661 *Hedysarum silquosum* Burm. Fl. Ind. 169. t. 53, f. 2

Hedysarum dicarpous Kort. Bang. 57. sed non Willmonovii negat.

Encyclopedias.

185

Decandria Diadelphiae Leguminosae

Habitat in Bengala orientale

Lignum non rite subsequenti simillimum

- 1662 *Hedysarum polycarpon* Linn. Milt. v. 182. t. 628, pl. 2
et (alba) sive chheta (minor) Koenig

Habitation Mathila sylvis

Præcedenti simillimum. Lignum matrum non rite.

- 1663 *Hedysarum purpureum* Hort. Beng. 57

Hedysarum. Willd. sp. Pl. v. 103, quod ad Plekenotii synonymum.

*Hedysarum A*r* Uit*ty.4-ty4?+** @ synonimum

Inobryphis India orientalis trifolios foliis subrotundis excentricis, aversa parte tenui vioce lanagine testis et rotuli

instar mollis *Jti** + L. ^ ^ . A ^ ^ i ^ W um Plant. Amat. 26e' * 3*

Habitat in Bengala borealis graminosis

Lignum in nostra planta, et in Plekenotii figura exactum

In Encyclopediam descriptione pendulum.

- 1664 *Hedysarum gyrolobes* Hort. Beng. 57

Globus in horto botanico prope palauam e Srihata
nomen specieum non selectum.

- 1665 *Hedysarum Macketi*

Hedysarum bellatum Willd. sp. Pl. v. 103 at Soc. Bot. v. 407 excentricis
synonymis Linnæi Baumanni et Rumphii, ac flia glabra.
Macketi Bengalensis.

Habitat in Camuya orientalis fortè Magadha montibus.

- 1666 *Hedysarum triflorum* Burm. Fl. Ind. 167 Willd. sp. Pl. v. 120. (edules)

synonyms a Burm. H. Ind. p. 120 note Non Argi. Koenig.

Hedysarum trifoliatum robusta aestuosa foliis glabris, caule
hirsuto, siliqua plana articulata Theo Koenig. t. 84. f. 2.

Impatiya (Trifolium) Koenig.

Habitat in Magadha ageris.

Necis an a subsequenti distinctione.

- 1667 *Hedysarum stipulaceum* Burm. Fl. Ind. 177. t. 289/12.

Hedysarum triflorum Hort. Koenig. 345. Hort. Beng. 57.

Habitat in Mathila

***; * ~ ^ Arm. »fi mante distinctione

294
MP 10

186

Dicroidia Didelphia Sepemirosa

1668 *Hedysarum diphylleum major*

Hedysarum diphylleum Willd. sp. Pl. 178. Nov. Bot. 2. 182.

Hedysarum binatis petiolatis floribus sulphureis subsp. *Hedysarum*
Hedysarum, siliqua orientalis rotundata Bonn. Hedysarum
 ex evolus synomymo Hort. Mal. quod ut ipsa dicit Bonnem
 non melius cum h. conjugato respondere adetur.

Nilam mar. Hort. Mal. 19. H. 6. 82.

Habitat in pratis flavi ripis.

Characteres specifica quibus h. diphylleum a h. conjugato
 discernere conatur est Willdovaria hard stabilitas

1669 *Hedysarum diphylleum minus*

Orobanchis Malvacearum latifolia sp. *phyllas siliceas clypeatas*
lanceolata minor Blck. Alm. 270 t. 246 f. 5 Mant. 140.

Habitat in Magadha.

1670 *Hedysarum resplendens* Willd. sp. Pl. 177. Nov. Bot. 2. 182. Hort.
 Kew. 1820 Hort. Beng. 17.

Bonni in Tripura horto.

Femorifloris omnino in h. comosa N. 1668

1671 *Hedysarum bicolor*

Habitat in Camphora orientalis arboribus.

1672 *Hedysarum triverrne*

Habitat in Camphora orientali.

1673 *Hedysarum asperulum*

Chakranta officinaria Kuntze

Habitat in Mithila et Magadha by his arborescens.

1674 *Hedysarum ligustrina*

Ligustrina officinaria Kuntze

Habitat in Magadha.

1675 *Hedysarum pongolicum* Willd. sp. Pl. 175 t. 26. Nov. Bot. 2. 182.

166 exolus synomymo Bonnieri Hort. Beng. 82. Nat. Kew. 1829.

Hedysarum monophyllum, *latifolium*, *obtusifolium* plurimis siliqua
 longa digestis Bonn. Hedysarum 182 t. 49 f. 2.

Orobanchis gangetica monophyllum, *obtusifolium* singularibus
 lobibus, foliolum per inter omnia discriminatis Blck.
 Alm. 270. Blck. C. 56 f. 3.

Alpinia officinaria Kuntze

Habitat in Indis Gangatis.

/ ^ < V

1676 *Hedysarum hirsutum*

Habitat in montibus orientalis montes

1677 *Hedysarum trigynatum* Herb. Rang. 56. Mitt. Op. Pl. 1876, et loc.

Methyris exilis Burmanni pitcairnis synonymus, cf. fort. Rajp.
Hedysarum simplicifolium cordata Blongii, foliolos alatis, ramis
 trigynis Lin. R. Karp. 296. ciliata synonymus, nisi Burmanni
 unicolor forte connivens.

Orobanchis galbanica, microphyllas, ciliatae
 foliorum alatis Burm. Theor. Karp. 176. 6. 87.

>-?**+**

Hab. solitariae montibus cordatis (non septentrionalibus) ab elevamento Lin-
 -eum et ali.) Herb. Rang. 91. 146.

Lemnaga (gummifera minor) Burmanniana?

Habitat in India dumetaria

folios herbaceos differt, dubito tamen in a subsequente
 distinctione L. dominicensis aqua infusa fons glutin. Rom-
 annae, urse monach.

1678 *Hedysarum alatum* Herb. Rang. 56.

Hedysarum trigynatum Herb. Rang. 56. Burm. Theor. 176. 6. 87, 152
 exilis synonymus Lourai et Burmanni unicolor posterior
Hedysarum galbanicum, exanthematis Burm. Theor. Karp. 122, pergam
 cum racemante, cui **ii** alle cum exanthemata similitudo, ab opere
 Burmanni conjunctione

Habitat in India dumetaria

folios fuscos, dubito tamen in a presentis distinctione
 cum *complenum*?

Habitat in sylvis Alliariae siccioribus.

1679 *Hedysarum hamatum*

Habitat in sylvis Alliariae borealis siccioribus

1680 *Hedysarum maculatum* Willd. Op. Pl. 44. 1775. Herb. Rang. 90. 339

Hedysarum simplicifolium rotatis obtusis foliis ramosissimum R. Karp. 296.

Hedysarum monophyllum galbanicum -V*-^i-c. .* - R. Karp. 116.

Habitat in Alliaria

1681 *Hedysarum styraxifolium* Willd. Op. Pl. 47. 1775. Herb. Rang. 85.

folius in horto botanico prope plantam e. leucodonta

1682 *Hedysarum Rubibarna*

Rubibarna san-sorita

carina officinalis Miersia

• Nagathia montibus.

Decandria 158 Diadelphio Leguminosae
1684 Hedysarum occidentale

40

- 1684 *Hedysarum virginicum*
Habitat in Mithila aquatica siccum florivum
Scopariae, Madagascariensis, singularis radicibus
punctata foliis, siliqua erecta novem Hort. Smal. 189. t. 443.
f. lutea similis, sed folia levipila

1685 *Hedysarum eupleurifolium* Willd. sp. Pl. 172. var. s. synonymous
Hort. Bony. 55? Des. Meth. 29. 232; Hort. Rev. 22. 320.
Scopariae affinis angustioribus foliis, flave lutea, Madagascariensis
- patana Blatt. Smal. 189.
Nov. Muoi Hort. Malac. 59. t. 32. non quod ad floris colorum.
Habitat in Comor. et orientale.

1686 *Hedysarum graminaceum* Willd. sp. Pl. 172? Hort. Bony. 55?
In., Meth. 29. 7?
Scopariae Madagascariensis, gramineis lumentinibus,
siliqua recta. Hort. Smal. 189 t. 443 f. 52 cum *Hedysarum*
- folia conjugata, sed minus *Hedysarum* potius ut hoc
Habitat in Mithila borealis. *affinis*

1687 *Hedysarum vaginale* Willd. sp. Pl. 172. Des. Meth. 29. 200 Hort.
Rev. 220 Hort. Bony. 55. Numm. R. Ind. 166.
Hedysarum foliis simplicibus rotundatis oblongis, petiolatis longis,
stipulis vaginatis libato. Pl. Tey 225.
Gomista articulata, crenatis foliis capitulo, glauca
Numm. Pl. Tey 166 t. 29 f.
xs — n — f # < H. f * e **' (num)

1688 *Hedysarum reticulatum*? *India podibus trilobis*
Native 'L*ZJ~^Li*k Mithila officinibus

419 *Hedysarum moniliforme* Willd. sp. Pl. 172. **><4t0i+>|*Of
var. s. synonymous Burmanni multo minor;
foliis latioribus officinum Kirihae
Habitat in Mithila et Montium cabis
Planta quam pro *H. moniliforme* hortulanus in Horto prope
Glaetum botanico ostendit, illa exalt. numm. L.
vaginale nominata in talon. exponit se nihil
Rostburgum non creabile est

1690 *Hedysarum Albagi* Willd. sp. Pl. 172. Des. Meth. 29. 205.
Hort. Rev. 220. Hort. Bony. 55.
Habitat in ripis Gangae et Jamunae arboribus.

189

Dicandia Diadiophkia Sigmatomintille

1691 *Hedysarum: horidum*

Phylloclades alatus arborescens, valvulifloris aculeis
horrida despicans, stipulis late ovato-compressis,
semine parvo tenuitate florib. abm. 2.5.

Ana. Muthu (Elephant's Spines), quo^d idem significat
Kastha-canta women (Brahmanianus) Kort. Kew. 103; 78 t. 40
Habitat in ripa Indiæ maritima, nisi in Pago, Camb., Bengal.

1692 *Stylosanthes: mucronata* Willd. sp. Pl. 118. Bonn. Blatt. v. 1. 68.

Zygophyllum procumbens, zeylanicum, hirsutum, lati-folia
Burm. Fl. 1. 225. t. 106. f. 2.

Habitat in carniata sylvis

1693 *Hedysarum: pyrenaicum* Willd. sp. Pl. 118. Bonn. Blatt. v. 1. 68.

Kort. Kew. 10. 341. Kort. Fl. 1. 57

Habitat in ^{A**i-aL}, ^{t***^A**} domoletis.

1694 *Kallia involucrata*

Habitat in Campepa orientalis humilis

1695 *Kallia lineata* Bonn. Blatt. v. 1. 3.

Ferningia lineata Kort. Kew. 10. 353. Kort. Fl. 1. 56.

Rulya lineatum Willd. sp. Pl. 119. Bonn. Blatt. v. 1. 68. Burm. Fl.
Ind. 107. t. 53. f. 1.

Habitat in Indiæ australiæ et Ceylone

Kuris semillina Blombergia parviflora 1700.

1696 *Flemingia Chapar*

Chapar in Nagadha

Kurayat in infusa } Hirsutæ

Habitat in foeca et Nagadha sylvis

1697 *Flemingia strobolifera* Kort. Kew. 10. 300.

Maghannia

Louria } Strobolifera

Ostryodium strobolifera } Bonn. Blatt. v. 1. 68. 713.

Rulya strobolifera Willd. sp. Pl. 119. Bonn. Blatt. v. 1. 68.

Kort. Fl. 1. 57. Burm. Fl. 1. 58.

Hedysarum simplicibus foliis stroboliforme concavis
obtusis Linn. Pl. 289. f. 2

Carpinus zeylanica, silvosa, ex arbicularia zeylanica silvosa
Carpino similis Burm. Fl. 1. 58 veludo synonyma aliena

Mough-gho Flemmingia (cinnabaceria) Burmanorum vide 1668.

Habitat ubique in Indiæ dumoletis

190

Dendroica Diadophis Leguminosa

- 1698 *Flemingia Thunbergii*
 Husse Sindice
 Habitat in fructuoso
 1699 *Flemingia virgata*
 Habitat in lychnophila ^{< *yfcc^A^}
- 1700 *Flemingia harveyi* C. & R.
 Habitat in fructuoso scandens
 Hisic semillora Herbarium Senatus 169.5
- 1701 *Flemingia cahitata*
 C. t. tot in fructuoso
- 1702 *Flemingia semiglauca* H. Beng. 56. Hort. Rur. 10. 369.
 Habitat in N. S. P. S. 1. Louis
 , " d**^A sequente lati distincte.
- 1703 *Flemingia Shottii*
 Habitat in fructuoso
-
 Habitat in N. Fructuoso umbrosa. Trinucleo
 Nucleo ex apicidante vello distincto.
- 1704 *Flemingia congesta* Hort. Rur. 10. 369 Hort. Beng. 56.
 Habitat in Bengalum demissis
- 1705 *Flemingia stricta* Hort. Beng. 56. Hort. Rur. 10. 369.
 foliis AX - * & *** & & * + A * 4* jhet J & mmt. Botanica Telingana.
- 1706 *Flemingia Kallaya*
 Kallaya Bengalensis
 Habitat in F. orientalis glabra
 Fructus nudi ignotus. du gemore ignotis inventis sibi
 Hort. Rur. 10. 369 (1695, 1697) officie
- 1707 *Cytisus fojan Willd.* Sp. Pl. 10. 112. Bonn. Mett. p. 159. Hort. Beng. 4. 324
 Hort. Beng. 56. Burm. Fl. Ind. 1. 16. Buchanan. Fl. Mysore. 1. 166.
 Cytisus plus sublanceolatis longioris intermixta longius
 petio. CA pedunculis apicalibus sessilis. H. Beng. 56. 279.
 Cytisus folio molle, incane, diligenter obli concolor et ventis
 Murr. Theb. Heyl. 56. l. 37
 Phaeoceras erotes incanus. fr. multiforme, fragran. dentes
 H. Beng. 56. 29. Theb. Heyl. 56. 21. p. 3.
 Phaeoceras Harv. Hort. Malabar. 22. 6. 12
 Achar. citorher Sindice et Long. densum.
 Hibiscus Tulava
 Togari, Sonoyza, Tewari, formosus et formosum.
 foliis ubique in India usus.
- 1708 *Protularia quinquefolia* Willd. sp. Pl. 20. 995. Bonn. Mett.

Decandria Diadelphia Leganisiosae

4. 302. Hort. Berg. 54. Hort. Kew. 10. 275. Neumann. Ph. Ind. 157.
Crotalaria pentala Moeser. *Glossyophytomyzafolia*
& A* «•? 4, «£, /&

Vella Sandal. folii Hort. Malib. 57. 6: 25.

Uitter in horto prope Calcuttam botanicae Daccaenae

1709 *Crotalaria Gajoria*

Crotalaria laburnifolia Willd. sp. Pl. 17: 952. et sup. 18: 45.
Callosus synon. Bremenanum. Neumann. Ph. Ind. 156. Hort.
Kew. 10. 275. Hort. Berg. 54.

Crotalaria foliata foliis ovalis acuminate, stipulis
nullis Lin. & Heyl. 2: 78. *callosus* synonymus Raji posterior
(unde nomen *laburnifolia* deridatur) ad varietatem pl.
affectionem.

Si monos. asiatica, fructuosa, floribus lutes amplie Burn.
Thes. Engl. 22. aploclisis synonymis Bragovic et Bremannii ad
plantam foliis Laburni (C. 33) pertinere.

Crotalaria asiatica, trifolia subtereta. Plate. Mon. 132. aploclisis
prote synonymis Bremannii.

Vella Sandal. folii Hort. Malib. 59. 6: 27.

Crocei in horto prope Calcuttam botanicae indigena

Crotalaria sebacea trifoliata glabra visibilis Burn.
Thes. Engl. 32. 6: 35. *folia laburni* Laburni; nihil praecincto
discoso sive ciliato. Nomen igitur *laburnifolia* pro *Vella*
Sandal. folii non retinei. *Gajoria* Bremenanorum a Ghies
nominata.

1710 *Crotalaria majianginea* Soc. Bot. 18: 201. *callosus* synonym
Flukentelli?

Crotalaria quinquefolia Willd. sp. Pl. 17: 952. sub. 1713.

var. *Ran-* *Kathi* (*Majia* *agrestis* *Bonomi* *gramum*)
Officinarum Herbariorum

Habitat in *Magadha* *graminoes*

Crotalaria trifoliastrium, cum qua in supplemento *Synonym* iΛ*Λ
(C. 453) *C. majianginea* confundatur, a his raro diversas

1711 *Crotalaria trifoliastrium* Willd. sp. Pl. 17: 952. sub. 18: 45. 203.
Hort. Berg. 54.

Uitter in horto prope Calcuttam botanicae *in India maritima*

((***) *China*

Amur Flora

Habitat in *Oreata* *sylvis*.

Decandria

192
Dicotyldoneae Leguminosae

1713 *Crotalaria procumbens* Kort. Bung. 54

Crotalaria genistoides Willd. Sp. Pl. 1793, 270

Habitat in Mithila boreali

1714 *Crotalaria bracteata* Kort. Bung. 54

Habitat in Tigrura australi

1715 *Crotalaria bicolor* Kort. Bung. 55

Habitat in Bengal orientalis membranaceo

1716 *Crotalaria reticulosa* Willd. Sp. Pl. 1793, 270 Ins. Willd. Suppl. 51 202

C. bicolor Montandoni Körber

Habitat in Mithila boreali et Nagala ad flum. Indi

1717 *Crotalaria macrocarpa* Willd. Sp. Pl. 1793, 270. Baum Willd. 16 inclus figura

in Thesaurus Zeylanicus. Kort. Kew. 10, 272.

Crotalaria angulosa L. Sess. Kort. 1793, 270 inclus figura in Thesaurus Zeylanicus

Cor. folia simplicibus ovalis, stipulis deminutis, ramis
lanceolatis a lin. & Zyglo 277

Crotalaria asiatica, foliis angulari, exarata, floribus
caeruleis Baum. See Zyglo & Kort. Alpinus.

See Zander - Cotta Kort. Malabar. 52. t. 29.

In Baluchistan Parmanorum.

Habitat in India sudetis

occid. ameb. ^{AM} *Crotalaria punctulata*
& Zyglo 277 Kort. Bung. 54

6 *Crotalaria*, ovato-angusti, ante sublate. Baum. See

[^]tyCt €. C: 94.

Habitat ubique

1718 *Crotalaria* & *tea*, *strobiosa*

1719 *Crotalaria* *strobiosa* Kort. Bung. 55, sed dubio in Willdenowia. Sp. Pl. 1793,
4, 9758

Crotalaria major Kort. Amb. 2, 278. t. 96 pl.

Alia: P. - tendens

Habitat it i Bengal dum ** < 10

Haec cote diversa est a *C. strobiosa* Baum. Willd. 16, 16 &c.
pro qua nonn. retinendum. Forte sapienter cum veniente
C. strobiosa, quam populat Willdenowius sp. 1793, 277 *

1720 *Crotalaria rotunda* Willd. sp. Willd. 1793, 277 inclusa rotunda byzantina

Rumph. ad Garcinia, et forte Rhodole Baum. 1793, 277

Euvallath. 1793 Kort. Kew. 10, 272 Kort. Bung. 55.

193.

Decandria Diaideophyia Leguminosae

- Crotalaria foliis simplicibus oblongis unisegmentibus
retusis Lin: Pl. Reg. 276. calyx fortis Rhædis synonyms
Crotalaria. floribus luteis, foliis singulare coriaceoformi
Hort. Alm. 182. Burm: Thea: Reg. 8. exculp. synonymis
Rumphii et fortis Rhædis.
Habitat in India rubens.
- Tandale Colli Hort. Malabar. 44. C. 2000' sommersa, ad
calyx habet quadrigidium, nobis non cognitis lacunis quinque.
- 1721 *Crotalaria pulchra* Hort: Kew. 10. 272.
Crot. pulcherrima Hort. Beng. 58.
Habitat in Carnata, unde leviora ad Roburarium mist.
- 1722 *Crotalaria pulchra* Hort. Beng. 58.
Habitat cum præcipitate
- 1723 *Crotalaria hispida* Willd. sp. Pl. 49. 975. loc. coll. Rott. Beng. 58.
Habitat in Andhra et Madras capensis
- 1724 *Crotalaria coryfolia*
Crot. agrestis Hort. comb. 2781.
Habitat in Campea orientalis montibus
- 1725 *Crotalaria tenuifolia* Hort. Beng. 58.
Gloriosa in horto prope Calcuttam botanicoe. Granada.
- 1726 *Crotalaria inflata*
Habitat in Mithila sylvis.
- 1727 *Crotalaria simpliciflora*
Habitat in foliis sylvis
- 1728 *Crotalaria simpliciflora* B.
Habitat in Mithila
- 1729 *Crotalaria simpliciflora* a
Simplicia montanorum Klinckea
Habitat in Nepala inferiori
subsequently similis
- 1730 *Crotalaria antiphylloides* Bur. Hort. 1925
Habitat in Campea
- 1731 *Crotalaria longifolia* Willd. sp. Pl. 49. 975. loc. coll. 1925. Hort. Beng. 58.
Habitat in Mithila borealis sylvis

194

Decandria Diadelphia Leguminosa

- 1732 *Crotalaria austroha*
Burkii Kuntze
 Habitat in jomanis flumini risis.
- 1733 *Crotalaria obliqua*
 Habitat in Magadha montibus
 Huic officinae non solum statim variationem (obtusum obtuse
 f. quae pro bifloris Willd. sp. Pl. 17597) adnotata, sed etiam inact
 dubitationis manu hinc nunc illa (Willd. sp. Pl. 17597).
- 1734 *Crotalaria prostrata* Mart. Reng. 52 Enc. Meth. Suppl. 1752 1047
 Habitat in Methila boreali
- 1735 *Crotalaria avicularis*
Chirya ghas (avicularium herba) Kuntze
 Habitat in Caste arvis
- 1736 *Indigofera longifolia* Willd. Sp. Pl. 1752 1047 Enc. Meth. Suppl. 1752 1047
 Mart. Reng. 52 1047
 Habitat in India herbosis.
 Non Indigofera at fructus Hallig.
- 1737 *Indigofera caerulea* Enc. Meth. 47; 257
 Habitat in sylois Methila durioribus
- 1738 *Indigofera juncea*
 Habitat in Methila et foeda sylois.
- 1739 *Indigofera monophylla* Enc. Meth. 47; 257. folia exognoma Burmanni.
 folia exognoma tota India orientalis, etiam siccum
 glomeratae Fluct. Abn. 10. Phys. 6; 106 f. 2.
 Habitat in Magadha herbosis.
- 1740 *Indigofera ex HFX* A' Ay/to- / \$*
folia minima tenuis, dispersas, in India orientali
Fluct. Abn. 112 Phys. 105, f. 2.
 Habitat in Magadha
- 1741 *Indigofera monophylla* Mart. Reng. 57
Hedysarum prostratum Burm. Willd. Sp. Pl. 1752 1047, f. 1
 Habitat in India paucinosis
- 1742 *Indigofera viscosa* Mart. Reng. 57 Enc. Meth. Suppl. 1752 1047 Enc. Meth. Suppl. 1752 1047
I. ingens Willd. Sp. Pl. 1752 1047
folia diligossa exognoma India orientalis abgerat prius
coruscante pubescens Fluct. Abn. 112 Phys. 105, f. 2.
foliis in hoste prope foliis latissima c. Brasiliæ

Decandria Diadophis Lemninae

1743 *Indigofera biator*

Habitat in foliis rupi glaresis.

1744 *Indigofera tenuioria* Hook. Beng: 57. Baum. Pl. 170. velutina synonynum
Phoenicea

Coleos. Indica »*+** sc* „, per Indijs, foliis viridi. Baum:

Phoenicea ex aliis synonymo. Schlecht.

Silicium Hook. Camb: 230. L: 120.

Arctia tenui foliis Rosmarini, glasti affinis f. 338.

Nel. Nubica et Bengalensis

Shan. Nek (Hammoniam color) Hammoniam

Habitat in Gujara, non adique colitur in India inter et
alia Gangam, Archipelago asiatico, et China australi

1745 *Indigofera circulata* Hook. Beng: 57

Habitat in Andhra Pradesh spontanea, non Radugia
non per Indiam Gangaticam diffundimata.

Huic similissima Amorei Hook. Mal: 536. 554. plantae quoque
spontanea, in Leguminosa longiora. In hujus foliis lobi colpos
non nihil confert Radugiae et parvulum vide ab amico L.
justi sibi detinuimus in novam subgreciam multilib. adhaerenter.

1746 *Indigofera hispida* Willd. sp. Pl: 4. 232. velutina synonynum. Hook. Mal: 504.

Meth: 45. 242. Hook. Ind: 252. Hook. Beng: A. I. 1702. L: 1702

Ind: leguminibus penitus laevius latifolios. Linn: Pl. Leyd: 272. andrea:
Phoenicea et Phoenicei synonymis.

Astragalus phoenicea, aliquae penitus laevius foliis carinis
Burm: Hist: Leyd: 57. b. 14. velutina synonynis supradicta.

Habitat ubique in India antiviribus.

Subsequenti similissima, sed caulis erectus.

1747 *Indigofera Tegenaria*

Coleos. orientalis plerisque heptaphyllis floribus apicatis,
tinctis purpureis, aliquae plurimi quadratis ** & £ * > t^& i sic summa
variae dependentibus Hook. Beng: 52.

Tutta Tegenaria Hook. Mal: 50. 530.

Habitat in India orientalis.

Præcipue similissima ad eam diffusa.

1748 *Indigofera formicaria*

formicaria Linnei

Habitat in Magatha et Kipala insisoris montibus.

- Diandria Diadelphia Leguminosæ
- 1749 *Galega (Siphacia) tenuissima* Hook. Beng. sp.
Gleba in hortis prope Calcuttam botanicae et caravans.
1750 *Galega (Siphacia) foliosa* Hamilton Commencement Noth. Ind. p. 183.
Galega purpurea Hook. Beng. sp. non Willd. non que in "Baron".
Hab. Nagpur depingit.
Col. Mr. Clark. Multis sp. sib. per seam conjuncta cum ex parte a
Kirkpatrick dubitante in Encyclopædia (1828) cum *Galega tenuis*.
Habitat in India aridioribus.
- 1751 *Galega (Siphacia) ericoides* Hamilton Commencement in Hook. Ind. 1828.
Galega tenuifolia Hook. Beng. sp.
Gleba diligenter habendis glauca, al nosios caerulea. Alius
biserratis, forte gleba foliæ, Avil. nominatione J. Banks. Hook.
Plat. 1828. p. 17, per seam cum *Salsifera tenuifolia* in Encyclopædia
conjuncta.
- Mah Rial (color cyaneo) Thunianum P.
Habitat, siccus in India aridioribus.
Planta. 1828. p. 2, 386. multa diversa.
- 1752 *Astragalus gracilens*
Kashmir. Hindoo
Habitat in Cœsia aridis.
- 1753 *Porolea rugifolia* Willd. sp. Pl. 14. 183. Nov. 1838. Ind. 172. t. 49 p. 2. Hook. Ind.
1828. Hook. Beng. 55. Martius 832.
Silo affinis rugifolia singulari pl. 1828. t. 49 p. 162.
Habitat in India gangatica subt., et inter olim solitaria.
p. 162 *~ fat "" in capitula saepiss., in ipsis caducis.
- 1754 *Porolea* illa
Habitat in foenicis florii riperibus ab orthica gallica.
- 1755 *Melilotus alba* Linn. Martius 832.
Trifolium officinale Linn. Martius 1838.
Bam. Martius Hindoo
fragilis. Bengalensis.
Habitat in riperibus India gangatica et monachal inter vegetos.
Planta. ^a la foliata habet multa angustiora quam planta
Mithila. Non plantæ recentis hiscim, unde *****. *** *%smf.
- 1756 *Melilotus indica* Linn. Martius 832.
Trifolium indicum Willd. sp. Pl. 14. 183. Hook. Ind. 20.
Trifolium indicum, rame longissimo, petiolum compagno angustato

197
Dicroidia *Diadelphicae* *Sporangiosa*

pericarpies cascois rotundis rugosae nubilosantes
 monosporomis loc. H. Leyl. 114. exstincta Chodat et Duhamel
 synonymis, quibus foliolis integriforme
Melilotus *leptea* Linn. orientalis acetosa, flexibus angulis dentatis
 alba Blatt. Alena 247. Blatt. 145. p. 5. foliola terminalis apicata
 $M^*j(i+*)\rightarrow, £^*$.

Habitat in India hortis.

1757 * // Melilotus *Scammoniae*

Don Mether Hindiae

Habitat inter Magadha Singap.

1758 < f. Medicago *lapponica* Evar. Moll. sp. 622. ill. Genit. 622. p. 600. Hort.
 Bongi 55.

Medicago murinata Hort. Kew. 4053 Willd. sp. 111.

— polyg. *Murinata* Smith L. Bot. 42. 295.
 L^* < V. * - y ,

Troplium cochlearium mediolis spinosis Hort. Blatt. 16. 113. p. 6?

Medica minor orbiculata compresa fructuosa, circum oras

spinos mollescentes subinclusa Hort. Alens 245:

Bohemia Hindiae.

Habitat inter Magadha Singap.

1759 Medicago lupulina Willd. sp. Pl. 1405. nov. Moll. sp. 629.
 Smith 27. Brit. 4. 797. Hort. Kew. 4053. Hort. Bongi 53.

1759 Medicago lupulina Willd. sp. Pl. 14. 1405. nov. Moll. sp. 629. Smith
 27. Brit. 4. 797. Hort. Kew. 4053. Hort. Bongi 53.

& habitat in Mithila annis spontanea.

1760 t Melilotus *salina* Willd. sp. Pl. 14. 1406. nov. Moll. sp. 630.
 p. 1. Hort. Kew. 4053. Smith 27. Brit. 4. 798. Hort. Bongi 53.

Habitat in hortis prope Patnam. non sicut in indigena.

1761 Trigonella obcordata

Don Buti Hindiae >

Habitat in Magadha Singap.

Conf. **AT;** *obcordata* Willd. sp. Pl. 14. 1401. p. 5.

1762 Trigonella bonariensis Willd. sp. Pl. 14. 1406. nov. Moll. sp. 631. Hort. Bongi 53.

Ab formulis

Bengalensis.

Habitat ubique in India hortis et flores exaltatissimae.

Conf. T. latifolius Basw. Moll. 1402, 352.

Decandria

193

Philadelphia

Sequinimata

- 1763 *Trigonella Fennii gracissima* Willd. sp. Pl. 12. 1802. Enn. Meth. 1845, 97. Hort. Kew.
 in 395. Hort. Bengal. 5.
Mentha farinata.
Methia Rangjolensium
 foliis aliisque inter India oleum.
 1764 *Trigonella jonda*
Dolichos fabiformis Willd. sp. Pl. 12. 1802. Hort. Beng. 55.
Dolichos pinnatisectus Pers. Meth. 4. 300.
Trigonella tectoria Roxb. Mf. quondam.
Lycopus officinale Rendle
 foliis rariis inter Magadha oleum.
 1765 *Arachis hypogaea* Linn. Willd. 3. 280. Nutt. 1. 11. Gen. 1. 105. Willd. sp. Pl. 12.
 1821. Hort. Kew. 10. 285. Hort. Beng. 5. 16. Journ. de l'Acad. 1803. 1. 12. f. 2.
 Burns. H. Ind. 162. varibus propter synonymo $\leftarrow \wedge$ stativa varia.
Thamnophallus japonicus Rost. Amb. 2. 26. C. 1855 f. 2. non C. 1856, ut
 soluit Burmannus et alii cum sequentes
Senna tetraphylla, s. Ober. congener hirsuta. Mef. quondam
 flor. flor. foliis pinnatis embrio foliis sub terram conditis
 Plak. 1. 24. Nutt. 1. 12. f. 2. soluit propter synonymos ad plantas
 America et Iapica spectantibus
 foliis aliisque in India extra et inter Gangam et in
 China, sed nullis in Magna copia.
 1766 *Vicia faba* L. Willd. sp. Pl. 12. 1802. Hort. Kew. 10. 36. Nutt. 1. 12. f. 2.
 habitat inter Methia Triticum.
 1767 *Vicia sativa* L. Willd. sp. Pl. 12. 1802. Enn. Meth. 1845, 94. Willd. sp. Pl. 12. 1802 f. 5.
 nata ob foliis acutis. Hort. Beng. 5. 20. Hort. Beng. 55.
 Hongkia in Composita Rangjolensium.
 Kultus Kola in Kuntius solitaria.
 Habitat aliisque inter vegetes India Gangatica hybrida
 dumatis prope pagos.
 1768 *Pisum sativum* Willd. sp. Pl. 12. 1802. Hamilton. Agriac 228
 Karsa s. matur. Rendle
 Karsa Novarice
 & Narka R. Rendle
 foliis in India Gangatica agri
 1769 *Pisum sativum*
 Dabli karsa Rendle
 foliis in India Gangatica agri
 1770 *Pisum sativum*

Decandria Dia-dolphia Saguminosae

1775 Glycine zetariae

Dolichos Soja Willd. sp. Pl. 14. 1753. Bas. Mill. v. 229 Hort. Am. 10. 295.
Hort. Bengal. Num. 3. Ind. 160. Seminaria Nipal 238.
Dolichos caule erecto foliis raro eis raro ciliatis recte symmetricis
pedunculis angustis subdigitatis + & : < * ? ** # *

Zedelius. Hort. Ind. 232. L. 140. japonica Willdenowii Kuntze. C. 160.

Graes. Karpf. Ann. Bot. 437.

Zaro Kalai Bengalensis

Chot. Mas. montanorum Kuntze

Cultiva in Campana orientalis et Nipala montana.

1779 Glycine secoabacoides

Dolichos secoabacoides Willd. sp. Pl. 14. 1753. Bas. Mill. v. 297. Hort. Am. 10. 296. Hort. Bengal. Num. 3. Ind. 159.

Dolichos caule robusto pubescens tomentosis, floribus albidis
semibus leucanthis Lin. S. Trop. 282.

Phascolus zyganthoides tomentosus, foliis flosci, lobis parvis oblique
orientatis alter suorum Willd. Trop. 188.

Phascolus minor Ricasolianus foliis argenteis villosis, stipulis
longis brevibus opacis hispidae pubescentibus, fructu parvo
secoabacoides nigra Blck. Alm. 190. Phyt. t. 52. p. 2.

Makwa officinarum Kuntze

in Madali Gennata.

Habitat ubique in India.

1780 Glycine ad d

Habitat in Anga i. locis quod Guava vixit.

1781 Dolichos lignosus 1 & 4 JX < r* U siccum nobis supressum.

vel. lattu. stemma lantum resolu. in Willdenovii (sp. C. 3449)

D. lignosus caduc.

D. Lallub. Willd. sp. Pl. 14. 1753. Hort. Bengal. 53. velutina synonyma Rumph.

D. culturatus Willd. sp. Pl. 14. 1753.

D. ensiformis Thunb. Jap. 279?

D. purpurea Willd. sp. Pl. 14. 1753.

Sim. Lindner et Bengalensis

Pach. Pagan (Taba canescens) Bernoulium.

Sicut ubique in India @ tiguriola et pugnus.

Planta polymorpha *+s & * & * dt*4 ***** < H09 — * n j ' & %, * * / > J < i - ,

auctore descripta. Flores sunt variolatus quatuor
nonnulla hic inveniuntur

a Kukariya sim Bengalensis.

221

Dicroidia *Diadelphia* *Sequuminosa*

- 8 Patoriga sin. Bengalensis
 9 Kajbl Guji sin. Bengalensis
 8 Basph walkerae (Sycocis angust) sin. Bengalensis
 8 Kalopis sin. Bengalensis.

1783 *Dolichos gladiatus* Willd. p. 103 quod ad synonyma. See Mitt.
 Bak. 895. flot. Beng. 55.

Dolichos ensiformis Rurm. C. 1803 estius synonyma. Hems
 lobus, Muscarioides Hook. subsp. n. 375 t. 123. pl.

Phaseolus indicus Blanca marginata (L.) Benth. exatius in 1800
 monog. cum eminens; plurimi 200 et 300 mm. longitimum
 insignita, fructu amplio grossa. H. ab. 392. *Acanthocia*
 lignum is coruscans qd praeventione potius forte refracta
 Para. Marca. Hook. Nat. 825 t. 354.

Parbutora (montana) sin. Lardiz.

Mabkow (butyrosus) sin. Bengalensis.

Glycine aliq. sive curius in India (a) taguicola et pergrana.

Dolichos glutinosus Hook. Kew. 1825 etiam habet annuum,
 et forte istius est annua planta, euphoraster. Willd. nov.
 emend., nam in Para. Marca his character non inventior.
 In foliis semilunatis, ciliisque fortis solis diversis.

m *Dolichos glutinosus* 1783 mons etiam (1825) selen nomine signari.
Phaseolus zeylanicus, hydrostis, Maxima Rurm. Nov. Zool. 1821
 exaltius synonymis ad praeventionem phreatantibus
 Rm. (Montanea) sin. officinorum. Lardiz.
 Habitat in Nagashka sylvis.

Præsente forte planta spontanea? Haec annuum
 sed littoribus maris arenosis crescens. In Para. Marca. Hook.
 Bak. 895 t. 125 (pro Dolichos vicinus * & i. Beng. 55) lignina
 multo majora ex para. litoria (Hook. subsp. n. 390 t. 145 pl.)
 catenorum affinitima; descripsa subsequent semillima.

1784 *Dolichos trilocularis*

Jangali sin. (Sphaerostes faba) Bengalensis

Habitat in gymntha orientalis sylvis

subsequenti et præsente præventione similis.

1785 *Dolichos rotundifolius* Hook. Beng. 55.

Phaseolus maritimus prægans, radice rizosa, foliis majis
 subcordatis (Bengalensis) Hook. ab. 392. Bak. t. 81. pl. præferam in

DecandriaDiacanthusLuminosæ

in Mantipar (C.G.) cum foliis cord. Martea conjugatae.
foliis lanceolatis. Hort. Malabar. 22. C. 63.
Habitat in India subtrop. marinenos.
Præstante similitudine.

- 1786 *Dolichos falcatus* Buchanan & Gray see Index.

Doli. Catiang. Enc. Mett. p. 229?

Bora, Nebra, S. Choni. Hindust.

Kily. Kepuru. Malwa

Cult. C.

Indagine carnata

Alasamida. Andhra

Caramuny. S. Tota. Opw. Tannutum

Foliorum in India rarois

vix ab his foliis distinctus. Phaneris minor albus. Herb.
sub v. 383. t. 39. cui lamen. folia et caulis rugosa (rigida)
flos minus albus in cujus petala majoris invenire. parte
aliquid lateri conspicuæ coloris carbonatum caulis et folia
loba. flos omnino luteus.

- 1787 *Dolichos Catiang.*

Doli. Catiang. Hort. Kew. 16. 295?

Hasta. Phangra s. Mutiga. Bora. Hindust.

Foliorum in Bhagattha agrio.

Herb. Simili; sed via eadem. Ruer. Hort. Malabar. 25. C. 61.
qua D. Catiang. Hort. diversitatem dubitationem in Eng-
lopedia ritare.

- 1788 *Dolichos Simonii* Willd. sp. Pl. 1808. Enc. Mett. p. 292. Hort. Kew. 16. 292.

Brown. C. Ind. 158. Herb. Ray. 53. Herb. Camb. 220. C. 106.

Raksa. Bone officinale. Hindust.

Foliorum in India Gangattra. hortis.

Levant.

by diversus Dolichos hastatus. Enc. Mett. Suppl. p. 429.

- 1789 *Dolichos Stragonotus* Willd. sp. Pl. 1808. Enc. Mett. p. 296.

Suppl. p. 429. des. 1. Brown. C. Ind. 139. Herb. Ray. 55.

Lobæ quadrangularis. Herb. sub v. 374. L. 113.

Phaneris indiens. sibique cartilaginea rugosa. fissa.

superficie rugosa costa rotundata. Herb. pl. 292.

Foliorum in India hortis rarois.

- 1790 *Dolichos viridis*

Phaneris spinosus. Herb. sub v. 386. t. 139. p. 2. pergam.

225

Decandria Diadelphia Leguminosae

247

- @ Phascolus radicans - a Willd. var. rotundata
 Chhota Lachha - Kali Bengalensis.
 Colitur in Campea orientalis montanae.
 1791 Dolichos lobatus Willd. sp. Pl. 1847. Inv. M. & S. 697?
 Phascolus minor ruber Hook. Amb. 4. 253
 Lachha - Kali Bengalensis.
 Colitur in Campea orientalis montanae.
 1793 Dolichos angustifolius Hort. Bengal.
 Habitat prope Calcuttam.
 1793 Dolichos glutinosus Hort. Bengal. negligenter plantam alteram.
 (1783) eadem nomine Signori.
 Habitat prope % *Z+*#i^
 1794 Dolichos reticulatus
 Habitat in Campea tumida
 1795 Dolichos bulbosus Willd. sp. Pl. 1846. Inv. M. & S. 295. Hort.
 Kew. 294. Hort. Beng. 55. ex L. s. synonymo Baumanni R. Ind. 166.
 Cacca bulbosa Hook. Amb. 4. 372. 6. 132. f. c.
 Phascolus Nevillensis foliis multangulis, tuberosa radice
 esculenta Hort. Kew. 292. Pl. 6. 52. f. b.
 colitur in horto prope Calcuttam botanico e Campea.
 1796 Macuna oblonga c?
 Cyathocodon giganteum Hort. Beng. 52.
 Dolichos gigantae Willd. sp. Pl. 1846. Inv. M. & S. 496.
 Lobus littoralis Hed. Amb. 4. 10. 6. 6.
 Phascolus India orientalis, foliis plurimis hispidae pum-
 -gentibus, faba magna ostium reponit. Hort. Kew. 392.
 Kaka valli Hort. Kew. 292. 6. 36.
 Habitat inter ostia Gangatica.
 hoc genus apparet naturale varie nominibus designatur,
 Macuna a Margosis et Almanio, Triglobium a Bonn.
 (Ita a Loureiro, Cyathocodon a Roxburgh, et Nigella a Flora
 Peruviana auctoris, quorum primum est Antiquissimum.
 1797 Macuna cristata
 Cyathocodon angustum dictio ^, r. s. f. ^, S.S.
 non forte a L. Colebrooke impositum
 Makrikila Bengalensis.
 Habitat in Campea orientalis sylvis.
 1798 Macuna recta
 Habitat in Campea orientalis sylvis.
 1799 Macuna fabacea

- 204
- Decandria Diadelphia Leguminosae
- Dolichos pruriens* Willd. sp. Pl. 49, tab. 66. Meth. 49, 1753. var. *synonymis omnibus nisi forte Chacae et Raji?*
laccara pilosa Herb. Ann. 2, 392.
- Phaseolus orientalis purpureum* ex itano herente sanguinem
fructu nigro glabrente Herb. Alon. 2, 22.
- Nas (Canina) frana* Hort. Malabar. 2, 6, 35.
- Upheta kurra* Lindley
- Cofitier* in *Magnolia sylvestris* ob fabas esculentas
Kao eute non *Cenra furvipes* Rumphii, neque *Phaseolus*
Americanus, foliis molli lanuginosus obsoletis & florib. illa. 1792. Hypoth. 1791.
- 1800 *Mucuna nigra*
Cocura nigra Herb. Alon. 2, 22. t. 33. pro locum a Willdenow
cum Dolichos angustifolius plantae Americanae coniunctas
Habitu Lindley.
- soltice in Magnolia et Cate sylvestris ob fabas esculentas*
deponente binomiali.
- 1801 *Mucuna viscosa*
zophogynum viscosum Lefr. Bengali.
Habitat prope Calcuttam.
processu a praecedenti satis distincta, ad kurra faba non
tuta, nisi magna in preparazione cura exhibita, neque, nisi
spuma purpurea et sylvestris homines, in usu sunt
- 1802 *Phaseolus grandis*
Habitat in Campestris orientalis sylvis
- 1803 *Phaseolus circinalis*
Habitat in Campestris orientalis ruboreis
- 1804 *Phaseolus alatus* Vahl. Bonn. 54. ad via Willdenowii (1791) vel Tenui
Meth. 49, 73 vel Herit. Paris. 1, 291?
p., solut. tenuis £&* latice sylvestris flore perh. raro
fusca majora Herb. Alon. 2, 21.
- Katu vel Catu Barn* Herb. Mal. 49, 79. t. 42.
- Ban bon et Ban Barbata* Bengalensis.
- Habitat* in Bengalica domatia
- 1805 *Phaseolus Mungo* Willd. sp. Pl. 49, 1025. Ins. Meth. 49, 73. Herb. Mys. 53.
Buchanan & Mysore Indes. Hamiltons. Nafur 227 ubi errore
Dolichos mungo no minatur. *flavus*
Phaseolus hispanicus floribus luteis officios. *leguminosus*
cavite Crato. Herb. Alon. 2, 22.
- Mudga sanscrita*

Decandra Diadelphus Syquinossa -

Mung montanorum Hindoo

Harr Mung at Balasore Mung Hindoo

Kepura granite

Kochi Peperu anatra

Pachia Pyre Tamilorum

Muk May a Mung May Newark

Colletus ubique in India agria

 via a sequente dotti distinctorum nisi dominum colorem.

1806 Phaseolus aureus Hort. Beng: 55.

Pulsia vel Pustia Passu Hort. Mal: 255; 576. 77

Mung Hindoo

Lona (aurea) Mung Kongalensis

Colletus in India arie

 via nisi dominum colorem a praestante distinctorum

1807 Phaseolus Max Milleri H. 14: 235. Hort. Kew: 294. et Nom: R. Ind:

155 epilobio Rumphie synonymo.

Phaseolus illax & Linn: M. 147. 75.

 ratiatens Hort. Beng: 55.

 caulicibus angustis hirsutis Linn: H. Zeyl: 280 cordatis

synonymo Baumanni postitione, et forte Mukonotii.

Thesentes erectis, rameis et foliis rigidis, floro pallido luteo albo
nigra et ampla Burm: Prog. Zeyl: 190. annua variegata
Phaseolus pergrinus Anagyrus fructuosa simile ex nigro
subirrescens Hort. Alm: 290.

Kater Ulimu Hort. Mal: 255; 576

Mal. & Mal. Kalayi

Urid (Uridi Hort. Mal.) } Hindoo domino annuale

Aphani kabi

Ghikuri Bengalensis } domino pissa

Dod (Dugna) Urid

Kain Udu } formatae Buchananus. Myana: 290

Colletus ubique in India agria unde varietas plena non

domina, rame uniforme vidente, sparsis, vel paucis, lumen nigra
nigra annuale principis distinguenda, et gressu omnibus designata.
Siccum Indiam australiorum Cestroviorum (Buchananus Myana
392. 94) hunc cum subsequenti pro varietatibus omnibus specie
habui, usque adhuc nomen nescio.

206

Decandria Diadanthinae Lemnaceae

/8G9

Phaseolus Max 7^A

Phaseolus Max Hout. Beng. 55.

Demine viridi Kari Mung }
Kata Mung }
Bengalensis

Chic (parva) Kata Mung A

Minamoto Andhra

Lo' Manda Samutorum

Kudint Concani

Pok Zein Burmanorum

C ^ * * ^ Sutica praeceps cicutaria
variolata plures color demino praeceps distinguenda
varietas dicitur - »*«*«* i^, Atst+iem/^t.. +»~t* latifolia, vis et
praeceps et vis et vis minor Rangoon, etrogenit gynaec Simile.

/\$Qp

^^JC^C^JHA^UJ^

Bm. Mukh officinum Hindica

Habitat in Nagatha montibus et sybis.

Præceps forte planta spontanea

1810 Phaseolus sublobatus 2

Phaseolus sublobatus Hout. Beng. 55?

Habitat in Camencha spis 4 intensa

nescio in a sequente discussione

1811 Phaseolus sublobatus 3

Kari Mung }
Khoyi Mung }
Bengalensis

Khoyi Koyi in Camencha Bengalensis

Khoyiya Hindica

Colitur multum in Europa Malita et littore ariis

/pi' jfiLi* ^{See sublobatus}

Khoyi Bengalensis

Colitur in Europa ariis

1812 Phaseolus sublobatus 8

Meth' kalyai Hindica

Colitur in Nagatha ariis.

1814 Phaseolus aconitifolius Willd. Sp. Pl. 1838 Hoffmann 329. colitur forte

Synonymus jacquinii Hout. Beng. 55. Linnaei Meth. 45: 76.

Bronzini Hindica

foliis <A* it* <s*(mj4b&Ka> *vis.

207

Decandria, Diadelphia, Sipunculaceae

valde diversus & planta quæstus. Phyt. 6. 207, 7. deputa quæ
Dolichos dipotius Linne. Meth. 4. 300 idem secundum anterius
cum Phaseolus acutifolius Jacquin.

1815 Phaseolus pruriens

✓ Juveniliter specimen abique nota

1816 Phaseolus tricuspidatus

Habitat in Indiæ Gangaticæ

raceme an. oblongum formam capi, ut in primis, variam,
a subsequenti lato distinctor.

1817 Phaseolus trilobis Willd. sp. Pl. 41. 205 culis cylindricis plurimis foliis

dentatis, Hort. Kew. 193, Hort. Pung. 55.

Dolichos stipularis Linne. Meth. 4. 300

Phaseolus trilobis Willd. sp. Pl. 41. 205 t. 56, fig.

Trifolii officinarum Hindoo.

Habitat in Indiæ Gangaticæ humidis

raceme an a precedente distinctor.

Polyadelphia

Aurantia

1818 Citrus Lemonellus fructu acido magnitudine, cicutæ ovi
glossati & Lemonellus Herb. Comb. 4. 107 t. 2.

Pati Limbo Bengalicum

Glossat in Indiæ Gangaticæ

Citrus aurantium domino speciem constitutum
enip non in Malo Pyroret. Cognovit autem varietas, prout
forma magnitudine ab alijs præcipue distinguenda. Paratus
ex alijs petiolarum, stylorum, forma, in cibis, ab alijs maxime
variantibus, omnino distinta.

& Kaju Limbo Bengalicum.

Lime Anglosum

Glossat ubique in Indiæ.

1819 Citrus sylvestris fructu acido parvo magnitudine infra communem.
Habitat in Malta dimotis spontanea.

1820 t. JfS** ex fructu acido, vel cicutæ cedentie magnitudine, oblonga
& Kaju Limbo Bengalicum

Glossat ex Bengale præc.

1821 Citrus medica fructu acido, al infinitis caput magnitudine accrescente

Polyadelphia aurantia

Gova Limbs Bengalenium

Hort. Amst. 25 p. 2 gradus incognitum, decursus greatest variation
petiolis alatis.

Colletus ad Bengal payas

2. Poni Limbs Bengalenium

Gagar Hindice

Colletus ad India Gangatice payas

Karna Limbs Hindice

Limn trivirens Hort. Amst. 410 p. 6. 22 f. 2

Colletus ad India Gangatice payas

Planta Ramaikhi. Spontanea, quasi excoecaria, nobis, oblonga,
flos, succus griseo-acidus.

E Jamir Limbs Bengalenium

Colletus ad India Gangatice payas

1822 Cilius aurantium? foliati dulci, adornum excoecaria prope magaz
tibine, aciculata.

ad Karsula Hindice

- v Vv

aurantium sinenses majus Hort. Amst. 43 t. 34.

Malus austrica humilis Blud. Alm. 2381

Colletus in locis India Gangatice paucis

Nyctea1823 Melaleuca capricorni Hort. Beng. 67 non in vix retinaculum
Arbo. Alla minor Hort. Amst. 37 t. 17 f. 6 purpurea in Engatolia
(Methia 17) cum arbore Alla majore conjugata.
Colletus in horto prope Plantam botanica ex Malibina.Hyperica

1824 Hypericum carnosum Hort. Beng. 67

Colletus in horto prope Plantam botanica ex Malibina monthuri prius

1825 Hypericum monogynum Willd. foli. 43 sp. 2. Hort. Amst. 43

Hypericum chinense Endl. Mitt. 10. 144.

— aureum Endl. Mitt. 19. 743?

Colletus cum praecedente e China

1826 Hypericum dentigerum?

Habitat ad India dentigerum actiniformata Tigrana Com.

— rufa, Nepalat

SyngenesiaPolygamia aquaticaCichoracea

279

P. aquatica Sinuosa Cichoraceæ

1827 *Chondrilla longifolia*

Habitat in *Camphora rubra*

/¹ 2 S ^ * y ? n + * t f f a i & Z ^ * tenuis

Habitat in *Mitchella borealis*

1829 *Prenanthes vigila*

Habitat in *Mitchella avic*

1830 *Prenanthes leucantha* Willd. sp. 1167. 1820

Chondrilla leucantha Pers. Willd. sp. 1167. 1820

Habitat ubique in India utriusque.

1831 *Prenanthes Raddai*

Chondrilla Raddiae Pers. Willd. sp. 1167. 1820

Habitat in *Camphora rubra*.

1832 *Prenanthes acanthifolia* Willd. sp. 1167. 1820. Not. Bong. 62

Chondrilla acanthifolia Pers. Willd. sp. 1167. 1820.

Habitat ubique in India

sis nisi glabritæ a subsequenti dictatione non 1820.

1833 *Prenanthes obtusa*

Habitat inter *Mitchella Bombyca*.

sis a pressante nisi pubescens divisa.

1834 *Hieracium Schindleri*

Schindleria officinaria Flent.

Habitat in campis *Magadha* et *Mitchella avic*.

1835 *Hieracium dichotomum*

Habitat in *Tripura* et *Mitchella grammatis*.

Hoc anno 1797 Robertum vocat *Hierachotomum*, sed Dime

st. a planta, quoniam sub coenobio ad *Hieracium* habet,

qua name *Prenanthes acanthifolia* (1832) minime patet.

1836 *Ionichus formosanus*

Prenanthes sonchifolia > JZ* < 1820.

Dad *Kamal Bengalensis*

Habitat in auge cultis

1837 *Ionichus formosanus* B

* *Sonchus olereaceous* Asper Hort. Bong. 62?

Habitat inter *Mitchella* et *Magadha* cultis.

1838 *Ionichus olereaceous* Willd. sp. Flent. 1814. Linn. 1816. 355 Hort. Bong. 62

Hort. Kew. 1820 Smith A. Bot. 3, 67.

Habitat in *Camphora* cultis

P. Paunlis ♂ Sympetrum lechoracum ♀.

2

- 1839 *Eichornia crassipes* (L.) Solms
Pistia officinarum Hinckl.
 foliata in Nepala et India Gangetica herba
Oncoscephala

1840 *Cordia glabra*
 i J-fcr* - ^ A < ^ Hook Long. 80
 Habitat in water granata aquatica

1841 *Cordia contorta*
 Brahmaputra Flora
 Habitat in Megadha river

1842 *Cnidos lanatus* Willd. Pl. 1829, 127.
 serrulata lanata Sprengel 1825
Cordia lanata Hook. Long. 80
 Habitat in Indus Gangetica rive
 decinum charactem (see a Gartner, de son. 4, 303) at
 4^,,^4 (see Neth. 1829) exhibition has a different
 name debet. Specimina in locis diversis late nonnull. diffinier.

1843 *Cnicus angustifolius*
 Habitat in Mithila borealis monte

1844 *Sympetrum carthamooides*
 serrulata carthamoidea Hook Long. 80.
 Compiti spontaneorum }
 forsteri pectorinum } Hinckl.
 Habitat in formosa fossile ab Inde herbae.

1845 *Oenothera tricuspidata*
 Habitat in syris Mithila siccioribus.

1846 *Oenothera carthamoidea*
 Cne. Kusamthi (spontanea pertinax) Hinckl.
 Habitat in Megadha syris

1847 *Cochlearia tenuirostris* Willd. Pl. 1829, 96. nom. n. 1829, 82. ill. 1829, 82.
 Hook. 1829, 82. Hook Long. 80. Gartner de son. 4, 305. 1829, 82. Ann. 1829, 82.
Microseris tenuis Hook. 1829, 82. 1829, 82.
Cardamine rotundifolia Hook. pl. 82.
 Kusamthi Hinckl.
 Lherb. herbarium
 foliata ubique in India.

*P. aquatica**Syngonium**Corymbifolia*1848 *Ternonia* *s. rotundata*

*Utriculus sic graminosis radice ovatis laevata; sibi
in fascia et fasciatis.*

*Hab. recte in quatuor ordinem t. cuthbertianum (Willd.
sp. Pl. 1808) bonando, sed in utraque propriis similes.*

1849 *Ternonia* *s. rotunda**Nozot Bengalensis.*

Habitat in formosa virentibus aliis

1850 *Ternonia* *s. aspera**Eupatorium asperum* Kort. Beng. 8.

Habitat in lavae montibus

*Hic affinis, sed vix eadem Pict. C. 392 p. 634, p. 635 ff.
et igitur *Cypera chinensis* Willd. 32. 32?*

1851 *Ternonia* *s. divergens**Eupatorium divergens* Kort. Beng. 8.

Habitat in formata

*Prædicta similes.*1852 *Ternonia* *cineraria**mentha cinerea* Kort. Beng. 8.

1853

Cypera cinerea Linn. Willd. 32. Willd. p. 634, 325. Rumph. 8. 122.
exclusa *Zizaniopsis* Rumph. et a Burmanno *Cypera* Nakamura
quod Linn. ad hoc genus forte pertinet
demonstrat Lin. St. Log. 1. 459.

hanc sectione folia tenui monilis annua Willd. 32. 6. 9. p. 6.

vix oblonga in locis levata.

36

Linnia umbonifera Kort. Linn. 32. 6. 14. p. 2. pro parte a Burmanno
et Willd. non ad *Cypera chinensis*, folia rufas exinde rotata.

Salicornia officinalis } Nakamura
Prædicta sive } Nakamura

Jv

Phragmites Bengalensis

Habitat in luto Gangatico ambo

1853 *Ternonia* *cineraria* 8

hanc } *Salicornia officinalis* } Nakamura

Bur. 4 } *Salicornia* } Nakamura

Habitat in locis luto Gangatico apriis

1854 *Coclearia bicolor* Kort. Beng. 8. Willd. 32. 6. 14. 1781

- P. aquatica* *Sympetrum* *Corynophora*
 Cilium in loco prope Glaucom. botanicae et Botanicae
 Haec sibi foliolatae pro Raburgi plantae ostendebant et a
 subsequenti non diversa videtur.

1855 *Cocalia hieracoides* Hort. Bong. & Willd. sp. 53. iiii 1755
 Cilium in loco botanicae prope Glaucom et Manicis
 Eadem cum praecedente videtur.

1856 *Cocalia maculata*
 Habitat in Asia et India Gangatice.

1857 *Cocalia sandifolia* ²
 C. sandifolia Desv. & Ritter, 5. 11. Burn. 1822. p. 110. f. 10.
 Klinia canta Liliaceae, folia lyrate, Lin. St. Leyl 315.
 Sonchetta galactina, minor, marina, folia laevis, Burn.
 Her. Leyl.
 Andromedinae tuberculatae
 Indus tricuspidatus, cingulatus, floribus parvis luteis, Her.
 Small 92. 6. 44. f. 16
 i. ^ ft^rii ift^ rii iv I» gii A fp 135. 6. 6.

—— Habitat in India monos.

1858 *Cocalia sandifolia* ³
 C. sandifolia Hort. Bong.
 Habitat prope Glaucom.

1859 *Succis tenuicata*
 Habitat in "Cocalia granaria"

1860 *Succis tenuicata*
 Habitat ex. Campis favonipha descripta

1861 *Aquaticum conifolium* Hort. Bong.
 Habitat prope Glaucom in locis humidosuolis

1862 *Luzenia erecta* Hort. Bong. 1755. Willd. p. 110. 1788. et Lin. St. Leyl.
 sp. 44. 313. exaltus Rhubarb. synonymous.
Aquaticum aquaticum Hort. Bong. 6?

Tuberosa *Luzenia* Burn. Lin. 124. 1822. synonymous Rhubarb.
 — glomerata tenuissima globis foliolata seminibus hispidis
 Lin. St. Leyl 316.

Empetrichthys latifolius sanguisorba aquatica foliis oppositis
 Burn. Her. Leyl. 956. 42.

Habitat in locis saepissim orientem versus, sive in Tropica, Malabar, et Gang.
 f. 1 am. humeribus solida latifolia (956)

P. aquatica) *Syngenesia* (Corymbifera)

1863 *Lavonia fasciculata*

Habitat in *Careya arborea*.

1866 *Lavonia diversifolia*

Habitat in *Cesalpina*.

1865 *Spilanthes olereosa* Willd. sp. pl. 145. 1815. *Spilanthes olereosa* L.

foliis inter formycas siccis

littera inter formycas siccis Linn. Meth. 1. 1815. *spilanthes olereosa* L.

Meth. 1. p. 122. *planta typica sponte Americana, siccata siccata*

1866 *Spilanthes celtidea*

Habitat in India Gangotri glaciis

subsequenti malle affinis

1867 *Spilanthes Panduriformis* Willd. sp. pl. 145. 1782

Spilanthes Panduriformis Willd. sp. pl. 145

foliis oppositis lanceolatis obcordatis arcuatis, petiolaris

florae longioribus Linn. P. Leydi 308 etibus synonymus Burmanni

Hoyeanthusum bracteophyllum longipetiolatum, articulis

capitulis flabelliforme, foliis 10-12 p. latis oblongis

Habitat in gauca

1868 *Kiscus tripartita* Hook. Bengal. 1. 1815. *Spilanthes* (p. 145. 1782)

Habitat in Nigala under ad *Holarrhena* Linn. 1202 m. alt.

vis. 1865. *Kiscus formosae* a. bicoloris juss. aut. non Willd.

1869 *Athanasia indica* Hook. Bengal. 1.

foliis in hoti pape Spilanthes botanicae Desv.

1870 *Ethulia conjugata* Hook. Bengal. 1. 1815. *Willd. sp. pl. 145. 1782.*

Hoti Rass. 1. 1815.

Habitat in *Careya gommacea* Dcneff.

*Haec est planta quam ad *Hedysarum* videtur, non *Willd. Athanasia**

mentis fructu est. sed in calice hoti gummacea siccata inveniuntur

Ethulia ramosa (non forte quatinus) signata, praeceps plantae postea

1871 *Calcearia oleacea*

Kadiji Bengalensis

foliis oblique inter formycas siccis

foliis annis decac. non foliis foliis annis Hoyeanthus

matricariae agitur. 1. 33. 34. Linn. Meth. 14. 7. 7. annis conponit, quas

*debet ostendit (p. 4. 139) *Calcearia conjugata*, ut haec ratio*

P. equalisSyngenesiaCryptopoda

Ulmus laevis & Urtica dioicae 9/10.

Polygamia superflua1872 *Artemesia Nagadana**Artemesia vulgaris* Hort. Bong. 81

Nagadana (degenere Artemesia) sanscrita.

Nakdan Bangladeshi.

foliis in tufa et camphora hortis

1873 *Artemesia parviflora* Hort. Bong. 81

Habitat in Nepal, mures et abruptis.

1874 *Artemesia riparia**Artemesia coryfolia* Hort. Bong. 82

Abrotanum mas sinicum latissimis foliis, cum pulchris

corymbis ex insula Chusan Plenk. sonath. i. 6. 353 p. 1

Habitat in Brachypodium, Carex et Cosis rupis arenariis.

Haec, a re nomen est plantae, quam ad Rosburgium velut.

1875 *Grangeria madagascariensis* Ins. Afr. 1. 125 ill. fig. 125 p. 1

(Gala madagascariensis Hort. non M. Willd. Pl. 54; 2179.

Artemesia madagascariensis M. Sch. 84. Hort. Bong. Plann. 21. 177.*Absinthium madagascariense* monosianum foliis, corymbis alteris
in ramorum fastigis specie adi. Plenk. sonath. 3. 1. 353 p. 3.*Absinthium monosianum* gen. et stem. floribus panicu-
meli coloratis a galionum aliis Plenk. sonath. 2. 8. 1 p. 2.

Nelum Pet. Hort. Mal. 17. 1869, perforatae Platenellid. (Albu-

19. 1. 8) Jacobean quadrans (M. Sch. 1. 177), lat. ipsa Campanula
Natalensis

Haec, sicut Campanula.

Habitat siccis in Andes pinguinibus.

variat flor. monstrans.

1876 *Grangeria mucronata*

Habitat in camphora bonales rupis arenariis.

1877 *Grangeria tomentosa**Artemesia strobilifera* Hort. Bong. 81?

Habitat in rupi Magatka arenaria.

An polycerum Gymnostylis pajucari vel solina? Personae
consocianda?

P. superflua *Syngenesia* *in Leguminosae*

1878 *Cotula obsoeta*

Habitat in Campeja arenaria

Hab. semiannual, a lotus diversa, Grangea latifolia Ruy, Willd. sp. n. 826. Ill. Sp. t. 99, pl. qua Cotula bicolor Willd. s. l. H. 275 habita a presidentibus Grangeis valde diversa?

1879 *Cotula singularis* Kunt. Beng. 62.

Habitat in Campeja diversa et cunctis.

Si non nominis, sic enim est planta, quam a M. Galla C. Roskergius misit, et descriptionem plantae Nigritanae non apud me est.

1880 *Eragrostis*

San' Shikshik officinarum. Hindica

Habitat in Augathia iron irrigatis

In potius cum Leontopodium *Λ~Λ. V*Λ

Notes, Dr. Louis

(H. 184) affectuosa?

/m 4»} *tt*?^ ^ < u ^ ^ ^ ^

H. 84. 878

2. *Gnaphalium trichotomum* Willd. sp. Pl. 1881

3. *Gnaphalium pallidum* Willd. ex. 1862. Linn. Mitt. 6. 2. 1873

4. *Gnaphalium cuneiforme* Stev. loculus, folio lenticelli
alternis, corymbis magis libris den. H. 878?

Gnaphalium latissimum folio foliis minus raro sum. capitulis
pallidissimis Thun. Abh. 173. Pl. 26. 1874 p. 1

Quatuor vici consistentes, a foliis planis exaratis, p. foliis planis
oblongis, y foliis undulatis humilior, efflor. undulatis solatis,
harum tertia hand figura in Plectranthe absimilis.

Habitat ubique inter India Gangotica Mygma, et in prionum ripa.

1882 *Gnaphalium pallidum* Linn. Mitt. **WtitfkjL *?+*;***

Gnaphalium albo-latum Kunt. Beng. 62.

Kuanghae Hindica

Habitat in India Gangotica arvis.

1883 *Gnaphalium pallidum* s.

Habitat in Augathia littoralis arvensis.

1884 *Antennaria? decurrens*

Habitat in ripis fossarum arenosis.

1885 *Conyzas? acicaria*

Habitat in locis, Melville et Campeja astri, siccariis

- 26
- P. superflua* *Syngenesia* *Corynifera*
variat calycis herbacea et purpureostrata
- 1886 *Cypera subra*
Habitat in ripis formanis electis
- 1887 *Cypera filiformis* Willd. sp. Pl. 12. 1939. See: Moll. sp. 4337.
Habitat in ripis. *Magnolia aromatica*
- /m *Cypera angustifolia* Kork. Beng. 82
Habitat in insulis Andamaneis et in Rodriguez with.
- 1889 *Cypera rotans*
Habitat in fonte aqua stagnis inter plantas natantes rabiens.
- 1890 *Cypera halimoides* Kork. Beng. 82. Lin. sp. Pl. 12. 1939. Baum: Schiedl
178 ex aliis forte synonymous Phlebotomus et Burmanni.
Cypera edonata Kork. Amb. 9. 8. 24. p. 1.
Bhoom. na. sin. *Burmannia*
Habitat ubique in India monticis
- 1891 *Cypera* Zfas SS' ligia Willd. sp. Pl. 12. 1939.
in sphaer. (Sphaeris sphaeras) Kondice
Habitat in India gaugaria, lai.
- 1892 *Cypera purpurea*
Habitat in Gaura mantinea
- 1893 *Cypera sinensis*
Us Habitat in Motsa cylinis
- 1894 *Cypera pilosa*
as rara Kondice
Habitat inter *Magnolia* foliis.
- 1895 *Cypera decolorata*
as rara Kondice
- 1896 *Cypera* fo* & *t~tt m- rf*t la. , fw j -x'j. j ..
Habitat in / / avic
bosina
- <yr *Cypera* flatcauda Kondice
Habitat in *Magnolia* cygnibus.
- 1897 *Cypera thrysifera*
Habitat in Gaura v^v^v^a^
- 1898 *Cypera aurita* Willd. sp. Pl. 12. 1939. See: Moll. sp. 4337.
Cypera kirkiana < *giganteum* Kondice

- 27
- P. superflua* *Synensis* **Cymbalaria*
 ^W**<it/i>* *Mugadha novis*
- 1899 *Couya patula* Willd. sp. May 1912 Kort. Nov. 2251
 Habitat in *Mitchella rotundifolia* sylvis)
- 1900 *Couya muralis*
 Habitat *ti.* **ft*4*A.*, *—^{^r^} *V n ^ t* *repens et rufa*)
- 1901 *Couya anachistia*
 Chhota Kukraunda Nisus)
 Habitat in *Mugadha rufa*)
- 1902 *Couya laciniosa* Kort. Bang. 87.
 Kara Kukraunda Bengalensis)
Bhu Konigla officinarum Nisus)
 Habitat in *India gangatica rubens*)
- 1903 *Tenacetum purpureum*
 Habitat in locis India et intra et ultra Ganges eius abuptis)
- 1904 *Inula* **A** *indica* Willd. \neq May 2092, Inv. Melli. 4. 257 Kort. Nov. 2252 *inclusa*
synonymis *Burmanni* et *Antennata*, quibus folia integerrima.
 Habitat in sylvis Indiae aridioribus)
- 1905 *Inula quadrifida*
 Macali Nisus)
 Habitat in aere *Mugadha elevationibus*)
- 1906 *Epigeron dysmormum*
 Habitat in *Mugadha crassissima gangatica*)
- 1907 *Epigeron ceteroides* Kort. Bang. 87.
 Habitat in *Mugadha crassifolia*
 In Ms. hanc Roxburghius L. lyratum nominabatur.)
- 1908 *Achillea Baudotiana*
 Baudotiana officinaria Nisus)
 Habitat in *Mitchella et Mugadha locis aequaliter apicis*)
- 100Q^s ±M*/r<J***** 4b**f**t&m*r Willd. sp. May 2411 Inv. Melli. 46728
 Kort. Nov. 22 1907)
 Babina Nisus)
 Cletia in *Mugadha* hostis)
- 1909 *Melicaria oleracea*
Pyrrhium indicum Kort. Bang. 87)
 Chhota Babugi Bengalensis)
Cletia *Composita* hostis)
oibus nisi corolla evanescat a Melicaria oleracea (822) diversa)

*P. decipiens**Syngenesia**Coryntha*

- 1911 *Matricaria indica* flore plena Hort. Bot. 44, 735.
Anthonis artemisiifolia Willd. f. C. H. 1912, 2167
Chrysanthemum indicum J. M. Mill. f. H. 1912, 7. Burm. Fl. 18.
 ——— flore plena, plena Hort. Bang 12.
 ——— a Hort. Kew. v. 95?
Matricaria sinensis flore monstrosa Linn. St. Leyl. 121.
 ——— flore plena, magna Burm. Rev. Leyl. 102.
 ——— sinensis latea Hort. Amb. 3, 253.
Chrysanthemum tricolor patens, Chrysanthemum foliis ciliatis
 marginis spinosilatis vel argenteis Hort. Amb. 102. Leyl. 102, f. 6.
 Solitariae pro Hort. Mal. p. 37. C. 66.
 Solitariae in India hortis.

1912 *Buphthalmum Roemiltia**Verbesina sativa* Hort. Bang. 12. Hort. Kew. v. 12.

Hort. B. Roemiltia

Rum Tila Hindia

Solitariae in India rishioris agie.

1913 *Buphthalmum glandulosum acutifolium**Verbesina glandulacea* Blas. Hort. mty[^] St. Leyl. 165. f. 6 1886*Chrysanthemum sin Bellid. species foliis integris, oblongis. Burm.**Hort. Leyl. 6. proferam a Linnae (St. Leyl. 30) cum**Gilia (Burm. L. 6. t. 22. f. 1) conjugata**Habitat in inundatis inter ostia Gange.*1914 *Buphthalmum calendulaceum pentaphyllum**Chrysanthemum zeylanicum* foliis guttatis, rosulis Burm. Hort.

Leyl. 6. valvulae synonymous, ob similitudinosa summa cum

figura Plackensti. t. 167. f. 1. pro tamen plantam

spectat americanum

Habitat in Campepe.

1915 *Buphthalmum calendulaceum decaphyllum**Verbesina calendulacea* Hort. Bang. 12. inc. Blattw. 658. valvulae

synonymous Burmanni.

Chrysanthemum indicum minus Burm. Hort. Leyl. 6. proferam

a Linnae (St. Leyl. 30) cum gilia cum Hort. Leyl. 62. t. 22. f. 1. conjugata.

Ex Ceylon Hort. Mal. p. 12. t. 42. in non exemplari dicit figura.

Habitat in Campepe humidis.

219

P. sepiaria *Lamiales* *Caryophyllaceae*

1916 *Bryphthalom*

▲▲Z▲

Tuberosa biflora Willd. sp. Pl. 192, 2225. Bonn. 17 Nov. 1816 varietate

Synonyme *Scrophularia* Linn. Willd. 1809, 25.

Tuberosa agrestis Herb. Amb. 1823, t. 117, f. 45

Tellia Mangar-Nari Hort. Mal. 2, 72, t. 40.

Habitat in Bengal inundata.

1917 *Bryphthalomus secundum?* montanum

Habitat in Nepale inferioris montibus.

subsequently semiterraneum, subfoliosum dentatae canticas

1918 *Bryphthalomus dichotomum*

Tuberosa dichotoma Willd. sp. Pl. 192, 2227. Bonn. Willd. 1809

Hort. Linn. v. 13.

Tuberosa biflora Herb. Beng. ob calycinum annuum, canticum ^{ob} _{ob}

M4* & t in *Gymnephila orientalis*.

1919 *Bryphthalomus? obliquum*

Eclipta latifolia Willd. sp. Pl. 192, 2218. Bonn. Willd. ~J4*

Habitat in Ceylon et Magadha ruboris.

1920 *Eclipta latifolia* Willd. sp. Pl. 192, 2218? Bonn. Willd. 1809

Lacistema erecta Willd. sp. Pl. 192, 1726?

Habitat in Magadha montosis.

Flores explanatos non vidi. Precedente similis proponendo
cum specimine Lacistema erecta 1862.

1921 *Eclipta erecta* Willd. sp. Pl. 192, 2217. Bonn. Willd. sp. 222. Bonn. f. 1. t. 27, f. 2.

Eclipta prostrata Hort. Beng. 182.

Tuberosa alba Bonn. R. Sust. 1815.

Eclipta Hort. Amb. 1823, t. 118, pl.

Sabicea indica capitulis foliis minoribus Bonn. Theor. Keyl. 216.

perpetuum ad *Spilanthes*. Species remota relata.

Sabicea conioides Americana, capitulis et floribus a his paucis

Hort. Plgt. t. 109, f. 2. Bonn. 1825

japonica Hort. Mal. 2, t. 61.

Habitat aliquo fore in India, planta multiformis, rame erecta
tunc prostrata.

Ectypium prostratum, gen. a Lamouroux (Ill. Gen. t. 57, f. 2)

Platynotis (Plgt. t. 113, f. 5) Hippocrate, magnam vidi.

1922 *Sigesbeckia orientalis* Bas., Willd. 1809, 157. Ill. Gen. t. 687. Bonn. 2.

P. superfluaSyngenesiaCorymbiferae

- Ind. 13. *Cotyledon synonyms* Nakai. Gaster. 1924 p. 222. 223.
velutina column. Syngenesia
Aegialitis brachista Herb. Bong. 62
orientalis Willd. sp. Pl. 14. 222.

Habitat in Bengala dumetos

Polygonata fasciata

- 1923 *Coneopsis*? *escana*

Nakai Nubecula

Habitat in locis fagales elevatis.

- 1924 *Coneopsis*? *Agrimonie*

billans bipinnata Herb. Bong. 62

- chinensis* Willd. sp. Pl. 14. 223. Herb. Bong. 62
pilosa, B. Bur. Mitt. 1, 413.

Agrimonia molucca Herb. Bong. 62. 64. f. 2

Habitat in Intia Gangatica monticola.

- 1925 *Coneopsis*? *coriifolia* a caule glabro, flore radiato.

Chrysanthemum chinense, foliis plurifariam divisis ka-
 leucaki pergeini amulfis Plenk. Phyt. C. II. f. 62. *volubilis*
Sophali officinarum Kuntze

Habitat in Magatha saontosis.

- 1926 *Coneopsis*? *coriifolia* a caule glabro, flore subfloscentio.

Habitat in (campea) mireis

ab his vix vix pilositate diversa. *Billans bipinnata*

Herb > #*, *; fa. 57. 1883

Cinarocphala

- 1927 *Centauraea moschata* Willd. sp. Pl. 22. 73. Herb. kewiana. Herb. Bong.
 62. Bur. Mitt. 1, 334.

foliis in Nepala et Magatha hortis

Polygonia neopariaCorymbiferae?

- 1928 *Mycra*? *helanocha*

longistha (variorum transcribantibus pro *longistha*) Brown vol. 20. Lin.
 Lond. 1846. 186.

longistha *repens* Herb. Bong. 62.

Sugra fluitans Bur. Mitt. 1, 334. sp. 57. vix diversa.

helanocha *bengalensis*

Habitat in Bengala Kagni. *Olar* *panjeribus* *sulcatae*.

P. segregata

Syngonanthus

Crocosmia

221

- 1929 *Elephantopus scaber* Willd. sp. Pl. 45, 238; *volvulus* figure. Flukerotis.
See. Mitt. 4, 369, *volvulus* synonymous. *Dolomii*, *Littoralis*, et *Roxo-*
et figura Flukerotis, Trop. 47, 543. Ill. Gen. 1, 716, f. 1. Baum. P. Ind.
188 *exclusus* synonymous. *Dillenii*; *Brownii*; *olympica*. Flukerotis
Hort. Rec. 2, 182.

Echinophora indica Aaffinis, nomine et floribus in aspectu
dei potius capitulo loquibus, in cunctis organis prope-
similibus. Fluk. Alm. 132, ed. non 6, 358, f. 4 quae ad plantam
Americanam spectat.

Ana schoovari Hort. Mal. 2, 13, t. 7.

Habitat in India sylvis.

- 1930 *Iphicranthus hirtus* Willd. sp. Pl. 45, 239; See. Mitt. 4, 368, Ill.
Gen. 1, 716, f. 1.

Iphicranthus mollis Hort. Beng. 82.

Iphicranthus purpurea *alata* *sericea* Baum. Nas. Zeyl. 329.
t. 96, f. 3, si eadem cum *Adaca* Menier?

Salicaria major *cripata* *folia* *alata* *ciliata* Malabarica.

Fluk. Alm. 135.

Adaca Menier Hort. Mal. 2, 13, t. 6, *pigmentum* non distincte
planta glabra, conjugata.

(Minto Hindustan)

Habitat in India agri *Yoga* *resinatis*

- 1931 *Cochlearia echinata* Hort. Beng. 82.

Rhundanda Carnata

Habitat in India *sudetica* *scirrhosa*.

Gymnandria

Monandria

Orchidaceæ

- 1932 *Orchis*? *leucantha*

Habitat in *campanula* *Mithila* sylvis

- 1933 *Orchis*? *microanthoma*

Habitat in *Mithila* ob. *Nyala* *superioris* sylvis.

- 1934 *Habenaria* *styloanthes*

Habitat in *Mithila* sylvis

- 1935 *Habenaria*? *platyphylla*.

Orchis *platyphylla* Willd. sp. Pl. 45, 176.

MonandriaGymnandriaOrchidea

- Orchis plantaginea Kart. Bong. 102
Denggi Kandil. Nendice
 Habitat in Mayatha ad montium rabiis.
- 1936 *Habenaria longifolia*
 Habitat in Mittila et grata cum sordatis
- > 1937 *Habenaria acutangula*
*Flos suave minus *ΛΛΛΛ**V*»*»Λ»Λ' JbEft+*
 Habitat in sybis Mittila elevationibus
- 1938 *Arethusa euteata*
*/5£^**aS> «*-Λ~Λv&*ΛtfΛ' ***
Opprys euteata Robt. Aff.
 Habitat ubique in hisia Gangstica graminosis
- 1939 *Arethusa resupinata*
 Habitat in Camrypa graminosis
- 1940 *Arethusa novocca*
 Habitat in Camrypa ruderis
- 1941 *Epipactis tenuis*
 Habitat in Camrypa et Mittila graminosis
- 1942 *Epipactis flabelliformis*
 Habitat in Mittila borealis sybis sordidibus
- 1943 *Epipactis scariosa*
 Habitat in Camrypa graminosis
- 1944 *Epipactis scariosa*
 Habitat cum praecedente
- 1945 *Epipactis bicarinata*
 Habitat cum praecedentibus
- 1946 *Dipodium camentaceum*
Lindnerum camentaceum Kart. Bong. 52
 Habitat cum praecedentibus
- 1947 *Dipodium flavum*
Don Tida Nendice
A. A. et N. grata infusaria rufulus
- 1948 *Dipodium scariosum*
sunlike Nendice
*Habitat in Nepale et Mayatha montibus y****
- >W *Dipodium Roniae*

Monandria Gymnandra Orechidina

Ronggipati montanorum Hindice

Habitat in Nepale inferioris montibus.

\$& ^^C^€C^J4Ai^a^*

Dhoyiphal montanorum Hindice

Habitat ad Nepale inferioris riuulos.

1951 *Dipodium bicolor*

Habitat in Camrypha arundinacea.

1952 *Gedorum citrinum* Hook. f. n. 297

Malaxis cornuta Willd. sp. pl. in 92

Gladiolus indicus palestinus latifolius flore albaeante
Platt. Monatth. 1068

Bela Pala Hook. Blat. 24: 69. t. 35:

Habitat in Melhila borealis sylvis

Bela Pala, catogonium simillima, planta est aquatica.

1953 *Bletia quadrifida*

Limodorum auriculatum Willd. sp. pl. in 1253

Fls. triplicatus Hook. Ambr. 24: 113. t. 52, f. 2

Habitat in Camrypha succulentis

1954 *Epipactis amara*

Kariyai lasum (oficium conglutinatur) montanorum Hindice

Habitat in ripis Nepale inferioris humidis.

1955 *Dichanthelium fulva*

Habitat in Nepale inferioris arboribus.

1956 *Angracium sonneratianum*

Sueta sonkhori montanorum Hindice

Habitat cum praecedente

1957 *Angracium triflorum*

Sonkhori montanorum Hindice

Habitat in Camrypha et Nepale inferioris sylvis

1958 *Supplicaria aniceps*

Dendrobium aniceps Willd. sp. pl. in 135

Herba supplex major quinto Hook. Ambr. 25: 113. t. 54, f. 2

Habitat in Camrypha sylvis

1959 *Supplicaria? alpina*

Habitat in Smotri alpibus,

1960 *Lumbidium rubrum*

- 224
- Monandria Cymandria Oxhidea
- Rato ambo montanorum Hindue
Habitat in Nepale arboribus
- 1951 *Cymbidium pumilum* Willd. sp. Pl. 10, 103. Hort. Kew. 228. Schlegel.
Epidendrum pumilum L. var. *Mothleyi* sp. 276
Phala Maravara Hort. Mal. sp. t. 6
Habitat in Camuya arboribus
- 1953 *Cymbidium Alagnata*
Cymbidium tyloleoides Hort. Berg. 53
Phala Roja lanceola
Alagnata Hindue
Alagnata Bengalensis?
Habitat in India Gangetica Singapura
simillimum Cypripedium venosum Schlecht. ex Lindley
est Roxburghianus
- 1953 *Cymbidium satyricum*
Habitat in Camuya arboribus
Hic simillimum angustum culum Hort. Mal. sp. 228.
sp. floribus forte distincta
- 1954 *Cymbidium reticulatum*
Aerides reticulatum Willd. sp. Pl. 10, 103. Smellie Hort. 123.
Epidendrum reticulatum L. var. *Mothleyi* sp. 276. Burm. N. Inde 190.
Anjili Maravara Hort. Mal. sp. t. 6
Karpuramontanorum Hindue
Habitat in Camuya et Nepale inferioribus arboribus
- 1955 *Maravara disticha*
Phala Roja s. Maravara Hort. Mal. sp. 276. 28.
Habitat in Camuya arboribus
- Triandria
- Salacia
- 1955 *Johnia serrata*
Salacia cochinchinensis L. var. *Mothleyi* sp. 276. Schlegel
Mau-zi lan nammanorum
Malabarica Bengala cyathis
- 1957 *Johnia coronandiana* R. Br. Sp. Pl. 10, 173.
specimen e Roxburgh habui.
Johnia differt a *Salacia* foliis oppositis (qua in *Salacia* alterna).

HerandriaGymandria Aristolochiae

- 1968 *Aristolochia bracteata* Willd. sp. Pl. 10. 160. In: Mitt. 59(1), 258.
Hort. Kew. n. 2858 Hort. Beng. 623
Aristolochia bracteolata Burm. Mitt. 59(1) Mitt. 49(1).
Pl. 160.

Habitat in formanis fluvii ripis.

- 1969 *Aristolochia indica* Willd. sp. Pl. 10. 160. In: Mitt. 59(1).

Synonymus Rheecii, non e characteres In: Mitt. 59(1).

Burm. Pl. Ind. 191. Hort. Beng. 62.

Aristolochia foliis cordatis oblongis, caule volubili, paniculis
multifloris Linn. St. Engl. 52. exclusa variolate. & ex qua
forte character specificus desumptus.

Aristolochia longa, Solice, aromatica, obovata, Burm.

Theo. Zeyl. 52. quae salsumeta Zeylonensis. sed si Blakentie
hoc nomen dedit ad A. suam. Clamatitum Gangalatum foliis
in aculeis aberrantibus, uticet obovata prima. (Monogr. Phytis
Blakentie. 1894) diversipinnata est a planta Rheecii subsequenti.

Carola. Vag. 1. ferile. Vag. Hort. Mal. 59(1) 49. C. 35

Habitat in India sepius.

Hydrocharides

- 1970 *Pistia stratiotes* L. In: Mitt. 59(1) 222. St. Engl. 52. 10. f. 1. Burm. Pl. Ind.
1971 inclusus synonymus Blakentie Willd. sp. Pl. 10. 160. Hort. Beng. 49.
Pistia foliis obovata cordatis Linn. St. Engl. 52. inclusus synonymus
forte omnibus.

Ranunculus aquatica Hort. Ind. sp. 177. t. 76. f. 2

Ny^Ud^ > * dica*, lateribus albitantibus folio margine rugosis
Puck. affinit. 14.

Kadda-Pad. Hort. Ind. sp. 23. t. 52

la. / ^ / < India angis stagnantibus.

la. folius Zostera rotunda aciculae affinis, et in Monocotyledone
Monadelphia penorda? Plantae Egypti secundum J. Dau-
kinian (Hist. Plantar. ap. 787) folia habet rotundas

s.

MonandriaUrtica

226

Monandria Monococcia Urticaceae

1971 *Artocarpus integrifolia* a Willd. sp. Pl. 187.

Artocarpus integrifolia Kort. Pers. ex. Kort. Bong. St.

Sideroxylon foetidissimum; 334. C. 7

Artocarpus fraxinifolia Willd. 1873, 1882 n. sp. de Ceylone; Mysore
Succow arborescens major Kort. Amb. 1865, 1880, *propinquum a Nigra*
 et in *Propinquum conjunctum* cum *A. heterophylla*, si modo haec
A. integrifolia diversa, quod multum dubito

Tijuka mucronata Kort. Willd. 1871-1872-1873

P. nob. Borneana

Passiflora quadrangularis

Kantol Bengalensis

Habitat abegre in India circa

1972 *Artocarpus lacucha* Kort. Bong. & Hamilton comment. in Kort.

Amb. p. 115.

Succow silvestris celebica Kort. Amb. p. 109

Lachchea quadrangularis

Basal lindice

P. nob. Borneana

Habitat ad tempora et loca ricas.

1973 *Artocarpus Chaplasha* Kort. Bong. & Hamilton comment. in

Kort. Amb. p. 109

Chaplasha Bengalensis

Habitat in Tripura sp. loc.

1974 *Artocarpus Chama* Hamilton comment. in Kort. Amb. p. 109

exclusus synonymus Roburgo

Chama Bengalensis

Habitat in Camotes sp. loc.

Coniferæ

1975 *Cassina muricata* Kort. Bong. St.

Cassina terrestris Kort. Balm. 1873, t. 58:

Hevea Bengalensis

Habitat in tripura australis maritimus arenosus.

Naiades

1976 *Chara spicata*

Habitat in flosca hogar.

Monandria Monocotia Naiadina

1977 *Phara fastida*

Habitat cum praecedente.

1978 *Phara corallina* Willd. sp. Rio 185. Sennaroth sp. 9. 1931

Habitat in Campeche aguis pigris.

1979 *Phara voglonica* Willd. sp. Rio, 186. Sennaroth sp. 9. 1931

Habitat in Magadha Gange

1980 *Gutierrezia composita*

Habitat in Campeche fluvio purioribus

1981 *Zamichellia pedicellata*

Habitat in foce stagnis.

Diandria

1982 *Senna obcordata* Willd. sp. H. 195. Lin. Mett. sp. 23; 230.

Habitat in foce stagnis.

Triandria

Typha

1983 *Sparganium stoloniferum*

Gong. & Pupul Hindin.

Habitat in foce stagnis et fluvio lato flumineus

Cyperoidea Pyrenacea

1984 *Carex hortiana*

Habitat in hortis Behara mangiferae.

1985 *C. fluvialis*

Keste Hindin.

Habitat in foce fluvio.

1986 *Poteria triplata* Sennaroth sp. 9.

Habitat in 4»~+p. radiculosus

Gramineae

C *Lit. grossis Lachryma jobi* Gaertnera. 1781. f. 10.
f. 11. *Lachryma jobi* Burm. Fl. Ind. 176. var. typographa
jobi dominicensis varia A. Lin. P. Taf. 335.
Lachryma jobi Zygapan. omnium maxima Name. Manzogl. 185.
— *indica* Linn. Ann. 175. f. 11.

Milium arvensis Linn. Lethespermum. fruct. maxime
durissimum. Matis. Alm. 280.

TiliaceaeMoraceaeGramineae

Galea, Cocco & Galea cordata Hort. Malib.: 182, t. 72.

Habitat: aiga, Berglandum.

J& p " ~ * ii A
Habitat in monte. India humidis ribus synonyms, id
qua signum talinis notavi, ad varietatem a Rosa
Zeylanica prope omnia tractant plantas continent
Ricinophyllum setosum, secundum Lamere annuam.

1988 *Cocca barbata* Hook. Beng. D.

Habitat in horto prope Calcuttam botanico.

Euphorbiac

1989 *Tragia? hamata* Hort. Kew. 2, 255. Bas.: Blatteng. 72, tabl. 20.
Ind. 1985. valens Burmanni synonymus posterior. Willd. sp. Pl. 19, 325.
Tragia folia lanceolata obtusa integerrima sin. St. Zeyl.
325. valens synonymus Steemannii dubius, et Steemannii obtusa
posterioribus

Off. ^ jArt > ^ - ^ " rhabdophyllospadix, cokinata fructu
Burm. Bas.: Zeyl. 189, t. 25. exstincta Miersii synonymus
Cebi aenacea Hort. Mal. 4, 62, t. 26.
foliata in horto prope Calcuttam botanico e China

1990 *Tragia hispida* Willd. sp. Pl. in 323.

Tragia involucrata Hook. Beng. D.

Habitat in Campeya dumetosa.

1991 *Tragia involucrata* Hort. Kew. 2, 255. Bas.: Willd. sp. 723. var. longifolia Willd.
synonyme, Willd. sp. Pl. 19, 324. valens calva et at. Burm. Bas.: 198.

Acalypha involucrata jaminea pentaphylla pinnatifida L. St.
Zeyl. 240. valens synonymis Rheebei et Steemannii posterior.
Ricinophyllum zeylanica, Liriodendron lanceolata, Liriodendron
Burm. Bas.: Zeyl. 262, t. 92. valens synonymorum pluribus
Tallia seborrhagenum Hort. Malib.: 19, 79.

Habitat in India desertis.

1992 *Tragia canabinaria* Willd. sp. Pl. 19, 326. exstincto Burmannii syn
onymo. Bas.: Willd. sp. 723. exstincto cokinum synonymi burm
fili, et Steemannii posterior.

Urtica zeylanica, Urtica canabis, Urtica canabinis. Burm.
Bas.: Zeyl. 233. perperum a Linnaeo (Pl. Zeyl. 159) cum Urtica
intervirga conjugata.

Ricinus asperior Alcea rotunda foliata quadrangularis var. rotunda Hook.

Triandra

²²⁹
Moneura

Euphorbia

abn: 320. Phyt. 22a, p. 2. 1882-2105.

Habitat in ruderis prope somanum fluminis

Coton hastatum Baum. & Int. 305, t. 63, p. 62. sanguineum.

Tetrandria

Naiades

1993 *Sipicula*; *verticillata* Willd. sp. Pl. in 229. K. & Bong. 185. loc. M. 2.
v. 122. Sup. 2. 125.

Hottonia serrata Willd. sp. Pl. 12, p. 816. loc. M. 2. Sup. 2. 125.

Polygonum orientale fluitans, serrato foliis, pluvius agmina
stellatum ambiguum, summo ramulo densissime oblate. Herb.
Amalthe 177, t. 479, p. 2.

Habitat in aquis Indiae. Tigris. Tigrantibus v. <4^> /EM*^~*

puris

1994 *Nia* spinosa

Habitat in Magadha Nagas

* &
dracea

1995 *Morus indica* japonica

M. ***/<<:> JL Willd. sp. Pl. 12, p. 125. loc. M. 2. Sup.
-inus Chesi et al. "Cm Lychnica. Ann. P. 195.
£-fi£<<<*0 y nogue. Syonymus. Neumannii.

Golitir in Bengala ad Rambyses alindai.

Residu an a subsequente lato distinata.

Opp. *Morus alba* purpurea Herb. Bong. 97.

Golitir in horto prope Orlatam distin. ** f Aina.

Residu an a precedente distinata

/ ^ *Morus indica minor*

Morus alba Herb. Bong. 97.

Khota Tur

Golitir At India Gangotira hortis Agnatum Indum resum.

A. 15. *Morus indica* Macropurpurea Herb. Amal. v. 125.

it, mica Herb. Bong. 97.

Jit Bengalensis

India hortis ob fructuorum magnum exiguum
catuor praecocentes pro auxiliatis quatuor inter plantas
minim multum.

899 *Morus nigra* Willd. sp. Pl.

Golitir it, f> r.t/Zr ttsr <>

- 200
- | <u>Tetrandria</u> | <u>Monoeccia</u> | <u>Urticea</u> |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|----------------|
| 2&0 <i>Morus viridis</i> | | |
| | Habitat in Magadha hortis ob fructum dictum viridem. | |
| 2001 <i>Morus fusiformis</i> | | |
| | Cantia spinosa Herb. Bong. 71. | |
| | <i>Eudranus avanensis</i> Herb. Ann. n. 22 t. 15, f. 2. | |
| | <i>Parkampta Bengalensis</i> | |
| | Habitat in desmodio Campeya et Nepale siccioribus. | |
| 2002 <i>Pithecellobium brasiliense</i> integrifolia | | |
| | Habitat in Campeya montibus. | |
| 2003 <i>Urtica involucrata</i> Herb. Bong. 67 | | |
| | Habitat in horto prope Calcuttam botanicoe Molucca. | |
| 2004 <i>Urtica? plurita</i> | | |
| | <i>Urtica angustifolia</i> Herb. Umb. 277? | |
| | Bors. 1%***& £ ss0<+ clandium | |
| | Habitat in Bengal orientalis desmodio. | |
| 2005 <i>Urtica? hispida</i> | | |
| | Habitat ad fontes in Campeya montibus | |
| 2006 <i>Urtica f Aylinensis</i> Linn. Meth. Lyst. n. 2262 | | |
| | Habitat * ² * f & I *II i* pa montibus | |
| 2007 <i>Urtica? glabra</i> | | |
| | No 4< ab Nep. /... inferioris rivulari. | |
| 2008 <i>Urtica punctata</i> | | |
| | Habitat in montibus Campeya caroid. | |
| 2009 <i>Urtica</i> | | |
| | 10 " pa montibus | |
| 2010 <i>Urtica</i> » « | | |
| | ... S » in ripis Mahananda f & i ab +, / (ii; | |
| | * II Wtfi triple | |
| | Urt. montanum Nindicae. | |
| | Habitat in Nepale inferioris sylois. | |
| 2011 <i>Urtica? nivea</i> Willd. sp. Pl. n. 380. Ins. Willd. n. 642. Burm. Th. 2572 | | |
| | Hort. Kew. v. 25. Phanb. R. Jap. 71. | |
| | <i>Urtica tenacissima</i> Herb. Bong. 67 | |
| | <i>Romneya Majus</i> Herb. Ann. 2 26. t. 79, f. 2 | |
| | <i>Urtica sativa racemiflora maxima</i> Linnae. foliis subtus
asperis lanuginine villosis Puck. dinellii. 212. | |

Tetrandria

Monocoty

Ultimo

Hankora Bengalensis

pletum in pauperat. Males apud eis pectorum.

2013 Utica? May

Artemisia sylvestris racemifera maxima, foliis subtus argenteis
lanuginosissimis. Pl. Anath. 272. L. 489, f. 21.
subtile ob racemos simplices.

Puya montana Griseb.

Habitat in *Nephila* inferioris sylois.

2844 *Urtica? pulcherrima* Hook. Sarg. 67.

Habitat in *Ficus carica* at sea montane.

285 *Urtica? suffruticosa* Hort. Bong. sp. n.

Herba memoria Herb. Amb. 9d 12, f. 21 verso ad p. 22 recto; and
descriptione not. quodam.

foliis in horto proprio, sicutissimis botanicos e summatim
subsequenti quoq' ad genus affini, et diversis.

2006 *Memorialis hippocampus*

Kooba *Grimmia*. Herb. Am. v. 29: quoted description; see figura
folia alterna.

Habitat in *Gramineae* humidis.

207. *Memorialis quinquenervia*

'*£&£~*»g*~*M* «^ £*mm *'**>,

2018 *Memorialis ciliaris*

$4u </> t$ in *famulus humilis*

ab hac harum diuersa Urtica fontaniera Lodd. Genl. 57

Pentandria.

2019 *Xanthium orientale* Hort. Nov. 258. From R. L. 158. Miller: sp.

$\text{P} \approx 5\%$, exclusive of $\text{y} \cdot \text{y}^* \cdot \text{n} \cdot \text{n}^*$ and $\text{m} \cdot \text{m}^* \cdot \text{m} \cdot \text{m}^*$ terms. American specimen
littera, callitroa fructu magni.

Xanthium indicum Hort. Berg. 57

strum * & »—/0'' is Meth. in 57.

S. lappa woodii date Burn this Key 6-23.

— cattle income. L. & S. Land 544.

Marloemata Park Mont 12

Pentandria Monococcia Urtica

sooni, vulgaris, Namone, Karpf, Suman, Inst. 392.

Karunji Hindice.

Habitat ubique in India & contraria Gangam & Peria.

Amaranthaceæ.

2020 *Amaranthus tenifolius* Willd. sp. Pl. 10. 38. Hort. Beng. 17. Spec. 10.

sup. j. 510

Habitat in India Gangatica riveis.

Rosa miki dicot.

2021 *Amaranthus viridis* Willd. sp. Pl. 10. 38. Hort. Beng. 17.

Rishi Pukta Bengalensis.

Cleitor antyziphium var. Gangatica virens.

2022 *Amaranthus viridis* Willd. sp. Pl. 10. 38. Hort. Beng. 17. non Willd. 1802.

Habitat in riveis prope Calcuttam.

vix a subsequente satis distinctiss.

2023 *Amaranthus gangotrius* Hort. Beng. sp. n. nescio an Willd. 1802?

A. tristis Hort. Beng. sp. n. auct. Rumphii figura citata,
vix plantam signatum, at 2025.

Bletum indicum domesticum album Hort. Beng. 17. 38. C. 10. f. 2.

platin. *****, 11. 11. ~ * 2. plantam virens pl. plantam primum hinc
representat, vide 2024.

Gharsi Bengalensis.

Bhola Lal Sak, 1. Kuriya 1. Saphot Kuriya Hindice.

Cleitor in India Gangatica hortis hortis inter vira.

vix a subsequente satis praeceps. satis distinctiss.

2024 *Amaranthus amboinicus*

A. tristis Hort. Beng. sp. n. Hortulanorum auctoritate.

Bletum indicum domesticum amboinicum Hort. Beng. 17. 38.

Munggija sak officinarum Hindice.

Cleitor in India Gangatica hortis.

nescio an a praeceps. satis distinctiss.

2025 *Amaranthus tristis* Willd. sp. Pl. 10. 38. s. Rumphii synonymis

A. polyanthus Hort. Beng. sp. n. Hortulanorum auctoritate;

2026 ² acaulescens plantas Hort. Beng. 17. 38. s. gigantea Rumphii
citata, vix a Rumphii Bletum indicum album.

Ble 43^A terrestre

Pentandria *Monococcia* *Amaranthaceae*
See species Hort. Ind. v. 234 f. 83, folio politum quam p. 2. vid. 2023.
Duplicet est varietas
a planta culta

Champa-Natige Bengalensis

Cultur ubique in India.

b planta spontanea

Ghondiyari (Timotaria) Bengalensis

Habitat in India et finibus.

2025 *Amaranthus polystachyus* Willd. sp. Pl. v. 385

Ban Balleya Hindice

Habitat in Magadha humidis.

2027 *Amaranthus tricolor* Willd. sp. Pl. v. 385

A. verticillatus foliis varie coloratis Paestae plumbas referentibus Huk. Alm. 27.

Cultur in India hortis et foliorum doma.

2028 *Amaranthus Anardana*

A. foecundans Hort. Beng. 17.

Anardana Hindice

Cultur in Ceyala et Nepala avis et domo foecundum.

2029 *Amaranthus spinosus* Willd. sp. Pl. v. 393. inc. Meld. v.

118. Burm. Fl. Ind. 300. Hort. Kew. 247. Hort. Beng. 67.

Amaranthus racemosus cylindricus ex parte aliis spinosus Linnae.

H. Keyl. 358

Amaranthus spinosus spica herbacea Rau. H. Keyl. 18.

Plants. Alm. 26.

Bistorta Spinosa Hort. Ind. v. 234 f. 83 f. 6.

— *Americanum Spinosa Raji Hist. Plant. 199.*

Kosta Kuriya Bengalensis

Habitat ubique in India ruderis

Rajus, locut plantam ipsa Americanum perhibet, non
 dicit Sloaneum, eque specimen habitat, in America ha-
 bitat, sed in Gallia hortis invenit in agri in artibus
 ruris prouidit?

2030 *Amaranthus cruentus* Hort. Beng. 67. Hort. Kew. 237. Meld. v. Pl. v.

393. inc. Meld. v. 118. Burm. Fl. Ind. 300.

Cultur in Mithila hortis.

34

Axonandra Moroccia Palmaria

- 2031 *Haria pectinoides* Hamilton eximunt in Herb. Am. v. 6, t. 10.
Wrightia pectinoides Hort. Beng. 67.
Haria & *Chalpata* Bengalensis.
Mu-gha-Ma-tan rait Burmanorum
 Habitat in Camruja et Tripura montosis.
 Doctoris Wright nomen jama R. Brown (Nov. Holl. 1877) in
 altero genere celebratum est.

- 2032 *Arca triandra* Hort. Beng. 68. Hamilton eximunt in Herb. Am. v. 67.
Arca sive *Alba* Willd. sp. 1459? Ex. Malleus superbus?
 Ram Gua in Tripura } *Bengalensis.*
Runcaria syraci in Camruja }
 Habitat cum praevidente

- 2033 *Arca gracilis* Hort. Beng. 68. Hamilton eximunt in Herb. Am. v. 67.
 Habitat in Camruja montosis.

Polygonaceae

Froidea

- 2034 *Arum grandiflorum*
Urgi montanorum Horsfield
 Habitat in Camruja et Nepala impioris montibus.
- 2035 *Arum oscillatum*
Dracunculus zygophyllum polyphyllum saporo, maculosa
 viridi fructu, viridi stipula et oblonga pulchra rotata Brown
 Hort. Engl. 90?
Arum polyphyllum Dracunculus et *zygophyllum* dictum
 canthaphyllum Swartz Leyte Hort. 1866: 522.
 Mulu-Sohana Hort. Mal. v. 37, t. 19?
 Poin de-jour Burmanorum.
 Habitat in Aca et Camruja humibimaculis.

- 2036 *Arum Zuccatii*
 Madhumur & Ben'ol Bengalensis.
 Habitat in Camruja montosis

- 2037 *Arum orinense* Hort. Beng. 8?
 Changhas in Camruja
 Tokni Abu in Malacca
 Habitat ad Indie Gangotria pagos dominante.

- 2038 *Arum filatum* & Bur. Moll. 145, 13.

Polyandria Monococcia Aroidae

Arum colocasia Willd. sp. Pl. 145. Not. Nov. 20, 1799. Willd. 292.
 — *magnissimum* *egyptiacum* subsp. *colocasia* Burm. Fl. Ind. 559
caladium *latum* Kerb. Ann. 2003 t. 109.

colocasia Walpahala dicta Burm. Fl. Ind. 59

Arum *egyptiacum* *floriforme* et *fructuosa* rufa
magna *orientale* Blck. Ann. 52 *exclusis* *synonymis*
duobus *ultimis*

Kamarboga Kochu Bengalensis

Habitat in concreta aggre. et foliis aliis ob bulbis.

2039 *Arum peltatum*, B.

colocasia quod *Arum* *intervallum* *colocasia* *intervallum*, *leptolepis*
strob Burm. Fl. Ind. 59?

Arum *zeplanicum* *minces* *colocasia* *face* *petiolis* *pumis*
antibius Blck. Ann. 51

Bhiki Hindoo

Foliat in India Gangeetice agri ob bulbis excentricis

2040 *Arum nymphaeifolium* Rockforda

Arum peltatum — B. Ins. Not. 153. *exclusis* *synonymis*
Sloani *Plumieri* et *Rumphii*

colocasia *nymphaeifolium* Willd. sp. Pl. 145. Not. Nov. 20, 1799.
microstachys Kerb. Ann. 2003.

colocasia quod *Arum* *maximus* *giganteum*, tubis crassa.
 longa, rotunda, geniculata *pleosmia* foliis Burm. Fl. Ind. 59.

Arum *colocasia* *dicta* *similes* *caeruleo*-*arundinaceo* Blck. Ann. 52.
exclusis *synonymis* *Plumieri*
 Willd. Fl. Ind. Mal. 43. t. 22.

Par Kochu Bengalensis

Habitat in India hemiciliocaulis præsertim in vix.

folioli excentrici

2041 *Arum nymphaeifolium*, B.

His Kochu Bengalensis

Habitat cum precedentem

2042 *Arum nymphaeifolium*, B.

Arum *cauleatum* Burm. Fl. Ind. 592. *exclusis* *synonymis*
Sloani et *Rumphii*.

Pentandria *Monococcia* *Amaranthaceae*
See species Hort. Ind. v. 234 f. 83, folio politum quam p. 2. vid. 2023.
Duplicet est varietas
a planta culta

Champa-Natige Bengalensis

Cultur ubique in India.

b planta spontanea

Ghondiyari (Timotaria) Bengalensis

Habitat in India et finibus.

2025 *Amaranthus polystachyus* Willd. sp. Pl. v. 385.

Ban Balleya Hindice

Habitat in Magadha humidis.

2027 *Amaranthus tricolor* Willd. sp. Pl. v. 385.

A. verticillatus foliis varie coloratis Paestae plumbas referentibus Huk. Alm. 27.

Cultur in India hortis ob foliorum dona.

2028 *Amaranthus Anardana*.

A. foecundans Hort. Beng. 17.

Anardana Hindice

Cultur in Ceyala et Nepala avis ob donum foecundum.

2029 *Amaranthus spinosus* Willd. sp. Pl. v. 393. inc. Meld. v.

118. Burm. Fl. Ind. 300. Hort. Kew. 247. Hort. Beng. 67.

Amaranthus racemosus cylindricus ex parte aliis spinosus Linnae.

H. Keyl. 358

Amaranthus spinosus spica herbacea Rau. H. Keyl. 18.

Plants. Alm. 26.

Bistorta Spinosa Hort. Ind. v. 234 f. 83 f. 6.

— *Americanum Spinosa Raji Hist. Plant. 199.*

Kosta Kuriya Bengalensis

Habitat ubique in India ruderis

Rajus, locut plantam ipsa Americanum perhibet, non
 dicit Sloaneum, eque specimen habitat, in America ha-
 bitat, sed in Gallia hortis invenit in agri in artibus
 ruris prouidit?

2030 *Amaranthus cruentus* Hort. Beng. 67. Hort. Kew. 237. Meld. v. Pl. v.

393. inc. Meld. v. 118. Burm. Fl. Ind. 300.

Cultur in Mithila hortis.

34

Axonandra Moroccia Palmaria

- 2031 *Haria pectinoides* Hamilton eximunt in Herb. Am. v. 6, t. 10.
Wrightia pectinoides Hort. Beng. 67.
Haria & *Chalpata* Bengalensis.
Mu-qua Mu-ten tsik Burmanorum.
 Habitat in Camruja et Tripura montosis.
 Doctoris Wright monographia R. Brown (Nov. Holl. 1877) in
 altero genere celebratum est.

- 2032 *Arca triandra* Hort. Beng. 68. Hamilton eximunt in Herb. Am. v. 67.
Arca sive *Alba* Willd. sp. 1459? Ex. Malabarica.
 Ram Gua in Tripura } *Bengalensis.*
Runcaria syraci in Camruja }
 Habitat cum praevidet.

- 2033 *Arca gracilis* Hort. Beng. 68. Hamilton eximunt in Herb. Am. v. 67.
 Habitat in Camruja montosis.

Polygonaceae

Froidea

- 2034 *Arum grandiflorum*
Urgi montanorum Hemsley
 Habitat in Camruja et Nepala impioris montibus.
- 2035 *Arum oscillatum*
Dracunculus zygophyllum polyphyllum saporo, maculosa
 viridi fructu, viridi stipula et oblonga pulchra notata Burm.
 Hort. Zeyl. 90?
Arum polyphyllum Dracunculus et agastataria. dictum
 canale aspero ex Sante Leyte Hort. Am. v. 52.
 Mulu-Sohana Hort. Mal. v. 37, t. 19?
 Poin de-jour Burmanorum.
 Habitat in Aca et Camruja humibimaculis.

- 2036 *Arum Vaccinoides*
 Madhumur & Ben'ol Bengalensis.
 Habitat in Camruja montosis.

- 2037 *Arum orinense* Hort. Beng. 8?
 Changhas in Camruja
 Tukui Abu in Malabar.
 Habitat ad Indie Gangotria pagos dominicatis.

- 2038 *Arum filiforme* & Bur. Moll. 44, 13.

Polyandria Monococcia Aroidae

Arum colocasia Willd. sp. Pl. 1455. Not. hort. 237, Jan. 1792. 292.
 — *magnissimum* *egyptiacum* subsp. *colocasia* Burm. Fl. Ind. 559
caladium *latum* Kerb. Ann. 2003 t. 109.

colocasia Walpahala dicta Burm. Fl. Ind. 59

Arum *egyptiacum* *floriforme* et *fructuosa* rufa
magna *orientale* Blck. Fl. Ind. 51 *exclusis* *synonymis*
duobus *ultimis*

Kamarboga Kochu Bengalensis

Habitat in concreta aggre. et foliis aliis ob bulbis.

2039. *Arum peltatum*, B.

colocasia quod *Arum* *intervallum* *colocasia* *intervallum*, *leptolepis*
strob Burm. Fl. Ind. 58?

Arum *zeplanicum* *minces* *colocasia* *face* *petiolis* *pumis*
antibius Blck. Fl. Ind. 51

Bhiki Hindustan

Foliat in India Gangeetice agri ob bulbis excentricis

2040. *Arum nymphophilum* Rockforda

Arum peltatum — B. Pl. 1455. *exclusis* *synonymis*
Sloani *Plumieri* et *Rumphii*

colocasia *nymphophilum* Willd. sp. Pl. 1455. Not. hort. 237.

— *microstachys* Kerb. Ann. 2003.

colocasia quod *Arum* *maximus* *giganteum*, tubis crassa.

longa, rotunda, geniculata *pleosoma* foliis *arum* Fl. Ind. 58.

Arum *colocasia* *dicta* *similes* *caeruleo*-*arundinaceo* (Kerb.) *Ann. 2003*.

exclusis *synonymis* *Plumieri*

Willd. Fl. Ind. Mal. 43. t. 22.

Par Kochu Bengalensis

Habitat in India semi-subsulcatis præsertim atra.

folioli excentrici

2041. *Arum nymphophilum*, B.

His Kochu Bengalensis.

Habitat cum precedentem.

2042. *Arum nymphophilum*, B.

Arum *cauleatum* Burm. Fl. Ind. 592. *exclusis* *synonymis*
Sloani et *Rumphii*.

Monodelphias Ammicid Euphorbiac

2068 *Acalypha indica* Willd. Sp. Pl. in 522 Inv. Medic. 4, 2, 267 excluso Phlomis
synonymo decant. Hort. Beng. & Hort. Ind. n. 555. Baum. S. Ind. 302.
Acalypha involucrata Juss. var. *cordata* subvar. *glabra* mutata
petiolo brevioribus Lin. H. Leyl. 561.

Ricinokarpus indicus, glabro, foliis in acostabulis gerans
Burm. Rec. Zool. 263 excluso *Daniellia* synonymo.
Mercurialis zeylanica triocca ex acostabulis substituta Thunb.
Flm. 365.

Cupanioides Hort. Mal. 2, 10, t. 31.

Habitat in India undatis et foecatis

2069 *Acalypha lanceolata* Willd. Sp. Pl. in 522. Inv. Medic.

Acalypha chinensis Hort. Beng. 59.

— *virginica* Burm. Fl. Ind. 3, 1, 10 ex synonymo *Acronia* et *Nikanti*.

— *involucrata* *faminius* *cordata* *invisis*, foliis ovato-lanceolatis
petiolo longioribus Lin. H. Leyl. 342 cum *A. virginica* proponit
conjecta.

Ricinokarpus indica, heterophylia testacea subglobo, fructu
in paucis acostabulis gerans Burm. Rec. Leyl. 263 ex synonymo
Phlomis (Flm. 365) ad *A. virginica* sponte, testa pumila
Phytol. 99, f. 4. somnilinea.

foliis in horto prope Calcutta $t^{*} \rightarrow$ $t^{fr.t.}$ — *Ferns*

2070 *Acalypha cylindrica* Hort. Beng. 59.

foliis in horto prope Calcuttam botanicas ex Lancetia

2071 *Agyneta*? *Sticta*

Habitat in Campeche orientalis montibus.

2072 *Agyneta*? *tetrandra*

Phyllanthus tetrandra Hort. Beng. 59

Habitat in Campeche orientalis montibus inter arbores
subsequente nisi in fructu simili. An inde est *Agna* Linnæi
patris cui capitulo attribuitur.

2073 *Coccus diodiaka* Willd. Sp. Pl. in 522 Inv. Medic. 4, 2, 267, pl.

Hort. Ind. n. 556. ex *meschia* Linnae. petioli ex propria regulari
Phyllanthus *cheramida* Hort. Beng. 106.

— *longifolius* Hort. Beng. 59

- Monodelphia Monocia Euphorbia
- Arenaria acicularis* Burm. Pl. Ind. 108.
— rami rufi, fructus fuscantibus, pomic subrotundis
 Linn. Pl. Leydig 1773.
- Malus indica, fructuosa, parviflora, acris, striata. Bur.
 Her. Zeyl. 145.
- 1.2 *Chenopodium acicula* Ples. physi Herb. Mant. 25.
Chenopodium acicula Ples. physi Herb. Mant. 25.
 Note. Pouli. Hort. Mal. 4457. C. 6745. perforansa Blumenthal.
 cum *Bradleya quadrangularis* conjugata.
 colitur in Campania hortis rarius.
- 274 275 *Emblica officinalis* Gaertn. de dom. y. 122. t. 108; 2. Hamilton comment
 in Hort. Mal. p. 69.
- Phyllanthus Emblica* Willd. Sp. Pl. 1457. Linne. Method. 2. 100.
 sup. p. 200. Hort. Kew. 2. 225. Burm. Pl. Ind. 296. Hort. Beng. 9.
Phyllis foliis pinnatis floriferis cuncte arbores, fructu laevante
 Linn. Pl. Leydig 1888.
- Acacia zygolanioides* floribus luteis crenatim ad folium
 (zygolanioides) extremitate dispositis rurem. Her. Zeyl. 1773. ad
 synonyma Riedel. et Reinphai. ad *Karanda Karumba* zygo-
 nium. *Acacia rugatum* Encyclopedie. Spec. v. 1822.
Myrsinace Willd. Trop. Amb. 2. 108.
Myrobalanus Willd. angustis *Acacia* foliis, floribus immensis
 racemosis. Plukt. Mant. 103.
- Salix Marin* Hort. Mal. 2. 9. t. 38. perforans a Blumenthal.
 C. Phyt. 6. 1. 15. ad *Acacia* foliis paucis raro, (275.)
- Habitat ubique in India.
- 275 *Emblema? Palasi* Hamilton comment. in Hort. Mal. 2. 69.
 Arbor intice pyrifolia fructu rufis oblate ovoidis,
 tricuspidatis, latifolia. Malabarica Plukt. Mant. 22. 2. 200.
 Palasi Kinkies.
- Modaya* Chera
- Habitat in Java, Nagoda et Chera monte.
- 276 *Phyllanthus reticulata* Burm. 1773.
- Nitididea Malabarica fructu minore. Plukt. Mant. 1888.
 Malabar Kinnar. Hort. Mal. 2. 5. t. 40. perforans Blumenthal.

Monodelphias Monociss Euphorbia

nam *Nigra Noli conjuncta*

Schlecht exalp.

Ligustrum officinale } Hindice

Habitat in India demota

- 2077 *Phyllanthus multiflorus* Hook. Beng. 69; Willd. Sp. Pl. v. 22. n. 209
& fasciculata Bur. Meth. n. 304, quia secundum Lohot & Wimmeria.
Habitat in Campepe demota

- 2078 *Phyllanthus cornuta* Bur. Meth. n. 292.

Myrsinifolia Hook. Beng. 69.

Habitat in Bengal orientalis demota

- 2079 *Phyllanthus* /7-jfr*^rt^+-('W*S '&ffff; dft <&'f>, S-f*, *** basis synonymous
quatuor ultimes lues. Meth. n. 293. exclusus synonymous ultimo
Phyll. virens India Hook. Beng. 69. non habet e. hortulanis testem.
Panisuli Hindice
Habitat ubique in India

- 2080 *Phyllanthus bacciformis* Willd. Sp. Pl. v. 582. Inv. Meth. n. 308?
Habitat in Nepala inferioris montibus.

- 2081 *Phyllanthus Myrtellus*

Habitat inter Magadha sasa.

- 2082 *Phyllanthus stricta* Hook. Beng. 69.

Vitis Sudaa Malabaria, fructu majori. Phil. Mant. 1881

Pain. Nicar. Flora. Mal. n. 85. t. 43.

Kias sa bon Barmanorum.

Habitat in Ava et Campepe orientali

- 2083 *Phyllanthus debilis*

Mammapatra officinale Hindice

Habitat inter Magadha sasa

- 2084 *Phyllanthus tenellus* Hook. Beng. 69.

foliis in horto prope facultatem Staniac. Manilla.

- 2085 *Phyllanthus ochinata*

Habitat in Campepe arvo.

reservatur a subsequenti satis distincta?

- 2086 *Phyllanthus resinaria* Willd. Sp. Pl. v. 584. et Germ. Ph. Ind. 296.
exclusus Phukonotii synonymous Hook. Beng. 69.

Monadelphia Minoecia Euphorbia

Phyll. foliis pinnatis floriferis, floribus septentrionali
herbaceo procumbente Lin. St. R. Royl. 332 excluso Schlecht. syn.
synonyme cui flores pedicellatae

Herba maronis rubra Herb. Ann. 25. t. 77 f. 2

Kirga Neli Hort. Mal. 2. 29. t. 15 perporam a Willdenowia 7
cum P. Murr. cui flores pedicellatae, fructus glabri, syn.
Habitat in Asia et India Gangatica.

Phyll. securaria Lin. Hort. 2. 226 flore hololepto in characte
^ Y, * citr., * < fe icon. (Ill. genit. 2. 226, f. 2) flore
pedicellis instrumentis. Nessis an a precedente satis distincta
in utraque flore superiores maculatae; tubulo cylindrica apice

2087 *Phyllanthus kirguensis* Willd. Sp. Pl. v. 587 Hort. Beng. 9.
foliis in horto prope palatium botanico. Mauritius
Nomen specificum infelix; Kirga Neli enim Phasis, ergo
nominatio est; diversa est planta.

30ft *Phyllanthus Kirgu* Willd. sp. Pl. 583 Hort. Beng. 9. Hort. Kew. 2225
Burm. C. Ind. 296. et Burm. Willd. 2. 300. excluso Rheobii syn.,
cui flores diffiles, fructus tuberculati.

Phyll. foliis pinnatis floriferis, floribus pedicellatis, caule
herbaceo erecto Lin. St. R. Royl. 331 excluso Rheobii synonyme.

Securaria Indica erecta vulgaris Burm. Pl. R. Royl. 230 t. 93,
f. 2. velles Rheobii synonyme.

Herba maronis alta Herb. Ann. 25. t. 77 f. 1

Fruitulus capsularis hexapetalos foliis brevioribus sub-
tundis at densius silatis. Blck. Abh. 159. R. Royl. 113. f. 1. velles
Rheobii synonyme.

Bhayastra Hindica

No. 311, 111 < que in India raro. *

2089 *Phyllanthus simplex* Willd. Sp. Pl. v. 5732 Hort. Beng. 9. Linnaea 1822
122322

Folia seu capsularis hexapetalos fascia posticam foliis, a
fa U< raspataria Blck. Abh. 159. R. Royl. 113. f. 2. et 6. 22. f. 2.
ubi nominatur Tenth. baccifer foliis lini, vel fascia
postica. Mederaspatensis, exclusa synonyma Hermonia et
testa Rheobii.

IS,
habitat in Asia et India Gangatica.
Nessis an a subsequenti diversa.

243

Monadelphus Monocia Euphorbia

245

- 2090 *Phyllanthus ancos* Willd. sp. n. M. N. 2. 308.
 Habitat in Camrypa.
 Rescis an a praecedente distincta? *Ramphism. mucronat.*
Pistillaria (Berg. M. N. 2. 308) inter spinis foliis magis et igitur cum
Pluckneuri planta via eadem est. sed ad *Nierembergia* vel *Nigella*
Rheedi (Hort. Mal. 2. 52 t. 27) potius conjuganda.

2091 *Phyllanthus undulachnoides* Willd. sp. n. M. N. 2. 308. Burkitt. sp. n. 602.
Gessaria officinaria Hindc.

Habitat in arvis. Mayatha elevata
 Rescis an a subsequente diversa?

2092 *Phyllanthus obcordata* Hort. Berg. &
 Habitat prope Calcuttam
 Rescis an a praecedente diversa?

2093 *Phyllanthus synphallus*
Synphallus Hindc.
 Habitat in arvis. Mayatha siccioribus
Pentades capsularis hexapetalos brevioribus foliis et
 angustis (Platt. 1. 100. Pl. 1. 103 f. 6.) haud absimilis sed
 flores habet stellatos e nomine judicare locut.

2094 *Bradleya sinica* Willd. sp. n. 2. 309. Gaertn. de son: 9. 12. t. 101, pl. 80.
 M. N. 2. 309. Ill. Journ. 77. f. 6
Sympia coccinea Buchanan apud Lyons litho typ. to
 Acc. 47. var. non
 Arborescens sinica br. ramosa, lvs. an glaberrim tenui
 exfoliacion ali: compresso parvo. £' « - « - • ' < ^ *
 Pl. h. amal. 45 t. 35 f. 6
 Tha. binau - ziboy gr. nummularium
 Habitat in Acc. et in Camrypa orientalis ly.

2095 *Bradleya philippensis* Willd. sp. n. 2. 309.
Bradleya philipp. ² ~ in M. N. 2. 309.
 Lat. lat. montanorum Hindc.
 Habitat in Camrypa M. N. 2. 309. Nepala sylvis

2096 *Bradleya multilobularis* Hort. Berg. 69.

- 214
- | <u>Monodelphie</u> | <u>Monococcia</u> | <u>Euphorbia</u> |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| | | <i>Agyrraea multilocularis</i> Willd. Sp. Pl. in. 569. Des. Nob. |
| | | Supr. p. 263. |
| | | Habitat in India intra et extra Ganges sykes. |
| 2097 | <i>Bradleya nildae</i> Hook. Beng. 69. | |
| | Spanki Nildae | |
| | Habitat in India Gangetica ? | |
| 2098 | <i>Bradleya galanica</i> Swartz. Supr. p. 294. All. Gen. t. 272. f. 2. | |
| | Gastr. de Linn. p. 122. t. 109? | |
| | <i>Agyrraea obliqua</i> Willd. Sp. Pl. in. 568. | |
| | Rabilla Lin. St. Log. 629. Baum. Theb. Log. 123. | |
| | Habitat in India Gangetica Sykes | |
| | Misericordia subguttata distincta flore non nisi ab haec forma
diversa. See Viti Hook. Mal. in Cott. abunde pro Rhabdi. flava var.
^(nigra) | |
| ** | <i>Bradleya laevolucia</i> Hook. Beng. 69. | |
| | / ^ | |
| | autem in horto prope plantam holofusca distincta | |
| | reservata a precedentibus vel a subsequenti distincta. | |
| 2100 | <i>Bradleya acuminata</i> | |
| | Habitat in Syria Mazatha monteis | |
| | Reservata a duabus precedentibus satis distincta. | |
| 2101 | <i>Ricinus communis</i> promes Hamilton formans in Hook. Nutt. 267. | |
| | <i>Ricinus pulchrissima</i> Buchenau Sykes L. Sp. | |
| | communis Willd. Sp. Pl. in. 566. | |
| | albus Sib. Striz. Hook. Camb. 16. | |
| | Cit avanum cortice viridi Hook. Nutt. 267. | |
| | Solitum in India arvo. | |
| 2102 | <i>Ricinus communis</i> secundata Hamilton L. | |
| | <i>Ricinus laevis</i> Willd. Sp. Pl. in. 567? | |
| | albus domesticus Hook. Nutt. 16. 267 | |
| | Cit avanum cortice rubro Hook. Nutt. 267. | |
| | Solitum in India arvo. | |
| 2103 | .a/ <i>Ricinus communis</i> quarties Hamilton L. | |
| | <i>Ricinus africans</i> Willd. Sp. Pl. in. 566? | |
| | ruber Hook. Nutt. in. 97. t. 41. | |

345

Monodelphias Monococcus Euphorbia

Pandanus tectorius Linn. Malabar

Solitaria in India seribus.

'AS.

Ricinus. Minors partim sive luteo-auratis, trilobatae foliis,
multibus spinis dentate. Plumb. Ann. 32a. Tab. 6. 226 f. 4.
(excluso Lyceomysus Americanus) perferunt a Willdenowio quoniam
folia glauca; planta Opposite, petiolis mediis, conjuncta.
Trilobata sive

Habitat in India australis Lindis

202. *falciflora* Guérin-Méneville. Pl. ix. 1848. Encyclop. des Mamm. de Kortes
x^{mf} 9. Park Nat. 232. Bureau of Ent. 386.
Pan-kuo Kiang-chen. Burmanorum
foliacea sub ^{c&L'} in India described.

2106 *Protonotaria citrea* Lort. Bon. A.

proton tractorum B. Linn. Meth. 4, 218

hastatum, J. C. S. & B. Ad. 305603 pl.

Lat. Sot.,, Astia intra et extra Gangem inservit.

a precedente divisa (p. 11), *Castanea* quada Nutkanae
(Thyl. t. 222, f. 2) deponitatis, et quod ad *Fragaria canadensis*
establit Willdenowius vide 1992.

w 6. *ton plicatum* Willd. sp. Pl. 10538. Nort. Bong. 59.

f. tenuiorium y Eusebio Molina 9. 214.

7. — *Bacan: H. Ind. 384.6.62, fig.*

Habitat in India f. *angustior* var.

In investigation Ever Method
Sambaraya Hindoo

Habitat in foresta syloie

Habitat 2) a slightly wetter, flatter, more open area.

2109 (1998)

4.4m >oo <i<fe> /?/ «Mw

opinio A2 *monteux.*

200

4. Pl. 549, at Penn. 2000 cycles. +r

67 12-21-1962 a apposta intorno.

205

2248

Monadelphia Monocice Euphorbia

- Croton foliis cordatis scabris subcrenatis petiolatis, caule
arborescens Lin: Pl. Teyl. 345.
- Habitat in Camphora orientalis montosis.
- 2111 *Croton drupaceum* Hort. Beng. 69.
foliis in horto prope Calcuttam botanico e Jajura collectis.
- 2112 *Croton oblongifolium* Hort. Beng. 69.
Involucrum Guasi Hort. Amb. 14. 731.
Mahunday Bengalensis
Parahyapi Bengalensis
Habitat in Camphora montosis spontanea, et foliis
ad pagos in syphus.
- 2113 *Croton Duddal*
Duddia Bengalensis
Habitat ad Indiæ Gangotriæ pagos in rupibus siccioribus
Habitat ad segmentum proximum?
- 2114 *Croton Jeoffreli*; post Jeoffreli Hort. Beng. 108?
inter specimenia quadam brevata, Rumphius sic describitur.
Ex nomine Jeoffreli sive manus inscripte relecta, haec
plantam inveni, non a precedente distinctam.
- 2115 *Croton Jamalgota* Hamilton Comment. in Hort. Malib. 81.
Croton Tigrum Linn. Meth. p. 2032 Hort. Beng. 69. Hort. Am. 237.
Jamalgota Hindica
Kone-kish Bengalensis
Habitat unique in Bengala
- 2116 *Croton Parana*
gramineum Moluccum Hort. Amb. 14. 95. t. 62?
Habitat ad Areæ et Camphora pagos.
- 2117 *Croton polyandrum* Hort. Beng. 69.
paterha montana Willd. sp. P. 14. 552. Ins. Meth. sup. p. 14. 616?
Croton Moluccanum Willd. sp. P. 14. 558 exclusus synonymis. Plantæ
suffrutescentes.
- Specim. minor indicus, foliis magnis cuspidate, foliis rufis rotundis
extremis cuspide, summae glabriæ subæ. Hort. Am. 320.
- Nagadanta Hort. Mal. p. 153. t. 76.

Monodelphid Monococcia Euphorbia

Alfragol (Leptospermum planta) Bengalensis
Habitat ad Cinnamomea fagod.

M? / ^ni? variegatum 2 Hort. Beng. 59.

Coldium stipitum Strob. Malib. t. 25 f. 2 (copiu multa) descriptio
foliis in horto prope Gardentiam botanicam Uttarac.

2119 Croton variegatum 3 Hort. Beng. 59.

Phyllanthus Coldium Pur. Meth. Lsp. iv, 508. 5; 509.

Croton variegatum Pur. Meth. 4; 202. Willd. sp. Pl. 10. 522. Cat. Ind. 236.

Coldium ^t~yt<£*~ / ^wU»//i-, &T&ZS-

Ficus maran Hort. Mal. 59 t. 6.

foliis cum praestante

J0/2&f, // *4< in eugenifolium

Sapium AiW^n'1 tenui **£***£ f2*rt-+.-O&.

Croton umbellatum Willd. sp. Pl. 10. 522. Insc. Meth.

Lsp. 4; 508

Keli Kaloma Bengalensis

Habitat in Cinnamomea orientalis montibus.

Hovenia non visci subsequentis habitu affine.

2120 Sapium Ducedo

Phakdheku Bengalensis

Habitat in Cinnamomea sybria.

Præstante affin.

2122 Sapium indicum Willd. sp. Pl. 10. 572. Mal. 59 t. 575.

Ricinus indicus ? at sot i Kalaha sci: foliis, fructu majori
cotundis, hexagono, Villicum simile Strob. Lsp. 522

Rengiori vel Rengii Hort. Mal. 105. 6. 575.

Steinmayi Bengalensis

Habitat in Delta Gangstica et in Malyala.

2123 Sapium hexandrum

Habitat in Cinnamomea montibus

2124 Stillingia subifera Willd. sp. Pl. 10. 585. Mal. 59 t. 582. Turk Raw

Sapium subiforum Hort. Beng. 59.

Croton subiforum Pur. Meth. 4; 209.

Polyandria

255

Monocotia

Aridaea

- Caladium aquatilis* Hook. Comb. 202. f. 1 *polygamum* Burman
 Sola Koch I. *Bangphoo* *Bengalensis*
 Blitter in Bengal ad *Stagnorum marginatum* Burman

2053 *Aronia formicaria* Hort. Beng. & Schumann *Bengalensis*, sub nom
 hanc plantam Bojerius annos 1777 misit
 Fructus in Tripura } *Bengalensis*
 Bisharukha in Camura }
 Habitat in Bengal rrfr r*-1^.

2054 *Ascochilus oblongus* Hort. Beng. &
 foliis in sorte pugae glauctum & rugosum

2055 *Arum ciliatum* Hort. Beng. & Schumann *Bengalensis*
 Bish. Van *Bengalensis*
 Habitat in Camura etpaine
 & folia peltata hoc fortius macrorhizon Willdenowii (f.
 R. 1482.) exalesc synonymous Lourmanni, mi folia petiolata?

2056 *Caladenia discolor*
 Ghovardana Nendica
 Habitat in Mithila borealis et Nepala inferioris etpaine

2057 *Caladium? emarginatum*
 Habitat Campana borealis sicutibus.

2058 *Caladium? emarginatum*
 cum amboinicum Hort. Comb. 202. t. 111. f. 6.
 emarginatum *Bengalensis*
 Habitat in f.

Aleuroaceae

2059 *Sagittaria horngroebtii*
Sagitta minor angustifolia J. Banks Bid. 114, 792. gen.
Sagittaria angustifolia Linn. Meth. 502 exclusa P. Kuntze
 synonymous
 Habitat in Camura stagnis
 roris ac efflorescens horngroebtii diversa sita

2060 *Sagittaria sagittifolia* Willd. Sp. Pl. 408. Linnaeus Meth. 502. Hort. Ind. 202. Hort. Beng. 68. Burm. Fl. Ind. 301. Gartner 10. Com. 28. Linn. 5. 28. Linn. 5.

PolyandriaMonociclo

l*stff&U*m&0*

Sagittaria f. *Kanyak* Hort. Bng. 789?Nuda *Nudica*

Habitat in fosca stagnis

2051 *Sagittaria obtusifolia* *!^A¹ sp. H. in 409? Ins. Mitt. 4: 503? Hort.
Bng. 87. Hort. Kew 2: 283? Baum. Robt. 307*Sagittaria* foliis plana glomerato fructu monopycne,*Sagittaria* fore figura Kirk. Flw. 226, Pl. 622a p. 7?

foli. Tomara. Hort. Mal. 91 p. 6: 185?

Habitat in fosca stagnis

In Noto malabarico fructu bilobato deiforme

Incerta sedis2053 *Hegonia malabarica* Benth. 1873 Hort. Bng. 55*Hegonia* Nurman JL&i 5&rf<^f ^se^f, s6T

Habitat ad Gangesia rivulos.

- In Noto Malabarico fructu bilobato, fructu trilobato

2055 *Hegonia parviflora*Habitat in Nepala inferiori montibus unter aquacostatis
innascentes.Amentaceae2054 *Betula castanea*

Bhawapatae Neriæ Hamiltoni Nepal 97

Habitat ad Simobi river.

2055 *Quercus glabra* Thunb. Jap. 1758 Willd. sp. Pl. 10: 227? Ins. Mitt. 4: 240

Habitat in Gangesia orientalis Sylvis.

2056 *Quercus acuta* Thunb. Jap. 1758 Willd. sp. 1 abg. ins. Mitt. 4: 24?

Kangta singgar Bengalensis

Habitat in Gangesia orientalis Sylvis.

2057 *Quercus lanceofolia* Hort. Bng. 87 nomen Bengalense.

singgar Bengalensis

Habitat in Gangesia orientalis Sylvis

2058 *Pracardentia* forte varietas

fol. singgar Bengalensis; l. d. minima L. exarata Hort. Bng. 88

Habitat in Gangesia orientalis Sylvis

2059 *Quercus* Naria

L. suberrata Hort. Bng. 88

238

Polyandria Monoeccia Amortaceae

Nohari Bengalensis

Habitat in Camphora orientalis glio.

2060 *Duerus Toma*

Toma Bengalensis.

Habitat cum precedente.

2061 *Duerus Arcata*

Akhola Montanorum Kuntze

Habitat in Nephala Syphonitis montibus.

2062 *Duerus Bangi*

Bangi Montanorum Kuntze

Habitat cum precedente.

Monadelphia

Coniferae

2063 *Pinus strobus* Willd. sp. Pl. in 501. Hort. Kew. v. 37. Lamberti Pinus 26.
t. 22. Meissn. Fl. v. 341. Hamiltons. Nepal 53.

P. virginiana, conis longis, non (ut in vulgaris) calinatis.

^ A. Mu. -tjtf

Gobriga ssp. montanorum Kuntze

Habitat in Nephala alhibus

2064 *P. striata*

Shatica Hamiltons. Nepal 52, 96.

Kingwatha Akhola ssp. (affinis parva pines) Kuntze

Habitat cum precedente.

2065 *Phuia* * *orientalis* Willd. sp. Pl. in 509. Meissn. Fl. v. 32. Kuntze. C. 28362.

Hort. Kew. v. 39. Hort. Kew. v. 322. Justicia dom. sp. 2. 1993. e. Bern. 25.

foliis ex hilo prope Calanthem. botanicae Kuntze. 1842. 26.

Fructum ex quo differentia inter sequentia et plantam a

gordius descriptam dicta est, non vidi.

2066 *Phuia montana*

Paharia flora (Montana, Iamianus) Kuntze. Ind. Pl. v. 1. 1825. 1. 1826.

Baramaiing. idem fructus.

Colitur. Nephala hortic. Nepal

2067 *Cyrtopius semipervicinus*

Bhairupati Hamiltons. Nepal 97.

Habitat in Nephala alhibus

Monodelphicis Monocotia Euphorbiac

Acorus sinensis trifera Nutt. Amalthea 25
Euonymus officinalis sinicum Popule nigrum folio triangularis
 granis nigrae cuneatae fima substantia oblongata, sublata
 Blatt. Amalthea 78 t. 390, f. 2

foliis ad India Gangatice raro.

2/3j~ *Aleurostiloba* Nutt. Bieg. 88 Amalthea Suppl. 289. Illus. Gen. 6774
 Nutt. Sp. Pl. 16590

Nira juglandifolia Moluccana bifida Burm. Flora Ind. 170 pagina
 a lumen et pro fructuosa (H. Zeyl. 366) et pro Galophya
 (H. Zeyl. 345.) citata.

Cannarium Nutt. Amb. 9: 1006 t. 58. Nutt. Nutt. Suppl. 9159.

foliis in horto prope Calcuttam botanicae Moluccae.

2126 *Aleurites Moluccana* Willd. Sp. Pl. 16590

Galphya Moluccana Burm. Fl. Ind. 306.

Nira Moluccana foliis instar Ricini, clavina nigra Burm.
 Flora Ind. 170

foliis ad India Gangatice tempore carius

Cucurbitaceae

2127 *Moredia triloba*

Sweta Mukha Bengalonisum

Habitat in Camarpa orientalis Sylvis

2128 *Trichosanthes Tricolata*

Tarolata in Tripura ?Bengalonisum

Mukhal in Camarpa

Habitat ad Bengal orientalis pagos, præsertim in

2129 *Trichosanthes Thiba*

Thiba Bengalonisum

Habitat in Camarpa Sylvis

2130 *Trichosanthes Petola*

Petola anguinal Nutt. Amb. 9: 1008, pagina 11. Willd. nom.

(ad cucurbitam anguina velata)

Dud kusa Bengalonisum

foliis in Camarpa hortis obfusca leguminosum

Primum a subsequenti diversa

Monodelphicæ Menosciaæ Cucurbitaceæ

- 2131 *Trichosanthes anguina* Willd. sp. Pl. 1879. p. 192. Ind. Moll. v. 192. fig. 4.
 385. Ill. Gen. C. 774. Hort. Kew. v. 24. Hort. Beng. p. 102. Ind. Moll. v. 2. fig. 2.
Kirringga Bengalensis et Hindica
 Colitur in India Gangatica locis ob fractis hyacinthos.
 Parum a precedente vel subsequenti diversa.

- 2132 *Trichosanthes lobata* Hort. Beng. 70.

Ram. linn. Bengalensis.

Kaya. lata Bengalensis.

Habitat in Aca et Camysa sepiibus spontanea.

Parum a diversis precedentibus diversa.

- 2133 *Trichosanthes pilosa* Willd. sp. Pl. 1879. Ind. Moll. fig. 235.

Anguina *zeplonica* minor, foliis paucis, subrotundis,
 acuminatis. Rur. Pl. 1879. 21.

Bain. Kanta officinacum Hindica

Habitat in Malabar sepiibus spontanea.

Planta longiori calice forte cum exagit in armis. Foliis
 foliis, ubi Kanta vel Kanta nominatur, et via spontanea
 specie diversa, licet fractio habeat maiorem, *jfc^y^-jw**-*,

- 2134 *Trichosanthes cordata* Hort. Beng. 70.

face. Palam Hort. Moll. 1879. 154.

Bhungi Kuma Bengalensis.

Ajtfect ad Camysa pagos.

- 2135 *Trichosanthes officinalis*.

Sit Patali Bengalensis.

Habitat in Camysa sepiibus et domis.

- 2136 *Trichosanthes dioica* Hort. Beng. 70. Spontanea.

Folia Patta.

Fructus Patali } Bengalensis

Folii ubique in Bengale ob folia diversa et fractis hyaci-

- 2137 *Trichosanthes Tatas*.

Nomordica ^ ^ v Hort. Beng. 70.

Tatoga Bengalensis.

Kia-a-ga-la-nua Bengalensis.

Folii in Camysa orientalis montana, et sponte in Beng. - £
 et Aca sepiibus procondit.

Momordica *Momordica* *Succulitacea*
 ad eum genus, fatalis mettii ex Trichosanthide divergunt,
 et fructus Momordicis affinis, forte referenda pro M. Mett.
 Tertium speciem in Asia, hic a sua Normani distat, ubi.

- 2138 *Suffa Bandel*
 Bandel s. Khaksa Hindice
 Habitat in Grotta syribus
- 2139 *Suffa Gosa*
 Ghosa Bengalensis
 Habitat ad Gomanya pagos
- 2140 *Suffa totala*
 Songdal Hindice
 Habitat in foecula radicis et syribus.
- 2141 *Suffa Parwala*
Suffa patula Willd. Sp. Pl. v. 380 exclusa Rhetii synonymous
 ad Suffam vel cumundam cunctaque speciebus reactante.
 Parwal officinarum Hindice
 Phizura bullo Hindice
 Phi. Tocui Bengalensis
 foliis in India Gangatica horticis et fructum leguminosum
- 2142 *Suffa pentandra* Lodd. Beng. &c.
Momordica cylindrica Willd. Sp. Pl. v. 380. Lodd. 392.
 Pepe insicus reticulatus dominibus nigro minor Burm.
 Thea Zeyl. 186
 Petala Herb. Ann. v. 600, pergenam ad momordicam Suffam
 semine nigra a Willdenowis relata.
 foliis in India horticis.
- 2143 *Suffa Nervosa*
 Nervosa s. Biro Hindice
 foliis in Bagatha horticis
 Nervosa a precedente subs. distincta.
- 2144 *Suffa amara*
 Petala amara Herb. Ann. v. 609, t. 187.
 fructus exalbarius amarus, fructus sine costulis Nutk.
 Ann. 123.

Monodelphia Monecia Cucurbitaceae

Luffa Picuna Hort. Mal. vij. 18, t. 8.

Dhundul & Tit-phul (amaris fructus) *Bengalensis*

Kha-wah nua *Burmense*

Habitat in India sepias.

Luffa pentandra f. sp. *planta spontanea?*

2145 *Luffa acutangula* Hort. Bong. 70.

Cucumis acutangulus Willd. Sp. Pl. v. 2, t. 75. Bremek. p. 75. *Pyrenocarpus*

postea (sup: vij. 373) *pyrenocarpus* ad *Luffa fatidam* related.

Hort. Kew. v. 365 Burne. C. Ind. 319.

Pitola *Bengalensis* Hort. Amb. 2. 408, t. 149.

/\$**+**+, t *indicus*, *strigosus*, *opacum* *donaticum* *corticatum*, *postanum*
leatus Blck: v. 123. Mayt: t. 172, f. 1.

Picuna Hort. Mal. vij. 18, t. 7, *pyrenocarpus* Willd. *picuna* Pitola *Bengal-*
ensis *acutangula*, et ad *L. fatidam* related.

shingui *Bengalensis*

shingui *Hindicus*

foliis * <4< jfat*. 4** & *£*+ >>, <>,

2146 *Luffa delhatia*

Salpathiya *shingui* *Hindicus*

foliis ft***4&j£&'/(**fU^Lr,

2147 *Cucurbita lagenaria* Willd. Sp. Pl. v. 86, Hort. Kew. v. 323 Hort. Bong. 70.

Burn. Pl. Aut. 319. Herb. Amb. 2. 397, f. 144.

Cucurbita Leucantha Bremek. vij. 113. Ill. Gen. t. 795, f. 2.

Bela sakora Hort. Mal. vij. 3. t. 2. - *H'lQI'*, v. 22.

Lau *Bengalensis*.

Kabu *Hindicus*

foliis ubique in India hortis, et riveis arenosis.

2148 *Cucurbita maxima* Linn. Moth. vij. 152. fructu depresso

f. *telephro* Hort. Bong. 70.

Pepo insicus Hort. Amb. v. 399. t. 145.

Chakori Ichora Hort. Mal. vij. 3. t. 2.

Witla *Kumra* *Bengalensis*

foliis in India hortis superba, pergitas densiss.

2150 *Cucurbita maxima* fructu elongato.

Biloli (*Surjan*) *Kumra* *Bengalensis*

foliis cum precedente carinis.

Monodelphica Monocia Cucurbitaceae

257 *Cucurbita camolenga*

Cucurbita polymorpha oblonga Mart. Mill. 4.152

— *Pipe Hort. Beng. 70.*

— *B. Mill. Sp. Pl. v. 6. 62.*

camolenga Leob. Linn. v. 3.5. t. 142.

camulum Hort. Mal. v. 1.1. t. 3.

Rewa Bengalensis

(foliis ubique in India laetis.)

258 *Cucumis Melo* Willd. Sp. Pl. v. 63. Sec. Mill. 3.72. Hort. Kew. v. 3.5.

(foliis in India laetis et rhipis annuas)

* *Cucumis maxima* Hort. Beng. 70.

Phuti Hindice.

Kangkri Bengalensis.

Banya Camuya

¶ *Cucumis utilitatis* Hort. Beng. 70.

Phuti & Kangkri & Banya Hindice

* *Cucumis Melo* Hort. Beng. 70.

Cucumis Sardicus Willd. Sp. Pl. v. 63. Hort. Kew. v. 3.5. sec. Mill. 3.72.

Melo puerilla Linn. *fructu-pomiforme*, varie variegata.

Persea Blak. Smal. 1.12.

Kharboja Hindice

8 *Melan* (Mellon) Kangkri Hindice

8 *Cucumis flexuosa* Willd. Sp. Pl. v. 65? sec. Mill. 3.72. Brem. 17.22.

310. exclusive synonymous *Prionos* Blak. Abn. 1.2.2.

Methya (sicca) Kangkri Hindice.

nomina Phuti & Kangkri & Kangkri indecorinatae non
-panca, non ad duas varistatas abhinciter, tunc Dajulam
planta fructuum matricem vel conutatorem, insuper in
varie India gangatica locis raro varietatis applicantur, ita
ut quae in uno loco Phuti appellatione, in altero Kangkri dicatur,

259 *Cucumis sativus* Willd. Sp. Pl. v. 65. sec. Mill. 4.72. Hort. Kew. v. 3.5.

* *Cucumis sativus* Hort. Beng. 70.

Lola & longi Bengalensis.

foliis in India laetis tempore pluvioso

¶ *Malva Bellaria* Hort. Mal. v. 1. n. 6. 6.

Monodelphia Monococcia Cucurbitaceae

Cucumis Malabaricus, fructu longo gracili Blatt. Mus. 13.

Mirra Bengalensis

Cultus in India hortis tempore anni sereni.

255 *Cucumis Gurmia*

Gurmia $\wedge \wedge ? < e^* ^\wedge cn4 w^* ^\wedge < e^*$

Habitat in Campepe ruderis.

256 *Cucumis colocynthoides* Willd. sp. Pl. 10. 61. Snc. Blatt. 4. 76. Hort.

Kess. 2. 344. Hort. Beng. 70.

Anuria Cucumerina ex India orientali, ut *Cucumis Indicum*

Anuria gallica Blatt. Blatt. 14.

Sudraicae Hindicae

Habitat arenosus prope Joamanum fluvium

variat peponi glabro, ut in specimen, et piloso:

256 *Cucumis Griva*

Rariori valli Hort. Malabar. 50. 6. 26. perferant a *Plukenetia*

(Annal. 36) cum *Aristolochia quadrangularis* conjugata.

Habitat in Campepe orientalis Montibus.

Affinior haec *Bryonia falcifolia* Linnei quam *B. umbellata*

ad quam Rariori vallis — $\& * p^* > ^* \pm ji, * JS^* ? > * 6 \sim \& 6 \sim ^* s^* -$

relata est.

257 *Bryonia? oborata*

\approx *Mami-lata Bengalensis*

Habitat in Bengala orientalis dumetis

258 *Bryonia? biflora*

Cucumis marinae viridis Hort. Ind. 2. 65. 6. 171, f. 2.

\approx Habitat in Campepe orientalis Lophidio.

259 *Bryonia? umbellata* Willd. sp. Pl. 10. 61. Snc. Blatt. 4. 76. 182. 172. 186.

Momordica umbellata Hort. Beng. 70.

\approx *Nux gas* Harmanorum

Habitat in India et ultra et ultra Gangam fluvium apud Banaras

260 *Bryonia? hastata* Lourteig sp. n. Blatt. Suppl. 2. 724. Willd. sp. Pl. 10.

\approx *Rhebia* Linn. synonyma

Habitat cum praecente, cui minorem affinit.

Monadelphus Monococcia Cucurbitaceae

2161 *Bryonia? pumila*

Habitat in Bengala sylvis.

Nelio in a Recabrella cuminibus pumilis, sed non
marcatis, foliis distinctis.

2162 *Bryonia? l.* M[^]MW[^]W[^] ^ . ^ ^ ^ 4 ^ ± J ^ ^ J ^ - ^ ^ , ^ X. A ^ I ^ . ^ A ^ ^ .

Hort. Kew. n. 365. Burm. St. Ind. 310.

Bryonia foliis palmatis scabris, lacinias lanceolatis serratis,
lateralibus minimis Lin. St. Leyl. 165.

Bryonia zeylanica foliis profunde laciniatis Burm. Thea

Leyl. 50 exstincta Plakonitis synonymo Rink. Abh. 71.

Kehomisha Hort. Mal. v. 9, f. 17; indeam a Plakonitis ad
prosternulum quendam aegata obscuram inscriptam. (Kew.
15.) semper quia ad Momordicarum genus obligata videt.
Sukarati 1. Tola-kucha Bengalensis.

Pachguriya officinaria Hindice.

Habitat in India Gangatica sylvis et deserto.

2163 *Bryonia? condens*

Condens Hindice.

Habitat in form. sylvis.

2164 *Bryonia grandis* Willd. sp. Pl. v. 67. Ins. Mal. 249. Hort. Kew. n. 367.

Monordica monadelpha Hort. Bang. 70.

Bryonia conduplicata B. Burm. St. Ind. 310.

Li. foliis cordatis oblongo quinguangularibus dentatis subtruncatis. St. Leyl. 58

Li. foliis subrotundis angustis, Monordica facile. Burm. Thea Leyl. 59.

Vitis alba indica Hort. Amb. n. 445. f. 16. f. R. Malabarica cum 43a

Sollia. Kucca. Peri (Hort. Mal. v. 9, f. 11) conjugantia, et cum

Bryonia conduplicata B. Burm. St. Ind. 310.

Condens Hindice.

Tola-kucha Bengalensis

Kan. Sun. Nua. Karmianorum

Habitat ubique in India sylvis, planta selvatica.

2165 *Monordica? parviflora*

Habitat in form. montanae montibus.

2166 *Monordica? paina*

Pain-lata Bengalensis

Habitat cum precedente.

- Monodelphidio Momordica Cucurbitaceae
- 267 *Momordica mucicata* Willd. Sp. Pl. p. 62. Hort. Bong. 70.
M. charantia B. Cuv. & Moth. v. 239. Suppl. 733. Burm. Fl. Ind. 302.
M. indica. amara, fructu tuberoso, pyriforme, rubente Burm.
 Thee. Zeyl. 162. Lin. H. Nuf. 387.
francisii, *franicensis*, Indianus, minor. Blck. Alm. 123.
 Paul. Hort. Mal. viij, 19. t. 10.
Uchee Bengalensis
 Solitaria in Bengala agria, in fructu et fructu sylois spontanea.
- 268 *Momordica charantia* Willd. Sp. Pl. v. 62.
- M. charantia* a Cuv. Moth. v. 292. Burm. Fl. Ind. 306.
M. zeylanica, *pumila* fructu, fructu longior, Burm. Thee. Zeyl. 162.
a. Amara indica Hort. Mal. v. 210. t. 151.
gethiya Karola Hindice
 A. *Momordica charantia* Hort. Kew. v. 362 Hort. Bong. 70.
Momordica pumila angulis tuberculatis, foliis villis longitudinaliter
 palmatis Lin. H. Nuf. 387.
Momordica zeylanica, *pumila* fructu, fructu longior. Burm. Thee.
 Zeyl. 162. aduersus Rumphii synonyma.
Quercus *franicensis* indicus Major Blck. Alm. 123.
 Pandi Paul. Hort. Mal. viij, 17. t. 9.
Baramaiya (*modicum* *monstrosum*) Karola Hindice.
 Solitaria ubique in India.
- 269 *Momordica dioica* Willd. Sp. Pl. v. 65 radice Rosburgii synonyma. En:
 Moth. Sup. v. 723.
Momordica mixta Hort. Bong. 70
 Erina Paul. Hort. Mal. viij. 23. t. 12.
Kangkeil Bengalensis
 foliis in hortis et sponte in India fragoribus sparsis pronunti
Momordica dioica Rosburgii folia habet lobata, in igitur ad
 hanc referenda non Paul. Hort. Mal. viij. 23. t. 12. vide sequentem
270. *Momordica*? *casca*.
- Bon. Paul. Hort. Mal. viij; 25. t. 12 vide precedentem.
 Habitat in Bengala orientalis demissis

MonandriaDiosciaTephra2771 *Pandanus minor*

P. venus amboinensis Hook. f. in B.G. t. 74; *papuana* a. *Melanoria* (Sp. Pl. i. 665) cum *Raiatea Rheedei* coniunctio rite commentata est in Hort. Mal. p. 1.

Habitat ad Camruka pagos.

DianoriaAmentacea

2772 *Salix tetragyna* Willd. Sp. Pl. iv. 657. See Molt. Suppl. v. 52. Hort. Mal. n. 22
353 Hort. Beng. 71

foliis in horto prope Calcuttam botanico

Plan*~, ^, *£~i cum *Salicorum* et intra et extra Gangam regis resinatione viti, planta est pilosa; et in Roshgurz arbor, folia glabra sunt A/1 4t**n**. *V fti

Raisa Hindice

Jasminacea

2773 *Tetrapilus paniculata*

Habitat ad Camruka borealis pagos.

Ibrachiatiss. (See Molt. v. 207) flores habet racemosas. Rami solis similis Rasi Vetta Hort. Mal. n. 116. 53, et arbor respirationum Herb. Donb. v. 6. 16. Ova stictica Rind. P. 142; 182 differt eaque arbores, prouti draykare, an ipsius eadem esse. Cura 202.

Hydrocharidaceae

2774 *Vallisneria spiralis* Willd. Sp. Pl. v. 20. 1. ^~*6*£, ^s2jMfL.A 354
" *spiralisoides* Hort. Beng. 71

Habitat in India stagnis et fluviorum litora flentibus.

2775 *Vallisneria? alleniifolia* Hort. Beng. 71

Habitat in India junglorum stagnis

TrigyniaCelphorbia

2776 *Exacaria gallochum* See. Molt. 1. 47. Suppl. 124. It. Gen. 6. 845. p. 62.

Hort. Beng. 71 Willd. Pl. v. 866 Gant. de son. t. 105.

Arbor exacans Herb. And. v. 23. t. 79, 80.

Habitat in India caucoris, aster marisimundis subtrop.

Nearis an a g ***^& - Hort. Mal. v. 82 t. 65. satis distincta.

2777 *Nyctea? Putranjiva* Hort. Beng. 71

Pitomgria Hindice

Habitat ad Mayatha et Hottita Pagod

Tetrandria fifrifolia

J/S *Viscum compressum* Linn. Sup. v. 86.

Viscum articulatum Burm. Fl. Ind. 34.

ab han-tha officinum
Ker-Gaw says. } Burmanum.

Habitat in India intra et ultra flumen Ganges.

Urtica

Jtff ^fcfUZ, ? *aspera* Willd. Sp. Pl. v. 723. Hort. Beng., Phoen. Meth. v. 2.
125 Hort. Kew. v. 37.

Mores foliis ovato-oblongis utriusque equalibus serratis.
Linn. Fl. Trop. 33, sed non *Morus indica* Burman et exenti.
Betula species, conioblongis villosis, foliis oblongis exstis. Burm.
Fl. Trop. 47.

Linda Parua Hort. Mal.; v. 1. t. 48. cum resumente.
Habitat ubique in India vulgaris prima aetate.

Ficobinthaceo

y & f & *ucca sumatrana* Rottb. Fl. Ind. v. 45. Hort. Beng. 2.

Gomus amarifimus Eng. Meth. Sup. v. 29. sub *Tetrandium*
Luffa Raja Herb. Amb. v. 37. t. 15.

foliis in horto prope Calcuttam botanico dimissa.

Dioscia

Pentandria

Alyplices

281 *Spinacia tetrandra* Hort. Beng. 75.

Palong-sak Kinsica ob affinitationem cum dicta Bengalensis
Rottb. vid. 85.

foliis in India gangotica hortis carius.

Dubito an diversa ad *Volucella* Willd. sp. v. 18 v. 79. foliis
- cum effe ex Europa sic dubito.

Urticea

*P *Cannabis sativa* Willd. Sp. Pl. v. 78. edidit in Europa nata.

foliis in horto prope Calcuttam botanico.

283 *Cannabis sativa* spontanea

Cannabis indica Herb. Amb. v. 28, t. 77.

foliis in India avisi et gente provenit. Dignorum marginis.

Urticis affines

- 2184 *Antidesma zeylanica* Willd. sp. Pl. in Journ. Bot. 2071
Stizys Burmias Hook. Beng. 71. ed non Willdenowii
Antidesma spicis gominiis Rumph. Fl. Trop. 22. t. 115; polygram
a Linnæi (F. Kreyl 357) cum *Antidesma sua pentandra*
Berberis iubica Swartzia folie Rumph. Abh. 67. conjugata.
Noela Tali Hook. Mal. w. 115, 1886. a
 aleisteria et pro stizagine habet. <SE, -> + 4^ 2/r*.
Pitheya archal montanum Kuntze.
 Habitat in Nepala inferioris montibus.
 Folia in planta Burmannii breviora quam in specie
 nomine sed quam in Rhodii figura, edulis diversa. Stizys Burmias
 Burmanni flores habet formam herbariorum Burmias. Burmias
 folia habet grata acida, at Noela Tali folia insipida.

- 2185 *Antidesma parviflora*
 Kup. Kelacha Bengalensis.
 Habitat in Campeya orientalis sylvis.
 subsequenti foliæ nimiam affinis.

- 2186 *Antidesma diandra*
Stizys diandra Willd. sp. Pl. in Journ. Bot. 2071.
Antidesma Stizys Burm. Meth. Suppl. 503.
Rumia aspectis Hook. Camb. 44. 205. C. 131. Ad descriptio
 bona, sed in figura foliis longa ovata
Amitaya Bengalensis.
Mammea Kuntze.
 Habitat in India gangatica. lucid.
 Noela Tali folia insipida, in Amitaya acida.

- 2187 *Antidesma Kelacha*
Pura Kelacha Bengalensis.
 Habitat ad Campeya orientalis pagos.
 subsequenti affinis.

- 2188 *Antidesma sylvestris* Linn. Meth. 2071. Willd. sp. Pl. in Journ. 703.
 Mal. Kombi 1. Ombi Horbill Mal. v. 51, t. 26.
 nigrans cum Adara Bengalensis.
 Habitat ad Campeya pagos foecissimis.

PentandriaDioscoreaUrticis affines

Glycyrrhiza in Rheezi; plantam syrum opis dubitandum est; unde vix ad hoc genus pertinet. Braceolati affinis.

B. Habitat in formicaria borealis sylvis, arbo magna.

2189 *Antidesma paniculata* Willd. sp. Pl. 10, No. 1. In: Meth. Suppl.; 822.
Kort. Beng.: 72. Kort. Mus. 20. 384.

♂ Anni [♂] *Bengalensis*
♀ Abutange [♀]

Habitat in dampatis et @ India Gangatice prazos.

Nescio an a sequente distincta.

2190 *Antidesma pubescens*, B. Willd. sp. Pl. 10, 75. In: Meth. Suppl.; 822.
Arbo indicu ovali foliis, florulis plurimis in spicis summis
caeruleo-dispositis aciniferae. Plub. Mont. 22, C. 23, qua. Autem
decima line. B. Leyb. 557, id est A. aleutica, non Parmanii
(Thes. Leyb. t. 10) planta triandra est.

Methasura Kortice.

Habitat in Nagadha sylvis.

Nescio an a precedente diversa?

Euphorbia

2191 *Flueggea obovata*

Habitat in Moshita et Camuya montibus

In T. lanceopryms stylis duabus tetragona.

2192 *Flueggea viscosa*

Phyllanthus viscosus Kort. Beng: 59.

foliis in horto prope Calcuttam botanicas Andhra.

Nescio an a subsequente distincta, sed fructu puto caputaria

2193 *Flueggea elliptica*

Tin-kathiya lakkat Kortice.

Habitat in Nagadha Montibus

fructu late r. tubulis pendulibus distincto? Basa longiora.

2194 *Andachne trigoliata* Kort. Beng: 70.

acc. *Bengalensis*

Habitat in Nepale inferiori et Bengal orientali

Malaya Maran Kort. Mal. & C. 25. valde affinis, sed basius

$i^{**}6+rsc^{**}.-1^{**}&'^{**}(+^{**}6-t^{**}^{\wedge}-+^{**}4)$ comm.

PentandriaDioeciaFuelintheace

- 2195 *Holigyna racemosa* Hort. Bong. 22
foliis ex horto prope Calcuttam botanicoe & in hato.
2196 *Elaeodendron? virile* R. Br. 1829
Habitat in amara boreata sylvis.

Rhamnac

- 2197 *Neltiaceum hystericum*

Lamda Morton Kuntze

Habitat in Mithila sylvis

Ad idem genus forte respondet *Neltiaceum* Hort. Malabarica Mu
Kerlonga Ibid. 1829, Tuba flava Hort. Bong. v. 2, p. 26, et *Aria*
africana Desv. Metherell. 1822.

Asparagi

- 2198 *Leysia sanguinaria*

Aris sanguinis Hort. Bong. v. 2, p. 26, 1829 *Argyranthemum*
(Sp. Pl. in 745) *les* *Dioscorea* *cavata* *ciliata*.

Leysia *Bengalensis*.

Habitat in amara orientalis montosis

HexandriaPalma

- 2199 *Pinnia acadae* Hort. Bong. 73

Phanix puerilla Gaertn. de sonc. 22?

pungens *Khajur* Kuntze

Habitat in Mithila et Nagarka campis agitatoris

Elate cylindrica exinde perinde genere, a *Phanix* *minima*
basidi germinibus distinctiorum.

Asparagi

- 2200 *Dioscorea crepitans*

pungens *Aspera*

Habitat in Mithila sylvis

Habitu. foliis 2-3 numeris latis foliis 1-2 pli anguste
discretae in autem unum diglobosphaericum. R. Br. 1829, 727, foliis
ovali latoe levibus exiliis syconigenis quibus petio, rhizome

Linnaea H. T. 1828, 302, trimeris!

- 2201 *Dioscorea combilatum*

Ex auct. ex Burm. C. Indica, *perfervens* a *Willdenowia*, v. 2,
var. *nitida* & non *distincta*.

Hexandria Dioecia Asparagi

ombilicum vulne Herb. Ambl. 2357, 6425.

foliis in formosa hortis

Katten Kelonge Hort. Mal. 1937, 70. t. 17, gen. Diocleata Hort.

Kew. 22392, a Combilis quod ad officinam, diversa nunc visiter.

2202 Dioscorea echinata

ombilicum oblongum Herb. Ambl. 23572

Mess alii Bengalensis

foliis in formosa hortis.

Idem exponit Bengalensis in Dantatum Robyns
(Hort. Bur. 1874), quia secundum Hort. Kew. 22392, est.

Katten Kelonge Phadli a ha diversa si idem nomen, Mess
Alii, diversissimum in officinam (3207) propositum Miller. 2203.

2203 Dioscorea Jung

D. diffusa Linn. Mill. 1822. diffracta formam

D. foliis cordatis alternis, exula lacr. Lin. Mill. 1822.

extremis synonymis ad plantam Americanum glauca.

et Hort. Malabarica.

Boga-Kinda Borneo Thes. Keyl. 207. exclusis synonymis.

Ricophora & Inhane Malabarica foliis rotundatis synon.
omnes Phadli.

Junga Alii Hordiae

2204 Dioscorea hispida

Habitat in Nagatha et formosa sylvis

Ligna Alii-Kelonge (Hort. Mal. 1937) dimidiatim, sed ad ha-
yamus non rufus potest, cum petala flavinae velutinae
geminis calycis inclusa habeat.

2205 Dioscorea macrostachys

Habitat in formosa orientalis montibus.

2206 Dioscorea decipita.

Decipit Alii Bengalensis

4i-i <** g**m+A* looks & radicem concolor.

2207 Dioscorea octangularis

Ubicum digitatum Herb. Ambl. 2357, 6426 proponit & summae

AlexandriaDioscoreaAspericarpa

et Willdenowia cum Katalpa kelanga (Hab. Mal. v. 76. 58) que Ubium
vulgare Rumphius etc. exponuntur, nonne quia tuberosa mitaria
in figura de picta sunt, et in figura Ubii vulgaris omnino sunt,
et in descriptione plantae posterioris illorum mentionem facit.
Men Alu Bengalensis, vide.

foliis in Concreta hortis ob culina comunitas, et officinaliter
- siccior in Oryza humata excitantia

2208 Dioscorea decemangularis

a Lani Alu Bengalensis

Habitat in Concreta spibus spontanea non dubio

2209 (3) Rhamph Alu Bengalensis

foliis in Magadha hortis ob ratisculentas

altera est Rhamph Alu, semper Dalia vel Ubium vulgare;
cuius specimen non habeo.

2210 Dioscorea aculeata Willd. Sp. Pl. v. 792 et Suppl. v. 19: 232: varibus

Ignomynus Rumphius Herb. Mal. v. 392? Bartram: P. Ind. 36:

Katalpa kelanga L. kelanga Hort. Mal. v. 76. t. 37 (at foliis pectinatis)

Isidore a Parkinson (Smiths Nat. t. 175, fig. 5) cum plantis foliis
ovalis conjugata, vide 2202

Intre: Ila alu Hainice

foliis in Nithila et Magadha nro.

2211 Dioscorea larchukia

Kashukhi Alu Hainice

foliis in Nithila spibus ob tuberosa culina comunita

2212 Dioscorea ovalis

Ubium ovalis Koehl. Amb. v. 205 t. 125

Muki Alu Bengalensis

foliis in Concreta hortis ob bulbos mitiles culina. Muki et
Muki Alu, que Ubium pomiferum Koehl. amb. v. 205, t. 125, vel 2. bulbis
fura Willdenovii.

2213 Dioscorea bicostata

Bis costata sanguineo

Phallat am Hainice

foliis in Magadha spibus ob bulbos acillares culina

2214 Dioscorea cordicarpa

Hexandrial Diocia S. *(<"/>)

Ubiuum pumiferum " " *Locality* Kort. Amb. 2.052, via diocia,
si non idem.

Tita (amara) Alu Hindoo

Habitat in *Cannupa orientalis* montibus inter egypt., et in
Mitchella sylva siccioribus.

2215 *Dioscorea pentaphylla* Willd. Sp. Pl. 10, 789. Lott. Nov. 392 Ind. Melli.
14, 236. Baum. Fl. Ind. 213. ^{apud} *synonymus* [^] *mC* [^] *Zeyl.* et *Rheissii* flore pentapetalis, summae solitariae non alatae,
vix ad hoc genuo pertinens *montibus* Kort. Aug. 73.

Ubiuum quinquefolium Kort. Amb. 2.359, C. 1279

Tepgari Naren. Kort. Melli v. 2. 6. 28 periphae conjugata cum
Ubi silvestris *Rumphii*, cui foliola omnia longitudinaliter
nervosae, cum in *Tepgari* Naren, et ut in Ubi *quinquefolia*
foliolatimis lateralia nervos habent duos nervos longitudi-
nales. Planta Rheedie lamen glabra est, rachis pilosa,
vide, var. et subsequentem

a domestica

Tepati Alu *Bengalensis*

foliis in *Cannupa* fortis

2216 *Bijna*

Jat Ami s. *Bijna* Hindoo

Habitat in *Mugadhia* sylvis.

2217 *Tashana*

Tashana montanorum Hindoo

Habitat in *Nepala* inspicio

Rhegium caes verbum glabrum foliis basi pilosis si
non hirta vel subrufa juvent, capite atributum,

2218 *Dioscorea trifolia* Willd. Sp. *'..,??* : Ind. *jutC* ^{v. 2.28} *indus*
synonymus *Rheissii* ad *D. pentaphyllum* referens.

Ubiuum silvestris Kort. Amb. 2.352, t. V. v. 1. *K* *quadridentatum*.

Habitat in *Cannupa* montibus

2219 *Amilax vires*

longifolia Bish vel *Bikk* *montanorum* Hindoo.

*Hemandria*DioscoreaSypharagi*Nephala montibus.*

•W4 & C6v E**
*Quod ad herbam officinalem videtur Adava Kelang Hort. Mal.
 n. 97. 6. 1872. una forte planta feminina foliis pilosis a
 postate diversa, vix degeneratione. Taminium non vidi.*

2220 J& H~*~&~<

*Bashung montanorum Kuntze**Habitat in Nephala inferiore ad montium radices*

*ob foliorum pilositatem <^{*ip±~^} forte ~~~~ praesente ad
 Pedunculum Kelang?*

2221 *Smilax prolifera* Hort. Beng. 72.*Humida Kuntze**Habitat in India Gangitica sylvis et domitis sulphuris*2222 *Smilax Villardii**Smilax austalis Brown Nov. Hort. 1893?**Bambu China nigra Hort. Mal. 2. 878*

*Smilax Villardii a species longi canelli foliis, ex India orientali
 Fluct. Smalth. 1904.*

*fieri Villardi Hort. Mal. 2. 94. 57. 6. 31**Habitat in Nephala inferiore montibus*2223 *Smilax glabra* Hort. Beng. 72.*foliis in horto prope Calcuttam botanicas exstante.*2224 *Smilax lanceifolia* Hort. Beng. 72.*foliis cum praecedentibus ex calce long.*2225 *Smilax maculata* Hort. Beng. 72.*foliis cum praecedentibus in Nephala.*Menispernum2226 *Menispernum villosum* Hort. Beng. 72.*foliis in horto botanicas prope Calcuttam ex Tripura ex-*

*2227 *Menispernum villosum* Horst. Hort. 1897 exclusus forte synonymus
 Nutkensis debet prioribus ad h. liratum exinde agnoscendas
 pertinentibus, si ha. grisea rarer diversa.*

Menispernum liratum Hort. Beng. 72. ex Mexico T. 1881. sp.*Pl. 16. 8298*

Hesandria Dioica Menispernum

Habitat in Hindice

Habitat in Magadha sylvis et dumetis.

Ex generi Brauner distinxit a Willdmon^A / ^{*AL} ^{A *} " 72)

definitionem, quod ad florim pertinet, sed dicens habet per mon-

2235 Menispernum? Malabaricum Linn. Hort. - < ? * - 4m*. sp. Nov. 73.

M. tomentosum Hort. Rang. 72.

Pee Amader Hort. Mal. vij. 376. t. 13. 26.

Gulengche sine gallui Bengalenium?

Habitat in India gangatica sylvis et sylvois.

2234 Menispernum? cordifolium Willd. Sp. Pl. v. 225. Hort. Rang. 72.

M. Malabaricum Linn. Hort. v. 9.

fit amader Hort. Mal. vij. 39. t. 21.

Gulengche officinale Hindice

Habitat in Magadha sylvis et sylvois

2235 Menispernum? radiatum Linn. Hort. v. 100.

M. polycarpon Hort. Rang. 72.

Talli caniram Hort. Mal. vij. 56. 3.

Habitat in dumetis India et intra et ultra gangam

2236 Menispernum? hexagonum < - 3 ^ t. Rang. 72.

foliis in horto prope Calcuttam botanicas et floralis

Fuaicane

2237 Maha bisifolia Linn. Hort. Suppl. 155. 585.

Furcola bisifolia Willd. Sp. Pl. v. 225. Hort. Rang. 72. Hort.

Rew. n. 395

foliis in horto prope Calcuttam botanicas et floralis

Cuphorbia

2238 Cynnia? trillata

Aloua siva Hort. Rang. 72

Somphut s. Nadajana Bengalenium

Habitat in sylvis et ad pagos canarypha

2239 Baccaria Parviflora

Baccaria spida Hort. Rang. 72.

Lotto s. Lotton Bengalenium

Ka-na-ja-di. Barrenorium

HennandriaDiosciaEuphorbia

Habitat ad pagos Bengalae orientalis et Asie.

Racemosus partibus yVf,y_yAr-'' < ^*~*~ -AE~*£^fi*Z**&*&

(y. 21 t. 9) qua *Baccinaria ramiflora* Lourici (Burm. Moll. Sup.
(1864))

OctandraTerebinthaceae

3235 *Odina* Houtt. Hort. Beng. 24.

Kalegum Houtt. Mal. v. Opt. 33.

foliolis serratis

'<^, ^L, 4*~^***'

foliol. Bengalensis

Kusambhar Houttice

Habitat ubique ad subia pagorum et in formata sylvis.

nonne specificum minus barbarum estinere compotet.

3236 *Cudambium glabrum*

Kusam Houttice

Habitat in Kusamha (sala) &c sylvis.

Sir, *Cudambium shagada*

Kusam Houttice et in Concaea

Shagada, Riau, Paley & Mandala formata

Habitat in Concaea & Caerulea sylvis.

Amentaceae

3237 *Juglans? pterocarpa* Houtt. Beng. 20 ad via Willdenowii (Sp. Pl. v. 455.)

qui plantam describat Americana, et post non a g. fructu-

-nigro (Burm. Moll. 182) diversam videt in. Moll. Sup. v. 12.

Habitat in formata borealis sylvis

Hae secundum Roddwegum est sili Poma Bengalensis

quam ab hoc nomine arborea sili, bisexu est sili 43?

EricaceaeHydrocharides

3238 *Sinocala* JZ^+**^f*t*

Takeneria rotundata Houtt. Beng. 76.

Sinocala, V~*//fc-fc atich Researches 275

Habitat in aqua stagnis.

Eucandria269
DioeciaHydrocharidæ2240 *Hydrocharis celloflosa*

Habitat in Mithila et foeda stagnis.

DecandriaEuphorbia2241 *Papaya vulgaris* Linn. Blatt. v. 2*Carica papaya* Willd. sp. Pl. in 816. Hort. Beng. 78. Hort. Kew.

399. Burm. Fl. Ind. 215.

Papaya Mas et Feminina Hort. Amst. 1. 165. t. 50. 84. Burm. Fl.
Zeyl. 194.

Tunc arbor atrisanguine subla-Hatoni; folia monostichas, folia

Mali cydonii aut malonis magnitudine. Huk. Amst. 165. Hyp. 673

Mammosa Mas et feminina Raji Huk. Amst. 187.

Papaya Maran et Amba-Bia Hort. Amst. 21. et 22. t. 19. p. 42.

— Burmianus J. Reichenb. Ind. 147.

San-ho-ta-zhwa Burmanicum

Götting ad India unib. exotica.

Sapotaceæ2242 *Schinus longitarsis*

Habitat in Campea borealis montibus

et subsequenti fructuariae lati distincta

2243 *Schinus Niara*

Niger Bengallum

Habitat in Campea orientalis montibus

Apparente parum diversa.

2244 *Schinus Sabicea*

Bon. Kalesijow Hort. Mal. in 71. t. 34?

Sabicea Hindica

Habitat in Magadha tylois

Planta Sabicea hicta quam 100 ab equal. fruiticatione, vidi,

foliola serrata, quam 100 florentem invisi, plula pallidat

integerrima, ac igitur diversa? Planta decurrentia cum

fructu 1006-1049 conferenda.

2245 *Ajania exelsa* Hort. Beng. 35

Dicandria Dioecia Treibirthaceae

Schinus affinenissimus Humb.

Habitat ad torrentium rives in Megadha clysis.

2245 *Sylanthes lanceolata* Rost. Mf.

Inveni haec specimen in horto prope Calcuttam botanicam
cum nomine a Ramburji prima inscripta; sed unde >£«£.< ** » ^

Polyanthaceae

Apocynaceae

2247 *Eurya fasciculata*

Symplocos fasciculata Rost. Mf.

Chittagong Bengalenium.

Habitat in Camphora orientalis clysis

Tiliaceae

2248 *Placovicia cataphracta* Willd. Sp. Pl. 10. 520. sub nota monica.

Hort. Bangl., J. Soc. Bot. Bengal. Suppl. 1873, Hort. Bangl. 1880 affina

specimini Marat Tenu. Hort. Amb. v. 26, p. 614 fig. 11.

Bangala Hindue.

Habitat ad India prope

Placovicia Molinae

Molinia montanorum Humb.

Jangale Panigala Hindue

Habitat in Nepala inferioris montibus

Per JAI* non non *P. cataphracta* spontanea?

2249 *Placovicia apila* Willd. Sp. Pl. 10. 520. sub. 1873. Hort. Bangl.

Kew. v. 4. 1. Hort. Bangl. 72

Candolii Bengalenium

Kusiga Panigala Hindue

Habitat in India Jangale domesticis

Limbites minimum angusti inter lani et parvum modice

(Hort. Meli v. 17. 39), quoque pro *P. apila* citatur, ad hanc
habet quis multo majoris.

Laurinae

1# *Tetranthera apala*

J^A^R. ^A> * > * < * ^ + : r S'

PolyandriaDiociaLaurina

Litsea citrifolia Bur. Mitt. 49: 280.

Tourne. *obifera* Willd. Sp. Pl. 9: 362. Bur. Mitt. 49: 280. *obifera*
syringina, quod Adans. plantam spectare a Ronburgio locis
ad am. Louraini *obifera* recessit.

Habitat in lucis prope plantam.

2255 *Tetranthera reticulata* *fruticosa*

Takur Niki Kampf. Aman. Rist. 905?

Nipal-Kota *Bengalensis*

Habitat in *Macha* *sylois*.

2255 *Tetranthera reticulata* *arborea*

Litsea japonica Engelm. Mitt. 49: 280.

Tourne. *japonica*. Thunb. Jap. 1790. Willd. Sp. Pl. 9: 362. Bur. Mitt. 49:
295, ubi *porfera* dicunt habere carin. fructus centrum, & spicas
altas, ad *Thunbergia* erubescens *zanthoxylum* *arboreum* *ecclaeum*.

Mala Poena. Mitt. Mal. 8. Oct. 92. Huk. Am. 232.

Ulega (Chama *Bengalensis*)

Habitat in India *gangatica* monticis.

a subsequenti recessit in diversis?

2255 *Tetranthera?* *Kiran*

Kiran. Hinckley

Habitat in *Macha* *sylois*

recessit in a praestante distincta? Investigationem non vidi.

nomon Kiran ad *Acacia* *concinna* *commixta* *quaque* later (1773.

1781277) Conf. Koda inter plantas showras (2560) dimittitur.

2255 *Tetranthera* *Darabanda*

Darab. Mabarim (Gesala)

Maha Mabarim *Macha* { Hinckley

Reginal *Bengalensis*)

Habitat in India *gangatica* *sylois* et *nica* *campestris* *forbesii*.

Subsequenti affinis, A&6*^j(i%*A 4~L ***-* **4~-jL*

2256 *Tetranthera* *Bonschia*

Tourne. *obifera* Willd. Sp. Pl. 9: 362. Bur. Mitt. 49: 297, *values* *syringa*

Punshya *Bengalensis*

Loc. sit in India *gangatica* *sylois*.

Præstanti nimis affinis, sed flore omnino nisi.

272

Monodelphia *Diocia* *Conifera*

2279 *Juniperus indica*

Himachal Daphne Montanorum (Himalay) Hamilt. Nipal 95.
Habitat ad Simla rives.

2280 *Juniperus squamosa*

Daphne Montanorum Himalay Hamilt. Nipal 95.
Habitat ad Simla rives.

2281 *Taxus baccata* Falcati

Yew tree, Anglice

Kingwalla Bara sarol Montanorum Himalay Hamilt. Nipal 95/7
Habitat in Nepal affibus.

Monimiaceae

2282 suZi&tot[^] *Cissampelos sepiaria*

Coccinia orientalis ~~ *Λ* ~~ f - tiny foliis subtenuis glabris
= *Messerschmidia* Blck. Anath. 62 exilis synonymous.
Nra - muk - wan (Cinnam. foliis umbilicatis) Burm. nom.
Habitat in Nagista et Dha. Sylis.

2283 *Cissampelos coccinea* Bur. & Bak. sp. n. exilis synonymous omnibus

Moniophyllum oblongatum Hot. An. 1850 plantae indicæ

Coccinia, Indus foliis velutinosis subtilis laevigatis fructu minus
Hot. Anath. 1850 t. 30 sp. 5 *polyponia* in *Eucalyptophlebia* (Hot. 1857)
cum *Moniophyllum* hirsute lumen conjuncta, que in tubulis deprimitis
fatuallis (anomia typographi, ut & litteris scabri) patet, in tubulis
Velutinæ (scriptæ) Hot. An. 1850 t. 6 sp. 2 *polyponia* Wettmaria
(sp. Pl. 16, 828) et aliæ cum plantæ (chinensi), *Moniophyllum oblonga*
latum Pfeifferi (Anath. 64, 628, f. 5) conjuncta.

Habitat in India Bengalia. Scindia

Hæ est planta, quam ad *Polyponia* vide (Hot. Bng. 78) et
quam pro parte Tenuiorum subsequenti corone commiscetur.

2284 *Cissampelos convolvulacea* Willd. sp. n. filiforme typographi
L. convolvula, Hot. Bng. 78. Encycl. Hot. Sup. 1850, 299.

Habitat prope Calcuttam

2285 *Cissampelos manjiana* Tz. & Hot. sp. n. obscurata?

Parcina Willd. sp. n. 361.

Habitat in gæla sylis

2286 *Cissampelos heimifolia* Willd. sp. n. filiforme typographi 1850, 299. Hot. Bng. 78.

Habitat in Bengalæ orientalis monte sis.

274

Monodelphicae Dioeciae Menispermeae

2287 *Cyperopeltis striata* ♀

f. *heterolepis* Hort. Beng. 70.

Menispernum pellatum Willd. sp. Pl. 1829. No. 107. 1805?

Sissoocrea pellata Burm. S. Ind. 215?

Dyphis peltata subvar. *striata* H. T. Gray. 322. & *Struthiopteris*

pellata, cordate longis, floribus minutissimis et capitulo

Burm. Prok. 213. & 101. & exilius cote operigerae Rumph.

Cyclodium motor rotundifolia f. *heterolepis* umbilicata f. *hirs*
cupris crenulata Blatt. Fl. & C. 226. 15.

Begonia formosana umbilicata folia, crenata crenulata
H. T. Gray. Adm. 718

Pala uelli s. *Pala kelangia* s. *Mussaenda* Pala Willd. Nat. 26. 32.
6. 69; Flores monoeicas.

Habitat in *Camrea orientalis* sylvis.

Planta quas primaveram et primidie laborum similitudine

2288 *Cyperopeltis glabra* Hort. Beng. 70?

Menispernum japonicum Willd. sp. Pl. 1829. No. 108. 1805?

Thunb. S. Jap. 193?

Gujar. Bengalensis.

Habitat in *Camrea dumosa*.

2289 *Cyperopeltis sagittata*

Habitat in *Camrea* sylvis.

Subsequente valde affinis, si raro staminum differt.

2290 *Cyperopeltis oloracea*

Kota Penghulu B.

V^vtl^MCfervnt

^tffoC^t ad *Camrea* pagoda

Gymnandra

Cyperopeltis

2291 *Kriedelia scandens* Hort. Beng. 70. Willd. sp. Pl. 1829. No. 109. 1805.

Cayratia scandens Gue. Willd. sp. 1829.

Lok kohi { Bengalensis

Kohal S.

Khajji Hindustan

Habitat in Inde sylvis vulgaris.

2292 *Kriedelia spinosa* Hort. Beng. 69. Willd. sp. Pl. 1829.

Cayratia spinosa Gue. Willd. sp. 1829.

Kohi • 2, <^> —

275

Gymnadiace Dicella Euphorbiace

Calanis Tamulorum Buchananus Myrsinace p. 262.

Habitat in India sylvis

Fructus ex oblongatum tetraspermum callo diversa

colorisnam Cattani Hort. Malabar 22 & 17. vide fragmentum

2293 *Kriedelia stipularis*

Claytonia stipularis Willd. sp. Pl. Ind. 85? Ins. Moll. p. 55.

Kochi

Ban Kutele } *Bengalensisima*

Ceri Adonis carnata Buchananus Myrsin. p. 182.

Habitat in India sylvis.

2294 *Kriedelia montana* Hort. Beng. 124? Willd. sp. Pl. Ind. 977?

Claytonia montana Ins. Moll. Ind. p. 345?

Banari officinaria Koenigii

Habitat in Magadha montibus.

2295 *Kriedelia lanceolata* Hort. Beng. 71

Kochi Mala in Campeira

Amarantus Angustus } *Bengalensisima*

Habitat in Bengal sylvis.

Folia plantae que Kochi mala vocatur angustiora

sunt quam in Amarantho

Polygonace

Monocotyl

Gramine

2296 *Holcus sorghum* Buchananus Myrsin. Ind. p. 1.

Sub hoc nomine in aliis h. heterom. h. sorghum L. varum.

h. trachykaratum, h. halopeponum, cypri, h. caffrum Willd. et al.

Janca Koenigii

foliis in India agri electioribus pinguisioribus

Inter varietates, mas segmentos dicuntur.

yZ+-&*mS <drrf4m~~^jf+p*.**

Arundine

la agri

, culis rotundis + + + + Blumenthalianum

similata

2297 , sorghum tenuis

Sesaya & Rada Janca Koenigii

Pinocca Polygama Gramineæ.

for their Bengal mission.

Cleitor in Blitella agri

Monococcia *Polygonum* *Gramineae*

Bona Bengalensis

Habitat in Bengala deprobris

2X & JfcZ«d quinqueflorus

Habitat in Mollis, borealis demissis

2357 *Andropogon murale*

Habitat in Magadha muris

Andropogon, Simus robustus, austriacus, in montibus
multicarinatus Willdenowii et contortum Bonnieri, que certe

S3SS¹\^9 & Jhj£*£, pertinacum Robt. Bl. 1800. Mitt. p. 81. 922 In. 6th tmt

lif. 1. 586: cote non Brownii (Nov. Ind. 1. 20) nigricans imberba
Habitat in præsis umbrosis

Perforatum, vel utram præsum in culpis dico non nisi

2358 *Andropogon pertusum* R. B.

Habitat inter asturias Gangaticas

2359 *Andropogon pertusum* R. B.

Habitat in Magadha montosis

2360 *Andropogon scandens* Robt. Bl. Ind. 1. 252.

Habitat in Magadha demissis

2361 *Andropogon barbatum* Suev. Moll. 1. 37. qua

Floris barbata lyp. 4. 539, perforatum Willdenowii (p. R.
1. 921), cum planta Americana coniuncta. Robt. Bl. Ind. 1. 254
Kerala Palla Nat. Hist. 195. b. 6.

Habitat in Magadha præsis

Stipa affinis (Floris incana 2. 39).

2362 *Andropogon serratum* <?*?Y R. B. & S.*J> Mitt. p. 81. 922

Habitat in atra præsis.

2363 *Andropogon contortum* Willd. Mitt. p. 81. 922. Robt. Bl. Ind. 1. 253.

Agristic imbra. Brem. P. Ind. 27. exilis Rami synonyma
gramine decoloratum inticium, flava gracile tomentosa, longis
caulis ristis in se insicium intotis. Robt. Bl. Ind. 1. 25. Myriopteris
Habitat in India præsis.

2364 *Andropogon bambusiformis*

A. lanatus Brown Nov. Holl. 1. 202.

Ranje-gaikh

Ajiga-ghas

Habitat inter clara in montibus Magadha uncinatis.

2365 *Andropogon fimbriata*

Gr. herba officinalis Koenigii.

Habitat in Magadha præsis.

Monocotyledonae *Polygonia* *Gramineae*

2317 *Andropogon glabila*

Kobila officinarum Kuntze

Habitat in Magadha desertis

2318 *Andropogon leucanthus* Roxb. & Bak. f. 239

A. leucanthus, Desv. Meth. p. 372; spiculae cylindricae glutinosae, culmorum bases.

A. Karbas Desv. Meth. p. 374; Mitt. p. 11. n. 99:

Lagurus panicula canis supra decomposita prolypis Lin. A. Zyg. 188

Accende zeylanicum, partitum, oblique et apice calami aromaticae curvum

Thes. Leyd. 35?

Kosi Purna Khet. Mal. 945, 103. 6. 67

Habitat in India Gangatica desertis.

a *Andropogon leucanthus* Roxb. & Bak. f. 238. var. oblonga

Mitt. p. 11. n. 98; plantae aridae, gressu

Plat. Phys. 6. 190. f. 1. depingit. ab initio spicae longioris divers.

gundagoi Bangalensis

B. Blaire Kuntze

γ Kasayi Kuntze

2319 *Chloris incana*

Pangoda Scirba Kuntze

Habitat in Magadha crasis et affribus

Haria affinis Andropogon barbatus 17. 2312

2320 *Anthistaria arundinacea* Roxb. & Bak. f. 216.

Anthistaria pruinosa Brown Nov. Holl. p. 200:

Tangga & Sartumba Bangalensis

Habitat in Matisia et Campechianum

2321 *Anthistaria stigosa*

Habitat in Campechianum subtropicis.

2322 *Anthistaria prostrata* Roxb. & Bak. f. 215. Mitt. p. 11. n. 99

Andropogon prostratum Desv. Meth. p. 374.

gundhar officinalis Kuntze

Habitat in crasis Magadha siccioribus.

2323 *Jachamum tenue*

Habitat in Argo pasturis

Haria affinis, sed plus latioribus intus, Nagari Khet

Mal. p. 91. 6. 69. quia Jachamum muticum Linnæi, sed non
-tamen Jachamum muticum primum habet gressorium.

- | <u>Polyandria</u> | <u>Dioscia</u> | <u>Lauracea</u> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------|
| 2257 <i>Tetranthera laevigata</i> Hook. Bang. 73. | | |
| <i>Cylindrica Bengalensis</i> | | |
| Habitat in <i>Mitchia sylvicola</i> . | | |
| 2258 <i>Tetranthera lanceifolia</i> ? | | |
| <i>Lanceifolia</i> Hook. Bang. 73. | | |
| Jaintia in Tripura | <i>Bengalensis</i> | |
| Roraima Nagara in Matoeia | | |
| Habitat in <i>Indigofera sylvicola</i> | | |
| Anna 777 have plantam sicut in Tripura ad Rakhigar
misi; sed ambe habent <i>Tetranthera lanceolata</i> Gaertn. monstrosa
non fuit. subsequentem simillima. | | |
| 2259 <i>Tetranthera Digitaria</i> ? | | |
| <i>Digitaria Bengalensis</i> | | |
| Habitat in Campana bonae sylvicola | | |
| a precedente florae presentatione annullis diversis | | |
| 2260 <i>Tetranthera calycosa</i> | | |
| <i>Panacaea petiolaris Bengalensis</i> | | |
| Habitat in Campana orientalis sylvicola | | |
| 2261 <i>Laurus pallavora</i> | | |
| Habitat in Campana et Concamia montibus | | |
| Anna post 85. Campana dilata, sed illa concolorum
cum <i>Tetranthera calycosa</i> summa officinaria antea ne fuit | | <i>Lauraceae</i> |
| 2262 <i>Tetranthera Panamensis</i> | | |
| <i>Panamensis Bengalensis</i> | | |
| Habitat in Campana orientalis sylvicola | | |
| 2263 <i>Tetranthera Bawila</i> | | |
| <i>Bawila Bengalensis</i> | | |
| Habitat in Campana orientalis sylvicola? | | |
| | <u>Polyandria</u> | |
| | <u>Dioscia</u> | |
| | <u>Euphorbiaceae</u> | |
| 2264 <i>Pottoa diffusissima</i> | | |
| <i>Calotropis montana</i> Willd. sp. Pl. 10. 53. Exs. Herb. Linn. 45. 12. | | |
| Habitat in Magnolia sumatris. | | |
| 2265 <i>Pottoa Datica</i> | | |
| <i>Datica Koenigii</i> | | |
| Habitat in Canta sylvicola | | |
| Præcedente simillima. | | |

Polyandria Dioscorea Euphorbia

2265 Rottlera peltata Hook. Bong. 731

Habitat in *Cananga orientalis* glycinis.

2267 Rottlera integrifolia

Asperis peltata Hook. Bong. 731

Tamarindus minor rubra Hook. Amb. 45; 1901

Coloniae siccioris prope Ghatissam botanicam & Telengana.

Heribus maxima limitis nonnumquam visis genere omnino invenientur.

Tamarindus minor alba (Hook. Amb. 45; 1901) quia *Tamarindus*

Tamarindus (Willd. Sp. Pl. 40, 583) finillima, et folia subimpressa,
majora, bractea dentata.

2268 Rottlera paniculata

Croton ricinoides Sw. Moll. Supr. 31; 430

Ficus triangularis Willd. Sp. Pl. 40, 832

Croton paniculatus Willd. Sp. Pl. 40, 648 Sw. Moll. 4; 267

Mallotus cochinchinensis Pres. Moll. 45; 576

Bura in *Tripsena austriale*

Dakaiti & malla in *cananga* } *Bengalensis*

Habitat in Bengal orientale

→ Huic affinis, sed racemis simplicibus distinctum. *Thunbergia*

multijuga Hook. Amb. 45; 1896. 616, 700 cote congener *Rottlera* *angustifolia* Hook. Bong. 73; 503.

2269 Rottlera indica Willd. Gott. Bot. Mag. 3; 63.

Treasia nobiliflora Willd. Sp. Pl. 40, 834. exclusa synonymis

Lunaria Basimina et *Gartneri* Hook. Kew. Ind. Hook. Bong. 73

Sw. Moll. Supr. 338. Ill. Gen. 6; 465

Canche Hook. Mal. 2; 76. Cith. perforans Lunaria sp. A. W. W. 1886

Treasia *swartzii* *florae hermaphroditi* *superiori*, *conjuncta*.

Gambhar in *Tripsena* et *Cananga*

Atali & Gambhar in *Mallotus* et *Anga*} *Bengalensis*

Berkul & Ban Kali in *Cananga*.

Bangkhul & Ban Kali *Malabarica*

Habitat ubique in India usque ad.

2270 Rottlera decora Hook. Bong. 73

Katta Jali Hook. Mal. 2; 1896. AS. *iJ*! Tsch. 1896, 2251,

foliis Bengalenianis in *Cananga*

Habitat ubique in Bengal domata.

- Polygonaria Dicoria Euphorbia
- 2371 *Potatoria tetraandra* Kort. Breyg. 73.
 foliis in horti, præcipue collectione botanicae exsicata.
- 2372 *Potatoria tinctorea* Kort. Breyg. 72 Willd. f. A. B. 222. Linn. 1802. Syph. 10. 719.
Coton coccineum Swartz. Brot. Syph. 10. 800.
Coton philippinum Swartz. Brot. 3. 246
 Parangam. Kort. Mal. 14. 622.
 fructuosa trunca turrae Tumidaria Buchananii Syph. 10. 822.
 Leelan & Komila. Bengalensis
 Indica. Bubba
 Habitat ubique, in India et alibi vallis regia montium et laci
 dentibus in foliis, præc. Phellus dehincit, angustis sili.
 (adantes)
- 2373 *Potatoria tinctorea* f. *opposita* monstrosa variolata.
 Par Parangam. Kort. Mal. 14. 622 (non Gregorii 27) C. 24.
 Habitat in Mayatha foliis
- 2374 *Potatoria fasciculata*
Golomium fasciculatum Kort. Breyg. 73
 Habitat in Raga domata.
 gen. *Golomium* prima a Goettner (de son. 27. 6. 19) distincta a *Lac*
lacciferum. *Ampula gemina* laterata a Willdenowio.
 erano descripta. Inflorescens oppositifolia, non quillaris et velut.
Argylopeltia (Syph. 6. 713) quatuor connivens forte distincta.
 species, sed tantum sunt varietates.
- 2375 *Potatoria compacta*
 Discolor. in - foliis v. - v. -
 Discolor. *longilobata* v. -
 Foliora in Cymula v. -
 Habitat in Bengalica borealis foliis
- 2376 *Potatoria lanceolata*
Golomium lanceolatum Kort. Breyg. 72 Willd. f. A. B. 222. Linn. 1802. Syph. 10. 722.
 Habitat in Raga domata.
- 2377 *Potatoria bifaria*
Golomium bifarium Kort. Breyg. 72 Willd. f. A. B. 222. Linn. 1802. Syph. 10. 723.
 foliis in horti, præcipue collectione botanicae ad ante nominata.
- 2378 *Potatoria paniculata*
 foliis cum presenti ad novum in Catalogo non invenitur
 Poter paniculatum additus a ceteris Potatoria conspicu
 diversus, sed fructificatio simillima.

279

Monococcia Polygrammum Gramineae

2324 *Iochamnum* Schle

Lake Hindoo

Habitat in Mithila campis ubi agitur ad lignaria
foliis nocturnis.

2325 *Iochamnum* Hartmann

Lake Hindoo

Habitat in Magadha montibus

ad usum condonum cum praecente invenit.

2326 *Iochamnum* abbreviatum

Habitat in ripis Balga inundatis

2327 *Iochamnum* fasciculatum

Habitat in valga circumstans inundatis.

2328 *Iochamnum* backianum Willd. sp. Pl. 928 Ins. Neth. 1807

Habitat in Magadha orientali

2329 *Iochamnum* denticulatum

Habitat in sylvis Mithila siccioribus.

2330 *Iochamnum* ensiforme

Habitat in gauce stagnis inter plantas notulas radios

2331 *Iochamnum* corrugatum

Habitat in Magadha crassis clavigibus.

2332 *Molinia* granularis Willd. V ^ J?^r, 928, Ins. Neth. 1807, Ill.
fig. 629 Rast. Pl. 32.

Habitat in Mithila amictis Magadha terris.

Planta Magadha monilifera, non rara a planta
Mithila

2333 *Panicoletta* intertextum

Trinajstici officinariae Hindoo

Habitat in Magadha ruboreis

Hic varie affinis *Panicum* granum (62-80) colge
tamen trivalvi distinctione.

2334 ^ 4IWWtf<ftIW ' 4^>c^

Trinajstici officinariae Hindoo

Habitat in Magadha inundatis

2335 *Cenchrus* argenteus

Anjanii Hindoo

Habitat prope formacionem a pressis elevatis.

Monocot. Polygonaceae Gramineae

2336 *Oncosmia quinquevata*

Habitat prope Calcutta

2337 *Oncosmia*: *Sapota*

Sapota *hirsuta*

Habitat in rupi formans ripis.

2338 *Amphibogon?* *pumilum*

Habitat in formans ripis

Combretaceae ad Elaeagnaceae

2339 *Terminalia* *Kilca*

Althaea *Bengalensis*

Habitat in formosa orientalis sylvis.

2340 *Terminalia ciliata* Hort. Bong. 33.

Mirobalanus ciliatus Willd. Sp. Pl. v. 92, et Hort. Kew. ed.

Mirobalanus ciliatus Gaertn. Descrip. p. 91. t. 92. fig. 4. Nat. Port. 83.

Zadha Jam (Arinorum Rupicola) *Bengalensis*

Habitat in Mithila (amurpa et Tipura) sylvis

Nom. non in subsequenti editio distincto?

2341 *Terminalia* *fobula* Hort. Bong. 33. Willd. Sp. Pl. v. 92, et Hort. Kew. ed.

441. exclusus character specificus

Mirobalanus *Kobula* Burm. Matt. Suppl. 707.

Mirobalanus (*Kobula*) *fobula* Willd. Sp. Pl. v. 92, t. 93, fig. 2. Nat. Port. 103.

Kara *Hindus*

Kara *tukki* *Bengalensis*

Habitat in India Gangotria sylvis et ad pagos

Præcedenti simillima, si diverse, nominis agitur an non
nomina ex speciminiis quibusdam continet?

2342 *Terminalia* *Bellarica* Hort. Bong. 33.

Mirobalanus *Bellarica* Willd. Sp. Pl. v. 92. t. 93, fig. 3.

Mirobalanus *Bellarica* Gaertn. Descrip. p. 90. t. 97. fig. 10. Nat. Port. 103.

Bahara *Hindus*

Habitat in India Gangotria sylvis et ad pagos.

Et hanc post scripta character. I. oblonga ex paucis,
Willd. Sp. Pl. v. 92, exhibetur, qui cum non habet concomitantem
cum planta Rotga, idonea florum steriores, perennitatis.

Monoeccia Polygamia Eleagnia

optime distinguuntur, glandulosa et ramosa effloruerat
et fractus figura maxime variabilitas, & adorem sic
eadem cum Tani Hort. Bot. in 23, t. 4. mihi florae bengalensis.

2343 *Chuncoa Saja*

ex *montanorum* Kuntzei.

Habitat in Nagala inferioris montibus

Fructum non vidi, nescio an sequente dicto distincta?

2344 *Chuncoa glabra*

Pentaptera glabra Hort. Bong. 34,

Rakan Kintire.

Habitat in Nagala ad fluvios.

Genus *Chuncoa* Jussieui ibidem est cum *Pentaptera*
Roxburghii, et *Gimbernaria* Willdenowii.

2345 *Chuncoa undulata*

Habitat in Camrypa orientalis sylvis.

2346 *Chuncoa tomentosa*

Pentaptera tomentosa Hort. Bong. 34.

Kian Kintire

Habitat in Nagala montibus.

sibi plantae gomine monstrosae nonnullae, pro parte inveniuntur

2347 *Chuncoa Herliva*

Pentaptera paniculata Hort. Bong. 34.

Hab. s. Bily Hulivay Carnata Buchananii Myrsin. j. 182.

Rindela Ceyana Ibid. iii. 182.

Bily Madara Malyala Ibid. iii. 182.

Habitat in India australis sylvis.

Rhamnaceae.

2348 *Gouania tiliifolia* Bur. Lodd. in 52 Hort. Bong. 15.

Peltaria scandens (volubilis in siccis) Gortaden. 46.

187, t. 121, f. 4? sicc. Tern. Hort. Suppl. j. 819 in ob.

Changpam (Bengalum sicc.)

Dobha Kintire

Habitat in India Bengalea sylvis montosis

Apocynaceae

MonocleaPolygamiaApoineae/J[^] /fyU[^]pJ[^] 7[^]4&**~ fort. de dom. 1896. t. 102

Uphragiton serpentarium lot. Bong. 19. Willd. sp. H. 149792
Burman & Ind. 2187. Des. Moll. w. 555. Ill. Bap. t. 8422. malais
 forte opacum quis omnibus nisi Burmanni et Gmelini.
Lignatum folia ad singula interna tenuis. Arum
colubinum officinis evolutum cum New Zealandum. *Spargan.*
Radix Mustela tuba Herb. And. v. 20.
 Habitat in India gangotria luis

Melica1350 *Ranunc. Pittos*

Ranunc. & Pittos & Bander Toma (timorium Durante) Regeliana
Janggali Nasungi (Cyberotus aurantiaca) Kuntze.
 Habitat ad pagat et in cybris inter asturiae Gangotria.

JJST /fj**++tsi> tstfm+nmt*

Smurgiya Bengalensis

Habitat in cybris inter asturiae Gangotria.

Leguminosae1352 *Inga dulcis* Willd. sp. Pl. w. 1805. Des. Moll. Syr. 137. And. 1822. n. 422.*Mimosa dulcis* Herb. Bong. &c.

Cultiva ad India gangotria pagas illanilla, et forte ibi ex
 America, ex igitur discenso ab Inga pergentem.
 In Palauis flora formosana plantae nonnullae ibi
 exoticae describuntur, quarum una haec est.

1353 *Dessononthus sinensis* Willd. sp. Pl. w. 1805. Des. Moll. Syr. 137. And. 1822.

JWc'tM +***'0***4*l**s XLS, I -Mltt*//:j&r*.><&~.-++dL~^J*Jl* ij

— spinos solitarius, **fte**, *planta pinnata floribus grecis
 linn. & Th. Syr. 135.

Acacia spinosa cato grecis foliis formas minus aperte
 — haec Burman. Th. Syr. 13. t. 2.

Acacia Madagascariensis spinos foliis non laevibus
 alternis, pinnatis, coriaceo cato cines. Pl. And. 13. Syr. 6. 134. f. 5.

Habitat in India et intra et extra Gangam cybis aridioribus.

1354 *Mimosa rubiginosa* Willd. sp. Pl. w. 1805. Des. Moll. Syr. 137. And. 1822.*Mimosa rotundata* Lodd. Bong. &c.

- Mimosa* *Phragmata* *Leguminosae*
- Kauai Bengalensis
Habitat in Camphora sylvestris
Legumin in Willdowis planta marginante,
sed in Lamarckii planta, et in costa legumen glabrum.
variet legumine latiora et angustiora.
- 2354 *Mimosa pudica* Willd. sp. Pl. 1030 Hort. Kew. v. 85. Jan. 1830.
J. M. Schub. J. 52 Hort. Reg. 41.
folium in Dussia Gangatica hirti varia spontaneum
rungnum vidi, non inde exoticae.
- 2355 *Acacia acutangula*
Habitat ad Camphora borealis pagus
- 2357 *Auraria lepida*
Inga cypraria Willd. sp. Pl. 1035.
Mimosa leponaria Jacq. Willd. sp. 1035
Cortex leponarius Hort. Am. v. 13. C. 63.
Charaki & Raj-gaik Raygadae
Habitat in Camphora et Arae sylvis.
- 2358 *Acacia parangia*
Karanggi Hindice
Habitat in illagatha sylvis
- 2359 *Acacia aciculata*
Mimosa stipulata Hort. Reg. 40.
Kuan-za been Barmannum?
Habitat in regno Peruvensi
subsequently validly affinis.
- 2360 *Acacia marginata*
Mimosa marginata Jacq. Willd. 152.
Kaga Hort. Mal. 159. C. 62.
Kosai Hindice
Habitat in Camphora sylvis.
Præsidenti aede affinis Kaga Hort. foliæ est alter
arbores maritimes, nostra planta est arbo magnus.
- 2361 *Acacia odontophlebia* Hort. & Gray, 1829. Gen. & Sp. 1. 152. Suppl. 1. 182.
Lignum maximum minus Hort. Am. 152.

*Monococcia**Polygynia**Laguminosa*

acacia non spinosa seban Egyptiacum folis pubescentibus
Chrysanthemum malabaricum Hook. Smatth. 2.6.356 f. 22 vide
 subsequentem

jati korai Bengalenseum

Habitat in India Gangotira by loca.

Folia in forma obovata minima, at a Villanova descripta
 terreni isti, negae in Pluteo est figura ali folia ut in
 sequenti paleata) inconveniens, unde >**. f >> >*?*&?*. * ft. *
 dubi nota citatur?

2302 *Acacia cana*

Acacia non spinosa seban Egyptiacum folis vs. Shad.
 Smatth. 2.6.356 f. 22, precedentem

Khaira Hindica

Habitat in Creta et Nipala superioris montibus.

Prædicti et subsequenti valde affini.

2303 *Acacia Beliana*

Villosa s. Kitta (Montana) foliis levigatis
 Habitat in Nagatha et formosa sibis annandale
 Quibus prædictis vellet affinis.

2304 *t+et* scripsi*

Nimosa scripsi Hort. Reg. 40.

Sriish Bengalensis

Habitat in Bengal ad fluvios

2305 *Acacia leptocephala*

Ranfta (Spinosa) Sriish Bengalensis

Habitat in Inda et ga~l* montibus

2306 *Acacia catechu* Willd. Pl. 1. 177. Nat. Reg. 679 evoluens propter garrigas
 Ashwagash.

Nimosa catechu Smatth. 2.2. Lyp. 177. Hort. Reg. 41. Andaman
 Myso. 177. Hamilton 179. Apal. 9.

Khaira Hindica

Habitat in Coromandel Coast, Nagatha et Nipala superioris montibus

2307 *Acacia dumosa*

Nimosa dumosa Hort. Reg. 40.

*Monocot.**Polygoniac.**Leguminosae**Lemnaceae**Sisyrinchium**Mugia fernata**Crotonum Tenuifolium**Habitat in India sylvis.*3368 *Acacia arabica* Willd. Sp. Pl. 1a 1805?*Acacia arabica* Auct. Prodr. Bot. Indicae et Malabaricae Scand. p. 172
Lip. 3 89:*Acacia floribus latius foliis acacia Egyptiaca, foliis angustioribus*
et ramosculeis complicitis, ramosculeis interfoliis,
*floribus latius Plak. Abn. 3**Rubula Bengalenium**Habitat in India sylvis**Acacia altissima vera* W. (Plak. Abn. 3 Plyt. 6. 800, f. 1)*planta arabica que in Encyclopedie describitur, flore lato*
albo, et ictius diversa ista planta Acacia in Willdenowii
*cum arabica conjugata.*3369 *Acacia farnieria**Mimosa indica* Desv. Syst. 5 88. Molanus. Suppl. 12. 63.*farnesiana* Auct. Prodr. Indicae et Malabaricae. Acacia farnesiana.*Willdenowii*, qua plantæ est (Acacia farnesiana)*Acacia spinosa* foliis pinnatis, et ramosculeis angustis, ramosculeis
patana Plak. Abn. 3 Plyt. 6. 73, f. 37*Nan-Tun-hain Ban. Germanorum**genus Rubula Bengalenium**Habitat ubique in India sylvis et campis.*3370 *Acacia leucophlaea* Willd. Sp. Pl. 1a 1805.*Mimosa leucophlaea* Desv. Syst. 5 89. Molanus. Suppl. 12. 63.*Magnolia**Roma* Nymphaeæ*Cori july fernata**Nella Sumatra Telinggara**Cori velutina Tenuifolium**Kau-nam Ban. Germanorum**Habitat in Malava Cornuta Drassha et sua sommitate*

Mimosia'1V>f>ipf m* ^Lagommissa

- 2371 *Acacia tomentosa* Willd. sp. Pl. in 107.
 — *Mimosa kleinii* Benth. sp. Pl. in 107. ex aliis synonymis
 — *Achin. kleinii* Benth. in Journ. Bot. 1851 p. 107.
 — *Luna Babula* D'Candollei
 — *Habitat in India Gangatica comprestibus.*
 2372 *Acacia elliptica*
 — *Zam* 4 ^ *X^M, Vfc*

Habitat in Guadaria et Aca Ziptas et Ammati.

2373. *Acacia rugata*

Mimosa rugata Desv. Moll. p. 28.

— *concinna* Kotsch. Flug. 61.

— *leporina* Buchanans Myrsac. 38. 4. 1820.
Kather Karanki (castor spinosa) *zylonotus* Silv. Monum.
perforatum cum ^K&L-^A~*~04*, J**M, * 35) plantae
inornis arbores (R. Flug. p. 233) et *Perennans* (R. Flug. 6.
conjurato, vide 2374

2374 *Acacia rugata* β

Serail Hindoo

Habitat in Gossala sylvis.

2375 *Acacia Sutatii* Willd. sp. Pl. in 107. Kotsch. Flug. 2. 172.

Mimosa latissia Kotsch. Flug. 61. See. Moll. p. 28. 2. 1820.
 Pl. Ind. 224.

Acacia Malabarica Potoni. *Mimosa pinnata* veluti humili
 acutioribus Myrti simili, acro pinnulatum in domo
 oblongo exserto, diligenter lata. Phyt. Planae. Phyt. 6. 23. 1821
Malabarica Kotsch. Flug. 2. 172.

Habitat in India Gangatica Amati humidissimis.

2376 *Acacia acar*

^fev, *pinnata* Kotsch. Flug. 61.

Acar Hindoo

Habitat in Magashha sylvis

A. cassia Simillima, sed flore luteo distinguenda. Folio in
 Rosburghii figura, quam nisi in Aca rarus multo latior et
 pauciora, quam in sequente.

2377 *Acacia pinnata* Willd. sp. Pl. in 107. ex aliis synonymis Neumann portione.

Mimosaceae Polygalaceae

Lignum Rosea

(Roxburgh) Hochst. ex Willd. p. 672.

Mimosa pennata Pers. Willd. p. 3482. Burm. Fl. Ind. 224. ab
synonyma recte attributum.

Mimosa aculeata foliis duplicitate pinnatis numeroso-pinnatis
lineari-acuminatis, panicula aculeata, capitulis globosis.
Linn. Pl. Ind. 98. exclusus synonymus Burmanni posterioris.
Mimosa aculeata multijuga foliis pinnatis cajani refer-
-entibus Burm. Roxburgh 2. t. 1.

Kam-shan Burmanorum

Habitat in India sylvis

Amentaceae

2378 *Celtis sinensis*

Celtis sinensis Hochs. ex Willd.

Kataga Lata Kuntze

Lata Bengalenium

Habitat in India Gangatric Sylvis

2379 *Celtis orientalis* a

C. orientalis Willd. sp. Pl. in 995. malus synonymus
Johani Bengalensis.

Habitat in Campea Sylvis et ad pagodas.

2380 *Celtis orientalis* b.

Hamari Telinga Kuntze

Habitat in Nagasha Sylvis.

2381 *Celtis orientalis* c.

C. orientalis Willd. in 138. exclusus synonymus Blakemorei
oni permanens formae assimilans Burm. Fl. Ind. 218.

asturis synonymis Blakemorei et Rhamnoides.

Celtis foliis oblique cordatis serratis subtus villosis sive

Roxb. 369. exclusus synonymis synapocarpia et Moorei.

Asterophyllum distichum Burm. Roxb. 26

Gathumba Willd. 1822

Mallam Tossoli Kort. 1822. 612.

Janfong Garcinia

Phant Bengalensis

Habitat in Campea montanae.

Dioecial. *Polygonia* *Urtica*

2402 *Ficus longifolia*

Habitat in *Grewia* sylvestris

2404 *Ficus scandens* mihi sic non Lamarckii, quia *F. stipulata* Willd.
est (*scandens*) *Pithecellobium* Bengalensis.

Habitat ad *Matisia* pagos

Subsequenti valde affinis

2405 *Ficus Tjila* Hort. Beng. 58.

F. microcarpa Willd. sp. filia, H. & C. excc. ^{AA} s?^,, ^& *a*

Phaseolus omnibus

Tjila Hort. Willd. p. 35. t. 63, *porforam* a Burmannus (B. Ind.,
226,) cum *Varinga latifolia*, *camis* et *camantilla* conjugata.
Narcissus Bengalensis.

Pithecellobium

Habitat in *India* *Gangotria* pagos.

Præcedenti valde affinis Nam non raddunt.

2406 *Ficus lacor*

Lakor et Lakor Hindu et Bengalensis.

Habitat ad *India* *Gangotria* pagos carinis.

2407 *Ficus conciliorum*.

F. religiosa S. & Z. Willd. p. 693 Burn. & C. Ind. 225

Arbo conciliorum Hort. Am. p. 142, t. 91, 92, *porforam* in
Willdenowia cum aceridae conjugata.

Pithecellobium non genitum.

Habitat ad *India* pagos ad menses primi in archipelago Sicilia regno.

2408 *Ficus religiosa* Hort. Beng. & Hort. Kew. v. 184 Willd. sp. filia, n. sp.

exalata synonymous *Religiosa*.

F. religiosa a Don. Hort. 44. 693 Burn. & C. Ind. 225

F. foliis cordatis integrarimis acuminate Linn. & Logf. 1772.

Arbo Zeylanica? religiosa, foliis porporeis mobilibus Burn.

Thes. Logf. 39

F. Malabarica sis foliis crenulato-punctato rotundis parvoginina, Hort.

Am. 44. t. 178 f. 2.

Ape illa Hort. Malib. 57. f. 27 cum commento mes

Pithecellobium Hindu et Bengalensis.

Habitat sic *India* pagos.

Monocotyledonous Polygonaceae Gramineae

2382 *Celtis orientalis*

Habitat ad *Silice pagos*

2383 *Celtis orientalis* Hort. Berg. 21.

Habitat ad *Silice gangotriæ et Nigala pagos*.

2384 *Celtis australis* Willd. sp. Pl. 11. p. 927. See Mitt. Ag. 1920. 39.

Kang. Hindoo

Habitat in *Magnashastyle*.

Dioscorea

Incisa edulis

2385 *Grimonia doederleinii* Hamilton Grisebach Hort. 1885

Grimonia Bengalenium

Habitat in *Bengala orientalis montibus*.

Cyperaceae

2386 *Diaphrys embryopteris* Boscawen apud Bur. Mitt. Ag.

Diaphrys glutinifera Hort. Berg. 20.

Conallen philippensis Bur. Mitt. Ag. 21. p. 565!

— Habols Ill. Jan. 6. 65?

Diaphrys glutinifera Willd. sp. Pl. 11. p. 827.

— *parviflora* Gaertnera Linn. Hort. 1. 29. f. 2.

Garcinia Malabarica Bur. Mitt. Ag. 70.

Panitjika marum Hort. Mal. 1. p. 65. t. 41.

— *lab* *Bengalenium*

Habitat ad *Silice pagos*.

Ecoenium calyxis Linn. dedit fructus unde origine
ris fontibus cauda. variet. quam maxime foliorum forma, &
tamen fructuosa, nix in calice officie conjugante.

2387 *Diaphrys Topolia*

Topolia Bengalenium

Colitur ad *Campana pagos* & *frons fragrantia*.

2388 *Diaphrys incisa*

monocot *Bengalenium*

Habitat in *Campana montibus*.

2389 *Diaphrys occultans*

monocot *Hindoo*

Habitat in *Magnashastyle*.

- 289
- Dioecia Polygamia Gauicana
- 2390 *Diospyros montana* ~~H~~ ^ ^ - ^ - r, ~~Mall. 1125? Hort.~~
 Beng. 50?
 Mawan-patta & Mohun-patta Hindoo
 Habitat in creta montibus
- 2391 *Diospyros cordifolia* Willd. sp. Pl. 112, 113 Mal. 1125 Hort.
 Beng. 40. Hort. Kew. 479.
 Makan hond Hindoo
 Habitat in Magadha montibus.
- Urtica
- 2392 *Ficus triloba*-
 Habitat inter lava in Camuya montibus.
- 2393 *Ficus minima*
 Gadha Peer Hindoo
 Habitat in Magadha montibus.
 Nive affinis Kotsch. alom (Hort. Mall. 1125, 113) que pro
F. trifolia a Willdenowis (Pl. 112, 113) citata, sed prout
 habet minimum magnum.
- 2394 *Ficus indica* Hort. Beng. 50 J. Bank. Natl. Plant. 112, Plan. Ind. 1, 26
F. bengalensis Willd. sp. Pl. 112, 113 Hort. Kew. 479. ^(L. 22)
 Burm. Fl. Ind. 125. Cynchos synonymous Blakemore (Edm. 112. Hyp. 12)
F. bengalensis x *Canariensis* Blk. 113. ^(176 fig.)
 Por alii Hort. Mal. 1125, 113. non nos comment.
 Kata lanscita *
- * See, & Parja Hindoo
- Md^*^ faJ-yOJ- & *s^
- Bat' Bengaliusimum ¹ *Dipper trimplum*
 Baugan tree anglosum
 Habitat ad Inde pagos
- 2395 *Ficus pugnans*
 India Pak. Sita Corb. 1125, 113. 113. 113.
 Por gramin. han Guernonum
 Habitat ad Camuya et regni Guernonii pagos
 Ficus bengalensis Hort. Kew. 1125, 113. in Asia oriental.
 esse nemurit plantae que in hort. regis ornativa, selen. est
 cum *F. pugnans*. folia minus habet glabra, ed grana Guernon

Diociaia Polygamia Urticae.

estat auctor, subitandum est, nonumphantum ex
America polles habuerit.

2J?6~Q%A

*as Barisaga**Flacouria* Kostt. Bong. 68? ob. nonne indicum

Taringa latifolia Kord. Thib. 155, t. 74 superponens a *Willdowmia*
cum *Tylole* Rheed. (Kord. Mal. 45, 255 C. 63) conyzanthe ad 25
inclusum sicut constat eundem (Philos. 186) inde 2015

Dhoy Bengalensis.

Habitat ad *Camrypa* *pagan* Calotropis in locis ad *Cocum*
Cocijnon alantum.

297 *Ficus reflexa* Willd. sp. Pl. in 1807. See et Kord. Lep. 5. 52.
Sita Bat Bengalensis.

Habitat in *Bijura* et *Vanga aquatica*.

298 *Ficus subcordata**F. elastica* Kord. Reg. 65?

Sito Bat Bengalensis.

Gitter ad *Camrypa* *pagan* rarius299 *Ficus subcordata*

Rau Barga Bengalensis

Habitat ad *Camrypa* *pagan*.300 *Ficus Benjaminia* Poe. Mitt. 9. 192 Willd. sp. Pl. in 1807. ex aliis

Syzygium Rheed. cui *Fic. foetida* Linn. Hamilton
commentum Kord. Mal. 1. 55.

Taringa pernifolia sita Kord. Thib. 155. C. 50.*Ficus arborescens* Kord. foliis parvis integris amboinensisKord. Lep. 186 Phyt. C. 263 f. 6. ubi *Amboinensis* regis sita est secunda.Habitat in *Camrypa* *sylva*.301 *Ficus notabilis**Wasinda* *parvifolia* Smiths. Kord. Lep. 1807.

Notabilis sita Bengalensis.

Habitat in *Camrypa* et *Cocula* *sylva*.302 *Ficus nitida* Willd. sp. Pl. in 1807. Willd. Lep. 5. 52

Ita sita Kord. Lep. 15. 63. C. 55.

Gossia (*montana*) Rau. *Kelingorum**Rhoda* *Riparia* Kordicea.Habitat in *Bijura* et *India australis* sanguineus

- Dioeciae Polygamiae Utricaria
- 2409 *Ficus infectoria* Willd. sp. Pl. v. 127. Hort. Botan. 1800. p. 55. Hort. Regius 6. quod
 ad synnumen, sed non gen. ad Charactem?
 Tjatka Hort. Malib. 82 t. 62, per se et a Willdenowia (Alpinia).
 cum aliis non sanguinea coniuncta.
 Kau (Baffin) Corallata
 Aspin. Bengalensis
 Habitat ad India pagos.
- 2410 *Ficus popolifolia* Willd. sp. Pl. v. 124. Enc. Bot. 1800. p. 50.
 Gatha Popul. Henkies.
 Habitat inter Magadha eos.
 Haec forte locis debuit ad Indiam.
- 2411 *Ficus rigida*
 Pukar. Henkies
 Habitat ad Indogatha pagos praeventione cum Gymn.
- 2412 *Ficus trifluvis*
 Habitat in Campea foliis.
- 2413 *Ficus apicata* Enc. Bot. 1800. p. 55. Hort. Reg. 55.
F. apica Willd. sp. Pl. v. 163? et non Binnamensis
 Ati Meer Alor Hort. Mal. 41, 70. 6. 1800
 Habitat ad Campea pagos.
- 2414 *Ficus cuminata*
 Shah Durus Bengalensis
 Habitat
- 2415 *Ficus gopularia*
F. racemosa Enc. Bot. 1800. ad corte non Hort. Reg. 55.
 que Ati Alor Hort. Mal. 1, 42. vnde commento quam
gopularia domesticata Herbarium 135. 6. 32. 56. per se et a
 Willdenowia (sp. Pl. v. 163) ob aliis prouincias cum Ati alio non
 Kaji Durus Bengalensis
 Habitat ad Campea pagos.
- 2416 *Ficus undulata*
 Tjatka Meer alor Hort. Mal. 41, 71. 6. 1800. Willdenowia
 dubitans citat pro *F. terebrata* (sp. Pl. 167. 1805. Enc. Bot. 1800. p. 56)
 firs ex parte
 Karkalpani Bengalensis

Dioecia Polygamy Verticæ

- Habitat in *Cannabaceæ orientalis* montosæ.
Radicanterum unguium vide.
- 2447 *Ficus bular*
Bular Simbice
Habitat in *Magnolia* sylois
et *F. glomerata* proximal.
- 2448 *Ficus prostrata*.
Habitat in *Cannabaceæ orientalis* sylois
- 2449 *Ficus macrophylla* Korth. Bang. 66.
~~Cafriphilus amboinensis~~ esculenta latifolia Korth. Amb. 15.
Golbecki Bengalensis 1165. B. 93
Habitat in *Tripura* montosæ.
- 2450 *Ficus lanceolata* Korth. Bang. 66.
Kiroga sacromorum
Habitat in *Tripura* australis *Dipteræ fluviorum* siccæ.
- 2451 *Ficus conglomerata* Korth. Bang. 66.
Boran Bengalensis
Habitat in *Tripura* australis montosæ.
subsequently simillima.
- 2452 *Ficus juncea* Korth. Bang. 66.
Khosha Simbice
Kuni montosorum
Habitat in *Nephala inferioris*, *Bethila* et *Malayæ* siccæ.
Precedente simillima.
- 2453 *Ficus oppositiphylloïdæ* Willd. sp. Pl. 181. Koth. Kew. 17. 883. Koth. Bang. 66.
F. scandens Burm. Koth. 14. 185.
~~Cafriphilus aspera latifolia~~ Korth. Amb. 15. quædā aspera,
et non tigridæ videt annulata Burmannus quæ Tigris-
cata representat.
Khosha Demor. Bengalensis
Habitat in India Gangæsylois.
- 2454 *Ficus oppositiphylloïdæ*
F. sempervirens Burm. Willd. 4. 295
Purim Jangawar Koth. 14. 185. C. 62
Kharan Zom-gan Burmanorum
Demor Bengalensis
Habitat in India Gangæ.
- 2455 *Ficus oppositiphylloïdæ*
Domaga Simbice
Habitat in *Nephala inferioris* siccæ siccæ montis. hirsuta.

Dioecia.PolygamiaVertice2625 *Ficus polycarpa* Kort. Berg. 65.*f. pruriens* Adans. *angustifolia* Herb. subsp. *viscosa*

foliis in horto prolixo foliolum solitum et solitaria

2627 *Ficus congesta* Kort. Berg. 65.

Habitat cum precedente.

2628 *Ficus caricae* Kort. Berg. 65?

Angio. Hindoo.

foliis in Margalla hortis

2629 *Ficus Carica* Willd. sp. Pl. in 113. Hort. nov. et 633. Hort. Berg. 65. loc.

Meth. p. 239. Ill. front. t. 637.

Ficus Rupi Rids. Hort. p. 43. sp. Bank. Hort. Pl. 128. inone

Noli (europaea) Angio. Hindoo.

foliis cum precedente sed rariis.

2630 *Ficus virgata* Kort.**V-f**

Angio. Hindoo.

foliis ~~**~~^{*9*} f. somn. %^f abrog. <&5>.2631 *Ficus incisa* ■■■

Habitat in Ceylon. *- <'ricaly y>*&?S

longissima Propulysia resplendens habet crenatum, ut
in marginis apicis (Hort. Ind. 45. 184). et conspicuum2632 *Ficus reflexa* Vahl sp. in Invent. Bot. p. 625.

Ang. *** <*&* Angio. Willd. sp. Pl. in 609.

F. heterophylla Linn. Willd. 4. 139. sive subsp. quinta
Abh. am. Naturwissenschaften.

Habitat in India sylvis et fluviorum ripis

2633 *Ficus virens* Willd. sp. Pl. in 113. Encycl. Bot. 64. 188.

F. guineensis Kort. Berg. 65.

Bala Sudda Bengalensis.

Ranaduk Ban. Burmanorum.

Habitat in Asia et Camerpe ripis inundatis.

Sic multe minores quam in villa Tengam (Kort. Pl. 44. 17.
65) qua F. heterophylla Linn. difficit, et F. agutia Willd.2634 *Ficus crassiramea*.

fructu arboreum eximia Herb. Amb. 4. 85.

Habitat in Tegina, et Camerpe arboribus,

subsequentiis nimbis forte affinis.

2635 *Ficus sermentosa*.

Habitat in Nephela inferioris arboreis.

FilicesCryptogamia Gonopterides

a praecedente forte vix satis finis globis diversa.

236 Equisetum laevi

E. umbrosum Willd. sp. Pl. 96. 31

Habitat in ripis Nipala impiorum ubi.

237 Equisetum scirpoides Willd. sp. Pl. 96. 27

Habitat inter Gamropa Neottianum

238 Equisetum paucisetosum Willd. sp. Pl. 96. 67

Habitat in fluminibus Subia Gangotria minoribus.

Stachypterides

239 Sycodium austrole Willd. sp. Pl. 96. 117

L. phlegmaria Hort. Beng. 75

Silago India orientalis sic. *Phlegmaria membranifolia* Zygaria
Rox. Hist. Plant. 1853.

Toma Ponal Patala Maravara, Toma Pugalalai Kara-
vara, & Eneabi Kourang Hort. Mal. 14. 27 C. A. Prospere
a Willdenowio pro eum *Sycodium phlegmaria*, pl. in
quatuor, conjugata.

Sitakodai Bengalensis

Habitat in India arboribus velutis, opaciori &
manicatis dedit amans Dr. Wallach.

Sycodium Phlegmaria Linnæi cana erecto-plicis
quatuor nunguanis ciliis, sed oblonga pila est cum *L.*
membranifolia Willd. sp. Pl. 96. 11?

240 Sycodium longifolium Willd. sp. Pl. 96. 118

Habitat in Manicatis & dono Dr. Wallach.

241 Sycodium corniculatum Willd. sp. Pl. 96. 119

Burm. Th. Ind. 237. Hort. Beng. 86

L. erectum, *ramosissimum*, *opacissimum* apiblancantibus
dewi th. Leyl. 1857?

L. galbanicum, *erectum*, *ramosissimum* Burm. Th.
Leyl. 1858. t. 65.

Cingulum terra Hort. Amb. 96. 8, 9. 11, f. 1.

musca elevatus ex ciliis cingulatis foliis glangiola
mita mentem Phil. Smalh. 149. 663. f. 3.

Musca zeylanicus eratex, per petra rives, in abores prae-
-£, £* - morpho # - ^, , * - ^ X ^ ~ ^ , * V) * £ ** ? < /,,

FilicesCryptogrammeStachyptilidae.

Bellum Polyn. Hort. Mal. 1857 p. 39.

Habitat in India dumotis bambusis.

Planta Hukou-ti Beccariana et Sonai exulta, an inde
a nocturna diversa?

2442 *Sycophodium circinale* Willd. sp. Pl. 17. p. 22. Encycl. Mett. 145. 92
4&*4A<* *s. filicinum elegans*, s. *Sp. 1798* Promontorii Bonae spei
Plak. alon. 257. Hyg. t. 100, f. 21

Kottayam. Keralae

Habitat in Magadha sylvis

2443 *Sycophodium concinnum* Willd. sp. Pl. 17. p. 22. Encycl. Mett. 145. 92
L. pectinatum Linn. Mett. 145. 15. exclusis synonymis?

Habitat in Mauritiorum sylvis a domo Dr. Wallie.

2444 *Sycophodium convolutum* Willd. sp. Pl. 17. p. 23. Encycl. Mett. 145. 63a
Muscas denticulatus major, ex Gram. inula umbina
absciente Plak. alon. 216. t. 453, f. 8.

Habitat in formicis sylvis humilioribus cypra arbores
truncos pubescentes

*E. Nepala habui plantam sic diversam, bestiatis
subsequentem simillimum, sed folia obtusa*

2445 *Sycophodium plumosum* Willd. sp. Pl. 17. p. 251

Sycophodium pinniforme ? Encycl. Mett. 145. 69. Lyp. 145. 140.
Juniperi officinarum Kuntze.

Habitat in Magadha montibus terrestribus

Præcedenti solle affine.

2446 *Sycophodium mimosoides* Roxb. sp.

Inveni specimen inter plantas a Roxburgio docentes
sed unde habuit nescio

2447 *Pilotum riguetum* Encycl. Mett. sp. 145. 386. Brown. Ann.

Moll.; 145. Swartz gen et sp. Pl. 109.

Bernhardia dichotoma Willd. sp. Pl. 145. 56

Symp. undum Encycl. Mett. 145. 639

Habitat in Mauritiorum arboribus e Dr. Wallie.

2448 *Ophioglossum rotundatum* Willd. sp. Pl. 17. 68. Encycl. Mett. 145. 202. note non Ill. Gent. 63. 254. f. 2.

Habitat in Mauritiorum littoribus maritimis e Dr. Wallie.

FilicesCryptogamicaStackiopteridaceae

- 2449 *Botrychium zeylanicum* Willd. sp. pl. v. 6: Hort. Bot. Bangi, 70.
 Schreyer gen. et spec. Filicarum.
Osmunda zeylanica Sm. Hort. ex. 189; Natur. P. Ind. 228?
 — frondibus lanceolatis indumento viretillata tenui-
 rotundibus Lin: Pl. Zeyl. 377?
Ophioglossum lacciniatum Herb. Ann. 26: 53 t. 63 fig. 3.
 ^ii** <'fc*y% Viretum

Habitat in fossis humidis

Hab. certe est planta a Rumphius descripta, sed nolle
 modo cum charactere Linnaei &c. specificis conciliare potest.

Brachytheciacae

- 2450 *Mastigia fraxinea* Willd. sp. pl. v. 63 Schreyer gen. et spec. Pl. 1891
Myrotheca fraxinea Linn. Meth. in se: codice ill. Gen. v. 6: 865.
 Habitat in Mauritius & Wallisch.
 sequenti similitima

Achismatopteridaceae

- 2451 *Anisopteris fraxinea*
 Habitat in Connexa cyathis humidis siccis
 Prædicti similitima.

- 2452 *Syzygium microphyllum* Brown. No. 1011 v. 1853
Syzygium scandens Schreyer gen. et spec. Pl. 1891
Hydroglossum scandens Willd. sp. Pl. 1897. Exsiccat. Coll. 1897. v. 1898.
 exaltiss. Linnæi synonymia.

M ^ ^ ^ - / ^ ^ * " s £ r / > & ~ f , j r -

Ophioglossum scandens Burm. St. Nat. 227 epaludis synonymia
Polyzia Morrisonii et P. decolor

Ullanthus minus solitaria Herb. Ann. 29, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44.
Tyria salte Bonn. et Thore Herb. Malabar. 167 t. 24.
 Habitat in India pungentia dumosa.

- 2453 *Syzygium semibiplinatum* Brown. No. 1012 v. 1853
Hydroglossum pinnatifidum Willd. sp. Pl. v. 1891
Ophioglossum scandens Herb. Bangi, 75.
Filix clandestina Malabarica majoribus pinnae simplici,
 per ambitus laciniarum ad instar profunda dentata

Filices

• 'y f rfj/rthr'^ • Schismatophorales

Roth Amalthea 95.

Tejera Valle Penna Negrilis Herb. Malib. 1845. t. 22.

Penicharia officinaria Römer

Habitat in subsec. humidis humediscente.

2453 Syptium japonicum Swartz Gen. et Spec. 1800.

Ophioglossum japonicum Thunb Jap. 225.

Gleichenia heterophylloides Linn. botanicae et in catalogo 1800
notata non notatur.

2455 Schizaea dichotoma Willd. sp. Pl. v. 67. nearly gen. et spec. 1800.

Schizaea dichotoma Linn. dichotoma Linn. Sch. 1800 >arr

Habitat in Mauritium montibus J. Wallach 1800.

2456 Schizaea thalictroides

Schizaea thalictroides Willd. sp. Pl. v. 67. sub nomine prope synonymum ad

Schizaea pertinax d^, « ^ ^ r ^ ^ > i - ri ^ ri a fcig- v

G. mucronata Roth Berg. 75.

Acrostichum siliquosum Linn. Linn. Sp. Pl. p. 109.

A. thalictroides Burm. P. Ind. 229

^ - ^ ^ ^ ^ ^ ^ / ^ ^ - ^ ^ r ? ^ ^ ^ w

x sterilis, latioribus lim. S. Leyb. 177. 64.

y * Lf * fz * ~ / ^ ^ W 4. < * - * p *** > 2 fu - ~ Burm. Flav. Leyb. 222.

Millefolium aquatum Herb. Ambur. 175. t. 74. f. 1.

Habitat in subsec. aqsis inundatis et stagnis inter plantas
natantes raticans.

Habitat at omnibus mire cogitatis diversis. ^ - / T * > j ^

y Roth. Abh. 295. Phyt. t. 215. f. 3. qua Acoroidium aqua-
tum et Burmanni (P. Ind. 182) caputus habet in singulis
area digesta ex parte iugulari diversar. analogis vel somnis
differt caput "i" r. 1 — JO" ratas, et habitat.

2457 Mortensia dichotoma Willd. sp. Pl. v. 70. Burm. Linn. Sp. Pl. 1800

Gleichenia Normannii Brown Nov. Nat. 44

Polypodium dichotomum Linn. Linn. Sp. Pl. 1800 t. 107.

P. linearis Burm. P. Ind. 182. t. 167. f. 2. sub nomine prope synonymo patet.

Folia fronte ramosa foliis conjugatis, foliis pinnatifidis, pinnis
lineariis integerrimis contundatis Lin. S. Leyb. 629.

Folia ramosa pinnatis (ramonibus effusis) divisionis integrat.

FilicesCryptogramia Schismatopteridæ

notra angustioribus semol. aut his differtis Burn. Flav. Zyg. 97 ex Linnæi autoritate, sed nonne potius Filic. Smilac. ramosa Alpini, angustioribus raro foliis, et tantum semol ad basin stolidus Flav. Zyg. 97:

Filix calamaria Lork. Sp. Pl. 185.

Habitat ubique in India dampnis.

GymnophpteridæPolykotria ricinaria

Habitat in Gymnophpteridæ orientalis sylvis

Acrostichum esculentum

Habitat in Gymnophpteridæ orientalis ricinis siccis.

Acrostichum conicum Wallach. Mf.

Habitat in Mauritiorum ripibus.

Acrostichum vestitum Wallach. Mf.

Habitat cum precedente.

Acrostichum viscosum Willd. Sp. Pl. 24. 163. Burn. Fl. Ind. 185.

Habitat cum precedente & a. St. Wallach.

Acrostichum pruinosum Willd. Sp. Pl. 24. 163.

A. auritum Linnae. uW > /' / IJ,

Habitat in Mauritiorum sylvis & St. Wallach.

Acrostichum magnum Willd. Sp. Pl. 24. 175.

Phyllitis India orientalis Bontius sp. Thib. Ann. 158.

Filia non ramosa foliis integris, non serratis, maxima long. orientalis Bruguiæ apud umbra, perporam conjuncta cum filaria America pinnis acuminatis, et Phyt. 6. 2. 15. p. 2. acutiorum, plantam pinnis obtusis representantem. Habitat in delta Gangarica atque inundatis.

Acrostichum appendiculatum Willd. Sp. Pl. 24. 163.

Habitat in Gymnophpteridæ orientalis montosis humidoventis.

Somaria acrostichoides

Habitat in Gymnophpteridæ et Kephala sylvis

Somaria cinniformis Wallach. Mf.

Habitat in Mauritius

Somaria 4&O**LJL**c/tL tbrffU***

Hemionitis mamara Willd. Sp. Pl. 24. 127.

A. lanceolata Willd. Sp. ed mon Willdeanum

Habitat in Mauritiorum sylvis & St. Wallach.

Polyodium spissum Willd. Sp. Pl. 24. 163. Enc. 158. Sp. 24. 222.

E pertusum Hort. Berg. 75.

Habitat in India Gangarica arboribus parasiticis.

Filices

Cryptogamia

Synaptidae

SilicesCryptogrammatae

Silicea similes sed minor *Silicea pumila* *polysticha* *virginiana*
Burm. Abh. 157 Phytot. 686 f. 6

UP rt? & ^* & «~<> *sophoroides* Thunb. Act. Soc. Lin. Lond. v. 349 fasc. 10
sup: 16, 516?

Alepidium sophoroides Willd. sp. Pl. 16, 333: Schreyer gen. et spec.
Polypodium unitum Thunb. Jap. 337. ^{156, 337}

Silicea (hinc genere minus auriculata) *pumila* *basin* *apicem*
prosticta, summa folie longius tenuiora. Thunb. 161, 332.

Kongchau Sinkien

Habitat in Craggy rocks humidis

Nedea *Ranunc* *synonyma* *omnia*, n. s. *Neckonotis*, n. s.

Asplenium unitum (L.) *particulatum*

2479 *Polypteron inbarbarenum*

P. punctatum Willd. sp. Pl. 16, 338: Schreyer gen. et spec. Pl. 29:
Thunb. Jap. 337?

Habitat in *Gymnophya orientalis* cybris humidis.

2480 *Brachypteron articulatum* Willd. sp. Pl. 16, 333: Schreyer gen. et spec. Pl. 29:
B. articulatum Presl, 1854, *cyclocaea* *synonyma*
Humieri et *Peltariae*

Habitat in *Mauritiaceae arborescens* D. Wallach.

2481 *Asplenium trifoliatum* Willd. sp. Pl. 16, 333: Schreyer gen. et spec.
Pl. 29. Korthow 7, 92

Myrsinum Presl loc. Meth. 9, 545

P. trifoliatum Presl loc. Meth. 9, 545?

Silicea *Polypteron jamaicense* *hypolephyllum* *Morina pseudosimile*,
summa folie carnis dentatissima profundissimata Willd. Abh. 157.

Phyt. 6, 187, f. 6

Habitat in *Mauritiaceae* D. Wallach

ft& e / f*4^~* >^rtM^>4^l.^C'/fc 7, 285?

Asplenium Schreyer gen. et spec. Pl. 29: loc. Meth. 154, 155?

note non Willdenowii sp. Pl. 28, 286 non *frondis glabra*.

Polypteron fallax Presl loc. Meth. 9, 545 non *infolium*, non
carinatum fallax in Neckenotis non ad *Elaphri* ad *glandulosum*,
ni filia similis, referendum est.

Polypteron carinatum Burm. T. Ind. 1861 has note non in Thunb. 161, 338
f. 156, 337?

*Filices**Cryptogrammaceae**Gymnophloideae*

Habitat in Campana sylvis montibus

Nunc salvo quod de figuris Smilie. ad loco diversa.

Actinogramma et Polypodium fructaria. Lophoscytis

foliis quadrangularibus convexus pinnatis amplius mucronatus

circa margines serrato-latisimilis fagopyriterinus sis. Plak. Am.

152. t. 289. fig. qua a Willdenowia (Sp. Pl. v. 218) et Scutch (Gen. et Fig. T. 145)

pro agrestis cicutaria (non ab Hippocrate in coll. Hipp. in

45. obs. & viam) citatur, ad eadem tempore Gymnogramma Plak.

Plantae (t. 296. f. 2) sita, neque illarum, quam suboculis habent, diversa.

2483 Aspidium 1. oblongum Willd. Sp. Pl. v. 287. See. Mitt. Aug. 1850.

Davallia multiflora Kuntz. Nuy. 73.

Habitat in umbrosa prope plantas.

Nunc facies affinis, sed pinnis carinatis. Filicula monilis

et runcinaria Grisebach Plak. Am. 102. Phys. t. 156. fig. 1. Apie nomen

2484 Aspidium splendens Willd. Sp. Pl. v. 221. ^{oblongum}

Polypteron punctatum See. Mitt. v. 53.

Aiana Pinnas Kuntz. Mitt. v. 6. t. 2. Hypericum Baumanni (See

Zeyl. 89) cum Filice japonica dentata non ramosa, qua

Nephrolepsis unitum (Brown Nov. Holl. 188) conjugata

Habitat in Mauritius sylvis vulgari pinnis denticulatis

hinc sola offic Polypodium acutum Burn. ⁷ ^gjj

2485 Aspidium unitum Scutch. Gen. et Sp. Pl. v. 28. Willd. Sp. Pl. v. 287. Aug.

secondum. Ab Randa (Nov. Holl. 188) p. 2. sub Aspidium ex lichenis

frondis et Hormannii, quibus frondes subtilis glabri synonyms

Burni et Hormannii. See. Mitt. Aug. 1850. p. 1. Posterioriter

figuram terminata, dubitique an a Filicula nostra diversa, hanc

enam distinctionem et distinctum *^*^* V • %

Nephrolepsis propinquum Brown Nov. Holl. 188!

Polypteron unitum Burn. t. 143. ex hinc synonymis Burni

et Plakonotus postea ^ . ^ ^ £ , Mitt. Sup. 53. See. Mitt. Aug. 188

Filix non ramosa major pinnis longis angustis profunde dentata,

superiora pinnis longius mucronatae. Madagascarii. Plak. Am.

92. t. 453. fig. 6.

Habitat in Campana stagnis inter plantas rotundis radicibus.

Invenimus nomen ab aliis, unde forte ad Monogramma numerum 1275

potius referre debuit.

Filices

Cyrtogramia Lycopodiaceae
 2486 Aspidium hirsutulum Willd. f. Pl. v. 232. Sua. Aue • ^****^W

Swartz. gen. et sp. Pl. 322.

Filia pinnata palustris virginiana ^ ^ J i a d i , y W ^ * * . * * . > S > ,'
 figura emarginata rtfm. <

Habitat in campo humido pratinum * u * E ~ it s u l o r u m b

Nodus ann * - & * j U S * J > y + ^ t ^ U , * f \ S f C e j ^ ^ J * ^ " ^

2487 Aspidium hirsutulum? in intra

Habitat in Mauritia * r ** r ~ & m < ^ & , , , < J .. > r ^ X J f e ^ t * . ^ -
 4 * - < * * J u n t e p a n ^ f l & t * * . r ^ J s , , ^ ..

2488 Aspidium parasiticum Sf^, ^ S f r A T < t M f > * C * j f ^ , J ? \$ C ~ [X6]

/ * f / ; i + s i m m o l l e B r o w n - K e y H o l l , 1 4 2 .

Polyposidium parasiticum Sw. Willd. v. 520. Brown. 1863. 236: euclad

Habenaria synanyma

Kai Willd. Bonn.

a. Plukenetia (Menzib.) em.

As. Dhangdya Rong

Habitat in Nagadh

In carnata viti t * s t n * m - ~ n _ j ^ & f * * * * > * , f t * e t * / d > S L ? * * ^ ^ * * &

Rheubar. sed neque h

2489 Aspidium pilosum Colbran

Willd. Sp. Pl. v. 233:

Davallia pilosa Hort. Stev. 25?

As. Dhangdya Bengalenium viti 2477-2488.

Habitat in canca agnos

^ / A ' < A * ^ , 4 * - * * * . * (* * , / " J > ' ^ L) (J , - ^ ; ^ ,

2490 Aspidium eximium Wallce C' A.

Polyp. * f ' i m eximium Brackb. v. 528

Habitat in Mauritius. Dr. Wallce

2491 Aspidium concavum Willd. f. v. 233. Swartz. gen. et sp. Pl. 321.
 Willd. Sup. v. 521.

Hypoleuca atropurpurea Sw. Willd. v. 233.

Habitat in Pinus pinaster Montes de Tlaloc.

2492 Cyathia arborea Willd. Sp. Pl. v. 231. Swartz. gen. et sp. Pl. 321.
 pinnata acuminata dicosa

Polyposidium tectorium Sw. Willd. v. 529. cui pinnula obtusa

Palmifolia postuma Hort. Amb. v. 83. cui non s. s. cui pinnula

FilicesCryptogramme Spyratochlaenii

ante integrum, et gen. Polypodiacearum presentat.

Habitat in Mauritius e. Wallach.

- 2493 *Gymnosorus willdenowii* Schlecht. sp. nov. ex fil. 93: Ins. Willd. dep. n. 127.
Habitat cum pteridophyta.

2494 *Gymnosorus esculentus*

Dickeoeca polypodioides Willd. sp. Pl. v. 47. Ins. Willd. dep. 438: Linnæi,
Genit. Spec. Pl. 6. 91.

Habitat in Campanula cylindrica ad circulus.

Specimen ex Ghoraghat parvum museum. Manganas ad genus
Asplenium Browni forte referendum.

- 2495 *Darceia aculeata* Willd. sp. Nov. ex. Willd. sp. 23422.

(comptum <**> ^ ^) ex. Schlecht. gen. et spec. Pl. 52.

Acrostichum uniforme Willd. sp. 28. Linnæi p. 129.

Habitat in alluvialibus e. Wallach.

- 2496 *f. Stach mit ti^*-"*

Habitat inter laga in Campanula circulus.

- 2497 *Asplenium Nicaeum* Willd. sp. Pl. v. 215. Schlecht. gen. et spec. Pl. 149. Brown
ex. Nov. Holl. v. 6. 181. Willd. sp. 234.

Habitat in Campanula orientalis arboreis.

Asplenium arboreum Willd. sp. 22. Linnæi p. 1. Linnæi, præcognition
propter ad descriptio nonne, sed propter prædictum in " "

- 2498 *Asplenium pellucidum* Willd. sp. Pl. v. 219. Ins. Willd. sp. 245.

Habitat in Mauritius e. Wallach.

- 2499 *Asplenium cuneatum* Willd. sp. Pl. v. 219. Ins. Willd. sp. 245: Schlecht. gen. et
spec. Pl. 161.

Habitat cum pteridophyta. non in Campanula circulus.

Hab. affinis, sed diversa. Plak. C. 255. p. 2

- 2500 *Asplenium proliferum* Willd. sp. 245.

Asplenium antipodum Schlecht. gen. et spec. Pl. 161. ex. Willd. sp. 245.
v. 245. Ins. Willd. dep. 439.

Linnæi. *Lindsaea* Willd. Plak. 255. p. 2

Diplazium esculentum Willd. sp. Pl. v. 216. Ins. Willd. dep. 43. 216.
sit nomen in erroribus.

Miniscium proliferum Willd. sp. Pl. v. 215.

Komisium esculentum prolifera Schlecht. gen. et spec. Pl. 161.

FilicesCryptogrammidaeGymnophloidae

Filix malabarica Hort. Nutt. v. 7. p. 39.

— ramosa Subula orientalis pinnules subrotundis costis.

recurrentibus, ad versus versus parte arcuata pinnulae
luminis alio marginato. Plut. Smalh. 92.

Ova. Anna. Maracara Hort. Mal. v. 2. p. 15.

Dhongkya Bengalensis

Habitat ubique in India ratis fluviorum stagnorum oppo-

3501 *Pteris amphioxantha* Hort. Flora 75

Pteris vittata L. Willd. sp. Pl. 25

Polyptilium trifoliatum Burm. Fl. Ind. 22. t. 67. 3.

Habitat in India umbrosis frequentibus.

Nigra. Basiminae lati semilatitudine pinnis basi rotundatis, etc.

et foliis raro 3-lobatis. Polyptilum concolor, i-frtfc'f-r'i./Vy — Thes

tribus sive lati distincta.

3502 *Pteris vittata* Willd. sp. Pl. 25. 352. sive in Savanty. (See et hoc 3501),

cui pinnis basi rotundatis, et igitur sive a 10 mm diametro

Habitat in India umbrosis frequentibus

sive satis a frumento sole dulcis subrigidae distincta.

3503 *Pteris longifolia* Willd. sp. Pl. 25. 353. sive in Savanty. See et hoc 3501.

Habitat in India umbrosa

sive subrigidae processuibus acutis subspinosis sole distincta.

3504 *Pteris castanea* Willd. sp. Pl. 25. 354. sive in Savanty.

Habitat in India umbrosa

sive a tribus praecedentibus satis distincta; pinnis forte subangustis
narrowe (s. amplissimis) inclinatis; sive a 10 mm diametro.

Filix pinnata pinnas glaberrimas transversaque in Savanty in
S. Helena Plut. Smalh. 502. f. 8

3505 *Pteris anomala* Burm. Fl. Ind. 22.

Racemulata Savanty. See et hoc 3501. Et foeces bipinnatae filiae
Willd. sp. Pl. 25. 355. sive synonyms Hort. Nov. v. 18. 2. Smalh. 502.

ubi plantae amarantinae sive foeces in India distinguuntur. See et
199. obs. 13

Pteris crenata Burm. 18th. v. 7. 15. Savanty. See et hoc 3501. sive suban-

gustipinnata pinnis crenatis, et Pteris. dt<r.v. < ^ > « W | »

qui perhanc distinguunt plantam Parvum. sive *Pteris* Cibodont.

Filix pinnata pinnata, pinnis uniformibus, serratis, infraorbitali
opposita, infuscatis longe angustis sive T. T. T. 2. 6. inclusis

Silices

Phlebotominae Lycostopterides
2^3^*^-Λ/**ΛΛΛ**

Polyphlebia caerulea Similis, of this simplicifrons, varii, longis. Anony
Baron. Proc. Zool. 1956: 87.

Filicula flaccidissima & *Krombeinii* multijugis folio transversione ante,
a marginis conosifere Hart. Smotht. Gd. t. 497 f. 22 v.
Habitat in Canaria orientale umbrosit.

Floris corollata Americana forte destinata a Recensato esse,
sic a posteriori species duas confinxit Willdenowii Meissner
planta adiutrix a *Roridula europea*, nec a *Pennaria glauca* Monier.

2006 *Pteris polystoma* (L.) Presl, sp. n., var. subtilis on *P. hastata*, p. 720, non
Abutilon Willd. *polystoma* (pp. 15, 734), var. *acuminata* (Lam.)
acuminata (Presl) Presl, sp. n., also sp. n.

Moris atropurpurea (L.) Willd. sp. Pl. 11: 22375. Bonniers Lophius, 599 obv.
Moris hyalata Swartz, Gen. sp. 1800. Tellus 697 sub foecas et in
notis, ephedrae composter.

Pilea Higiana Thalictrographia folia rugosae petiolo-
rigue, limbis pinnatis levioribus pulverulentis Flitt. Smith. 926. 52.
fr. 2. folio similiter sed pronosterantibus decompositis
Habitat in illauratis a. S. Wallis.

257. *Pteris tremula* Willd. Sp. Pl. 356.

Pseudoneuroctena *longistylata* n. sp.

Fibrofrons *ft***+is* *JU~~*^ <\$&*£*/< ^^<&pe&<± t4* *infronibus conjugatis Lin A 2016 408*

Filix furcata Willd. f. *angustioribus pinneis*, *affirma* ad ^{var.} *ad* *angustioribus*
pinneis, *caeruleo* *foliis* *luteo* *flavis*. *Kurt. Monit.* 53, 1920, fig. 1.

Habitat in India aquosus, riti in canana vito formosa.

2685 *Pteris argentea* Linn; Mett. v. 741. Corp. n. 599862, 77 Mts. off R. v. 38, 7 Nov.,
now v. 128 evolus Blakemore. Syonyma.

Habitat in Mauritius a. S. Malabar.

3689 *Pteris lamuginea* Willd. sp. nov. (see plate 2, fig. 1-2)

Habitat cum presentem et ultimam

Haia affinis, *Filia Recoragonensis*, elegans canosa pinnis
carioribus profunde dentatis apicatae, rufa, sinuosa, acme
licetus mucronem laevissima reportat. Plant. Obov. Gl. 22. l. 1.

2310 *Pteris farinosa* Willd. sp. Pl. 17: 197. Spec. Method. 1778. Descript. Gen. 1844. Fig. 224, f. 2.
Pteris bicolor Roxb. Lp.

Abianthus nigra s. *spicatus* Schleicher *conspicua* Rink sub-

Cryptogramia Cryptopteridæ

N. Phyt. t. 4, p. 53 Rajah Nat. Park 1853.

Karijhanine officinarum Kuntze

Habitat inter Nagatharosa.

Nessis ammonopteris cum cheilantho glaciaria ob efficitatem
cum C. tenifolia (2519) Linnemann2511 *Vittaria zosterophila* Willd. sp. Pl. v. 508 Enc. Mett. Supr. v. 492

Habitat in Mauritiaceum arboreum e St. Wallach.

2512 *Blechnum scandens*

Habitat cum præcedente

2513 *Blechnum orientale* (Willd.) sp. Pl. v. 510 Enc. Mett. Supr. v. 492

Habitat in India montibus umbrosis

2514 *Adiantum reniforme* Enc. Mett. v. 48 Supr. 1, 138. Michx. v. 8 Pl. 5, 2. Swartz
gen. et spec. Pl. v. 2, Nat. Kurs. 520.*Adiantum aceroplum* Willd. sp. Pl. v. 527Folia hemionitis dista ab alterius speciebus glandulosis
negligi aromatico foliis assuvi extenuis rufibus excurrentibus
oblongo quadratis, ob unica abcurrentia per ambitum
circumviciis reflexis Plast. v. 1, 155. Phyt. t. 257, f. 2; vide Swartz
400. ad calcem.Habitat in Mauritiaceum montibus e St. Wallach.
Planta insularum Africanoarum Abundans et lamina
descripta non diversa, ut videt Willdenow de plantæ
Sloani americana nihil sive.2515 *Adiantum lunulatum* Willd. sp. Pl. v. 530 Michx. v. 8 Pl. 25.Swartz gen. et spec. Pl. v. 2, Nat. Kurs. Mett. v. 48 ubi pagina inter
specie foliis indistincto recentior.*Adiantum lunulatum* Enc. Mett. Supr. v. 494.

Plants lunulatum Enc. Mett. v. 494.

Adiantum L. Richomnes Berolinensis maximum serratis foliis
auriculatum Plast. v. 1, 155. f. 6; a Linnemann (Pl. v. 53) ad
polypodium auriculatum f. rotundatum.

Aspera Rottb. v. 7, p. 180 non spiculata in Latin edition.

Aspera Rottb.

Habitat aliisque in India umbrosis virgines

2516 *Adiantum chirapharum* Willd. sp. Pl. v. 531 Enc. Mett. Supr. v. 495

Habitat in Mauritiaceum e St. Wallach.

FilicesPleurogymidaeSphaerophorides

2517 *Adiantum caudatum* Willd. sp. pl. 22. Spec. Pl. 182. Suppl. 182.
Swartz. Gen. et Spec. Pl. 44.

Adiantum caule reflexa pinnulas alternidivis, in summa
erectis et paucifere curv. hoc Huds. t. 9. N. L. R. 1816.
minus quam in nostra planta incisa.

Habitat in Bengala umbrosa.

Magnan habet officinalem cum Davallia tenuifolia (2523)

2518 *Adiantum capillaceum* Willd. sp. Pl. 22. Spec. Pl. 182. Suppl. 182.

Hab. gen. t. 870. ex Swartz. Gen. et Spec. Pl. 44. Hort. Nov. 1820.

Willd. N. Brit. 29. 1828.

Adiantum conoidipholum Willd. t. 82.

Adiantum pinnatum Schleicher., pinnulas ampli,
subrotundis, exponendo rotundata pinnula, pinnulae foliis
petiolis in cibitis. Blatt. Am. 1a. Huds. t. 253. f. 2.

Habitat in subtrop. America ad fluvium Guadalupe. 30° in
Mauritius e. D. Wallach.

2519 *Cheilanthes tenuifolia* Willd. sp. Pl. v. 600. ex loco pote agnosc.

Retz. Mon. Nov. Holl. 1. 155.

Adiantum varium Linne. Hort. 1. Suppl. 182.

Olivea nigra Linne. Hort. 1. 182.

Acrostichum tenui Swartz. Gen. et Spec. Pl. 10.

Trichomanes tenuifolia A. Brum. Pl. 1. 1827.

Dagopteris complanata Korb. Ann. 19. 77. f. 2.

Lika Bengalensis.

Habitat in Moltice humicentris.

Hinc affinis *C. acutifolia* Willd.

2520 *Cheilanthes Daubia* Willd. sp. Pl. v. 62.

C. acutifolia Willd. sp.

Habitat in Mauritius e. D. Wallach.

Adianta gigantea Willd. sp. pl. 22. Spec. Pl. 182. Suppl. 182.
loc. probat. amicissimum D. Wallach, frondosum tantum tri-
angulatum.

2521 *Soraphila hispida* Willd. sp. pl. 22. Spec. Pl. 182. Suppl. 182.

Linne. Hort. 44. 182.

Habitat in Mauritiam exoptata. D. s&ttz^

- Filices Cryptogamia Gymnophorides
- 2522 *Davallia pedata* Willd. sp. Pl. 1800 Swartz Gen. et Sp. Pl. 1800
Adiantum repens Linn. Blatt. 1800 p. 144
 Habitat in Mauritius e. D. Wallach
- 2523 *Davallia tenuifolia* Willd. sp. Pl. 1800 Swartz Gen. et Sp. Pl. 1800
Adiantum tenuifolium Linn. Blatt. 1800
Adiantum nigrum chinense tenuiter divaricatum
 pinnae lineo-minimis obtusis plurimumque bipinnis Raja
 Nist. Pl. 1854 Pl. 1854 10. Physiol. & f. 1.
 Habitat cum araceoideis.
- Affinitation habet quod ad genus cum 2527
- 2524 *Trichomanes undulatum* Wallach Mpf.
 Habitat in Mauritiorum arboreis.
- 2525 *Trichomanes atrosum* Wallach Mpf.
 Habitat in Mauritiorum eis humectatis.
- 2526 *Hymenophyllum tenui* Wallach Mpf.
 Habitat cum praeidente
- 2527 *Hymenophyllum decurrens* Wallach Mpf.
 Habitat in Mauritiorum arboreis
- Hydropterides
- 2528 *Selvinia natans* Willd. sp. Pl. 1800, Invent. 1800 p. 1800 K. gen. 1800
Selvinia emarginata Hort. Beng. 1800
Lemna palustris patronum J. C. Presl, Rec. Plant. 1800 p. 200 (non
 Penn. Bengalensis)
 Habitat in India Gangotica stagnis effervescit aqua
- 2529 *Selvinia emarginata* Hort. Beng. 1800
 Habitat in India stagnis
 Fructificationem non vidi.
- 2530 *Marsilea quadrifolia* Willd. sp. Pl. 1800
Lemma minuta Invent. 1800 p. 1800
Marmarita fluitans
 Habitat in India Gangotica ad stagnum aqua.
- 2531 *Agulla pinnata* Persoon Nov. Bot. 1800
 Habitat in India Gangotica stagnis.
- Muscæ

Musci2533 *Dicranum acutigium*

Habitat in ripis campestris humilibus abruptis arenosis

vite speciosa sana cum 2536

AlgaeNyctagia2533 *Chlorococcum cyathis* Sm. Molt. Syl. 1895

Habitat in ripis ad fluminem fluvium vel

2534 *Marchantia polymorpha* Sm. Molt. 1895

Habitat cum praeedito

2535 *Marchantia stellata* Sm. Molt. 1895

Habitat in Campestris ripis abruptis humilibus

sana cum hoc specimen est Dicranum acutigium 2533.

2536 *Lichen leucomelas* Sm. Molt. 1895

Habitat in Nigrae rupibus et arboribus

2537 *Lichen furfuraceus* Sm. Molt. 1895Habitat in ~~Nigrae~~ ^{AAA. A. A. V. T. A. A. P. A.}2538 *Lichen furfuraceus* Sm. Molt. 1895

Habitat in Nigrae arboribus

2539 *Lichen implexus* Sm. Molt. 1895

Habitat in Nigrae arboribus

2540 *Ulvæ usneoides*

Habitat in Campestris fluviorum locis fluvialibus

2541 *Ulvæ filamentosa*

Habitat

ie3 S /

Obovata plantæ in systemate cognitæArbores foliis & j64*k bus alterno integrerimis.2542 *Bhelli angulosum* Sturmiæ

Habitat in Campestris montibus sylvæ

2543 *Mormoni angulosum* Bhullar

Habitat in Moltæ sylæ

2544 *Sophidæ angulosum* Alangium?

Habitat cum precedenti

2545 *you karan* Kinsice (varia)?

Habitat in sylæ Montibus.

- Aiborus simplicipetiolata Oliv. plur. alterne integrigineae
 2546 Kari & Khursh. Hindoo Kauar
 Habitat cum praecedente
 subsequentibus sicutis affinis
 2547 Gundhai Hindoo Kauar
 Habitat in Camphora sylvis
 Musio in a subsequenti distincte praecedente prope affinis
 2548 Chophali Kengalensis Kauar
 Habitat in Camphora sylvis.
 Quibus praecedentibus sicutis affinis
 2549 Patayat Hindoo Kauar? Messia numon Ulmus integrifolia affinis?
 Habitat exsicca sylvis
 2550 Daphniphyllum Kengalensis Lapini affinis?
 Habitat in Camphora orientalis sylvis.
 2551 Sikat Hindoo concolor?
 Habitat in Cladica Montibus
 2552 Jyotjal Kengalensis? Terminaria Montana?
 Habitat in Camphora orientalis sylvis.
 2553 Hogar-Bel (coronum Agh) Kengalensis Chrysanthemoides affinis?
 Habitat in Matica sylvis.
 2554 Phikuri Hindoo Glycinia? Lauris affinis? ~K
 Habitat ad fundum in Palpus montibus.
 2555 Mimosa coerulea? Myristicais affinis?
 Poco Mugla Rohitkot 2545-52 huic specie similes
 Habitat in Camphora borealis sylvis.
 2556 Malayageri Montanorum Hindoo hamiltonii? ttm&t***'***'
 Habitat in * t f {/t***&* &9i ^<i|f rfn/^ afroasiana
 2557 Harba Champa Kengalensis long', *-{. *++JK~, mm**j* f*** amp. d'***
 sponeris ab illo Lauri Champa longifolia Hamamelis famina Wistaria lutea?
 Habitat in Camphora orientalis sylvis
 2558 Gidha Hindoo Lauris?
 Habitat in Mugla sylvis
 Præcedenti affinis est golic neglecta.
 2559 Lal chanban Montanorum Hindoo Kamilla Nigra JKC
 Lauris affinis. Taksim habitat Vitis thunbergiae amurensis 1202.
 Habitat in Nyssa colorata?
 2560 Harba Kengalensis comp. Salmantica Kiran 2554.
 Habitat in Camphora orientalis sylvis.

Arbores simplicifoliae. Obvoca plus alterius integracionis.

- 2561 Chalpatia Bengalensis *glossa* Mysore
262 Habitat in Camphora orientalis sylvis.
- 2561 (young Bengalensis) Philomorpha?
Habitat cum precedente.

- 2562 Amla Bengalensis Antidesma polynoma Wanda (3/35) diverse
Habitat in Matica sylvis.
- 2563 Guyadangi (artea dentata) Bengalensis Phelotis?
Habitat cum precedente.

Dentatifoliae.

- 2564 Belavat Hindice. Cordia?
Habitat in Cicala sylvis
- 2565 Kongkar Hindice. Hydnocarpus?
Habitat in Cicala sylvis.
- 2566 Dhaman Bengalensis Grewia usitata varillata?
Habitat in Matica sylvis.
- 2567 Jujuya Hindice Malvaceae affinis?
Habitat in Magadha sylvis
- 2568 Keri ^ A ^ Elaeodendron?
Habitat in Cicala sylvis
subgenus? subsp. affinis.

- 2569 Bairava Hindice Elaeodendron?
Habitat cum precedente.
- 2570 I ^{*} Kiri Hindice Elaeodendron?
Habitat cum precedente.
- 2571 Bangya Bengalensis Sonninga?
Habitat in Matica sylvis.

- 2572 Kunti Bel Hindice.
Hab. rtaf^c v Magadha sylvis.

- 2573 Peropatiya Bengalensis Elaeagnus?
Habitat in Camphora orientalis sylvis

- 2574 Paropatiya Bengalensis (rotunda)?
Habitat cum precedente.

- 2575 Lalpatiya (rubrum folium) Bengalensis (rotunda)?
Habitat cum precedente.

- 2576 Sonamjor Hindice. Narica?
Habitat in Magadha sylvis

- 2577 Kora Bengalensis Pterocarpus?
Habitat in Camphora orientalis sylvis.

- Arbores oppositifoliae Obscuræ folis ampliatis
- 2578 Munir phul (*Sanctorum punctatum*) *Bengalensis* *longipetala*, *ob longipetala*.
Habitat in *Matsia*.
- 2579 Makar Kenda. *Bengalensis* *moniliformis* *Rubinera*.
Habitat in *Gaura montana*.
- 2580 Patel *Bengalensis* *Rubinera*
Habitat cum precedente
- 2581 Losh *coniosporum* *Bengalensis* *Calyptrothecae*
Habitat in *Matsia* *cylaris*
- 2582 Sat'jam *Bengalensis* *Calyptrothecae* *ob petiolatum*
Habitat cum precedente
- 2583 Rongle *Bengalensis* *Rhamnoides affinis*
Habitat in *Gomphrena orientalis* *lychnis*
- 2584 Gond soi *Bengalensis* *Rhamnoides affinis* *ob petiolatum* *variegata*
Habitat in *Gomphrena orientalis* *lychnis*
precedente *affinis*.
- Arbores foliis lobatis et compósito
- 2585 Ben Kipach (*Sylvestre gopylellum*) *Bengalensis* *Rubinera*, *ob non*
A. nitifolia, *qui nomen idem*
Habitat in *Gomphrena cylaris*
- 2586 Ben Gangga (*Sylvestre gopylellum*) *Bengalensis* *Melanocarpus*?
Habitat in *Matsia* *cylaris*
precedente *affinis*.
- 2587 Kara piga *Bengalensis* *Gargi*?
Habitat cum precedente.
- 2588 Karan s. Kangruor *Kentice*. *sakunus*?
Habitat in *Magnolia* *cylaris*.
- 2589 Jekor *Bengalensis* *Melica affinis*?
Habitat in *Gomphrena orientalis* *lychnis*
- 2590 Surushor *Bengalensis* *Melica affinis* *ta* *Rubigine* *indigena*
Habitat in *Matsia* *cylaris*
- 2591 Sugtil *Kentice*, *casam* *cum* 931.
Habitat in *Magnolia* *montana* *aristata* *sessilis*.
- 2592 joi Karinba *Bengalensis* *Melica affinis*?
Habitat in *Matsia* *cylaris*
- 2593 Karin-Kara (*erosum* *Lyrobolans*) *Bengalensis*. *an ob elongata*
Phyllantho *affinis*? *Diversipinnata* *ab interscissa*.
Rohitaka *Karb*. *Bengalensis* *idem nomen* *synonymum* *Jadi*.
Habitat in *Gomphrena orientalis* *lychnis*.

Fruticosa.Obscuræ.2594 *Endlicheria macta*Habitat in *Gamopha montibus*2595 *Methobis late Bengalencium**Roxburghia suaveolens* Korth. Bong. 421*Tunisianoniformis* Korth. Ann. 22. t. 7. ~~1822~~Habitat in *Gamopha orientalis* Sykes.2596 *Stramoniocharon*, in *Kousarea spinosa*Habitat in *Gamopha cypria*.2597 *Acorus affinis* planta solitariaHabitat in ** ^>><-*y*o<<- *j^tf•>*2598 *Kalsear*, *flavata* *fructifera* in calore cum 16521

Habitat cum præsente.

2599 *Sobies pinnatifolius maximus*Habitat in *anuga ad fluviorum rives*.

iSJufem 6<**s<I*s*>s~~t~~ *ordinem naturalium secundum alphabolum digestis,*

八

Abronia	1026.	Acerides	944.
Abrotanum	1076.	Aerua	623. 655.
Abus	1023. 1045.	Aechmyces	1047. 1049. 1050. 1056.
Abutilon	1022. 1026. 1038. 1046.	Aesculus	907.
Acaia	1022. 1029. 1031. 1038. 1035. 2026.	Aethionema	1072.
Acalypha	1094. 2018. 2070.	Aegilops	1071. ^{see} Agave
Acanthaea	61. 73. 1025. 1075.	Aegle	1071.
Acanthus	1070. 1072.	Aegly	1047.
Acer	1062.	Aeguation	1061. 1062.
Acora	#1. AQ. 977. 2067.	Aegyptis Khan	2315.
Actaea	893.	Aylaia	618.
Achillea	1025.	Agrimonie	1024.
Achin	2245. 2274. 2449.	Agrastis	2009. 2101. 2103. 2104.
Achras	880.	Agyrra	2072. 2072. 2094. 2095. 2095.
Achyranthes	102. 1050. 2049. 202. 2055.	Akingkha	559.
Acrostichum	2105. 2106. 2109. 2110. 2109. 2109.	Ajgar	1045.
Adonis		Aica	303. 308.
Adansonia	1027.	Airoga	2423.
Adbara	2118.	Aijuga	1079. 1232. 1272.
Adhatoda	45. 46. 55. 105. 1062.	Aiki	775.
Adiantum	2052. 2110. 2077. 2523.	Akhonde	775.
Adiantum	2574. 2526. 2532.	Aksu	106.
Adiopatoya	1053.	Akta	1073.
Adraek. & Adraha	8.	Alegnata	1053.
Adulteina	559.	Alaiche	13.
Aeg.		Alangium	1067. 1119. 2584.
Aegiceras	582.	Alasmunda	1785.
Aeginetia	1029. 1030.	Alca	1032. 1033. 1034. 1035. 1037. 1038. 1039.
Aegle	1116.	Alca	1044. 1045. 1054. 1057. 1059. 1060. 1061. 1062. 1070.

she

37 Ame

- Aleurodella* 635
Aletis 869.
Alleurites 225-234.
Alga 853-854.
Alpinia 196.
Alitos 973.
Aliena 973-986.
Alismataceae 973-975. *Amocas mesta* 1085
 996. 2049-2051.
Almekangi 526.
Altaria 332.
Aloues 3235.
Alpeurus 23759. 237, 252.
Alpenrose, veronica 1285.
Alpinia 8-11.
Alpine 85, 111, 312, 313, 373, 692, 718. *Alpinia* 926-929.
 118, 231, 1673.
Alstrophiella 3496.
Alternanthera 647.
Altha 4, 1102.
Althea 1005, 1029, 1121, 1663, 1762.
Aloue 2. *Alu* 2392-2396, 2402, 2408. *Anchusa* 458, 610, 615, 7110.
 2412, 2415-2417.
Alu dom. cum Bryozas 2312, 2303. *Andricus* 2344-
 2306-2212, 2214, 2308.
Alpina 77.
Amalago 14.
Amara 2108.
Amaranthaceae 62-63, 2030-2032. *Angiopteris* 1245.
Amaranthoids 127.
Amaranthoids 623, 639, 656, 657.
 2022-2020.
Amorphoph. 105.
Amaryllis 556.
Ambarawa 82, 1096.
Ambarjaria 5241.
Amber 631-632, 904, 1199.
Amphilicus 1397, 1411.
Amilia 695.
Amomaceae 201-2016, 2013, 2017-2022. *Amomum* 1036.
 2176-2184, 2177.
Amomum 1765.
Amomum 1072, 1079, 1080.
Amil-guti 1540.
Amille 972, 2502.
Amilesa 296.
Ammannia 618-627.
Amni 799.
Alismataceae 973-975. *Amocas mesta* 1085
 1086.
Amomum 12-15.
Amphipogon 2322.
Amra 1096.
Amri 2109.
 /MJ^V Z>#*
Amurillo 2352.
Amygdales 1019.
Amylepis 926-929.
Amoenum 622.
Amagallie 78, 479, 480, 481.
Am-mella 1091.
Amardana 2022.
Amavinda 1073, 1074, 2371.
Amelanchier 2392-2396, 2402, 2408. *Anchusa* 458, 610, 615, 7110.
 2412, 2415-2417.
Andersonia 2390, 2393.
Andricus 2344-
 2306-2212, 2214, 2308.
Andropogon 2342-2343, 2344-2345, 2346, 2347, 2348.
Androdoce 476.
Andromeda 121-127.
Andromes 802-803.
Angiopteris 1245.
Angios 2428, 2430.
Angiopta 40.
Angeli 200.
Angtel 192.
Angthil 931, 2591.
Anguina 2333.
Anguria 248, 2483.
Anil 1764.
Ansfolkian 1057.
Anscomelos 1331, 1587.
Ansjan 2335.
Anslesca 202.

- Annona* 126-127, 2525, 2529, 2576.
Anomia 1709.
Anonymous 275.
Anysite 194.
Antennaria 1876.
Anthemis 1941.
Anthocleum 861.
Anthistaria 3320-3322.
Anthoceras 3535.
Antidesma 2184-2198, 2362.
Antennaria 1425.
Aphaca 1771.
 ... 801.
V
Vaccinium 713-739, 2349.
Vaccinium 697, 725, 730, 744, 750, 760, 769, 772, 775, 776.
Vaccinostola 1145-1147.
Vagifolium 1870.
Vauilaria 477.
Vauilecia 87.
Vera 309.
Vern 2376.
Verachis 1765.
Verat 891.
Verolia 800.
Verulia 729-994.
Verbor 598, 940, 1092, 1105, 1108, 2390, 2402, 2532-2593.
Verbor 1823.
Verbor 7308, 1173.
Verbor 104100000 2307.
Verbor mesoianus 276.
Verbor glutinosus 517.
Verbor Gopakumar 1825.
At *Tahug* 1250.
Verbor It.
Verbor Mandya 1232.
Verbor Meenbo 1118.
Verbor 72.
Verbor 1874.
 . *W~JS-r tanche 886-888
Verbor R.-fa 1174.
Arbor rubra 1152, 1479, 1485.
Arbor seifera 2124.
Arbor respirationem 2173.
Arbor Kalimendya 1353.
Arbuscula 195, 1260, 2094.
Archal 2184.
Archis 575-581.
Archina 715.
Arica 2532-2633.
Arenaria 1109.
Arethusa 1938-1940.
Argemone 1203.
Arhat 1707.
Aristolochia 234-235.
Aristolochia 1958, 1959, 2356.
Aristolochia 1958, 1969.
Arkhala 2061.
Arvilia 473, 8710, 8911, 1970, 2036, 2043.
Arv 139.
Arviya 1373.
Arvinia 1572, 1976, 1977.
Artocarpus 706, 708, 1971-1978.
Asam 633, 2426-2435.
Asunderbar 580, 572, 573, 585.
Arundinallus 116.
Arunda 298-302, 885, 886, 2312.
Aruya idem cum *Asoka* 2202-2203.
Asam 2366.
Asclepiadaceae 76-779.
Asclepias 748, 756, 753, 754, 755, 757,
 769, 772, 774-778.
Asci 2536.
Asijam 909.
Asoca idem cum *Asoka* 676, 677.
Asogi 947.
Asok & Asoka idem cum *Asoka* 676.
Asparagi 166, 672, 739, 2193, 2310, 2316.
Asperagus 165-168.
Asphodelus 860.
Aspidium 2075, 2478, 2481, 2490.
Asplenium 2497-2500.
Asplenogallus 746, 1752.

Atha

Aula 1366.
Athamantha 789. 822.
Athanasia 1869.
Ath. gonya 62.
Ath. pagol 2117.
Attagone 1253. 1254.
Athipter 913.
Athiplies 436. 807. 997. 2101.
Attaeus 1319. 1520.
Atusi 1719.
Aubertia 440. 442.
Aubletia 1153.
Aurantia s. aurantium 1822.
Aurantia 842. 922. 929. 1050. 1065.
1092. 1108. 1240. 1241. 1583. 1596. 1597. 1598. 1599. Balari 103.
Aurantium vide Aurantia
Avanacu item cum avenacu
2101. 2102.
Avena 305.
Avenacee vide Avenacee 1989.
Avenka 2515.
Averdon 1065. 2073.
Avicennia 1366.
Aylanthus 12245. 2246.
Aydarach 1061. 1063.
Ayolla 2531.

Batk

Baboyar 464.
Babula 1359. 2363. 2369. 2374.
Babuna 1909.
Babuyi 1874. 1910.
Bacdura 2236.
Bachhangha 116.
Badas 169.
Babobogy 2352. 2375.
Bakaro 2352.
Bahnaya 246.
Boganal 2235.
Bagnani 1072.
Bagnate 1325.

Baghanchua 165.
Baigun 554. 563. 566. 569. 570.
Balek-zhang 1717.
Baingchi 523.
Bain-lit-tan 1110.
Bairawa 2569.
Baisa 2172.
Bajaniad 983.
Baja 231.
Bakam 1033.
Bakan 1922.
Bakas quasi 1037. 1052.
Bala 1539.
Balangptecis 1579.
Balari 103.
Baled 532.
Ballatong fo 2208.
Balsamito 1871. 1916.
Bambos 4. 880. 888. 889.
Bambusa 880. 886.
Bam. Bamus. Bow 2173. 2174.
Bancala 83.
Bancalus 706. 707.
Bancidus 1908.
Bandel 2138.
Bandek 258.
Bandhuca 379.
Bander-phul 929. Banderitem cum Bangkor.
Bender 258.
Bangor. Banggo 1549. 1552. 2452. 2586.
Bangdok-kola 1216. 1267. vide Bangor et Bander-
kola.
Bangya vide Bangga.
Bangja 2062.
Bangka 952.
Bangla 2533.
Bangleum 12.
Bangsi vide Bansi.
Banggachh. Bangu cum Segundi 2345.
Bangphi 4. Bangsi 1st. Bangu cum praestante
nomine 230. 992.

Bangs-phor 2052.
 Bangya 2571.
 Baristerica 7022.
 Bam-Methi 1710
 Bam-Pheul 2259.
 Bam-i-Bangs 580-825.
 Bansari 2294.
 Bansha 2250.
 Banur-Holodiscum Bangzorholo Belilla 671.
^{1449.}
 Banyan tree 2394.
 Bar-isem-cum Banga 2393, 2394 Beloue s. Beloue 1150, 1566.
 Bara 153.
 Baral 1972.
 Baradain 2066.
 Bara-Mareca 1752, 1753, 1785.
 Barbasi 69.
 Bargad-isem-cum Bar 2394, 2399 Barberis 841, 942, 2154.
 Barigula s. Bariguda 1530 Bergera 1051.
 Bariguda s. Barigula 1529, 1530. Bergia 534, 1101.
 Barleria 1459, 1464. Bess 2568.
 Barni s. Barni & Barnia 142. Berkal 2259.
 Bartikay.
 Barucina 588.
 Barinotonia 188, 1880.
 Barungya 148.
 Basachand 1672.
 Basolla 816, 817.
 Basilicum 1302, 1357, 1379.
 Basni 311.
 Basoh 42, 44.
 Bapori 2259.
 Bapria 1108.
 Bat-isem-cum Bata 2342, 2344, 2347, 2360. Battalini 113.
 Battanya 17, 805, 809, 814, 815, 2026. Battal 107. isem-cum Battal & Battal.
 Battal 2001. Battala 2054-2179.
 Battal 218. Bhadar 109.
 Bauhinia 997-1013. Bhaingra-pati s. 1084.
 Bauna 2255. Bhairo-pati 2067.

Bauzia 777.
 Bayar 679.
 Baud 974.
 Begonia 2152, 2053.
 Bijal 474.
 Bijol-gota 977.
 Bil s. Bila 26, 28, 101, 1057, 2572.
 Belawat 2564.
 Bellaria 2153.
 Beloue s. Beloue 1150, 1566.
 Bena 2305.
 Benjottai s. Benjiri 2122.
 Beniya 434.
 Befon 1061.
Barberides 656, 656, 841, 842.
 Barberis 841, 942, 2154.
 Bergera 1051.
 Bergia 534, 1101.
 Bess 2568.
 Bernhardia 2467.
 Berria 1206.
 Bertera 659, 672.
 Bertrania 1127.
 Beruya 671.
 Bess 393.
 Beta 815, 875-878.
 Betale 100 isem-cum Battal et
 Battala 856. Battal
 Battala 1657. isem-cum Battal et Battala
 Betonica 63, 1054.
 Bettalini 113.
 Battala 107. isem-cum Battal & Battal.
 Battala 2054-2179.
 Bhadar 109.
 Bhaingra-pati s. 1084.
 Bhairo-pati 2067.

Bha.	Bij.
Bhaje 58	Bijal-chatak 379.
Bhikuri 995	Bijal-kota 3752
Bhangta 567, 568.	Bikk 1000. num. Bish 1267, 1269, 2259.
Bhalbang 2220.	Bikhi 1000. num. Bishi 1267, 1269, 2259.
Bharre 12318.	Bikhona 1000. num. Bishma 1247, 1249, 2259.
Bharui 251.	Bilacca 1005.
Bhawn-bink 634	Bilata 1252.
Bhatangri 1172, 1173	Biluara 2352.
Bholo 823	Birity 1038
Bhelli 2522	Bish vice Bikk.
Bhengt 1348	Bisharvaka 2063
Bhalkhi 1775	Bishe vice Bikk.
Bhes 1. Bheen 788	Bishiri 982.
Bhet-wangs 557	Bishma vice Bikhma.
Bhim-Kali 952	Biskangta 2001
Bhogatiya 587	Biskantaka 5213
Bhoj 474	Biti 1037
Bhola 2023	Black-wood 1037
Bhongyera 1172	Blathia 575
Bhorav 2546	Blaria 41
Bhorkund 874	Blattaria 1022
Bhorla 1010	Blatti 1053
Bholtia 547, 549, 550.	Blechnum 2512, 2513
Bhotmarai 535, 558.	Blepharis 1471, 1472
Bhotte 1703	Bletia 1053
Bhoum-ma-sim. 1090	Bletia 105, 2023, 2025, 2029
Bhumi-niil	Bobarella 779.
Bhu-kadkata 1038.	Bobartia 216.
Bhulomni 'm	Bobra 1756.
Bh	Boba 1753.
Bhurya-pu ieu* 2064	\$fe4**tdx- fft
Bhukhum JZ/f/	Boerhovia 7-11
Bh wauro 203.	Bohar 1241.
Betay 1055 < >	Boj-gach 2357.
B. « W / 115, 1368, 1926, 1928	Bokhshi 429.
Bidhart >s*	Bokhshi 1758.
Bignonia 1350, 1365-1372	Boli 12
Bignonia vel Bignonacea 40,	Bombax 129, 1326
1365-1379.	Bon via Boni.
Bijsala 2257.	Borassus 1082.

Borag 1786-1788
Boraginac 1836-1837 2162-2163.
Boragid & *Borago* 180-181
Boran 3221
Borophytia 2373
Borrageodes 460
Borrage vise *Borago*
Bosium 1113
Borusya 1576
Boswellia 1054
Boswellia 1055
Bot 726
Botriac 2197
Botrichium 2405
Bouin-Dha Lurana 1
Box vise *Bakas*
Bradleya 2092-2108
Broadmardambi 1831
Brami s. *Bramia* 1852
Brepica 1632-1635
Brennia 2227
Bremin which 551
Brenggai 1844
Bribolia 2291-2295
Srikat-Dan 1871
Briqa 326
Brouyaeria 1069
Brucea 2130
Bryonia 2166-2176-2247
Bryopteris 2462
Buchanania 1072-1073
Buchnara 1815-1819
Budleja 407-408
Buffonia 2235
Bulbophyllum 595
Bunias 2150-2156
Bufithalonium 1912-1919
Bupleurum 576
Bura 2268
Burayi 632

Burka 689
Burkia 733
Burmannia 537
Burttia 1618-1619
Burttia 1625-1629-1706
Bulomus 995-996
Bulonica 1588-1589
Bulnesia 1583
Bukul 573
Buya 1776
Cac
Cacalia 1854-1859
Cacara 1733-1795-1799-1806
Cadelari 649
Cadellium 771
Canopteris 2495
Casapinia 1038-1039
Castor 19
Cajangam 1921
Cajoni 1915-
Caladium 2031-2046-2048-2049-2050
Calojava 75
Calamus 875-878
Calani 2292
Calceum 1036 vise *Kelzani*
Calla 916
Calliandra 501-505
Callisia 925
Calostylleum 1890
Calostachys 775-776
Caltha 1247-1249-1250
Calycanthus 1077
Calyptranthes 1153-1166-2281-2582
Cambulam 2150 idem vise *Cambulya*
Camellia 1834
Camellia 1888-1889
Camellia 731-732
Camireum 2125
Camolanga vise *Cambulam*
Campanula 589-590-592

<u>Cam.</u>	323. <u>Car</u>
<u>Campanulaceae</u> 588-598.	<u>Carthamus</u> 1837.
<u>Campanopsis</u> 589-590	<u>Caryophyllaster</u> 938
<u>Canarium</u> 611. 612. 1053. 1054.	<u>Cedrophyllea</u> 45. 354. 355. 435. 818. 822. 836. 838. 1032. 1090. 1100. 1104.
<u>Canarium</u> 614	
<u>Candel</u> 110. 111	<u>Cassaria</u> 1073. 1074.
<u>Caniram</u> sp. 2230	<u>Carpia</u> 977. 978. 1014. 1027.
<u>Canna</u> 1	<u>Castanea</u> 1590.
<u>Cannabis</u> 2182. 2183	<u>Casuarina</u> 1935.
<u>Cannea</u> 1-4	<u>Catalium</u> 116.
<u>Canni</u> 845	<u>Catembium</u> 9.
<u>Caneshabu</u> 1255.	<u>Catreus</u> & <u>Cattie</u> 1957.
<u>Canochena</u> 1001	<u>Catti-marus</u> 1670.
<u>Canoschi</u> 2268	<u>Cattie-valli</u> 2283.
<u>Canscora</u> 406. 2694.	<u>Caulic</u> 1786.
<u>Capparidaceae</u> 835. 1112-1115. 1126. 1132-1136.	<u>Caulinia</u> 1950.
<u>Capparis</u> 1114. 1192-1195.	<u>Cavanillesa</u> 2386.
<u>Caprearia</u> 1088. 1412-1414	<u>Cavara-Pallu</u> 335.
<u>Capriflorae</u> 2423. 2526.	<u>Cestrella</u> 609. 610.
<u>Caprifolia</u> 109-110. 599. 600. 826.	<u>Ceiba</u> 1536.
544-550. 908. 1091. 1109-1110. 3778.	<u>Celastrus</u> 622-625.
<u>Cathicum</u> 534. 553. 726.	<u>Celosia</u> 652. 655-660.
<u>Carachiu</u> 1064. 1607.	<u>Celsia</u> 1422-1423.
<u>Caraga</u> 241.	<u>Celtis</u> 2378-2384.
<u>Carambola</u> 1095	<u>Cenchrus</u> 2335-2336.
<u>Carambu</u> 410. 4068.	<u>Centaurea</u> 927.
<u>Caramnum</u> 788	<u>Cephalanthus</u> 392. 393. 746.
<u>Carcapuli</u> 1118.	<u>Cerbera</u> 718-720.
<u>Cardamomum</u> 8. 13.	<u>Ceterach</u> 2495.
<u>Cardamotheca</u> 1433. 1437.	<u>Chanchuka</u> 712.
<u>Cardiacae</u> 1284. 1293.	<u>Chadalia</u> 1045.
(^t* < iW < ^IW < #n/ ^	<u>Chaguladi</u> rectius foliis chaguladi vide Chakulady) 755.
<u>Carduus</u> 1860. 1862. 1867.	<u>Chai</u> 106.
<u>Coccolae</u> & <u>Caratu</u> 1969.	<u>Chuinuchi</u> * < 4?J
<u>Caritte</u> 1067.	"
<u>Carex</u> 1984. 1985.	<u>Crassula</u> 120.
<u>Careya</u> jtf.	<u>Chakranta</u> 1673. 1896.
<u>Catica</u> 2241.	<u>Chokulady</u> \$***, rtwn, / ^., ^
<u>Caripa</u> 114	<u>Chalca</u> 1054.
<u>Carpinus</u> 1097.	<u>Chalpati</u> 'i ZOJ/ 2561.
<u>Carpiopegon</u> 1796. 1797. 1801.	<u>Challa</u> 1036.

Chama 1974. 2552
 Chamabalanus 1785
 Chamalea 1989
 Chama-thodesmum 1867
 Chamari 1829
 Changas 2007
 Changtai 1555
 Chanki 2027
 Champa 655, 932, 1260-1262, 1526
 2587. Bonn Com. Hongfai
 Champaka & Champaca 1262
 Non cum segmenta nonon
 Champaka 1543. vise Champa Phintomon 257
 Chamri 67
 Chandan & Chandana 625. Chapple 2011
 1524. 2557
 Chandra 1313
 Charega 187, 2025. vise Champa. Shirya-ghas 175
 Chariki 1229
 Chapar 198
 Chapali 2548
 Chapulasha 1973
 Chara 1976-1977
 Charaki 207
 Charaphu 1096
 Changsi 281
 Chayo 355.
 Chelanthes 250, 254, 2520
 Chelone 1973-1975
 Chenopodiaceae 807-813
 Chenopodium 653, 807-813
 Chern-muram 2364
 Chhogalata vise Chogulata
 Chhogalangti 797
 Chhogalnati 929, 1636
 Chhaton 739
 Chhatti 957
 Chholing-shoi 1716

Chhotephat 1057
 Chhuchiga 255
 Chhuriya 2023. sunam Kuriya
 Chichingga 201
 Chikar 1012
 Chikatra 160
 Chika malla 209
 Chillaong & Chilowmen 153
 Chilomtri & Chilomorin 2382-2384
 China 282, 292
 Chinaya 258
 Chinki 1712
 Chintomon 257
 Chionanthus 189
 Chipli 2011
 Chiraramda 14802
 Chirokiri 1384
 Chironia 455
 Chloris 333, 232, 2319
 Chokroal 249
 Chondrilla 1832, 1834, 1836, 1837
 Choni 1786
 Chorites 1826
 Christia 1855
 Chrysanthemum 1853, 1974, 1983, 1985-1986
 Chrysophyllum 584
 Chuiui 197
 Chukar 298
 Chulesi 397
 Chule-chato 994
 Chuncua 2343-2347
 Chunda vise Schunda
 Chung 2561
 Chunki 208
 Cirola 2004
 Ciuuya 106
 Cicca 2072-2073

Cicer 1775
Cichoraceae 1827-1839
Cichorium 1839
Cinarocephala 1840-1842-1927
Chinchona 94
Cingulum terra 220.
Cinnamomum 977
Cisium 1842.
Cistampelos 2280-2290
Cissus 40-47, 606.
Cistus 1867
Citellus 2145
Citrus 1811-1822
Citta 1798
Claudi 536, 531
Clematis 1850-1852, 2598.
Cleome 1898-1897.
Claudendicum 406, 1840-1849
Clericia 1867
Cloufragard 157.
Clorytia 2290-2294
Cnecos 1898.
j£Uw/JSz Mix srjf

Coccus 45, 2280, 2290.
Cochlearia 1844
Codiaeum 740
Coldium 216, 219.
Collaete 496, 497.
Cofabius 1889.
Coffea 699, 700
Cir 95, 98.
Colletaria 436
Colobrochus 1828-1826.
Colostylis 2135-2140
Columnaria 1866
Colubrija
Colutea 1649, 1860, 1739, 1740, 1782. *Coronabifora* 1820-1926, 1928-1931
Colutea 1868, 1876.

Comarum 190.
Combilium 220, 220.
Combretacea *vide Elaeagnac.*
Combretum 97-922.
Coms 698.
Commelinac 116-125.
Commersonia 139.
Comocia 2233.
Comocodia 81.
Comida 1987.
Comontium 613.
Comphas 945.
Comifera 175. *iUX. 2*6%32ff.12**.*

0~—~**

Conocarpus 1177-1180, 2551.
Contorta 713-729.
Convolvularia 862.
Convolvulacea 493, 581, 786, 831.
Convolvulus 492-581, 697, 826, 2237.
Conyzas 1850, 1852, 1885-1902.
Conchia 1102.
Conule 164.
Corallodendrum 166.
Corana 1799.
Corchorus 123-129.
Cordia 403-409, 2584.
Coropeltis 1923-1926.
Coriandrum 723.
Coriaria 951.
Coronaria 136.
Coronutioites 136.
Corona Ariadnae 760.
Coronilla 1647, 1649, 1550.
Coroninam 1414.
Corote caryophylloides 985.
Corote japonicus 237.
Corumbifora 1820-1926, 1928-1931.

Cesumbo 167
Citram 1292. 1302. 2292.
Cotte 1708. 1709. 1717. 1722.
Cotula 1875. 1876. 1877.
Cotyledon 1099. 400.
Couradi 1222.
Curigal 1525
Covalum 117
Covalum 2367.
Coxel 237
Cateogonium 371.
Catovia 1172. 1176
Cista favonis 1026.
Cithonium 799.
Coflandra 1466. 1469.
Cotalaria 1708. 1735
Coton 1792. 206. 210. 211. 216. 218. 219. 220. 221. 222. 223. 224. 225.
Cucifera 1879. 1892.
Custa arboinum 2834
Custa alla 86. 648. 1082
Cyphao 98
camis 2130. 2146. 2145. 2152. 2153. 2157.
ce. 12 247. 258. 302. 310.
C *Curbitacea* 2127. 2176
curbitifera 116

Cyananthum 766. 750. 753. 764. 768.
Cynoglossum 457. 459.
Cynodurus 333. 339.
Cyperacea. *Cyperoidea* 12. 216.
1952-1956.
Cyperus 129. 132. 137. 209. 212. 216.
Cypripedium 267.
Cyrta 1081.
Cytinus 1797
Dab.
Dabuya 1. *Dabi* 995.
Dactylis 306. 308.
Dactyloctenium 334.
Daidau 1778.
Dain 600.
Dal 260.
Dalbergia 1624. 1630. 1636. 1633.
Dam 252.
Dama 579.
Damasonium 900.
Damini 104. -
Damer 930.
Dangkari 1357.
Dangt. bore 1632.
Dangt. ranguoya 474.
Dan. da. lim. 1038.
Danica 938.
Daengua 273.
Daphne 431.
||| *Datoga* 2265.
Datura 542. 543.
Daud. mardam 108. 2197.
Davallia 2483. 2486. 2489. 2512. 2522.
Decidua 177. 172.
Derrinia 685. 686.
Dekho 2819.
Dellphinium 1226.
Dendrobium 1953.
Dentaria 949.
Dentella 662. 664.

<u>Dek</u>	327	<u>Dig.</u>
Dessells 2091		<i>Digitalis</i> 54. 1779.
Dewadara 1. <i>Dewadara</i> 1970. 270.		<i>Digitaria</i> 432. 2257.
Dewatara 11.		<i>Digrana</i> 1676.
Dewdham 3300.		<i>Diksonia</i> 2694.
Dha 1885.		<i>Diluvaria</i> 1670.
Dhakdhoke 272.		<i>Dillenia</i> 1256-1257.
Dhal 26.		<i>Dioscorea</i> 960.
Dhaman 1527. 2566.		<i>Dioscorea</i> 52. 37. 2200. 2212.
Dhan 87. 88. 2297. 2298. 2300.		<i>Diospyros</i> 2356-2391.
Dhana 794		<i>Dipterium</i> 2500.
Dhaniya 793.		<i>Dipodium</i> 1945-1951.
Dhae 179.		<i>Distichus</i> 1672.
Dhawi 113.		<i>Dodonaea</i> 935.
Dhekuya 693. 1661.		<i>Dohona</i> 52.
Dhela 1167.		<i>Dokla</i> 580.
Dheluya 695		<i>Dolichos</i> 1764. 1776. 1779. 1781. 1796. 1799. 1805. 184. 197.
Dhengkuya 2290. 2473. 2488. 2489. 2500.		<i>Dombeya</i> 1525. 1528.
Dhengr 1257.		<i>Dimidiya</i> 2625.
Dhengri 1531.		<i>Dor ~wzfa</i> 137.
Dhoniya 685		<i>Dofatri</i> & <i>Dopatum</i> 12.
Dhep 2396.		<i>Dophair</i> 2358.
Dhevini 672		<i>Dracena</i> 669-871.
Dhoddi 4M		<i>J, ~u>sr&*~</i> 433.
Dhoyipkul		<i>Dracunculum</i> 2045.
Dhulachari S3*		<i>Dracunculus</i> 2035.
Dhuna 524		<i>Drosera</i> 835.
" 164.		<i>Dryopteris</i> 2510. 2514.
Dhusidhra 1646		<i>Dubanga</i> & <i>Oxybanga</i> 169.
Dhusi 2479. tit*		<i>Dubi</i> 516.
Dhuri 24		<i>Duchesnia</i> 1183.
Dhusi 244		<i>Dudhi</i> 702. 764. 927. 103. 104.
Dianella **		<i>Dudhiya</i> 534. 1977. 2978. 776. } <i>item monan.</i>
Dicera 1208.		<i>Duliga</i> 2113.
Dickaen 1985.		<i>Dukkusi</i> 2136.
Dichromena 246		<i>Dulal</i> 510. 511.
Dieranium 2532.		<i>Lunor</i> 2446. 2447. 2452. 2453. 2454. 2455.
		<i>Dumbun</i> 1632.

Dunquiki 685
Dufka 107, 1205.
Duhada 1145
Durbar 1322, 29, 244, 256, 306, 334, 337,
Dutra 582, 583.
Duyabangga see Leabanga
Dyanilla 41.

Ech.

Echinophora 456, 477, 4929
Echinochs 1034.
Echites 703, 739, 745, 742, 746.
Eclipta 1062, 1079-1081.
Echrista 470-475, 2563.
Echiborgia 1150.
Elaeagni & Elaegnacia sibiricae
Elaeagnus 423, 430, 477, 922, 1076, 1078.

Elaeagnus 429, 482.

Elaeocarpus 1203-1214, 2593.

Elaeodendron 617, 618, 2196, 2306, 2370.

Elaeagni 213, 1091.

Elate 2199.

Elephantopus 1, 1929.

Eleocharis 335, 335, 339.

Ellia 1377, 1953.

Ellia 1362, 1363.

Ellia 1376.

Elychnium 642.

Emilia 675, 575.

Emblica 2074, 2075.

Embryopteris 2386.

Emervia 1549.

Emydros 1928.

Ephemerum 116, 848, 859.

Epibenthicum 1938.

Epipactis 1935, 1944, 1945, 1950.

Equisetum 2435-2435.

Erabuda 1516.

Eranthemum 46, 46.

Erica 535, 537.

Erica 775, 776.

Erigeron 1906, 1907.

Ericoaulon 346, 352.

Ericophorus 1026.

Eroctrum 783, 724.

Eruca 1773-1774.

Eruviella 489.

Erythrina 103-107.

% thrysiflora 1092-1093.

caerulea 103.

Ethulia 1870.

Eugenia 122-158, 159, 165, 166,

172, 1853, 1859.

Eugenieoides 172.

Euonymus 679, 1026, 2154.

Eupatorium 1862.

Eupatorium 1554, 1857.

Euphorbia 1135, 1144.

Euphorbia 1125-1144, 1089-1092.

2063, 2126, 2176, 2177, 2191-2194,

2241, 2264-2378, 2291-2292, 2323-2327,

2344-2347, 2351-2354, 2356-2357.

Euphorbia 1145.

Euphorbia 900.

Euphrasia 56, 58, 1025, 1046.

Euryca 2247.

Euryale 1145.

Evox 24830.

Ervilia 440-442.

Erumbulus 202, 242, 256, 258.

Eucalyptum 1974-1979.

Eucalyptia 2176.

Fag.

Ficus 444, 445.

Fragilidium 938, 974.

Fritillaria 11 & 157.

Fusca 2132..

Fusca 309-310.

XJL^CCL-

<i>Ficus</i> 2261-2392-2435.	<i>Funis</i> crepitans 18. 413.
<i>Filicis</i> 2436-2538.	— <i>Gnemoniformis</i> 2595
<i>Filicifolia</i> 2435.	— <i>Mucronatus</i> 2686-2697
<i>Filicula</i> 2453-2525.	— <i>Papilio</i> 716.
<i>Filix</i> 2453-2457-2466-2470-2472- 2474-2475-2476-2481-2482	— <i>unatus</i> 703.
	<i>Gab</i>
2454-2456-2466-2476-2477-2479- ²⁴⁷⁸ 2486	
<i>Fimbristylis</i> 203.	<i>Gachhaya</i> Pan 101.
<i>Flacourteia</i> 2245-2252.	<i>Gadaka</i> fam 2341.
<i>Flagellaria</i> 599.	<i>Gadha</i> - <i>Turna</i> 1086-1087.
<i>Hamma glomerum</i> 288.	<i>Gadkumba</i> 2356. <i>vide</i> <i>gaduba</i>
<i>Hengak</i> 1002.	<i>Gan-shain</i> 816.
<i>Hemigraphis</i> 1095-1106.	<i>Gartnera</i> 1162-1163.
<i>Heslopia</i> 1497.	<i>Gagan</i> 1241.
— <i>convolutus</i> 711.	<i>Gagar</i> 1521.
— <i>festalis</i> 1557.	<i>Gajalas</i> 1049.
— <i>harariensis</i> 1085.	<i>Gajeri</i> 1709.
— <i>imperialis</i> 1522.	<i>Galanga</i> 7. 11.
— <i>Manilkara</i> 703.	<i>Galedi</i> ^C^Afzx /e*3.
— <i>perfoliata</i> 706.	<i>Galeya</i> 1167-1749-1751.
— <i>seminervia</i> 708.	<i>Galeopsis</i> 302.
— <i>serrulata</i> 1927.	<i>Galgal</i> 1267.
— <i>triplicatoides</i> 1958.	<i>Galinaria</i> 1017.
<i>Flagysa</i> 2141-2192.	<i>Gattunga</i> 104.
<i>Folium bracteatum</i> 60.	<i>Gambhari</i> 1336. <i>vide</i> <i>Gambhari</i>
— <i>calcosum</i> 2248.	<i>Gambi</i> 106.
— <i>cuspis</i> 615.	<i>Gambar</i> 2269.
— <i>hirsutum</i> 2327.	<i>Gamer</i> 980.
— <i>longua</i> 1011.	<i>Gandai</i> 1166.
— <i>principipes</i> 676-677.	<i>Gandapura</i> 1568.
<i>Frangaria</i> 1019.	<i>Gandasulium</i> 6.
<i>Fractus riga</i> 1049.	<i>Gardhais</i> 1074-2537.
<i>Fructiculus</i> 2053-2059-2093.	<i>Gandhaiya</i> 96 <i>vide</i> <i>Gundhaya</i>
<i>Frutes</i> 401. 607. 626. 634. 699. 1132.	²⁴⁸⁹ <i>Gandina</i> 539.
<i>Fumaria</i> 1591.	<i>Gandola</i> 817.
<i>Funis cratium</i> 742.	<i>Gangengay</i> 622.

<i>Ganox</i> 122-123 vise <i>Ganja</i>	<i>Ghona-kota</i> 1209
<i>Gantium</i> & <i>Gantius</i> 122-123	<i>Ghonta</i> 1208.
<i>Ganipet</i> 122.	<i>Ghatia</i> 1209 / <i>££>+*</i> .
<i>Ganja</i> 122-123 vise <i>Ganox</i>	<i>Ghortape</i> 1213.
<i>Garinia</i> 624. 115. 121-122. 3056.	<i>Ghoda</i> 2139
<i>Gardenia</i> 622. 682-689.	<i>Ghamra</i> 1209
<i>Garciga</i> 1020-1029. 2246. 2577.	<i>Ghungru</i> 224.
<i>Gastonie</i> 994	<i>Gidha</i> 2555
<i>Gasturi</i> 1579	<i>Gimal</i> 918.
<i>Gatia</i> 120.	<i>Gimberiatia</i> 2J44
<i>Ganja</i> 122-123.	<i>Gid-durba</i> SJ//7
<i>Gauripati</i> 2405	<i>Gischia</i> 832. 833.
<i>Gelata</i> 104	<i>Gladiolus</i> 87. 952
<i>Gelonium</i> 2278. 2296. 2377.	<i>Gleoma</i> 129.
<i>Gondara</i> far. 12-52.	<i>Glossenia</i> 2457
<i>Gondhikar</i> 1226. an 1226. <i>Gondi</i> 1226. <i>Gobba</i> 7. 10	<i>Globuli</i> 1037.
<i>Gongkwan</i> 1205.	<i>Gloriosa</i> 857.
<i>Gonista</i> 1087.	<i>Glycine</i> 1603. 1775-1780.
<i>Gontiana</i> 397-399. 481-485. 780.	<i>Gonotoma</i> 1350-1353.
<i>Gontianella</i> 85	<i>Gongkhalium</i> 1821-1833.
<i>Gordorum</i> 1953	<i>Goram-ban</i> 2395.
<i>Garancia</i> 136. 639. 122-127.	<i>Gobara phanggata</i> 924.
<i>Gommace</i> 1220-1222.	<i>Gochana</i> 1330.
<i>Gophiya</i> 425	<i>Godelia</i> 825. 2226.
<i>Golthyllis</i> 659	<i>Gokhara</i> 17
* 0 -tonia '*'?S.	<i>Gopal</i> 12. 4C.
120. an 1200. an 1201. <i>Gopidhu</i> «'A«	
<i>Ghambari</i> 120. vise <i>Ghambari</i>	<i>Gola</i> 103
<i>Ghangra</i> 77	<i>Golab</i> 679. 1180.
<i>Ghanta</i> 40	<i>Golalar</i> 1210.
<i>Ghatera</i> 40	<i>Gol-ghanta</i> 40
<i>Ghendiyari</i> 2025. an 1200. an 1201. <i>Gome</i> 698.	<i>Gome</i> 698.
<i>Ghogra</i> 2161	<i>Gomphrena</i> 667.
<i>Ghodhamelum</i> 1425	<i>Gomphrena</i> 173-174. V

- Goss 147
 Goudw 191.
 Gond-sari 3686.
 Gong d 1953.
 Gophghalo 305
Gonopteridex 2886. 2838.
 Gorus 2180.
 Gorakha 70. 374.
 Goran 1109.
 Gorangs 1882.
 Gordonia 1583. 1584.
 Gorkha & Gorkhur 1324
 Gosbachy 3649.
Gopumpionus 1526.
Goripium s. Goripinum 1526. 1529-1533
Gotadhora 935. *idem fortis*.
Gotadore. *idem fortis*.
Gowania 3385.
Goum-man 8.
Goranae 605.
Gorindi 1085.
Gopaliga 1768.
Goyekha-pato 24.
Gramen alpinoides 201. 201. 201. 201. 201.
Gramen amoris 328.
Gramen caninum 334.
Gramen caricosum 238. 252.
Gramen crenatium 333.
Gramen cyperinum 182. 183. 184. 184.
Gramen cyprinus 182. 183. 184. 184.
Gramen decylloides 338.
Gramen fuscum 373.
Gramen geniculatum 232. 305.
Gramen tetragonum 233.
Gramen puccinii 195. 203.
Gramen silaceum, 360.
Gramen stratiotesnum 803. 326.
Gramen miliaceum 232.
Gramen moschatum 1569.
Gramen paniculatum 324.
Gramen repens 335.
Gramen secalinum 2314.
Gramen vaccinum 336. 338.
Gramen sulphurum 235.
Gramineae 27. 145. 580. 936. 2296. 2308.
Graminata 672.
Graminatum 930.
Graminea 1876. 1878.
Gramineum 2105.
Gratiola 24-58. 1022. 1023.
Gramia 1312. 1029. 2506.
Gramlea 654.
Gramularia 2315.
Gramia 2032. *idem ambigua* nomini.
Gramiscana 124. 124. 2232. 2242. 2306. 2391.
Guarcia 932. 935.
Gudaria 713.
Guilandina 1035. 1037.
Guja 1178.
Gujraj 2282.
Gular 2317.
Gulmastiha 1347.
Gulmastiha & Gulmughe 2222. 2229.
Guma 1249.
Gomira 1335.
Gomishi 2502.
Gomelia 1580. 1582.
Gundage 2315. *idem fortis*.
Gundhaiga nomini.

Gymn. 1637
Gutica 503
Gurje 2004
Gurmi 204
Guru s. Gurumi 797
Guti 1002. 2270.
Gutta 1168
Guttiferae 107-1134. 1204-1206. 1590
Guya 874 (nam cum Gua nomen)
Guyan-donggi 2563
Guyanquidi 1590
Guyanopogon 797
Guyanostylis 1677
Guyanotrichia 233
Gyrotectorides 2458-2527

Hab.

Habenaria 1934-1937
Hadatha 1627. 1628.
Hailing 871
Han-ja-beit 1575
Hansen s. Kangian 1003
Halicacabus 552. 559. 851
Haim 1679
Hallaya 1608. 1706.
Hallia 1694. 1695.
Halophilic 924.
Hamdamania 1214.
Hamiltonia 692-695.
Han-gha-la 1495
Kangian n.s. Rainsa
Hasia 2254. 2562.
Hapar-mali 766. ^{in folius mali} 192 ————— Crinalium 1570. 1571.
Hapchueha 1675.
Hapni s. Hoy

Hopu-gaha 1260.
Hara s. Karataki 2281
Hardwickia 1048
Harghosa 286.
Hari-but 2227
Hari-gunga 1937
Hamina 2031
Hari-phul 1965
Hari-angkor 991
Hariya 1827. 1828.
Hariyasasum 1938.
Harmu 2583.
Hasteningia 1825.
Hastina 457.
Hate-shura 454.
Hattapure 2662.
Hayasa 1625.
Hedera 600. 605.
Hedychium 66.
Hedyotis 358. 359. 853. 864. 368-370.
Hedysarum 1622. 1623. 1625. 1627.
Helacha 2185. 2187.
Helancha 1928.
Helictotrichia 1597-1609
Heliotropium 857-855.
Hellonia 7. 8.
Hemidesmus 764.
Hemionitis 2488. 2472. 2480. 2505. 2506.
Hengtia 1767.
Hepatica 2533-2541.
Herba admirationis 1298.
———— Crinalium 1570. 1571.
———— memorialis 2015. 2016.
———— monoridis 2086. 2087.

<u>Hec</u>	353 1.	<u>Huc</u>
<i>Herba dentata</i> 1106.		<i>Huru</i> 1975
<i>Supplg</i> 1958		<i>Haridra</i> 700 side <i>Huldi</i>
<i>stellatum</i> 1070		<i>Hariya</i> 1345.
<i>Heritiera</i> 1519.		<i>Harmaya</i> 2222
<i>Herpetica</i> 1083		<i>Huruli</i> 1777, 1774
<i>Herperu</i> 1786, 1805		<i>Hydrocyphus</i> 2565
<i>Hibary</i> 1707		<i>Hydrangea</i> 1091
<i>Hibiscus</i> 1558-1573, 2095		<i>Hydrocharis</i> & <i>Hydrocharissa</i> 409, 900-903 148, 197, 200, 1972, 2176, 2705, 2239, 2262
<i>Hiracum</i> 1825.		<i>Hydrocharis</i> 2240
<i>Hilka</i> 2339		<i>Hydrocotyle</i> 790-792.
<i>Hingcha s. Ningcha</i> 1925.		<i>Hydrocoleum</i> 2452, 2453
<i>Hingcheda</i> 1882.		<i>Hydrolea</i> 782.
<i>Hingcha</i> side <i>Hingcha</i>		<i>Hydroptilidae</i> 2526-2531.
<i>Hippocratea</i> 112, 113.		<i>Hymenophyllum</i> 2526-2527
<i>Hippocratea</i> 205		<i>Hypocystium</i> 524
<i>Hiptage</i> 1089		<i>Hypoleptum</i> 201
<i>Hiran</i> 1373, 1375-1377, 2254.		<i>Hypoxanthia</i> 1038.
<i>Huan-i</i> 1345.		<i>Hypoxica</i> 1824-1826.
<i>Huan</i> 1376.		<i>Hypericum</i> 1824-1826
<i>Hola</i> 1156 <i>idem</i> , <i>cum Solarium</i>		<i>Hypoxis</i> 958.
<i>Holans</i> 257, 3295-2206.		<i>Hypoxys</i> 1397
<i>Holiganna</i> 2195.		<i>Hystrix</i> 1462
<i>Holmskioldia</i> 1328		<u><i>Hec</i></u>
<i>Honkenya</i> 2595.		<i>Hheli</i> 1184
<i>Hordium</i> 348		<i>Schucca</i> * <i>pis</i> 740-742
<i>TTT)***-- Hara</i> 2592		<i>Hjal</i> 1399
<i>Horra</i> 2577		<i>Skara</i> JST.
<i>Hottoria</i> 1993		<i>Shiri</i> 220.
<i>Houttuynia</i> 94		<i>She</i> 438
<i>Hoya</i> 769, 770.		
<i>Huldi</i> 7, or <i>Haridra corruptionis</i> <i>Hi</i> 2'4*		
<i>Hule</i> 1822		
<i>Hu try, StpX £3**</i>		
<i> </i> 1021		
<i>Huangkuan</i> 1882		<i>Imbricaria</i> 580
<i>Hura</i> ,		<i>Incerta</i> <i>Jflt. /to</i> 2052, 2053, 7155, 2561, 2595, 2596
		<i>Indicum</i> <i>/</i> <i>>4*</i>

- Indigofera 736-745
 Indraine 2455.
 Inga 2352, 2357
 Inhame 2203.
 Inobien 587, 589
 Inochi-hua 8
 Intisia 2375
 Inula 1905, 1905.
 Involutum 295, 2112
 Ipomea 502, 514, 521, 523, 529, 530, 532.
 Ira 103, 104
 Iresine 65
 Isoputti 1057
 Itates 740
 Isohamum 2323, 2331
 Isogadi 556
 Isolepis 195
 Isopagul 400.
 Israul 2374.
 Itati 908
 Itta & Ittawal 645.
 Itoral 379-390.
 Jaa
 Jaa 40
 Jab a jaba, s. Jaa a jawa a jawa 107
 Jabolapita 1243.
 Jacint 1019
 Jali 2370.
 Jaleuk-muni 1189.
 Jamu a Joma 1166, 1162, 1163 - 3ZJX JUC
 - 2532. item num jamae nonam. Janga 1666.
 Jamat-gota iAK
 Jamkar 2322.
 Jambolifera 924
 Jambos 1155
 Jambosa 1156, 1162
 Jamica 921.
 Jamun 1165, 1166. item num jama & khambu. Jiyal sicc jivala
 Jandara 3258.
 Janora 2295-2298.
 Jangung 2382.
 Jas 305, 316 item num jaba
 Jambuti 1524.
 Jaruh 1158.
Jasminac 19-36 272
 Jaeminen 19-36 380, 697, 723, 724.
 Jatadhari 659.
 Jatamangga 605.
 Jatra-sy 52
 Jatrophha 2104, 2105, 2112, 2226, 224.
 Java.
 Java 3 vide jab
 Jelluya 75
 Khangkini 2310.
 Khaz-mirrah 528
 Khaw 837, 820, 2066
 Khokri 993
 Khong & Khingai 245, 246
 Khat 360
 Khokh 1295
 Khungkuni 2345
 Khungkut 1467, 3
 Khurighas 2302.
 Khurpi 135.
 Khoni 2379, 2351
 Kiga 2
 Kili & Kilia 396, 427
 Kince' Jto.
 Kira 797
 Krambali 1782
 Kru 7245
 Kruya 328.
 P f
 Kivala & Kival 2235
 Kiva 75
 Kival sicc Kivala

****f4tS/€&**

- | | |
|--------------------------------------------|--------------------------------------------|
| **f4tS /€& | Kardue 217 |
| John | Kan-bhun 2377 |
| Jolpey | Kogar-Bel 2553 |
| Jone | Kohal Zzel |
| Jonganam & Igonganam puthu 222. | Kohlu 2344. 2346. 2347. |
| Jonidium 641. | Kaida 172. 277 |
| Jouffiah & Jouflati 208. | Kaige 1765 |
| Jum-za 91. | Kaintar & Kaita 2133 |
| Joyaine & Joyaina 796. 798. 800. | Kaiyan 997 |
| Joy-dhan 2297. 2298 | Kajal-pau 972. |
| Joyal 2352. | Kajayi 229. |
| Jugiyia 2567. | Kakahi 1535. 1562. |
| Juglans 1512. 2125. 2235. | Kaka-pu 1352. a. Kaku |
| Jui 35.50. | Kakra 21 |
| Jujuba 62. 63. 634. | Kakri 1104 |
| Juncellus 213. | Kaken valli 796. v. Kaka. |
| Juncous 199. 244. 262. 873. 875. | Kala 1266. 1435. |
| Jungyi 32. 33. | Kalandana 537. |
| Juniperus 2279. 2280. | Kalambosha 2301. |
| Jupicaa & Jupicua 4000. 4070. | Kalayi 1827. 1831. 1833. am cum kola nonon |
| Justicia 41-73. 1469. | Kalein 187. |
| Juthi 35 | Kalesjam 1748. 2345. 2355. a. Caley |
| <u>Kab.</u> | Kalkaunda 147. |
| Kabai 1126. | Kallayi-lata 707. |
| Kabella 2098. | Kalsar 1552. 2598 |
| Kabi 107 | Kaluwathura 1029. |
| Kakiri 2043. | Kamarunga 1095. |
| Kachua 1802. am cum kushana. Kambala 1152. | Kamle 1325. |
| et Kanchala nonon | Kamli 1325. |
| Kachue 2038. 2040. 2042. | Kamraj 2549 |
| Kachur 18. | Kamri 492. |
| Kadem & Kodom 392. 706. 707. | Kamula 1822 |
| Rasul 6. 1642 | Kama 48 |

Kab.

- | | |
|---------------------------------------------------------|--------------|
| Kabai 1126. | Kalliyalata, |
| Kabella 2095. | Kalsar 1552. |
| Kabi 107 | Kaluwaththa |
| Kakiri 2043. | Kamaranga |
| Kachua 1802 sennam kusala Kambala
at Kanchala nomeni | Kamle 1325. |
| Kachua 2038, 2040-2042. | Kamraj 2449 |
| Kochur 16. | Kamri 492. |
| Kadem & Kodom 392, 706, 707. | Kamula 182 |
| Rasul 6. 1462 | Kana 118 |
| Ko-dauk 350. | Kanaya 105. |
| Kaduk 14. | Kana-ja 157 |
| Kadmi-lata 1251. | Kanchala |

Kanchana 1113. idem cum Tashala	Kari 2546.
et Koshna nomes.	Karil 1357.
Kandel 1110. m. 1169	Karir valla 2158.
Kandori 2163. 2164	Karna-phul 789.
Kandri 866. 1485.	Karsi 1212
Kan-ga-la 878.	Karunani 2019
Kangaria 356	Kasab-boli 12
Kanggoni 2299. 2300. idem cum Kangi. Kasauji 3315.	Kasi 337. 228. 234. idem cum kaa
Kangkri 252.	Kasjaro maram 903
Kangkil 3169. } idem nomes?	Kashi 1839.
Kangku 252.	Kasunji 952
Kangni y 2Jp>> ** < V _t ^{Kang-ni} rp	Katalli 916. 905. 819.
+£ Kauri nomes	Kataya 2378.
Kango 1590.	Kathru 706.
Kangra 222.	Kath-ranga 470.
Kangro 979	Katkulya 1037
Kangnor 2588.	Kat-phul 23
Kangara 1115. 1158-1160.	Kant-bola 945
Kanjial 1173. idem cum Kanjal?	Kawu han 1358.
/Q^tjnuH^v***^A	Kanni 254. 257. idem Kangni
Kankora 242.	Kang 980. 2354.
Kanna 528.	Kawinjala 492. 527.
Kantal 1971	Kasba 1121
Kanti-phul 585.	Kayan 1767.
Kaoya-Tungaki 1058.	Kayar-taki 2132
Kapal 1. Kapash. 1550. 1561. 1566. ¹⁵⁵⁸	Kayu 1545.
Kapuri 10	Karza-bank 1077.
Kara 579. 682. 641.	Kedali 1067.
Karamba 2373.	Kedanga 1149.
Karan 2245. 2545.	Kedli 2269.
Kanangji 2358	Kela 906. 1266. 1257
Karar 242. 2372.	Kelanga 1. Kalangu. 528. 567.
Karchura 16.	1167. 2197. 2201. 2202. 2204. 2207
Karela 2168.	2210. 2219. 2220. 2287.
Karen 1191	Keti 1
Karhar 685.	

Kend & Kendu 2388.2392.2394.2397	Khurila 551
Kengkar 1048. 2565	SLCm**t,- man-roop 578
Kennedia 1608. 1609. 1706	Kiau-sa-ban 2452.
Keraya 1157.	Kiazh-ghu 245.
Keras 1768-1770.	Kiandaley 2237
Kob S/jJM.	L***~X* Kor 2387
Kob < ZZf	Kiauk-pa-ban 245.
Kob 75	Kicai 750
Kicas 1997	Kica 237
Kotinia 1207.1257.1366.1369.1570.	Kie-huun 275
Koette 139. 1930.	Kim 1578.1589
Kha-am 2224.2432	Kekirinda 1068
Khando 1520	Kimba 1507
Khagara 224.225	Kherga-neli 2176.2056.2097
Khaira 2366	Kere 2570
Kha^ ki 2 ^	Kifi 555
Khajura 24 ^	Kipinay 111
£ kor 235	Kleinia 1657
Kakisir itA v	Kleinlofia & Kleinoria 150
Khamar 1049.	Kobila 237
Khar 207.2215	Kodo & Kodo 249.252.253
Khasam 572-574.582	Kodaiya 255
Kharbuja 2152	Koeba-pail 1970
Khas'is 2362.	Kodi 734.752.769.
*k - wah ma 2144	Kodien 774
Kheona 489.	Kodi-pui & f 2218
Kher & Kher khanya 2237	Kodiga 236
Kher 11 i 2.	(1814-1815) Kobo-vise Kodo
Kher u 2153.	Kodam 270.Kadam
Khoga 97	Koirabi 258.
Khoju 404	Kohi 2291.2293.
Khongta 184.285	Kokua 2422
Khor 224.	Koktima 1852 i Ijfi
Khuyeh 1565	Kola 127: 1' <?
Khura 220	Kolaw 2329.67.1772.; N. + Kaly

Kunze

Pak.

Labiate 92-96 1279-1324
Lacca 636
Lachitakali 1790-1791
Lactuca f. ^{^ i *} Wf[^] 937
Sauris 539
Lugensel 4af74yS~

- Lagerstroemia 1859-1851.
 Laghu-phit 2276
 Larhakat-petui 1859
 \$
 Lagondium 1854
 Laguncula 1497
 Lagurus 2315
 Lahar-ghas 322
 Lakor 2406
 Lakucha 1972
 Laken 770
 Lamium 17297
 Lambanaya 2103
 Lan-bu 1153
 Lankuri 439
 Lantana 1829-1830
 ~~~. Lepidium 424-897  
 Lepeta 2357  
 Lappage 1854  
 Lappula 1127  
 Lar-ghas 261  
 Lathyrus 1771  
 Late 2095  
 Latora 463  
 Lau 2147  
 Lauraea 165 *vise* Lourea?  
Laurina 97-993-2055-2263. *Ligustrum* ^ 799  
 Lauris 977-992-172-2264-2265-2266-2267-2268-2269-2270-2271-2272-2273-2280 *Liquidambar* # 2349.  
 Lavanga 925  
 Lasang-chura 1303  
 Luau-ge-lata 925.  
 Lavan-kung-ku 357  
 Laesnia 1862-1864-1920  
 Lekeia 534.  
 Sedum 1057
- Leua 606-608  
 Leucia 594  
Leguminosae 997-1092-1498-1603-187-2352-2377.  
 Leiz-za-me 1463 1599  
 Lemna 2330  
 Lemna 1982  
 Lens 2083  
Lentibularia # 77  
 Leoya & Leoya 932, 2192.  
 Leonotis 1500  
 Leontopodium 1850  
 Leonurus 1292, 1293, 1297  
 c^Jt+ytJ i/^4\*. ^E, *aja*  
 Lepidagathis 1456  
 Lepidium 1479  
 Lerchea 1499  
 Lettsomia 1498-1500-512-2874.  
 Leucas 1295-1297-1299  
 Leucocypheala 347-350  
 Lewisia «-\*\*», y 29  
 Libanus 1045  
 Lichen 2576-2579  
 Lieuaria 879.  
 Linnum murinum 2351  
*Sappanum* 1032  
Laurus 977-992-172-2264-2265-2266-2267-2268-2269-2270-2271-2272-2273-2274-2275-2276-2277-2278-2279-2280 *Ligustrum* ^ 799  
Liliaceae 847-864  
 Limbo 1878-1892, 1821  
 Lime 1872.  
 Lime 1891  
 Limodrum 1946-1953  
 Simon 1820  
 Simonia 583, 1453, 1058.

|                                                         |                                                                             |
|---------------------------------------------------------|-----------------------------------------------------------------------------|
| <i>Sinuella</i> 424                                     | <i>Maba</i> 2232                                                            |
| <i>Sinaria</i> 1625                                     | <i>Machete</i> 1665                                                         |
| <i>Singow</i> 1639                                      | <i>Machilus</i> 988. 990. 2557                                              |
| <i>Sinum</i> 236. 238                                   | <i>Macuna</i> 1796. 1801                                                    |
| <i>Sisaura</i> 465                                      | <i>Madara</i> 2347                                                          |
| <i>Sithago</i> 1784                                     | <i>Madhobi</i> 1682. 2300. folia am. 1682                                   |
| <i>Sithospermum</i> 262                                 | <i>Madha lata</i> 90                                                        |
| <i>Sitsea</i> 224. 2252                                 | <i>Madhobi</i> 2595. 2695. <i>Mashali</i> <i>nominae</i>                    |
| <i>Sobelia</i> 692. 593                                 | <i>Madorius</i> 775.                                                        |
| <i>Sobus</i> 1782. 1799. 1795. 2699.                    | <i>Madeangga</i> 667                                                        |
| <i>Sochani</i> 2272. <i>am. 1600</i> . <i>sochani</i> ? | <i>Mah</i> 1744. 1751. <i>vide. Mab.</i>                                    |
| <i>Sodh</i> 1173. 2584                                  | <i>Mah-ban</i> 2001. 1607                                                   |
| <i>Sodha</i> 392. } <i>iam nonon</i>                    | <i>Mandyas</i> & <i>Monyas</i> & <i>Mongas</i> <i>Malai</i> <i>1822</i>     |
| <i>Sodha</i> 1753                                       | <i>Ma-ja-li</i> 1022                                                        |
| <i>Sophiogia</i> 165                                    | <i>Mazhya</i> 26                                                            |
| <i>Sohajino</i> 1675                                    | <i>Magnolia</i> 1243. 1264                                                  |
| <i>Sol-petta</i> 1333                                   | <i>Magnolia</i> 1242. 1243. 1256. 1264.                                     |
| <i>Somaria</i> 2456. 2452. 2457.                        | <i>Mah</i> 1807. <i>iam nonon. Mah alias</i><br><i>&amp; Mai. &amp; May</i> |
| <i>Sonehitis</i> 2621                                   | <i>Makesa</i> 1779                                                          |
| <i>Sonicera</i> 599                                     | <i>Makola</i> & <i>Maholi</i> 1003. 1007                                    |
| <i>Soranthus</i> 844. 846                               | <i>Mahuer</i> 536.                                                          |
| <i>Sota</i> 221                                         | <i>Mail</i> . %£*SA?/k 1361.                                                |
| <i>Sotthand</i> & <i>Sottho</i> 2224                    | <i>Malosinea</i> 68                                                         |
| <i>Sotusha</i> 503                                      | <i>Majana</i> 1385. 1319                                                    |
| <i>Sotus</i> 1753                                       | <i>Makala</i> 2197                                                          |
| <i>Sourea</i> 1697. <i>vide. Langua</i>                 | <i>Makara</i> 326. 337.                                                     |
| <i>Sudwigia</i> 610                                     | <i>Makari</i> 288                                                           |
| <i>Luffa</i> 2108. 246.                                 | <i>Makari</i> 1652                                                          |
| <i>Tenghan</i> 1695                                     | <i>Makhal</i> 2128                                                          |
| <i>Lufsa-radia</i> 2180                                 | <i>Makhana</i> 1165.                                                        |
| <i>Lycium</i> 695. 1083                                 | <i>Makra</i> 157                                                            |
| <i>Lycopodium</i> 2439. 2440                            | <i>Makrikilat</i> 1777                                                      |
| <i>Lycopodium</i> 2453. 2454                            | <i>Makunda</i> 2112                                                         |
| <i>Lysimachia</i> 40. 477. 475.                         | <i>Malai</i> 1236. 2298. <i>nonon ppa</i><br><i>Specicum</i> .              |
| <i>Lythrum</i> 1133.                                    |                                                                             |

- Malachia* 1528  
*Mala-gri* 15  
*Malameric* 157  
*Malaxis* 1552  
*Malava* 152 2536  
 " "  
*Malikas & Mallika* 22.22.2222  
*Mallikas* 1243  
 ^ ^ W ! \* « X ^ - 2 ^ -  
*Malkan* 623  
*Mallikas & Malika*  
*Malingtonia* 155  
*Mallotus* 2265  
*Malpighia* 1092.1092  
*Malu-leoya* 922  
*Malum* 827  
*Malus* 152.1056.1098.1256.1832.  
*Malva* 1572.1534.1582.1527.  
*Maloacea* 574.1508.1503.1524.  
*Malvaviscus* 1556  
*Malvinda* 1506.1534.1544.  
*Mamal-patta* 2087  
*Mami-lata* 157  
*Maminiro* 403  
*Mamacina* 2244  
*Mamroja* 2186  
*Man* 2043  
*Mandaru* 1001.1003.1008.1009.  
*Manga-nari* 416.  
*Manghas* 719.720  
*Mangifera* 63  
*Mangium* 582.101.1153.1363.  
*Mangjari* 93
- Mangostana* 1119  
*Mangrella* 1565.  
*Maniwa-Mundion* 657.658.1932  
 , //sr \*tM£\*x 186  
*Manisuris* 2332  
*Mantec* 698  
*Mara* 48.57  
*Moranta* 11  
*Morattia* 2450  
*Maravara* 1761.1964.916.2439.2458.2500.  
*Mara* \*\*\*SsO&>  
*Marchantia* 2534.2528  
*Mareca* 1782.1783.1755  
*Mari* 465  
*Mariscus* 214  
*Marlowmati* 2019.  
*Marmarika* 2530  
*Marsilia* 2530  
*Marnbum* 1251  
*Mar* yS 390.1238  
*Mds* 1575.1507. vide Mab.  
*Mata* 1281  
*Mathasura* 2190  
*Maticaria* 1576.1909-1911  
*Matiura* 510  
*Ma-w707*  
*May* 1046.  
*Maun* 663.  
*Mauri* 603  
 4l\* < w-ti & // ^ 575  
*Mawan-patta* & *Mohun-patta* 8390  
*May* 1608. vide Mah.  
*May* 1805. vide Mah.

- Maynaki 424  
 Meda 1222. 2555. vis. Mandya  
 Medica 1758  
 Medicago 1758-1760  
 Melaleuca 1822.  
 Melampyrum 1463. 1871  
Melastoma 1066. 1067  
Melastoma 912-916. 1066-1067  
Melia 1066-1068.  
Melia 606. 612. 930. 935. 1060. 1066. Wellingtonia 97. 111  
 1510. 1516. 2250. 2386. 2589-2592.  
Millettia 297  
Melilotus 955. 1797  
 Melo 2152  
 Melochia 1233. 1502.  
 Melodinus 76.  
 Melongena 566.  
 Memoriales 206-208.  
 Mengyeelon 923  
 Mendoni 857.  
 Mondya s. Mengdi oder Mandya  
 Meniscium 3500  
Menisperma 2226-2322-2352-2390.  
 Monispermum 2226-2326-2382-2392.  
 Mentha 1762. <sup>18m cm</sup> 1866. Metha.  
 Mentha 1285-1290. <sup>allethi</sup>  
 Menthastrum 1811  
 Menyanthes 547-552  
 Mercurialis 2068  
 Meriol 528. 960  
 Mertensia 2457  
 Mespilus 875-877  
 Misera 1890.  
 Methia 1757. <sup>vis.</sup> Mentha  
 Methi 250. 1704. 1755. 1762. <sup>vis.</sup> Mentha  
 Mettonica 957  
 Miap-piak 107  
 Michelia 1260-1262.  
 Microcos 1214. 1220  
 Microlooma 754. 755.  
 Milium 242-247. 292. 977.  
 Millipodium 2458.  
 Wellingtonia 97. 111  
 Mimosa 1024. 1106. 1637. 2252-2352  
 2372. 2359. 2360. 2366. 2366. 2372  
Mimulus 1063  
Mimusops 820. 2561  
Mimusopoides 2555.  
 Minamolu 1808  
 Minibills 664. 87  
 Miraya 1311  
 Microbalance 2274. 2340. 2342.  
~~from Microbalans nomen~~  
 Mischi 697.  
<sup>^m\*iy<\*sjflv</sup>  
 Mobra 785. 786.  
 Modayand 578.  
<sup>flodaceo</sup> \*i^?-f  
 Modhugal 249.  
 Modira valli 1269  
 Moelli 2250  
 Mogun-Nar. Nak 1624  
 Moghamia 1697  
 Mogor 1889  
 Mogorium 34. 36. 35.  
 Mogru-zi 1916.  
 Mohon-pattarice. Monopeltis

- Moj 788  
 Molago 99.108.152.2494  
 Molina 162.  
 Mollugo 352.453.868  
 Momordica 213.242.259.266-274  
 Monocita 1625  
 Monogemari 2048  
 Monandra 1281  
 Mondo 662. vide Mundu  
 Monii 229.  
 Moranga s. Morungha 238.  
 Mor\* una 150.  
 Morgate 829  
 Morinda 708.713.2574.  
 Moringa 1628. 1039  
 Moritsa 595  
 Mormori 2553.  
 Mormoniya 970<sup>an non?</sup>  
 Morosa 216  
 Morparni 1813  
 Morungha sive Moranga  
 Morris 1495. 2011. 279  
 Mosla 96  
 Mosu s. Mosuri 1774  
 Motha 143.167.172.153.159.186.202.261  
 Mothi 134.142.186.202. Tom.  
 Moticher 1099  
 Motta 194.195.  
 Mottinga 215.23  
 Moulow s. Mulla 1036.  
 Mowicon 164  
 Mough-ze Khamal 106.167  
 Moyana fate? 654.69  
 Mucoo 967
- Mudga 1805 idem cum Aliug s. Mukh et forte  
 Mug 1805. 1806. vide Mudgar. Cum Aliug?  
 Mugle 2367  
 Mukhi 1809 vide Mudgar  
 Mulew 123  
 Muli 756.764.1693  
 Mulla 2268  
 Mulla vide Moulou  
 Munda valli 630.  
 Mundian vide Manicou  
 Mundu 618 an idem noncum Mondo?  
 Munighat 2078  
 Mangi 8272  
 Mangista 154. 365  
 Mang 1805. 1806. 1808. 1809. vide Mudga  
 Maraya 422  
 Malale 1926 cum forte cum Murti  
 Mari s. Muni 1529. 1685  
 Murli 1930. vide Murali  
 Murmuriya 113  
 Murayi 1253. 1254  
 Muri via. Muri  
 Muruculu 1097. 1098  
 Musala 1420  
 Musare 133  
 Musaricis 1266.1267  
 Musci 2633  
 Ni'Udtt 2441.2442.2444  
 Musra 1094  
 Mukonda 671.672  
 Mustika 79  
 Mulha 158  
 Muti sak 959  
 Nutra #/

|                                                                             |                         |
|-----------------------------------------------------------------------------|-------------------------|
| Muzhar-Mat-tan 2551                                                         | Nama 784                |
| Muzra 1928                                                                  | Namona 289              |
| Muginda 457                                                                 | Namta 2275              |
| Mukorince 2563.1364                                                         | Nandi 447               |
| Mugonem 1363                                                                | Namikua 2224            |
| Muriophyllum 458                                                            | Nan-lam-hai-in-hom 2369 |
| Mysticea 2555                                                               | Nanshona 1295           |
| Myrobalanus 2076.2340-2342. vide Napharma 1260                              | Napharma 1260           |
| Myrotheca 2450                                                              | Narci de Nadi 297       |
| Mysinca 575.584.                                                            | Naratita 558            |
| Myrti vid Myrtia 129. Ma. 1087-1093. Naravali 469<br>1123. 2544. 2591. 2682 | Naregam 1056            |
| Myrtus 1153                                                                 | Naranga 217             |

Nab.

|                                                                        |                                                            |
|------------------------------------------------------------------------|------------------------------------------------------------|
| Nabin 62                                                               | Narib 1916                                                 |
| Nabbo 387                                                              | Narinam 1570. 2352                                         |
| Noda-jono 2553                                                         | Narijha 137                                                |
| Naga-dana s. Nak-dana 172                                              | Narsing 925                                                |
| Naga-dante 217                                                         | Nasati 1875                                                |
| Nagam 679                                                              | Nasika 424                                                 |
| Naga-mu-dalli 108                                                      | Nastis 882                                                 |
| Nagany 5258                                                            | Nata 1037                                                  |
| Nagaparium 1590.                                                       | Natiga 2025                                                |
| Naychana 1465                                                          | Natsyatam 2197                                             |
| Najjal 3177                                                            | Natijil 1361                                               |
| Nag-mukhi 457                                                          | Naucler 703-706                                            |
| Nag-phule 453                                                          | Navaru 867                                                 |
| Nahasit 1617                                                           | Negretia 1796                                              |
| Naines 463. 449. 105-107. 1976-1978. <sup>1978-1980</sup> Nigundo 1254 | Nigundo 1254                                               |
| Naines 1994.                                                           | Nohomeka 2162                                              |
| Nahdantion-Naga-dana                                                   | Nelam-mari 1663                                            |
| Nako 2408                                                              | Neli 256. 2086. <sup>Passiflora</sup> <sub>Non-nomen</sub> |
| Nakea 2405                                                             | Nelika 278. 279. <sup>Cissus obliqua</sup>                 |
| Nala 378                                                               | Nembium s. Nolumbo 1253                                    |
| Naluya *Y                                                              | Nenuya 2143                                                |

*Nepeta* 1515  
*Nephrodium* 2654-2656-2657  
*Nerai* 227  
*Nerium* 723-725, 727-730, 745  
*Nerula* 172  
*Nigella* 1245  
*Nitandra* 112  
*Nikari* 223  
*Nikore* 1148 <sup>nam forte nonon</sup>  
*Nil* 1744-1750  
*Nilbuti* 1039  
*Nilhar* 923  
*Nimi* 357  
*Niota* 1524  
*Nime* ^ vy  
*Nipa* 2076-2082-2088-2090  
*Niv. vallis Palla* 894  
*Nisindia* 1354-1355  
*Noren* 1283  
*Nusa* 2050  
*Nigar* 2243  
*Nochan* 799. vide *Nochan*  
*Noel-valli* 1153  
*Nosi* 1354-1355  
*Norella* 1555  
*Noxyno* 2103  
*Nox. rukh-wan* 2282  
*Noxymunifera* 1589  
*Noxa sylvarum* 1036  
*Nox-shokiyia* 1461  
*Noxika* 224  
*Noren* 2215

365. *Nux*  
*Nux* 1577, 2125, 2126  
*Ayotaginea* 17. 18. 661  
*Nymphaea* 1431-483, 1197-1200, 1250-1270  
*Oba*  
*Obai* 1177  
*Obscura* 2562-2599.  
*Ochna* 1242, 1243.  
*Ocimum* 1205 <sup>nam nonon</sup>  
*Ocymum* 1290, 1304-1307, 1319, 1321  
*Odallam* 719  
*Odina* 725, 2235  
*Ofata* 886  
*Ojara* 938  
*Okse* 1208  
*Ol* 2106  
*Olax* 108-110  
*Oldenlandia* J/A J/4 6\*2. f<&  
*Olea* 38, 429, 437, 1061, 273  
*Olema* 37-39  
*Olus* 412, 652, 667, 750, 853, 2198  
*Omibi* 2189 <sup>nam cum</sup> Kombi  
*Ompholobium* 1805  
*Onagra* 114, 410, 650, 787, 923, 926, 1063-1070  
*Orobrychis* 1654, 1663, 1669, 1675, 1677  
*Onoclea* 2456  
*Onol* 302  
*Onopordum* 1845, 1846.  
*Ophioglossum* 2448, 2449, 2652-2654.  
*Ophiorrhiza* 665-667  
*Ophiopylon* 2349  
*Opplys* 1908  
*Orchaka* 930  
*Orchidaceae* 1932-1965

|                         |                                                                   |
|-------------------------|-------------------------------------------------------------------|
| Orchis 1932. 1433. 1935 | Pulak s. Palanki 85. <sup>sunam</sup> Palki & <sup>1</sup> Blung. |
| Ohol 1558               | Palan 2134                                                        |
| Otter 777               | Palanki vide Pulak                                                |
| Osmotrophe 937          | Palaui 3075                                                       |
| Proboscidea 1627. 1628. | Palki s. Blung 897. vide Pulak                                    |
| Orobanch 1602           | Palma 877                                                         |
| Oreuk 987               | Palma 875. 879. 2001. 2003. 849.                                  |
| Oryza 874. 883          | Palmifilia 2492                                                   |
| Oseckia 912. 918        | Palmijunior 879                                                   |
| Osmunda 2349            | Salong 2191                                                       |
| Ostryodium 1977         | Paling vide Palki                                                 |
| Oxalis 2267             | Pal-Valli 742. 743. no                                            |

&amp; \*\*£\*?4\*4

Opps 1105. 1106.  
Oppostifolia 241-272  
Paa.

|                                                               |                                   |
|---------------------------------------------------------------|-----------------------------------|
| Paa-ya vide Patalat                                           | Panambu-valli 299                 |
| Pach-guriya 2162                                              | Panaca 1971                       |
| Paeonia 73                                                    | Panohangi 2452                    |
| Pader-valli 2287                                              | Panha Petaia 2260                 |
| Padma vide Padia                                              | Panratium 855                     |
| Padri 1367                                                    | Pandanus 2174                     |
| Paderia 598. 697                                              | Pandor 1370                       |
| Pek 1781. 1808.                                               | <**tsQm, 6**, AJ42,               |
| Paeon & Paeiu 1797. 1794. 1806. <sup>1806 from non year</sup> | Pangdan 1577. 1608                |
| Pail 1970                                                     | Panet 1373                        |
| Pain-lata 2116                                                | Panica & Pennala 1526             |
| Pakar & Pakau 2235. 2402. 2415. <sup>2415. 2402</sup>         | Panicum 203. 252. 296. 308. 2333. |
| Pala 75. 730. 735. 736. 739. 109                              | Pani-keloidi 960                  |
| Palaau juu 53                                                 | Pani-sinti 2679                   |

|                                                                                                               |                                                             |
|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| <i>Santago</i> 200. 1970                                                                                      | <i>Boropterides</i> 3457                                    |
| <i>Saso</i> 163. vnu. vnu. <i>Sarasenaria</i> 162.                                                            | <i>Cotulacea</i> 162-163.                                   |
| <i>Santonium</i> 1325                                                                                         | <i>Portia</i> 4**?** i sy-XW. 132-133. 1035-1037. 103-102.  |
| <i>Scleranthus</i> 1316-1321                                                                                  | <i>Brachysiphon</i> 696                                     |
| <i>Scumbaginea</i> 476-488                                                                                    | <i>Broct</i> 1321                                           |
| <i>Scumbago</i> 496-498                                                                                       | <i>Boscula</i> 1240                                         |
| <i>Scutellaria</i> 701                                                                                        | <i>Botamogoton</i> 424-449. 1993. vnu. <i>Botamogoton</i> . |
| <i>Sca</i> 310. 34-322                                                                                        | <i>Centella</i> 1191                                        |
| <i>Sodi</i> 695                                                                                               | <i>Bothrioceras</i> 233                                     |
| <i>Sphaera</i> 2253                                                                                           | <i>Botamogoton</i> 896-106. 107. vnu. <i>Botamogoton</i> .  |
| <i>Sorvinii &amp; Burundi</i> 945                                                                             | <i>Brotia</i> 162                                           |
| <i>Sovintiana</i> 1028                                                                                        | <i>Brunnion</i> 2132                                        |
| <i>Sola</i> 1952                                                                                              | <i>Braun</i> 287                                            |
| <i>Solakon</i> 1413. 1419                                                                                     | <i>Bremna</i> 1032-1039. 2586                               |
| <i>Solata</i> 2006                                                                                            | <i>Brenanthes</i> 1029. 1033. 1035. 1036                    |
| <i>Solta</i> 2136                                                                                             | <i>Bri-haw-gne</i> 1010. 1020                               |
| <i>Solybotria</i> 2458                                                                                        | <i>Brimulacea</i> 476-490                                   |
| <i>Solycarpaea</i> 622-644                                                                                    | <i>Briva</i> 1327                                           |
| <i>Solycarpion</i> 357                                                                                        | <i>Brotiacera</i> 422                                       |
| <i>Solylgala</i> 1022-1022                                                                                    | <i>Bromellia</i> 1446. 1447. 1457                           |
| <i>Solymonea</i> 895-896. 952-976                                                                             | <i>Bromium</i> 1095                                         |
| <i>Soligonum</i> 954-976                                                                                      | <i>Bromus</i> 466. 171. 1052                                |
| <i>Solivodienum</i> 2465. 2466. 2482. <i>Pseudo-china</i> 2222<br>/ 10486. 7495. 2408. 2409. 2410. 2411. 2412 |                                                             |
| <i>Soma</i> 437. 610. 932. 2138                                                                               | <i>Bisiotium</i> 2447                                       |
| <i>Somma</i> 107                                                                                              | <i>Bivalvula</i> 1023. 1024                                 |
| <i>Songam &amp; Songamia &amp; Songmiao</i> 1046. 1047.                                                       | <i>Psychotria</i> 704. 702                                  |
| <i>Songate &amp; Songolium</i> 578.                                                                           | <i>Boydiun</i> 2552                                         |
| <i>Sonka</i> 2121                                                                                             | <i>Strobilanthes</i> 2478. 2502. 2503. 2516. 2519.          |
| <i>Sonnagam</i> 2372. 2373                                                                                    | <i>Stercarpus</i> 1039-1042                                 |
| <i>Sontedzia</i> 150. 103                                                                                     | <i>Strophoziznum</i> 1523. 1524                             |
| <i>Sopra</i> 1771                                                                                             | <i>Sutina</i> 1289                                          |
| <i>Sopra</i> vnu. <i>Sopra</i>                                                                                | <i>Sui</i> 816. 817                                         |
| <i>Sourva</i> 490. 491                                                                                        | <i>Salsola</i> 53. 58                                       |

|                                                                                   |                                      |
|-----------------------------------------------------------------------------------|--------------------------------------|
| Bulle 46.47.509.492.670.2052.                                                     | Ram-pati 1824                        |
| Buliu 133.162.166.176.195.244.255.268.<br><del>232.233.234.235.236.237.238.</del> | Ranode 918                           |
| Bulipal 175                                                                       | Randia 396.676.680.684.2578.         |
| Bulowit 2135.2136.2137                                                            | Parwala Ranga 61.                    |
| Bungamia see Pongamia?                                                            | Ranggil 1027                         |
| Bungiya 117                                                                       | Ranna 3058.2351.                     |
| Buntiya 1537                                                                      | <u>Ranunculaceae</u> 1244-1254.2598. |
| Bupalia 680.652                                                                   | Ranunculus yga 1245.                 |
| Bupal-valli 732                                                                   | Satharinus 1490                      |
| Burua 176.1087                                                                    | Rupunulus 52                         |
| Burunai see Brinadi                                                               | Rasoka 919                           |
| Burunani 131                                                                      | Rasphule 62                          |
| Bullet 2580                                                                       | Rasurus lauma 17.860.863             |
| Buya 2003                                                                         | Ratas 918                            |
| Bugom 192                                                                         | Sathanth 1235.                       |
| Bystrom 190                                                                       | Ravi 2402.                           |
| Cyrus 1805 see Paon                                                               | Raya 1486.1487.1489.1490.            |
| Cyrus 1176                                                                        | Re-dangin 1049                       |
| <u>Lue.</u>                                                                       |                                      |
| Quercus 2055-2162.2577                                                            | Re-quadut 2423                       |
| Quirivalla 741.                                                                   | Riseda 1134                          |

|                       |                                                                |
|-----------------------|----------------------------------------------------------------|
| Radix 497             | <u>Restionaceae</u> 346-350                                    |
| — Dijpara 1254.1352   | colestaria 539                                                 |
| — Mustela 2349        | colesthovia 573                                                |
| Raddini 801.          | Setomaria 2348                                                 |
| Raineburg 621         | <u>Rhamnica</u> 67-85.87.88.249; 2580<br>12568.2570.2183.2594. |
| Rakkal-pani 2618      | Rhamneus 627.636.714.                                          |
| Rakka-pitti 621       | Rhizophora 572.610-611.613                                     |
| Ramenapu 1515.        | <u>Rhododendria</u> 1082-1083                                  |
| Ramenum 2012          | Rhododendrum 1082-1083                                         |
| Rampani 495           | Rhus 524-525.                                                  |
| <u>Phycophora</u> 218 |                                                                |

Ric.

Ricinocarpus 1991-2062, 2069  
Ricinus 1992, 2101-2116, 207, 222, 2267  
Ricophorus 2203  
Rima 2370  
Rindella 2367  
Rita 963  
Rivinia •34-  
Robai 177  
Robinia 1623, 1645, 1746  
Rodante 1295  
Roha 1962  
Rohan 1858  
Rondeletia 669  
Ros \* ^ \* \* ^ /ff  
Rora 260  
Rosa 178-185  
Rosa sinensis 1837  
Rosaceae 178-191  
Rosca - hind 2203  
Ros-solis 435  
Rottboellia 348-384  
Rottlera 2264-2278  
Rouvala 432  
Roxburghia 2595  
Rubecula 681  
Rubica 354-355  
Rubiaceae 154-393, 662-772, 2578-2598  
Rubiburna 1673  
Rubus 1493-1579  
Rundelia 1626, 1643  
Rudrakhyi 1209  
Ruellia 35, 434-435, 437, 453, 589  
Rutka-pilli

Rum.

Rumes 896-898  
Ruppia 443  
Rura 243  
Ruta 1060  
Rutacea 1638-1641  
Sa.  
Sa. etiam 1586  
Sabice 2324-2325  
Sabicea 616  
Sabijaya & Sabijaya corruption  
Saccharum 217, 232  
Saccus 1971 (non cum Saccus et Tjuka)  
Sadehaya & Sohadaiya 1853 (non cum Shadew)  
Sau (ho kiazh-zhi) 2405  
Savetta 900, 2049, 2050  
Sagittaria 2049-2051  
Sanghua 2241  
Sahadaiya (sic dasitaya)  
Sahadeva 1853 (non cum  
Sahui 2244  
Saino & Saini 2367  
Sair-pat 958  
Sainala 2239  
Saj 2243  
Sajiga 618  
Sak 2022, 2024  
Sal a sola 1204, 1584, 1637, 1641  
Salacia 966, 1967  
Salacia; 1446. /at\*  
<sup>7</sup> s \*'s  
Salicaria 418-637, 1130  
Salix 2172  
Salparni 1675  
Salpha 802

Sa.  
&

JfZ

Sar.

|                                                                                     |                                                               |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------|
| <i>gelsola</i> 34                                                                   | <i>Securis</i> 1^f                                            |
| <i>geltrin</i> 27                                                                   | <i>shabujaya</i> & <i>issa</i> <i>salpaya</i>                 |
| <i>ghaluk</i> 199                                                                   | <i>garclobus</i> 779                                          |
| <i>gheliang</i> 2                                                                   | <i>gari</i> <i>rice</i> 12                                    |
| <i>ghelinia</i> 2525.2                                                              | <i>garib</i> .../* 1%>&&i4*, <i>garina</i>                    |
| <i>ghiu</i> ,                                                                       | <i>ghisha</i> 1891 <i>nam</i> <i>ghisha</i>                   |
| " " <i>nak-wan</i> 364                                                              | <i>garina</i> 1830 <i>nam</i> <i>garina</i>                   |
| <i>ghamante</i> 1J/f                                                                | <i>garinda</i> 2320                                           |
| <i>gham</i> mmAt0                                                                   | <i>garol</i> 2060. 2060. 27.81                                |
| <i>gham</i>                                                                         | <i>garpat</i> 222.                                            |
| <i>ghamouens</i> 605.3:                                                             | <i>garuaria</i> 4' 4€*<y*>t Z//0                              |
| <i>gham</i> <i>verweling</i>                                                        | <i>gat-band</i> i 177                                         |
| <i>ganchaca</i> 25.                                                                 | <i>gapum</i> <i>ganchaca</i> 1844                             |
| <i>gampinga</i> 1000                                                                | <i>gabiosa</i> 1921.930                                       |
| <i>gandharvadi</i> 1881.1889                                                        | <i>gavola</i> 395                                             |
| <i>gamyda</i> 172-175                                                               | <i>ghambier</i> 1157 <i>nam</i> <i>gambier</i> <i>gambier</i> |
| <i>ga-nak-khok</i> 1056                                                             | <i>ghembra</i> <i>valli</i> 605                               |
| 9., * < */ <i>gantalam</i> 428 <i>nam</i> <i>gantam</i> <i>gahana</i> 2035          |                                                               |
| <i>gandalem</i> 1600 <i>nam</i> <i>gandam</i> <i>gahnu</i> <i>valli</i> 501         |                                                               |
| <i>gandonicum</i> 1065                                                              | <i>gahvi</i> 1857                                             |
| <i>gangkha</i> <i>huli</i> 614                                                      | <i>gahinus</i> 1856. 2246-2255                                |
| " "                                                                                 | <i>gahumatoloides</i> 255-267                                 |
| <i>gantalam</i> 428. 192. <i>nam</i> <i>gandal</i> .                                | <i>gahzaa</i> 245. 2456                                       |
| <i>gapindi</i> 977.97. 2370                                                         | <i>gahlihera</i> 942                                          |
| <i>gapindas</i> 943.950.                                                            | <i>gahenius</i> 210. 215                                      |
| <i>gapium</i> 2120.2126.                                                            | <i>gahora</i> 214. 241                                        |
| <i>gap-kuchli</i> 1109                                                              | <i>gahrigman</i> 1991                                         |
| <i>gaponaria</i> 985.1088                                                           | <i>gahvandi</i> 155. 1929                                     |
| <i>gapota</i> & <i>gapotia</i> , 60. 580. 1030 <i>nam</i> <i>gahrebara</i> 40. 618. | <i>gahrebara</i> 40. 618.                                     |
| <i>gar &amp; dari</i> 168.182                                                       | <i>gahville</i> 1442. 1466. 1470.                             |
| <i>garada</i> 183.                                                                  | <i>gahunamba</i> 411.                                         |
| <i>garak</i> 323                                                                    | <i>gahunda</i> & <i>chimula</i> & <i>clanda</i>               |
| <i>garana</i> 1                                                                     | <i>gahunda</i> 574-575.                                       |

| <u>Ici.</u>                              | <u>Sia.</u>                        |
|------------------------------------------|------------------------------------|
| <u>Scilla</u> 563. 564                   | <u>Siamia</u> 1539                 |
| <u>Scirpus</u> 153. 173-200              | <u>Sib-ban-kha</u> 2178            |
| <u>Seitaminea</u> 5-16                   | <u>Sibika</u> 1628                 |
| <u>Seleria</u> 1936                      | &£*£*, /JTp-/ff/                   |
| <u>Scrophioiles</u> 1084. 1698-169       |                                    |
| <u>Scrophularia</u> 1001                 |                                    |
| <u>Scrophularina</u> , 78-53. 13         | 1%/ <u>J-fi</u> / <u>'s£^/*frf</u> |
| <u>Scutellaria</u> 1022. 1024            |                                    |
| <u>Scytalia</u> 935. 946. 2550           | &4Cu\$~Z*ff. 2Sf^                  |
| <u>Sekunda</u> 1834                      |                                    |
| < ^ ^ < r/**ST/3t4                       |                                    |
| <u>Juncorpus</u> 933                     |                                    |
| <u>Sempervivina</u>                      |                                    |
| V* & +tjar-S*SV-*—J» /i**-r —Tf.f. —**/* |                                    |
| <u>Sennia</u> 618                        | <u>Singara</u> 409                 |
| <u>Senduyari</u> 1595                    | <u>Singar</u> 2156. 2158.          |
| —1—» 1* *rt*tt J* jy>*i                  | 7                                  |
| <u>Senna</u> 104. 107. 1765              | <u>Sinkos</u> 107                  |
| <u>Seripa</u> 693. 698                   | <u>Siphonanthus</u> 104            |
| —93                                      | 9>VtC'/S*                          |
| ^vt^t*i ^ ^ // ^ x /Aiji x***            | <u>Siri-boa</u> 100                |
| W*! <del>recu</del> tt*—%. /y/6          | <u>Sirish</u> 2364. 2365.          |
| <u>Sesamum</u> 1376-1379                 | <u>Sirium</u> 107. 123             |
| <u>Sesban</u> & <u>Sesbana</u> 1047. 1   | <u>Sis</u> 9                       |
| <u>Sepeli</u> 794                        | w**<*-£*UZ£ /7Za                   |
| <u>Shaguda</u> 22. 37                    | y                                  |
| <u>Shanday</u> 22. 37                    | <u>Sisadri</u> 1423                |
| <u>dsA</u> <'i^/                         |                                    |
| 11. 1                                    |                                    |
| <u>Shera</u> 1206                        | * <u>Sitdun</u> >^/ay/             |
|                                          | <u>Situri</u> 581                  |

| <u>Fla.</u>                                        | <u>Sph.</u>                                         |
|----------------------------------------------------|-----------------------------------------------------|
| <i>Slatera</i> 862                                 | <i>Aphanoclea</i> 552.                              |
| <i>Smilacina</i> <- 1/- *** * * Jz f               | <i>Apiumanthus</i> 1865-1867, 1921                  |
| <i>Smoothia</i> 1860                               | <i>Spinacia</i> 213.                                |
| <i>So</i>                                          | a 'i*rt*cJ <i>Spinacum</i> 2225                     |
| <i>Succowia</i> 11                                 | must type <i>Spondias</i> 1976                      |
| <i>Sohagi</i> 1859                                 | <i>Stachipterides</i> 2439-2449                     |
| <i>Sojana</i> 1858-1859                            | <i>Stachys</i> 1294                                 |
| <i>Sola</i> 1858, 1859, 1860-1861 <i>Sola</i>      | <i>Stachytarpheta</i> 89                            |
| <i>Solancea</i> 552-575                            | <i>Staphylaea</i> 607                               |
| <i>Solanum</i> 566, 567, 568, 569-574, 575, 576    | <i>Stellaria</i> 1100                               |
| <i>Soliva</i> 1877                                 | <i>Stemodia</i> 1480, 1499, 1517, 1520              |
| <i>Sonamboni</i> 1958-1959                         | <i>Sterculia</i> 1357, 1514-1518, 2562              |
| <i>Sonamjor</i> 276                                | <i>Sterculiacae</i> 1500, 1501, 1507-1520,<br>1552. |
| <i>Sonchus</i> 1836-1838, 1857                     | <i>Steris</i> 785                                   |
| <i>Soneratia</i> 183-1853                          | <i>Stelago</i> 2182, 2186                           |
| <i>Sonorila</i> 110                                | <i>Stillingia</i> 2124                              |
| <i>Songdal</i> 211                                 | <i>Stoechade, Mentha</i> 1609                       |
| <i>Sorghum</i> 1256                                | <i>Stochas</i> 1315                                 |
| <i>Sorgho</i> 1214                                 | <i>Stramonia</i> 563                                |
| <i>Songs</i> & <i>chea</i> 2153                    | <i>Stramoniacarpus</i> 2596                         |
| <del>Streptophyta</del> 1053                       | <i>Stratiotes</i> 908                               |
| <i>Son-phali</i> 2092                              | <i>Streptium</i> 1227                               |
| <i>Sooni</i> 2019                                  | <i>Strizolobium</i> 776                             |
| <i>Sophophya</i> 1220                              | <i>Strophocnus</i> 715                              |
| <i>Sopugoy</i> <del>use</del> <i>Sobugoy</i>       | <i>Stylosanthes</i> 1092                            |
| <i>Sorbus</i> 1836                                 | <i>Styrax</i> 1081                                  |
| <i>Sorghum</i> 2208                                | <i>Sugunda</i> 525                                  |
| <i>Sori</i> 2552                                   | <i>Sigales</i> 2363                                 |
| <i>Sorisha</i> 1858, <del>use</del> <i>Sorisha</i> | <i>Sukarati</i> 2162                                |
| <i>Sosa</i> rice along                             | <i>Sukali</i> 2278                                  |
| <i>Sor</i>                                         | <i>Sukkhebe</i> 525                                 |
| <i>Sparagnum</i> 1453                              | <i>Sukkhatni</i> 745                                |
| <i>Spergula</i> 1055                               | <i>Sukkna</i> 638                                   |
| <i>Spermaceae</i> 856-867                          | <i>Sukurkund</i> 702                                |
| <i>Sphaeranthus</i> <i>sphaeranthus</i> 1938       | <i>Sulkhorni</i> 1225                               |

Sun  
 Suna-phul 2233  
 Sundaris s. Sundri 1575  
 Sundi 477, 492, 498  
 Sundore 1960  
 Sundri u.s. Sundari  
 Suntiki 1968  
 Supa 2395  
 Supari 2532  
 Supplearia 1958, 1959  
 Sureta 351  
 Surigari 657  
 Sibja-pur. 1953  
 Sieris-bee 2590  
 Sur-phali 1925  
 Sufodi 1325  
 Suta-ghas 117  
 Swietenia 1058, 1059  
 Sweetia 750, 781  
 Syalita 1956 isem cum Chatta  
 Symplocos 173, 227  
Taa.  
 Taabu-Noki 2252  
 Tabinamontana 720, 726  
 Tacca 871  
 Taccoda s. Takkada 398  
 Tadaguny 1736  
 Taldor 1344  
 Tagadi 2323  
 Tagor 723, 725  
 Tagor 1017, 1024, 1747  
 Taini 1033  
 Taj 975, 979  
 Tajbo 440

Takkada nis. Taccoda  
 Tali 500, 506, 1207, 1651, 1652, 2182, 2192, 2.  
 Taludana 15.  
 Tamaria 1235, 2051  
 Tamara-tonga 1095  
 Tamarindus 1498  
 Tamariscus & Tamarix 827, 830  
 Tama-Noki 983  
 Tanacetum 1913  
 Tanacius 2267  
 Tandale 1708, 1709, 1713, 1720  
 Tangga 2320  
 Tani 2362  
 Tenghana 227  
 Tapaniga 537, 538, 540, 541 cum Taypari  
 Taras & Tarak 8, 11  
 Tara-chandi 555, 745  
 Tarak nis. Tara  
 Tarbag & Tarmiga 2168  
 Tardavel 96.  
 Tarita 518  
 Tarmiga nis. Tarbag  
 Tatuo 1161  
 Tatoya 2107  
 Taypari 555 isem cum Tapaniga  
 Taxus 2291  
 Tekka 1344 isem forte cum Nekka 1  
 Telae-husha 2162, 2164.  
 Tel-ekkitha 489  
 Tel-deea 52  
 Telkau 1511  
 Teljhora 2275  
 Tema 2260, 2280  
 Tena 2216.



Ipe.

57

Tij.

Trema & Tremaia 2268.2269.

5

Trialetium 2057  
bulus 1061

Trichodiema 660.661

Trichomanes 2515.2519 2524.2525

Trichosanthes 2125-2127

Trifolium 1692.1755.1756.1758

Trigonella 1764.1765

Trina 256.293.308.

Trinava Malika 2334

Trinava dari 165.

Z\*Mdx&/j6y

Triphasia 843.

Triumphetta 1125.1129

Tromium 563

Trophis 2179

Tsira 818

Tsijadeen 1886

Tsijaher 706.1975 am-an tsawa

Tsjakela 5409

Tsijamar pullus 310

Tsijambotam 1891

Tsijampangau & Tsijampangau ~~tsijaher~~ 1930.217

Tsiandi 1705

Tjepu 185

Tjaman 2250.2255

Tjete 177.

,<4  
Tjene marau 219

Tjette pem 1911

Tjetera 1152

Tjetera 420

Tjigam 513

uf

Tjigam 352 nida jongonan

Tjigori batu 415.416.605

Tjindes marau 50

Tjindes 556.wan rum Schneider & Glind

Tjirel 875.

Tsubakki 1586

Tuan 665

Tuba flava 2197

Tudi & Turi 1858.1889

Tukra 1004

Tulasi 107.1312.1305.1309

Tumba 56.1298.1303

Tumica 2370

Tumki 923

Tungd 609

Turaka 3275

Turi nida Tabi

Turia 1627.1646

Ture-lata 2128

Turpethum 516

Tut 1392.1498

Tylephora 756.760

Typha 1930.217

?t&\*

Ubium 237.5219.322.324 - \* 326

Ublica 1669

C. & Gnid & Wadiab 1807

du 1877.1888

una 1895

Ulandu 1818

Ulinia 957

Uline 1807

Ulmus 886.20 ◇

fa.

Ulu

359

Vari.

|                                                                                                                                  |                                                  |
|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| <i>Ulu</i> 220. 231                                                                                                              | <i>Varuna</i> 1112. 1114                         |
| <i>Uluva</i> 255. 2561                                                                                                           | <i>Vela</i> & <i>Rat</i> 2394                    |
| <i>Gambelia</i> <i>vera</i> 790. 832                                                                                             | <i>Vatria</i> 1205                               |
| <i>Yerushalim</i> 100                                                                                                            | * <i>Vittaria</i> 250                            |
| <i>Perovia</i> 767                                                                                                               | <i>Volkameria</i> 1351. 1354. 1366. 1368. 1369   |
| <i>Pyrodia</i> 147. 150                                                                                                          | " <i>Wab</i>                                     |
| <i>Terrola</i> 70                                                                                                                | <i>W. Gaea</i> 1529                              |
| <i>Ureche</i> 2167                                                                                                               | <i>Wal. Mandja</i> 1222                          |
| <i>Uren</i> 1531                                                                                                                 | <i>Waga</i> 2360                                 |
| <i>Urena</i> 1582. 1584                                                                                                          | <i>Wallenia</i> 1500. 1501                       |
| <i>Urti</i> 2194                                                                                                                 | <i>Wara</i> 156                                  |
| <i>Urtic</i> 1512. 1513                                                                                                          | <i>Wauulathya</i> 1037                           |
| <i>Urinaria</i> 2393                                                                                                             | <i>Weber</i> a, 6?S-879                          |
| <i>Vertea</i> 1992. 2003-2015                                                                                                    | "                                                |
| <i>Urtica</i> 98-107. 1974. 1975. 1985-2009. 2179. <del>2176. 2180. 2181. 2182. 2183. 2184. 2185. 2186.</del> <i>Wherry</i> 1621 |                                                  |
| <i>Ushagai</i> 1556.                                                                                                             | <i>Wimlea</i> 1265                               |
| <i>Uthali</i> 1090                                                                                                               | <i>Wina</i> <i>garumbi</i> 252                   |
| <i>Uticulosa</i> 75-77                                                                                                           | <i>Wodagu</i> 2075                               |
| <i>Uvaria</i> 1566. 1578. 2562. 2563. 2576                                                                                       | <i>Wrightia</i> 734. 9031                        |
| <i>Uvalaria</i> 856                                                                                                              | <i>Wulied</i> 1803. <i>womann</i> <i>Utidew.</i> |

Vid.

|                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------|
| <i>Vida</i> 1013                                                                                                                       |
| <i>Vega</i> 1537                                                                                                                       |
| <i>Vagon</i> & <i>Vagon</i> 1959                                                                                                       |
| <i>Vahlia</i> 785. 787                                                                                                                 |
| <i>Valerianella</i> 357. 363                                                                                                           |
| <i>Valioneria</i> 2174. 2175. 2285                                                                                                     |
| <i>Vallaria</i> 756.                                                                                                                   |
| <i>Valli</i> 40. 416. 416. 426. 492. 530. 602. 605. 702. 742. 743. 746. 899. 106. 106. 1263. 1633. 1796. 2098. 2156. 2173. 2263. 2277. |

|                             |
|-----------------------------|
| <i>Xanthium</i> 209.        |
| <i>Xanthrohymis</i> 1124    |
| <i>Tylocarphus</i> 930. 934 |
| <i>Tylon</i> 1202. 1526     |

Uegi*Uegi* 1662.*Uegi* 2282.*Uegi* 25.Zac

|                            |
|----------------------------|
| <i>Zanorrhik</i> 102. 1605 |
| <i>Zanichellia</i> 1921    |
| <i>Zapania</i> 87. 91.     |
| <i>Zedoaria</i> 16.        |

Zei.

|                    |                              |
|--------------------|------------------------------|
| Zelina naga 1677   | Villarsia 65-68              |
| Zerumbetta 10      | Vinca 722                    |
| Zikan-huo-mau 657  | Viola 650-661                |
| Zhu-ban 1857       | <u>Violacea</u> 660-681      |
| Zhu-hau-mua 1036   | Verano 3305                  |
| Zingani Hu tea 600 | Vistea Claudi 881            |
| Zingiber 4-16      | Vitis 411-47 601-608         |
| Zitaka har 2339    | Vitex 611-1354-1362          |
| Zizyphus 637-635   | Vite 1637                    |
| Zoetera 1970       | Vitis 601-605                |
| Zoysia 236         | Vitis alba 2164              |
| Zue-bouf 2372      | Vitis rotundifolia 2076-2102 |
|                    | Vitobaka 2004                |

Vale.

|                                                      |
|------------------------------------------------------|
| *Vaticaria 1306-1305                                 |
| Vaynre 1642                                          |
| Vaypa 1044                                           |
| Vela & Vela 1296-1297                                |
| Vella 1463                                           |
| Vegon vide Vagon                                     |
| Vela vide Vale                                       |
| Veluga 107                                           |
| Velun 2370                                           |
| Ventilago 621                                        |
| Verbenae 87-91                                       |
| Verbenaceae 89-91 421-416 1032-1034-1035             |
| Verbesina 1862-1867-1912-1913-1915<br>1916-1918-1919 |
| Veronica 1333-1353                                   |
| Veronicae 78-80 1225                                 |
| Velle 437                                            |
| Vicia 1766-1767                                      |
| Villandi 2222.                                       |

Finiis.

1335 *Vitis indica*, S. Linn. Meth. 4; 603.

*V. trifolia*, coriacea sylvestris, *Indica* Burm. Nat. Regl. 229.  
Linn. Pl. Regl. 412.

*V. trifolia minor* *Indiae coriacea* Blck. Abn. 372.

Burm. Nesi. Hort. Mal. 4, t. 12. quod ad figuram, sed descriptio ad alterum  
grandam plantam forte spectat.

*Nisinda Hindica*

Habitat in India espibus

Foliola nunc integra, tunc in secum arborescere.

1487 *Sinapis ramosa* Kort. Eng. 48.

*Brassica amboinicum* Kort. Amb. 22.

*Ragi* Hindica

Coldier in India agri ob cimina annis.